

Day 4: Operators

Concatination

→ The (+) will behave two ways for numeric it works normally and for other datatypes like string , list, tuple, this becomes concatenation

→ The operators are used to perform operations in variables and the values...

1.Arithmetic operator

This operator is used to perform mathematical problems

+, -, /, *, //, %

(+) → To add the values

```
num =78
```

```
num_2 =90
```

```
print(num+num_2)
```

(-) → to sub the value

```
num =5
```

```
num_2=4
```

```
print(num -num_2)
```

(*) → to muplity the values

```
num =6
```

```
num_3 =5
```

```
print(num*num_3)
```

(/) → to div the values

```
v=8.5
```

```
n=4.4
```

```
print(v/n)
```

(//) →

```
a=2.3
b=4.5
print(a//b)
(%) →
v=2
n=4
print(v%n)
```

2. Assignment operator

This operator is used to assign a value to a variable

=, +=, -=, *=, /=, %=

(+=) → is increment operator

```
a=0
print(a)
a+=1
print(a)
```

(-=) → decrement operator

```
b=97
b-=5
print(b)
```

(*=) →

```
c=5
c*=2
print(c)
```

(/=) →

```
b=2
b/=5
print(b)
```

(%=)→

```
c=10
```

```
c%=2
```

```
print(c)
```

3.Comparison operator

This operator is used to compare two values

`==,!=, >,<,>=, <=`

```
n=9
```

```
n_2=5
```

```
print(n==n_2) # 9==5
```

```
print(n!= n_2) # 9!=5
```

```
print(n>n_2) #9>5
```

```
print(n<n_2)#9<5
```

```
num =10
```

```
num_2 =9
```

```
print( num >= num_2)
```

```
print( num <= num_2)
```

4.Logical operator

This evaluate and combine boolean expressions

`and , or, not`

```
num =9
```

```
num_2 =13
```

```
print(num >= num_2 and num <= 10) # 9>= 13 and 9 <=10
```

```
print(num <= num_2 and num<=10) #9<=13 and 9 ≤10
```

```
print(num>= num_2 or num<10)
```

```
print(not(num>= num_2 or num<10))
```

5.Identity operator

This operator is used to compare two objects if they are the same object in memory..

is , is not

is →

```
a=45
```

```
b=45
```

```
print(a is b)
```

is not →

```
a=[1,2]
```

```
b=[1,2]
```

```
print((id(a))
```

```
print(id(b))
```

```
print(a is not b)
```

6.Membership operator

This operator is used to check if a value exists in a sequence

in, not in

```
n=[1,2,3,4]
```

```
print(1 in n)
```

```
print( 4 not in n)
```