

MYSQL DAY 2

DDL: Commands

Create:

Creates a new database objects such as tables, database, views, indexes or triggers... etc

Syntax: CREATE DATABASE database-name;
Or
CREATE SCHEMA schema-name;

Drop:

Permanently deletes an existing database objects(table ,database, index ,views)along with its data and structure.

Drop database database-name;
Or
Drop SCHEMA schema-name;

how to drop a column

Syntax: alter table table-name drop column column-name

ALTER:

By using alter command we can modify the existing structure

modify the fname column in employees table to varchar(70)

Syntax: alter table table-name modify column-name datatype size

add new column named with location to employees table

Syntax: alter table table-name add column-name datatype(size);

Add a new column named pfid after address with datatype int

Syntax: alter table employees add pfid int after address;

How to rename the column name

Syntax: alter table-name rename existing column-name to new column-name;

Syntax: alter table -name change existing column -name new column -name datatype;

how to drop a column

Syntax: alter table table-name drop column column-name

how to change table-name

Syntax: alter table table-name rename to new-table-name

```
mysql> CREATE DATABASE da6;
Query OK, 1 row affected (0.01 sec)
```

```
mysql> SHOW DATABASES;
```

```
+-----+
| Database |
+-----+
| da6      |
| information_schema |
| mysql    |
| performance_schema |
| praveendb |
| sys      |
+-----+
6 rows in set (0.00 sec)
```

```
mysql> use da6;
Database changed
mysql> drop database da6;
Query OK, 0 rows affected (0.03 sec)
```

```
mysql> show databases;
```

```
+-----+
| Database |
+-----+
| information_schema |
| mysql      |
| performance_schema |
| praveendb  |
| sys        |
+-----+
5 rows in set (0.00 sec)
```

```
mysql> create database cg_mysql;
Query OK, 1 row affected (0.01 sec)
```

```
mysql> show databases;
```

```
+-----+
| Database |
+-----+
| cg_mysql |
| information_schema |
| mysql    |
| performance_schema |
| praveendb |
| sys      |
+-----+
6 rows in set (0.00 sec)
```

```
mysql> create table company_staff(
-> emp_id int,
-> age tinyint,
-> experience smallint,
-> gender char(1),
-> emp_name varchar(50),
-> address tinytext,
-> salary decimal(10,2),
-> department enum('hr','it','finance','support'),
-> skills set('java','python','sql','excel','communication'),
-> joining_date date);
Query OK, 0 rows affected (0.04 sec)
```

```
mysql> desc company_staff;
```

```
+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+
| emp_id | int | YES | | NULL | |
| age | tinyint | YES | | NULL | |
| experience | smallint | YES | | NULL | |
| gender | char(1) | YES | | NULL | |
| emp_name | varchar(50) | YES | | NULL | |
| address | tinytext | YES | | NULL | |
| salary | decimal(10,2) | YES | | NULL | |
| department | enum('hr','it','finance','support') | YES | | NULL | |
| skills | set('java','python','sql','excel','communication') | YES | | NULL | |
| joining_date | date | YES | | NULL | |
+-----+-----+-----+-----+-----+
10 rows in set (0.00 sec)
```

```
mysql> show tables;
```

```
+-----+
| Tables_in_cg_mysql |
+-----+
| company_staff |
| employees |
+-----+
2 rows in set (0.00 sec)
```

```
mysql> create table company_staff(
-> emp_id int,
-> age tinyint,
-> experience smallint,
-> gender char(1),
-> emp_name varchar(50),
-> address tinytext,
-> salary decimal(10,2),
-> department enum('hr','it','finance','support'),
-> skills set('java','python','sql','excel','communication'),
-> joining_date date);
Query OK, 0 rows affected (0.04 sec)
```

```
mysql> desc company_staff;
```

```
+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+
| emp_id | int | YES | | NULL | |
| age | tinyint | YES | | NULL | |
| experience | smallint | YES | | NULL | |
| gender | char(1) | YES | | NULL | |
| emp_name | varchar(50) | YES | | NULL | |
| address | tinytext | YES | | NULL | |
| salary | decimal(10,2) | YES | | NULL | |
| department | enum('hr','it','finance','support') | YES | | NULL | |
| skills | set('java','python','sql','excel','communication') | YES | | NULL | |
| joining_date | date | YES | | NULL | |
+-----+-----+-----+-----+-----+
10 rows in set (0.00 sec)
```

```
mysql> show tables;
```

```
+-----+
| Tables_in_cg_mysql |
+-----+
| company_staff |
| employees |
+-----+
2 rows in set (0.00 sec)
```

```
mysql> -- add email column
mysql> alter company_staff add email varchar(50);
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'company_staff add email varchar(50)' at line 1
mysql> alter table company_staff add email varchar(50);
Query OK, 0 rows affected (0.20 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> desc company_staff;
```

```
+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+
| emp_id | int | YES | | NULL | |
| age | tinyint | YES | | NULL | |
| experience | smallint | YES | | NULL | |
| gender | char(1) | YES | | NULL | |
| emp_name | varchar(50) | YES | | NULL | |
| address | tinytext | YES | | NULL | |
| salary | decimal(10,2) | YES | | NULL | |
+-----+-----+-----+-----+-----+
```

```
| performance_schema |
| praveendb          |
| sys                |
+-----+
6 rows in set (0.00 sec)
```

```
mysql> use cg_mysql;
Database changed
mysql> desc;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to
your MySQL server version for the right syntax to use near " at line 1
mysql> ^C
```

```
mysql> show databases;
+-----+
| Database |
+-----+
| cg_mysql |
| information_schema |
| mysql    |
| performance_schema |
| praveendb |
| sys      |
+-----+
6 rows in set (0.00 sec)
```

```
mysql> USE CG_MSQl;
ERROR 1049 (42000): Unknown database 'cg_msql'
mysql> use cg_mysql;
Database changed
mysql> CREATE TABLE EMPLOYEES(
-> EMPID CHAR(5)
-> FNAME VARCHAR(100)
-> ^C
```

```
mysql> use cg_mysql;
Database changed
mysql> CREATE TABLE EMPLOYEES(
-> EMPID CHAR(5),
-> FNAME VARCHAR(100),
-> LNAME VARCHAR(70),
-> AGE INT,
-> DOJ DATE,
-> ADDRESS TINYTEXT,
-> DEPT VARCHAR(20)
-> );
Query OK, 0 rows affected (0.04 sec)
```

```
mysql> SHOW TABLES;
+-----+
| Tables_in_cg_mysql |
+-----+
| employees           |
+-----+
1 row in set (0.00 sec)
```

```
mysql> desc employees;
+-----+
| Field | Type      | Null | Key | Default | Extra |
+-----+
| EMPID | char(5)   | YES  |     | NULL    |      |
| FNAME | varchar(100) | YES  |     | NULL    |      |
| LNAME | varchar(70) | YES  |     | NULL    |      |
| AGE   | int       | YES  |     | NULL    |      |
| DOJ   | date      | YES  |     | NULL    |      |
| ADDRESS | tinytext | YES  |     | NULL    |      |
| DEPT  | varchar(20) | YES  |     | NULL    |      |
+-----+
7 rows in set (0.00 sec)
```

```
mysql> select * from employees;
Empty set (0.00 sec)
```

```
mysql> desc employees;
+-----+
| Field | Type      | Null | Key | Default | Extra |
+-----+
| EMPID | char(5)   | YES  |     | NULL    |      |
| FNAME | varchar(100) | YES  |     | NULL    |      |
| LNAME | varchar(70) | YES  |     | NULL    |      |
| AGE   | int       | YES  |     | NULL    |      |
| DOJ   | date      | YES  |     | NULL    |      |
| ADDRESS | tinytext | YES  |     | NULL    |      |
| DEPT  | varchar(20) | YES  |     | NULL    |      |
+-----+
7 rows in set (0.00 sec)
```

```
mysql> use parveendb;
ERROR 1049 (42000): Unknown database 'parveendb'
mysql> use praveendb;
Database changed
mysql> show tables;
+-----+
| Tables_in_praveendb |
+-----+
| employee            |
| student             |
| worker              |
+-----+
3 rows in set (0.00 sec)
```

```
mysql> desc student;
+-----+
| Field | Type      | Null | Key | Default | Extra |
+-----+
| emp_id | int       | YES  |     | NULL    |      |
| age    | tinyint   | YES  |     | NULL    |      |
| experience | smallint | YES  |     | NULL    |      |
| gender  | char(1)   | YES  |     | NULL    |      |
| emp_name | varchar(50) | YES  |     | NULL    |      |
| address | tinytext  | YES  |     | NULL    |      |
| salary  | decimal(10,2) | YES  |     | NULL    |      |
| department | enum('hr','it','finance','support') | YES  |     | NULL    |      |
| skills  | set('java','python','sql','excel','communication') | YES  |     | NULL    |      |
| joining_date | date    | YES  |     | NULL    |      |
| email   | varchar(50) | YES  |     | NULL    |      |
| phone_number | int     | YES  |     | NULL    |      |
+-----+
14 rows in set (0.00 sec)
```

```
| experience | smallint   | YES | | NULL | |
| gender     | char(1)    | YES | | NULL | |
| emp_name   | varchar(50) | YES | | NULL | |
| address     | tinytext   | YES | | NULL | |
| salary     | decimal(10,2) | YES | | NULL | |
| department | enum('hr','it','finance','support') | YES | | NULL | |
| skills     | set('java','python','sql','excel','communication') | YES | | NULL | |
| joining_date | date      | YES | | NULL | |
| email      | varchar(50) | YES | | NULL | |
+-----+
11 rows in set (0.00 sec)
```

```
mysql> alter table company_staff add phone_number int;
Query OK, 0 rows affected (0.24 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> desc company_staff;
+-----+
| Field | Type      | Null | Key | Default | Extra |
+-----+
| emp_id | int       | YES  |     | NULL    |      |
| age    | tinyint   | YES  |     | NULL    |      |
| experience | smallint | YES  |     | NULL    |      |
| gender  | char(1)   | YES  |     | NULL    |      |
| emp_name | varchar(50) | YES  |     | NULL    |      |
| address | tinytext   | YES  |     | NULL    |      |
| salary  | decimal(10,2) | YES  |     | NULL    |      |
| department | enum('hr','it','finance','support') | YES  |     | NULL    |      |
| skills  | set('java','python','sql','excel','communication') | YES  |     | NULL    |      |
| joining_date | date    | YES  |     | NULL    |      |
| email   | varchar(50) | YES  |     | NULL    |      |
| phone_number | int     | YES  |     | NULL    |      |
+-----+
12 rows in set (0.00 sec)
```

```
mysql> alter table company_staff bonus decimal(10,2) after salary;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to
your MySQL server version for the right syntax to use near 'bonus decimal(10,2) after salary' at
line 1
mysql> alter table company_staff add bonus decimal(10,2) after salary;
Query OK, 0 rows affected (0.10 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> desc company_staff;
+-----+
| Field | Type      | Null | Key | Default | Extra |
+-----+
| emp_id | int       | YES  |     | NULL    |      |
| age    | tinyint   | YES  |     | NULL    |      |
| experience | smallint | YES  |     | NULL    |      |
| gender  | char(1)   | YES  |     | NULL    |      |
| emp_name | varchar(50) | YES  |     | NULL    |      |
| address | tinytext   | YES  |     | NULL    |      |
| salary  | decimal(10,2) | YES  |     | NULL    |      |
| bonus   | decimal(10,2) | YES  |     | NULL    |      |
| department | enum('hr','it','finance','support') | YES  |     | NULL    |      |
| skills  | set('java','python','sql','excel','communication') | YES  |     | NULL    |      |
| joining_date | date    | YES  |     | NULL    |      |
| email   | varchar(50) | YES  |     | NULL    |      |
| phone_number | int     | YES  |     | NULL    |      |
+-----+
13 rows in set (0.00 sec)
```

```
mysql> alter table company_staff add status enum('active', 'inactive', 'pending') after department;
Query OK, 0 rows affected (0.12 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> desc company_staff;
+-----+
| Field | Type      | Null | Key | Default | Extra |
+-----+
| emp_id | int       | YES  |     | NULL    |      |
| age    | tinyint   | YES  |     | NULL    |      |
| experience | smallint | YES  |     | NULL    |      |
| gender  | char(1)   | YES  |     | NULL    |      |
| emp_name | varchar(50) | YES  |     | NULL    |      |
| address | tinytext   | YES  |     | NULL    |      |
| salary  | decimal(10,2) | YES  |     | NULL    |      |
| bonus   | decimal(10,2) | YES  |     | NULL    |      |
| department | enum('hr','it','finance','support') | YES  |     | NULL    |      |
| status  | enum('active','inactive','pending') | YES  |     | NULL    |      |
| skills  | set('java','python','sql','excel','communication') | YES  |     | NULL    |      |
| joining_date | date    | YES  |     | NULL    |      |
| email   | varchar(50) | YES  |     | NULL    |      |
| phone_number | int     | YES  |     | NULL    |      |
+-----+
14 rows in set (0.00 sec)
```

```
mysql> alter table company_staff add company_name varchar(50) first;
Query OK, 0 rows affected (0.22 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> desc company_staff;
+-----+
| Field | Type      | Null | Key | Default | Extra |
+-----+
| company_name | varchar(50) | YES  |     | NULL    |      |
| emp_id | int       | YES  |     | NULL    |      |
| age    | tinyint   | YES  |     | NULL    |      |
| experience | smallint   | YES  |     | NULL    |      |
+-----+
14 rows in set (0.00 sec)
```

```

+-----+
3 rows in set (0.00 sec)

mysql> desc student;
+-----+
| Field | Type      | Null | Key | Default | Extra |
+-----+
| id    | int       | NO   | PRI | NULL    |      |
| name  | varchar(225) | NO   |     | NULL    |      |
| age   | int       | YES  |     | NULL    |      |
| phno  | bigint    | YES  | UNI | NULL    |      |
| course | varchar(225) | YES  |     | NULL    |      |
| s1    | int       | YES  |     | NULL    |      |
| s2    | int       | YES  |     | NULL    |      |
| s3    | int       | YES  |     | NULL    |      |
| city  | varchar(225) | YES  |     | NULL    |      |
+-----+
9 rows in set (0.00 sec)

```

```

mysql> use cg_mysql;
ERROR 1049 (42000): Unknown database 'cg_mysql'
mysql> use cg_mysql;
Database changed
mysql> show tables;
+-----+
| Tables_in_cg_mysql |
+-----+
| employees           |
+-----+
1 row in set (0.00 sec)

```

```

mysql> desc employees;
+-----+
| Field | Type      | Null | Key | Default | Extra |
+-----+
| EMPID | char(5)    | YES  |     | NULL    |      |
| FNAME | varchar(100) | YES  |     | NULL    |      |
| LNAME | varchar(70) | YES  |     | NULL    |      |
| AGE   | int        | YES  |     | NULL    |      |
| DOJ   | date       | YES  |     | NULL    |      |
| ADDRESS | tinytext  | YES  |     | NULL    |      |
| DEPT  | varchar(20) | YES  |     | NULL    |      |
+-----+
7 rows in set (0.00 sec)

```

```

mysql> show columns from employees;
+-----+
| Field | Type      | Null | Key | Default | Extra |
+-----+
| EMPID | char(5)    | YES  |     | NULL    |      |
| FNAME | varchar(100) | YES  |     | NULL    |      |
| LNAME | varchar(70) | YES  |     | NULL    |      |
| AGE   | int        | YES  |     | NULL    |      |
| DOJ   | date       | YES  |     | NULL    |      |
| ADDRESS | tinytext  | YES  |     | NULL    |      |
| DEPT  | varchar(20) | YES  |     | NULL    |      |
+-----+
7 rows in set (0.00 sec)

```

```

mysql> -- modify the fname column in employees table to varchar(70)
mysql> -- Syntax: alter table table-name modify column-name datatype size
mysql> alter table employees modify fname varchar(70);
Query OK, 0 rows affected (0.12 sec)
Records: 0 Duplicates: 0 Warnings: 0

```

```

mysql> desc employees;
+-----+
| Field | Type      | Null | Key | Default | Extra |
+-----+
| EMPID | char(5)    | YES  |     | NULL    |      |
| fname | varchar(70) | YES  |     | NULL    |      |
| LNAME | varchar(70) | YES  |     | NULL    |      |
| AGE   | int        | YES  |     | NULL    |      |
| DOJ   | date       | YES  |     | NULL    |      |
| ADDRESS | tinytext  | YES  |     | NULL    |      |
| DEPT  | varchar(20) | YES  |     | NULL    |      |
+-----+
7 rows in set (0.00 sec)

```

```

mysql> alter table employees modify lname varchar(100);
Query OK, 0 rows affected (0.02 sec)
Records: 0 Duplicates: 0 Warnings: 0

```

```

mysql> desc employees;
+-----+
| Field | Type      | Null | Key | Default | Extra |
+-----+
| EMPID | char(5)    | YES  |     | NULL    |      |
| fname | varchar(70) | YES  |     | NULL    |      |
| lname | varchar(100) | YES  |     | NULL    |      |
| AGE   | int        | YES  |     | NULL    |      |
| DOJ   | date       | YES  |     | NULL    |      |
| ADDRESS | tinytext  | YES  |     | NULL    |      |
| DEPT  | varchar(20) | YES  |     | NULL    |      |
+-----+
7 rows in set (0.00 sec)

```

```

mysql> -- add new column named with location to employees table
mysql> -- Syntax: alter table table-name add column-name datatype(size);
mysql> alter table employees add location tinytext;

```

```

+-----+
| company_name | varchar(50) | YES | NULL | |
| emp_id       | int         | YES | NULL | |
| age          | tinyint     | YES | NULL | |
| experience   | smallint    | YES | NULL | |
| gender       | char(1)     | YES | NULL | |
| emp_name     | varchar(50) | YES | NULL | |
| address      | tinytext    | YES | NULL | |
| salary       | decimal(10,2) | YES | NULL | |
| bonus        | decimal(10,2) | YES | NULL | |
| department   | enum('hr','it','finance','support') | YES | NULL | |
| status       | enum('active','inactive','pending') | YES | NULL | |
| skills       | set('java','python','sql','excel','communication') | YES | NULL | |
| joining_date | date        | YES | NULL | |
| email        | varchar(50) | YES | NULL | |
| phone_number | int         | YES | NULL | |
+-----+
15 rows in set (0.00 sec)

```

```

mysql> alter table company_staff add qualification varchar(30) after emp_name;
Query OK, 0 rows affected (0.05 sec)
Records: 0 Duplicates: 0 Warnings: 0

```

```

mysql> desc company_staff;
+-----+
| Field | Type      | Null | Key | Default | Extra |
+-----+
| company_name | varchar(50) | YES | NULL | |
| emp_id       | int         | YES | NULL | |
| age          | tinyint     | YES | NULL | |
| experience   | smallint    | YES | NULL | |
| gender       | char(1)     | YES | NULL | |
| emp_name     | varchar(50) | YES | NULL | |
| qualification | varchar(30) | YES | NULL | |
| address      | tinytext    | YES | NULL | |
| salary       | decimal(10,2) | YES | NULL | |
| bonus        | decimal(10,2) | YES | NULL | |
| department   | enum('hr','it','finance','support') | YES | NULL | |
| status       | enum('active','inactive','pending') | YES | NULL | |
| skills       | set('java','python','sql','excel','communication') | YES | NULL | |
| joining_date | date        | YES | NULL | |
| email        | varchar(50) | YES | NULL | |
| phone_number | int         | YES | NULL | |
+-----+
16 rows in set (0.00 sec)

```

```

mysql> alter table company_staff modify emp_name varchar(40);
Query OK, 0 rows affected (0.08 sec)
Records: 0 Duplicates: 0 Warnings: 0

```

```

mysql> desc company_staff;
+-----+
| Field | Type      | Null | Key | Default | Extra |
+-----+
| company_name | varchar(50) | YES | NULL | |
| emp_id       | int         | YES | NULL | |
| age          | tinyint     | YES | NULL | |
| experience   | smallint    | YES | NULL | |
| gender       | char(1)     | YES | NULL | |
| emp_name     | varchar(40) | YES | NULL | |
| qualification | varchar(30) | YES | NULL | |
| address      | tinytext    | YES | NULL | |
| salary       | decimal(10,2) | YES | NULL | |
| bonus        | decimal(10,2) | YES | NULL | |
| department   | enum('hr','it','finance','support') | YES | NULL | |
| status       | enum('active','inactive','pending') | YES | NULL | |
| skills       | set('java','python','sql','excel','communication') | YES | NULL | |
| joining_date | date        | YES | NULL | |
| email        | varchar(50) | YES | NULL | |
| phone_number | int         | YES | NULL | |
+-----+
16 rows in set (0.00 sec)

```

```

mysql> alter table company_staff modify salary decimal(9,2);
Query OK, 0 rows affected (0.09 sec)
Records: 0 Duplicates: 0 Warnings: 0

```

```

mysql> desc company_staff;
+-----+
| Field | Type      | Null | Key | Default | Extra |
+-----+
| company_name | varchar(50) | YES | NULL | |
| emp_id       | int         | YES | NULL | |
| age          | tinyint     | YES | NULL | |
| experience   | smallint    | YES | NULL | |
| gender       | char(1)     | YES | NULL | |
| emp_name     | varchar(40) | YES | NULL | |
| qualification | varchar(30) | YES | NULL | |
| address      | tinytext    | YES | NULL | |
| salary       | decimal(9,2) | YES | NULL | |
| bonus        | decimal(10,2) | YES | NULL | |
| department   | enum('hr','it','finance','support') | YES | NULL | |
| status       | enum('active','inactive','pending') | YES | NULL | |
| skills       | set('java','python','sql','excel','communication') | YES | NULL | |
| joining_date | date        | YES | NULL | |
| email        | varchar(50) | YES | NULL | |
| phone_number | int         | YES | NULL | |
+-----+
16 rows in set (0.00 sec)

```

```

mysql> alter table company_staff change emp_name employee_name;

```

/ rows in set (0.00 sec)

```
mysql> -- add new column named with location to employees table
mysql> -- Syntax:alter table table-name add column-name datatype(size);
mysql> alter table employees add location tintext;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to
your MySQL server version for the right syntax to use near 'tintext' at line 1
mysql> alter table employees add location tinytext;
Query OK, 0 rows affected (0.09 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> desc employees;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| EMPID | char(5) | YES | | NULL | |
| fname | varchar(70) | YES | | NULL | |
| lname | varchar(100) | YES | | NULL | |
| AGE | int | YES | | NULL | |
| DOJ | date | YES | | NULL | |
| ADDRESS | tinytext | YES | | NULL | |
| DEPT | varchar(20) | YES | | NULL | |
| location | tinytext | YES | | NULL | |
+-----+-----+-----+-----+-----+-----+
8 rows in set (0.00 sec)
```

```
mysql> alter table employees add pfid int after address;
Query OK, 0 rows affected (0.05 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> desc employees;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| EMPID | char(5) | YES | | NULL | |
| fname | varchar(70) | YES | | NULL | |
| lname | varchar(100) | YES | | NULL | |
| AGE | int | YES | | NULL | |
| DOJ | date | YES | | NULL | |
| ADDRESS | tinytext | YES | | NULL | |
| pfid | int | YES | | NULL | |
| DEPT | varchar(20) | YES | | NULL | |
| location | tinytext | YES | | NULL | |
+-----+-----+-----+-----+-----+-----+
9 rows in set (0.00 sec)
```

```
mysql> alter table employees rename column pfid to PFID;
Query OK, 0 rows affected (0.02 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> desc employees;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| EMPID | char(5) | YES | | NULL | |
| fname | varchar(70) | YES | | NULL | |
| lname | varchar(100) | YES | | NULL | |
| AGE | int | YES | | NULL | |
| DOJ | date | YES | | NULL | |
| ADDRESS | tinytext | YES | | NULL | |
| PFID | int | YES | | NULL | |
| DEPT | varchar(20) | YES | | NULL | |
| location | tinytext | YES | | NULL | |
+-----+-----+-----+-----+-----+-----+
9 rows in set (0.00 sec)
```

```
mysql> alter table employees rename column location to LOCATION;
Query OK, 0 rows affected (0.02 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> desc employees;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| EMPID | char(5) | YES | | NULL | |
| fname | varchar(70) | YES | | NULL | |
| lname | varchar(100) | YES | | NULL | |
| AGE | int | YES | | NULL | |
| DOJ | date | YES | | NULL | |
| ADDRESS | tinytext | YES | | NULL | |
| PFID | int | YES | | NULL | |
| DEPT | varchar(20) | YES | | NULL | |
| LOCATION | tinytext | YES | | NULL | |
+-----+-----+-----+-----+-----+-----+
9 rows in set (0.00 sec)
```

```
mysql> alter table employees change fname to FIRSTRNAME VARCHAR(50);
```

```
mysql> ALTER TABLE EMPLOYEES CHANGE lname LASTNAME VARCHAR(30);
Query OK, 0 rows affected (0.07 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> desc employees;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| EMPID | char(5) | YES | | NULL | |
| FIRSTNAME | varchar(50) | YES | | NULL | |
| LASTNAME | varchar(30) | YES | | NULL | |
| AGE | int | YES | | NULL | |
| DOJ | date | YES | | NULL | |
+-----+-----+-----+-----+-----+-----+
```

```
| phone_number | int | YES | | NULL | |
+-----+-----+-----+-----+-----+-----+
16 rows in set (0.00 sec)
```

```
mysql> alter table company_staff change emp_name employee_name;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to
your MySQL server version for the right syntax to use near '' at line 1
mysql> alter table company_staff change emp_name to employee_name;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to
your MySQL server version for the right syntax to use near 'to employee_name' at line 1
mysql> alter table company_staff rename emp_name to employee_name;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to
your MySQL server version for the right syntax to use near 'to employee_name' at line 1
mysql> alter table company_staff rename column emp_name to employee_name;
Query OK, 0 rows affected (0.02 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> desc company_staff;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| company_name | varchar(50) | YES | | NULL | |
| emp_id | int | YES | | NULL | |
| age | tinyint | YES | | NULL | |
| experience | smallint | YES | | NULL | |
| gender | char(1) | YES | | NULL | |
| employee_name | varchar(40) | YES | | NULL | |
| quification | varchar(30) | YES | | NULL | |
| address | tinytext | YES | | NULL | |
| salary | decimal(9,2) | YES | | NULL | |
| bonus | decimal(10,2) | YES | | NULL | |
| department | enum('hr','it','finance','support') | YES | | NULL | |
| status | enum('active','inactive','pending') | YES | | NULL | |
| skills | set('java','python','sql','excel','communication') | YES | | NULL | |
| joining_date | date | YES | | NULL | |
| email | varchar(50) | YES | | NULL | |
| phone_number | int | YES | | NULL | |
+-----+-----+-----+-----+-----+-----+
16 rows in set (0.00 sec)
```

```
mysql> alter table company_staff rename column joining_date to date_of_joining;
Query OK, 0 rows affected (0.04 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> desc company_staff;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| company_name | varchar(50) | YES | | NULL | |
| emp_id | int | YES | | NULL | |
| age | tinyint | YES | | NULL | |
| experience | smallint | YES | | NULL | |
| gender | char(1) | YES | | NULL | |
| employee_name | varchar(40) | YES | | NULL | |
| quification | varchar(30) | YES | | NULL | |
| address | tinytext | YES | | NULL | |
| salary | decimal(9,2) | YES | | NULL | |
| bonus | decimal(10,2) | YES | | NULL | |
| department | enum('hr','it','finance','support') | YES | | NULL | |
| status | enum('active','inactive','pending') | YES | | NULL | |
| skills | set('java','python','sql','excel','communication') | YES | | NULL | |
| date_of_joining | date | YES | | NULL | |
| email | varchar(50) | YES | | NULL | |
| phone_number | int | YES | | NULL | |
+-----+-----+-----+-----+-----+-----+
16 rows in set (0.00 sec)
```

```
mysql> alter table company_staff drop bonus;
Query OK, 0 rows affected (0.05 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> desc company_staff;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| company_name | varchar(50) | YES | | NULL | |
| emp_id | int | YES | | NULL | |
| age | tinyint | YES | | NULL | |
| experience | smallint | YES | | NULL | |
| gender | char(1) | YES | | NULL | |
| employee_name | varchar(40) | YES | | NULL | |
| quification | varchar(30) | YES | | NULL | |
| address | tinytext | YES | | NULL | |
| salary | decimal(9,2) | YES | | NULL | |
| department | enum('hr','it','finance','support') | YES | | NULL | |
| status | enum('active','inactive','pending') | YES | | NULL | |
| skills | set('java','python','sql','excel','communication') | YES | | NULL | |
| date_of_joining | date | YES | | NULL | |
| email | varchar(50) | YES | | NULL | |
| phone_number | int | YES | | NULL | |
+-----+-----+-----+-----+-----+-----+
15 rows in set (0.00 sec)
```

```
mysql> alter table company_staff drop phone_number;
Query OK, 0 rows affected (0.06 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> desc company_staff;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
```

```

| EMPID | char(5) | YES | | NULL | |
| FIRSTNAME | varchar(50) | YES | | NULL | |
| LASTNAME | varchar(30) | YES | | NULL | |
| AGE | int | YES | | NULL | |
| DOJ | date | YES | | NULL | |
| ADDRESS | tinytext | YES | | NULL | |
| PFID | int | YES | | NULL | |
| DEPT | varchar(20) | YES | | NULL | |
| LOCATION | tinytext | YES | | NULL | |
+-----+-----+-----+-----+
9 rows in set (0.00 sec)

```

```

mysql> -- how to drop a column
mysql> alter table employees drop column pfid;
Query OK, 0 rows affected (0.08 sec)
Records: 0 Duplicates: 0 Warnings: 0

```

```

mysql> desc employees;
+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+
| EMPID | char(5) | YES | | NULL | |
| FIRSTNAME | varchar(50) | YES | | NULL | |
| LASTNAME | varchar(30) | YES | | NULL | |
| AGE | int | YES | | NULL | |
| DOJ | date | YES | | NULL | |
| ADDRESS | tinytext | YES | | NULL | |
| DEPT | varchar(20) | YES | | NULL | |
| LOCATION | tinytext | YES | | NULL | |
+-----+-----+-----+-----+
8 rows in set (0.00 sec)

```

```

mysql> -- how to change table-name
mysql> -- Syntax: alter table table-name rename to new-table-name
mysql> alter table employees rename to CODEGNAN_EMP;
Query OK, 0 rows affected (0.02 sec)

```

```

mysql> show tables;
+-----+
| Tables_in_cg_mysql |
+-----+
| codegnan_emp |
+-----+
1 row in set (0.00 sec)

```

```

mysql> alter table Codegnan_emp RENAME to EMPLOYEES;
Query OK, 0 rows affected (0.02 sec)

```

```

mysql> show tables;
+-----+
| Tables_in_cg_mysql |
+-----+
| employees |
+-----+
1 row in set (0.00 sec)

```

Records: 0 Duplicates: 0 Warnings: 0

```

mysql> desc company_staff;
+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+
| company_name | varchar(50) | YES | | NULL | |
| emp_id | int | YES | | NULL | |
| age | tinyint | YES | | NULL | |
| experience | smallint | YES | | NULL | |
| gender | char(1) | YES | | NULL | |
| employee_name | varchar(40) | YES | | NULL | |
| qualification | varchar(30) | YES | | NULL | |
| address | tinytext | YES | | NULL | |
| salary | decimal(9,2) | YES | | NULL | |
| department | enum('hr','it','finance','support') | YES | | NULL | |
| status | enum('active','inactive','pending') | YES | | NULL | |
| skills | set('java','python','sql','excel','communication') | YES | | NULL | |
| date_of_joining | date | YES | | NULL | |
| email | varchar(50) | YES | | NULL | |
+-----+-----+-----+-----+
14 rows in set (0.00 sec)

```

```

mysql> alter table company_staff rename to staff_records;
Query OK, 0 rows affected (0.02 sec)

```

```

mysql> desc company_staff;
ERROR 1146 (42S02): Table 'cg_mysql.company_staff' doesn't exist
mysql> show tables;
+-----+
| Tables_in_cg_mysql |
+-----+
| employees |
| staff_records |
+-----+
2 rows in set (0.00 sec)

```

```

mysql> alter table staff_records rename to company_staff;
Query OK, 0 rows affected (0.02 sec)

```

```

mysql> show tables;
+-----+
| Tables_in_cg_mysql |
+-----+
| company_staff |
| employees |
+-----+
2 rows in set (0.00 sec)

```

```

mysql> desc company_staff;
+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+
| company_name | varchar(50) | YES | | NULL | |
| emp_id | int | YES | | NULL | |
| age | tinyint | YES | | NULL | |
| experience | smallint | YES | | NULL | |
| gender | char(1) | YES | | NULL | |
| employee_name | varchar(40) | YES | | NULL | |
| qualification | varchar(30) | YES | | NULL | |
| address | tinytext | YES | | NULL | |
| salary | decimal(9,2) | YES | | NULL | |
| department | enum('hr','it','finance','support') | YES | | NULL | |
| status | enum('active','inactive','pending') | YES | | NULL | |
| skills | set('java','python','sql','excel','communication') | YES | | NULL | |
| date_of_joining | date | YES | | NULL | |
| email | varchar(50) | YES | | NULL | |
+-----+-----+-----+-----+
14 rows in set (0.00 sec)

```

```

mysql> alter table company_staff add last_updated date after data_of_joining;
ERROR 1054 (42S22): Unknown column 'data_of_joining' in 'company_staff'
mysql> alter table company_staff add last_updated date after skills;
Query OK, 0 rows affected (0.07 sec)
Records: 0 Duplicates: 0 Warnings: 0

```

```

mysql> desc company_staff;
+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+
| company_name | varchar(50) | YES | | NULL | |
| emp_id | int | YES | | NULL | |
| age | tinyint | YES | | NULL | |
| experience | smallint | YES | | NULL | |
| gender | char(1) | YES | | NULL | |
| employee_name | varchar(40) | YES | | NULL | |
| qualification | varchar(30) | YES | | NULL | |
| address | tinytext | YES | | NULL | |
| salary | decimal(9,2) | YES | | NULL | |
| department | enum('hr','it','finance','support') | YES | | NULL | |
| status | enum('active','inactive','pending') | YES | | NULL | |
| skills | set('java','python','sql','excel','communication') | YES | | NULL | |
| last_updated | date | YES | | NULL | |
| date_of_joining | date | YES | | NULL | |
| email | varchar(50) | YES | | NULL | |
+-----+-----+-----+-----+
15 rows in set (0.00 sec)

```