

# MATH 390.4 / 650.2 Spring 2020 Homework #1

Professor Adam Kapelner

Due 11:59PM Tuesday, February 11, 2020 under the door of KY604

(this document last updated 5:01pm on Thursday 6<sup>th</sup> February, 2020)

## Instructions and Philosophy

The path to success in this class is to do many problems. Unlike other courses, exclusively doing reading(s) will not help. Coming to lecture is akin to watching workout videos; thinking about and solving problems on your own is the actual “working out.” Feel free to “work out” with others; **I want you to work on this in groups.**

Reading is still *required*. For this homework set, read the first chapter of “Learning from Data” and the introduction and Chapter 1 of Silver’s book. Of course, you should be googling and reading about all the concepts introduced in class online. This is your responsibility to supplement in-class with your own readings.

The problems below are color coded: **green** problems are considered *easy* and marked “[easy]”; **yellow** problems are considered *intermediate* and marked “[harder]”, **red** problems are considered *difficult* and marked “[difficult]” and **purple** problems are extra credit. The *easy* problems are intended to be “giveaways” if you went to class. Do as much as you can of the others; I expect you to at least attempt the *difficult* problems.

This homework is worth 100 points but the point distribution will not be determined until after the due date. See syllabus for the policy on late homework.

Up to 7 points are given as a bonus if the homework is typed using L<sup>A</sup>T<sub>E</sub>X. Links to installing L<sup>A</sup>T<sub>E</sub>X and program for compiling L<sup>A</sup>T<sub>E</sub>X is found on the syllabus. You are encouraged to use [overleaf.com](https://www.overleaf.com). If you are handing in homework this way, read the comments in the code; there are two lines to comment out and you should replace my name with yours and write your section. The easiest way to use overleaf is to copy the raw text from hwxx.tex and preamble.tex into two new overleaf tex files with the same name. If you are asked to make drawings, you can take a picture of your handwritten drawing and insert them as figures or leave space using the “\vspace” command and draw them in after printing or attach them stapled.

The document is available with spaces for you to write your answers. If not using L<sup>A</sup>T<sub>E</sub>X, print this document and write in your answers. I do not accept homeworks which are *not* on this printout. Keep this first page printed for your records.

NAME: \_\_\_\_\_

## Problem 1

These are questions about Silver's book, the introduction and chapter 1.

- (a) [easy] What is the difference between *predict* and *forecast*? Are these two terms used interchangeably today?
- (b) [easy] What is John P. Ioannidis's findings and what are its implications?
- (c) [easy] What are the human being's most powerful defense (according to Silver)? Answer using the language from class.
- (d) [easy] Information is increasing at a rapid pace, but what is not increasing?

- (e) [difficult] Silver admits that we will always be subjectively biased when making predictions. However, he believes there is an objective truth. In class, how did we describe the objective truth? Answer using notation from class i.e.  $t, f, g, h^*, \delta, \epsilon, t, z_1, \dots, z_t, \delta, \mathbb{D}, \mathcal{H}, \mathcal{A}, \mathcal{X}, \mathcal{Y}, X, y, n, p, x_1, \dots, x_p, x_1, \dots, x_n$ , etc.
- (f) [easy] In a nutshell, what is Karl Popper's (a famous philosopher of science) definition of *science*?
- (g) [harder] Why did the ratings agencies say the probability of a CDO defaulting was 0.12% instead of the 28% that actually occurred? Answer using concepts from class.
- (h) [easy] What is the difference between *risk* and *uncertainty* according to Silver's definitions?

- (i) [difficult] How does Silver define *out of sample*? Answer using notation from class i.e.  $t, f, g, h^*, \delta, \epsilon, z_1, \dots, z_t, \mathbb{D}, \mathcal{H}, \mathcal{A}, \mathcal{X}, \mathcal{Y}, X, y, n, p, x_1, \dots, x_p, x_1, \dots, x_n$ , etc. WARNING: Silver defines *out of sample* completely differently than the literature, than practitioners in industry and how we will define it in class in a month or so. We will explore what he is talking about in class in the future and we will term this concept differently, using the more widely accepted terminology. So please forget the phrase *out of sample* for now as we will introduce it later in class as something else. There will be other such terms in his book and I will provide this disclaimer at these appropriate times.
- (j) [harder] Look up *bias* and *variance* online or in a statistics textbook. Connect these concepts to Silver's terms *accuracy* and *precision*. This is another example of Silver using non-standard terminology.

## Problem 2

Below are some questions about the theory of modeling.

- (a) [easy] Redraw the illustration from lecture one except do not use the Earth and a tabletop globe. The quadrants are connected with arrows. Label these arrows appropriately.

- (b) [easy] Pursuant to the fix in the previous question, how do we define *data* for the purposes of this class?

- (c) [easy] Pursuant to the fix in the previous question, how do we define *predictions* for the purposes of this class?

(d) [easy] Why are “all models wrong”? We are quoting the famous statisticians George Box and Norman Draper here.

(e) [harder] Why are “[some models] useful”? We are quoting the famous statisticians George Box and Norman Draper here.

(f) [easy] What is the difference between a "good model" and a "bad model"?

### **Problem 3**

We are now going to investigate the famous English aphorism “an apple a day keeps the doctor away” as a model. We will use this as springboard to ask more questions about the framework of modeling we introduced in this class.

(a) [easy] Is this a mathematical model? Yes / no and why.

(b) [easy] What is(are) the input(s) in this model?

(c) [easy] What is(are) the output(s) in this model?

(d) [harder] How good / bad do you think this model is and why?

(e) [easy] Devise a metric for gauging the main input. Call this  $x_1$  going forward.

(f) [easy] Devise a metric for gauging the main output. Call this  $y$  going forward.

(g) [easy] What is  $\mathcal{Y}$  mathematically?

(h) [easy] Briefly describe  $z_1, \dots, z_t$  in English where  $y = t(z_1, \dots, z_t)$  in this *phenomenon* (not *model*).

(i) [easy] From this point on, you only observe  $x_1$ . What is  $p$  mathematically?

(j) [harder] What is  $\mathcal{X}$  mathematically? If your information contained in  $x_1$  is non-numeric, you must coerce it to be numeric at this point.

(k) [easy] How did we term the functional relationship between  $y$  and  $x_1$ ? Is it approximate or equals?

(l) [easy] Briefly describe *supervised learning*.



(m) [easy] Why is *supervised learning* an *empirical solution* and not an *analytic solution*?

(n) [harder] From this point on, assume we are involved in supervised learning to achieve the goal you stated in the previous question. Briefly describe what  $\mathbb{D}$  would look like here.

(o) [harder] Briefly describe the role of  $\mathcal{H}$  and  $\mathcal{A}$  here.

(p) [easy] If  $g = \mathcal{A}(\mathbb{D}, \mathcal{H})$ , what should the domain and range of  $g$  be?

(q) [easy] Is  $g \in \mathcal{H}$ ? Why or why not?

- (r) [easy] Given a never-before-seen value of  $x_1$  which we denote  $x^*$ , what formula would we use to predict the corresponding value of the output? Denote this prediction  $\hat{y}^*$ .
- (s) [harder] Is it reasonable to assume  $f \in \mathcal{H}$ ? Why or why not?
- (t) [easy] In the general modeling setup, if  $f \notin \mathcal{H}$ , what are the three sources of error? Copy the equation from the class notes. Denote the names of each error and provide a sentence explanation of each. Denote also  $e$  and  $\mathcal{E}$  using underbraces / overbraces.
- (u) [easy] In the general modeling setup, for each of the three source of error, explain what you would do to reduce the source of error as best as you can.

- (v) [harder] In the general modeling setup, make up an  $f$ , an  $h^*$  and a  $g$  and plot them on a graph of  $y$  vs  $x$  (assume  $p = 1$ ). Indicate the sources of error on this plot (see last question). Which source of error is missing from the picture? Why?