ЗАО "Энергоцентр". 125368 Москва, пер.Ангелов, 13. тел. (495) 745 60 52

зао энергоцен	ıp. ı	20000	IVIO	okba,	пер.дг	<u>lienos, 13. ien. (</u>	490)	743	00 34		1
марка насоса	Q, м3/ч	Н, м	N, кВт	Вес, кг	Цена, руб.	марка насоса	Q, м3/ч	Н, м	N, кВт	Вес, кг	Цена, руб. (с
					(с НДС)						ндс)
ЭЦВ4-1,5-50 армлен	1,5	50	1,1		18 526	ЭЦВ8-16-160бр	16	160	11	110	дог
ЭЦВ4-1,5-65 армлен	1,5	65	1,1	12,8	18 762	ЭЦВ8-16-180	16	180	13	110	42 480
ЭЦВ4-1,5-80 армлен	1,5	80	1,1	13,3	19 706	ЭЦВ8-16-180чл	16	180	13	124	42 480
ЭЦВ4-1,5-100 армлен	1,5	100	1,1	15,1	20 119	ЭЦВ8-16-180бр	16	180	13	124	дог
ЭЦВ4-1,5-120армлен	1,5	120	1,1	,	21 240	ЭЦВ8-16-180 noryl	16	180	15	156	42 480
ЭЦВ4-1,5-140 армлен	1,5	140	1,1		22 184	ЭЦВ8-16-200	16	200	22	135	48 557
ЭЦВ4-2,5-35 армлен	2,5	35	1,1		18 172	ЭЦВ8-16-200 noryl	16	200	15	.00	48 557
ЭЦВ4-2,5-50 армлен	2,5	50	1,1			ЭЦВ8-16-200 чл	16	200	22	128	48 557
ЭЦВ4-2,5-65	2,5	65	1,1	18		ЭЦВ8-16-200 бр	16	200	22	128	
	2,5	65	1,1				16	220	17	120	дог 50 091
ЭЦВ4-2,5-65 армлен				14,1	18 762	ЭЦВ8-16-220 noryl				4.40	
ЭЦВ4-2,5-80	2,5	80	1,1	19		ЭЦВ8-16-260	16	260	22	142	55 755
ЭЦВ4-2,5-80 армлен	2,5	80	1,1	15,8	19 706	ЭЦВ8-16-260 noryl	16	260	17		55 755
ЭЦВ4-2,5-100	2,5	100	1,5	26	20 119	ЭЦВ8-16-280 noryl	16	280	20		59 177
ЭЦВ4-2,5-100 армлен	2,5	100	1,1			ЭЦВ8-16-300 noryl	16	300	20		61 419
ЭЦВ4-2,5-120	2,5	120	2,2	28	22 302	ЭЦВ 8-25-15	-	2,2	-	-	23 187
ЭЦВ4-2,5-120 армлен	2,5	120	1,5		22 302	ЭЦВ8-25-15 noryl	25	15	2,2		23 187
ЭЦВ4-2,5-140	2,5	140	2,2	29	25 901	ЭЦВ 8-25-35	-	3	-	-	24 780
ЭЦВ4-2,5-140 армлен	2,5	140	1,5		25 901	ЭЦВ8-25-35 noryl	25	35	4		24 780
ЭЦВ4-2,5-160			3	32	27 848	ЭЦВ8-25-55	25	55	5,5	67	26 963
ЭЦВ4-2,5-200 армлен	2,5	200	3	38	27 140	ЭЦВ8-25-55 noryl	25	55	5,5	67	26 963
ЭЦВ 4-4-45	4	45	2,2	20	21 948	ЭЦВ8-25-55 нрк	25	55	5,5	<u> </u>	28 792
ЭЦВ 4-4-60 noryl	4	60	1,1	22	18 762	ЭЦВ8-25-70	25	70	7,5	76	27 789
ЭЦВ 4-4-80 noryl	4	80	1,5	24	19 234	ЭЦВ8-25-70 чл	25	70	7,5	70	27 789
ЭЦВ 4-6-55 noryl	6	55	1,5	26	19 824	ЭЦВ8-25-70 бр	25	70	7,5		
	6	80		29				70		79	ДОГ 27.790
ЭЦВ 4-6-80 noryl			2,2		26 255	ЭЦВ8-25-70 noryl	25		7,5	79	27 789
ЭЦВ4-6,5-70	6,5	70	2,2	28,5	23 482	ЭЦВ8-25-70 нрк	25	70	7,5		29 618
ЭЦВ4-6,5-85	6,5	85	3	32,5	26 550	ЭЦВ 8-25-90	-	11	-	-	28 969
ЭЦВ4-6,5-115	6,5	115	4	38,5	29 205	ЭЦВ8-25-90 noryl	25	90	9		28 969
ЭЦВ4-6,5-130	6,5	130	5,5	42	32 509	ЭЦВ8-25-100	25	100	11	90	29 913
ЭЦВ4-6,5-150	6,5	150	5,5	44	35 046	ЭЦВ8-25-100 чл	25	100	11	100	29 913
ЭЦВ4-10-40	10	40	3	29	21 653	ЭЦВ8-25-100 бр	25	100	11	100	дог
ЭЦВ4-10-55	10	55	3	31	23 423	ЭЦВ8-25-100нрк	25	100	11		32 037
ЭЦВ4-10-60 noryl	10	60	3	35	26 255	ЭЦВ8-25-110 noryl	25	110	11	105	29 913
ЭЦВ4-10-70	10	70	4	35	29 854	ЭЦВ8-25-125	25	125	13	102	30 208
ЭЦВ4-10-80 noryl	10	80	4	38	31 506	ЭЦВ8-25-125 чл	25	125	13	115	30 208
ЭЦВ4-10-85	10	85	5,5	41	31 860	ЭЦВ8-25-125 бр	25	125	13	115	дог
ЭЦВ4-10-95	10	95	5,5	42	33 276	ЭЦВ8-25-125 noryl	25	125	13	112	30 208
ЭЦВ4-10-110	10	110	5,5	44	35 931	ЭЦВ8-25-125 нрк	25	125	15		32 391
ЭЦВ5-4-60 армлен	4	60	3	42	19 588	ЭЦВ8-25-150	25	150	17	128	35 105
ЭЦВ5-4-75	4	75	2,2	42	20 355	ЭЦВ8-25-150 чл	25	150	17	123	35 105
ЭЦВ5-4-80 армлен	4	80	3	44	20 355	ЭЦВ8-25-150 бр	25	150	17	123	дог
ЭЦВ5-4-100	4	100	3	48	21 771	ЭЦВ8-25-150 noryl	25	150	15	121	35 105
ЭЦВ5-4-125	4	125	3	52	22 597	ЭЦВ8-25-150 нрк	25	150	15	121	37 406
-			3					17		_	
ЭЦВ5-4-125 армлен	4	125		49	22 597	ЭЦВ 8-25-160	-		-	-	42 598
ЭЦВ5-4-135 армлен	4	135	3	52		ЭЦВ8-25-160 noryl	25	160	20	400	42 598
ЭЦВ5-4-160	4	160	4	66	25 547	ЭЦВ8-25-180	25	180	18,5	132	54 457
ЭЦВ5-4-160 армлен	4	160	4	57	25 547	ЭЦВ8-25-180 чл	25	180	18,5		54 457
ЭЦВ5-4-180 армлен	4	180	5,5	60	26 314	ЭЦВ8-25-180бр	25	180	18,5		дог
ЭЦВ5-4-200 армлен	4	200	5,5	65	28 556	ЭЦВ8-25-180 noryl	25	180	20	134	54 457
ЭЦВ5-4-220 армлен	4	220	5,5	70	29 264	ЭЦВ8-25-180 нрк	25	180	22		57 997
ЭЦВ5-6,5-50	6,5	50	2,2	40	21 653	ЭЦВ8-25-200 noryl	25	200	20		57 820
ЭЦВ5-6,5-65			2,2	42	21 771	ЭЦВ 8-25-200	-	22	-	•	57 820
ЭЦВ5-6,5-80	6,5	80	3	49	22 066	ЭЦВ 8-25-220	-	22	-	-	62 009
ЭЦВ5-6,5-80 армлен	6,5	80	3	46	22 066	ЭЦВ8-25-230	25	230	22	142	64 841
ЭЦВ5-6,5-80Х	6,5	80	3	44	71 213	ЭЦВ8-25-230 чл	25	230	22		64 841
ЭЦВ5-6,5-95 армлен	6,5	95	3	47	22 892	ЭЦВ8-25-230 бр	25	230	22		дог
1 ,	-,-					, ,					.—··

OUDE 6 5 400		ī	٦.	F0	22.002	OLIDO DE 220 nomi	25	220	25	4.45	C4 044
ЭЦВ5-6,5-100		400	3	52	22 892	ЭЦВ8-25-230 noryl	25	230	25	145	64 841
ЭЦВ5-6,5-120	6,5	120	4	67	23 010	ЭЦВ8-25-230 нрк	25	230	22		68 912
ЭЦВ5-6,5-120 армлен	6,5	120	4	50	23 010	ЭЦВ8-25-250 noryl	25	250	32		68 499
ЭЦВ5-6,5-140	6,5	140	4	66	24 426	ЭЦВ 8-25-250	-	33	-	-	68 499
ЭЦВ5-6,5-140 армлен	6,5	140	5,5	62	24 426	ЭЦВ 8-25-270	-	33	-	-	85 963
ЭЦВ5-6,5-170 армлен	6,5	170	5,5	66	26 432	ЭЦВ8-25-270 noryl	25	270	32		85 963
ЭЦВ5-6,5-200 армлен	6,5	200	6,3	72	27 553	ЭЦВ8-25-300	25	300	32	177	94 754
ЭЦВ5-10-50 армлен	10	50	3	47	24 367	ЭЦВ8-25-300 чл	25	300	32		94 754
ЭЦВ5-10-65 армлен	10	65	3	48	24 839	ЭЦВ8-25-300 бр	25	300	32		дог
ЭЦВ5-10-80 армлен	10	80	4	58,5	25 193	ЭЦВ8-25-300 погу	25	300	32	160	94 754
						_ <u>' </u>				100	
ЭЦВ5-10-95 армлен	10	95	5,5	52,5	26 904	ЭЦВ8-25-300 нрк	25	300	32	005	109 386
ЭЦВ5-10-125 армлен	10	125	6,3	57	28 792	ЭЦВ8-25-340	25	340	45	225	118 708
ЭЦВ5-10-140 армлен	10	140	7,5	61	33 217	ЭЦВ 8-25-350	-	45	-	-	121 658
ЭЦВ6-4-70	4	70	2,2	55	18 054	ЭЦВ 8-25-370	-	45	-	-	126 378
ЭЦВ6-4-80 армлен	4	80	3	48	18 054	ЭЦВ8-40-15 noryl	40	15	3		19 411
ЭЦВ6-4-100	4	100	3	61	19 647	ЭЦВ 8-40-15 нрк	-	3	-	-	21 417
ЭЦВ6-4-100 армлен	4	100	3	52	19 647	ЭЦВ 8-40-30	-	5,5	-	-	21 889
ЭЦВ6-4-130	4	130	4	64	21 122	ЭЦВ 8-40-30 нрк	-	5,5	_	-	23 895
ЭЦВ6-4-130 армлен	4	130	4	58	21 122	ЭЦВ 8-40-40	18	6,3	1240	71	22 479
ЭЦВ6-4-140 армлен	4	140	4	55	22 007	ЭЦВ8-40-40	40	40	6,3	71	22 479
	4		4			· ·	40	40			
ЭЦВ6-4-160		160		68	23 423	ЭЦВ8-40-40 нрк			6,3	73	24 485
ЭЦВ6-4-160 армлен	4	160	4		23 423	ЭЦВ8-40-55 noryl	40	55	9		32 273
ЭЦВ6-4-190	4	190	4	65	23 718	ЭЦВ8-40-60	40	60	11	84	35 282
ЭЦВ6-4-190 армлен	4	190	6,3	60	23 718	ЭЦВ8-40-60 чл	40	60	11	98	35 282
ЭЦВ6-6,5-35 армлен	6,5	35	2,2	46,2	17 346	ЭЦВ8-40-60 бр	40	60	11	98	дог
ЭЦВ6-6,5-60	6,5	60	2,2	56	17 818	ЭЦВ8-40-60 нрк	40	60	11	87	37 288
ЭЦВ6-6,5-60 армлен	6,5	60	2,2	45	17 818	ЭЦВ 8-40-70	-	13	-	-	35 282
ЭЦВ6-6,5-75 армлен	6,5	75	3	47	17 995	ЭЦВ 8-40-70 нрк	-	13	-	-	38 409
ЭЦВ6-6,5-85	6,5	85	3	60	18 172	ЭЦВ8-40-70 noryl	40	70	11	106	35 282
ЭЦВ6-6,5-90 армлен	6,5	90	3	58	18 172	ЭЦВ8-40-90	40	90	17	120	37 760
ЭЦВ6-6,5-105	6,5	105	4	62	19 057	ЭЦВ8-40-90 чл	40	90	17	110	37 760
	6,5	105	4	50	19 057	ЭЦВ8-40-90 бр	40	90	17	110	
ЭЦВ6-6,5-105 армлен											ДОГ
ЭЦВ6-6,5-120 армлен	6,5	120	4	61	19 588	ЭЦВ8-40-90 нрк	40	90	17	127	39 884
ЭЦВ6-6,5-125	6,5	125	4	68	19 588	ЭЦВ8-40-90 noryl	40	90	15	116	37 760
ЭЦВ6-6,5-140	6,5	140	5,5	72	20 650	ЭЦВ8-40-110 noryl	40	110	17		43 837
ЭЦВ6-6,5-140 армлен	6,5	140	5,5	67		ЭЦВ8-40-120	40	125	22	126	50 209
ЭЦВ 6-6.5-160	6,5	160	6,3	74	22 066	ЭЦВ8-40-120 нрк	40	125	22	135	53 041
ЭЦВ6-6,5-160 армлен	6,5	160	5,5	55	22 066	ЭЦВ8-40-125 чл	40	125	22	125	50 209
ЭЦВ6-6,5-180 армлен	6,5	180	5,5	74	22 656	ЭЦВ8-40-125 бр	40	125	22	125	дог
ЭЦВ6-6,5-185	6,5	185	7,5	83	22 656	ЭЦВ8-40-125 noryl	40	125	20	125	50 209
ЭЦВ6-6,5-190армлен	6,5	190	6,3	58	22 833	ЭЦВ 8-40-135	-	22	-	-	51 566
ЭЦВ6-6,5-225	6,5	225	7,5	87	23 010	ЭЦВ 8-40-135 нрк	-	22	_	_	54 457
	6,5	225	7,5	72	23 010	ЭЦВ8-40-150 noryl	40	145	32	_	52 982
ЭЦВ6-6,5-225 армлен ЭЦВ6-6 5-250 армлен		250	-	75	24 367	· '	40	150	27	157	
ЭЦВ6-6,5-250 армлен	6,5		7,5	73		ЭЦВ8-40-150					52 982
ЭЦВ6-6,5-275	6,5	275	9	400	26 019	ЭЦВ8-40-150 чл	40	150	27	140	52 982
ЭЦВ6-6,5-275 армлен	6,5	275	9	100		ЭЦВ8-40-150 бр	40	150	27	140	дог
ЭЦВ6-6,5-300 армлен	6,5	300	11	88	29 146	ЭЦВ8-40-150 нрк	40	150	27	170	55 755
ЭЦВ6-6,5-325 армлен	6,5	325	11	90	30 444	ЭЦВ 8-40-160	-	32	-	-	56 345
ЭЦВ 6-10-20	-	2,2	-	-	17 346	ЭЦВ 8-40-160 нрк	-	32	-	-	61 773
ЭЦВ 6-10-30	-	2,2	-	-	17 464	ЭЦВ8-40-160 noryl	40	160	32	160	56 345
ЭЦВ 6-10-40	-	2,2	-	-	17 641	ЭЦВ8-40-180	40	180	32	159	63 779
ЭЦВ6-10-50	10	50	2,2	55	17 818	ЭЦВ8-40-180 чл	40	180	32	150	63 779
ЭЦВ6-10-50 армлен	10	50	2,2	52		ЭЦВ8-40-180 бр	40	180	32	150	дог
ЭЦВ6-10-60 армлен	10	60	3	45	17 995	ЭЦВ8-40-180 нрк	40	180	32	127	дог 67 791
ЭЦВ 6-10-65	-	3	-	-	18 054	ЭЦВ8-40-180 noryl	40	180	32	143	63 779
ЭЦВ6-10-70 армлен	10	70	3	46	18 113	ЭЦВ8-40-200 арк	40	200	45	193	92 866
ЭЦВ6-10-80	10	80	4	66	18 290	ЭЦВ8-40-200 нрк	40	200	45	200	98 589
ЭЦВ6-10-80 армлен	10	80	4	59	18 290	ЭЦВ8-40-200 noryl	40	200	32		92 866
ЭЦВ6-10-90 армлен	10	90	4	49	18 998	ЭЦВ 8-40-230	-	45	-	-	121 953
ЭЦВ 6-10-90	-	4	-	-	18 998	ЭЦВ 8-40-230 нрк	-	45	-	-	128 797
ЭЦВ 6-10-100	-	5,5	-	-	19 588	ЭЦВ 8-40-260	-	45	-	-	148 444
1	l .	,-	ı	1							

OLIDO 40 440	40	440			00.007	OLID 0. 40.000		4.5			450.700
ЭЦВ6-10-110	10	110	5,5	68	20 237	ЭЦВ 8-40-260 нрк	-	45	-	-	156 763
ЭЦВ6-10-110 армлен	10	110	5,5	67	20 237	ЭЦВ8-65-20 noryl	65	20	5,5		32 332
ЭЦВ6-10-120	10	120	5,5	66	20 886	ЭЦВ8-65-35 noryl	65	35	9		46 138
ЭЦВ6-10-120 армлен	10	120	5,5	54	20 886	ЭЦВ8-65-40	65	40	17	131	46 138
ЭЦВ 6-10-130	-	7,5	-	-	21 889	ЭЦВ 8-65-55	-	22	ı	-	48 793
ЭЦВ6-10-140	10	140	6,3	72	22 892	ЭЦВ8-65-55 noryl	65	55	15		48 793
ЭЦВ6-10-140 армлен	10	140	6,3	74	22 892	ЭЦВ8-65-70	65	70	22	115	52 687
ЭЦВ 6-10-150	-	7,5	-	-	24 780	ЭЦВ8-65-70 noryl	65	70	20	120	52 687
ЭЦВ 6-10-160	10	160	7,5	79	26 668	ЭЦВ 8-65-80	-	22	-	-	60 121
ЭЦВ6-10-160 армлен	10	160	7,5	63	26 668	ЭЦВ8-65-90	65	90	27	198	67 732
· · · · · · · · · · · · · · · · · · ·			7,5								
ЭЦВ 6-10-170	-	7,5		-	27 199	ЭЦВ8-65-90 noryl	65	90	32	140	67 732
ЭЦВ6-10-180 армлен	10	180	7,5	83	27 789	ЭЦВ8-65-110	65	110	33	201	72 570
ЭЦВ6-10-185	10	185	8	89	27 789	ЭЦВ8-65-110 noryl	65	110	32	150	72 570
ЭЦВ 6-10-195	-	11	-	-	28 261	ЭЦВ8-65-125 noryl	65	125	32		73 632
ЭЦВ 6-10-200	-	11	-	-	28 733	ЭЦВ 8-65-125	-	33	ı	-	73 632
ЭЦВ6-10-200 армлен	10	200	9	80	28 733	ЭЦВ 8-65-135	-	45	-	-	82 246
ЭЦВ 6-10-210	-	11	-	-	29 087	ЭЦВ8-65-145	65	145	45	232	86 907
ЭЦВ 6-10-220	_	11	-	-	29 559	ЭЦB8-65-145 noryl	65	145	37		86 907
ЭЦВ6-10-230 армлен	10	230	11	83	30 090	ЭЦВ 8-65-160	-	45	-	-	97 232
ЭЦВ6-10-235	10	235	11	94	30 090	ЭЦВ8-65-180	65	180	45	240	109 209
ЭЦВ 6-10-240	-	11	-	-	31 860	ЭЦВ10-65-65 чл	65	65	22	130	46 079
ЭЦВ 6-10-250	-	13	-	-	33 925	ЭЦВ10-65-65 бр	65	65	22	130	ДОГ
ЭЦВ 6-10-260	-	13	-	-	34 102	ЭЦВ10-65-65 нрк	65	65	22	135	46 079
ЭЦВ6-10-260 армлен	10	260	11	87	34 102	ЭЦВ10-65-65 noryl	65	65	20	142	46 079
ЭЦВ 6-10-275	-	13	-	-	38 055	ЭЦВ10-65-90 нрк	65	90	27	210	50 327
ЭЦВ 6-10-290	10	290	13	110	40 356	ЭЦВ10-65-100 чл	65	100	32	150	54 398
ЭЦВ 6-10-300	-	13	-	-	41 064	ЭЦВ10-65-100 бр	65	100	32	150	дог
ЭЦВ 6-10-310	-	13	-	-	41 772	ЭЦВ10-65-100 noryl	65	100	25	157	54 398
ЭЦВ 6-10-320	_	13	-	-	42 480	ЭЦВ10-65-110 нрк	65	110	32	220	54 398
ЭЦВ6-10-350	10	350	13	121	44 427	ЭЦВ10-65-125 нрк	65	125	33	220	66 257
ЭЦВ 6-16-25	-	3	-	-	22 243	ЭЦВ10-65-125 noryl	65	125	32	161	66 257
ЭЦВ 6-16-35	_	3	_	_	22 361	ЭЦВ10-65-150 нрк	65	150	45	257	71 980
											71 980
ЭЦВ 6-16-40	-	3	-	-	22 538	ЭЦВ10-65-150 noryl	65	150	37	319	
ЭЦВ6-16-50	16	50	3	60		ЭЦВ10-65-175 нрк	65	175	45	265	104 076
ЭЦВ6-16-50 армлен	16	50	4	57	22 715	ЭЦВ10-65-175 noryl	65	175	45	225	104 076
ЭЦВ 6-16-60	-	4	-	-		ЭЦВ10-65-200 noryl	65	200	55		122 956
ЭЦВ6-16-60 армлен	16	60	4	60	22 892	ЭЦВ10-65-200 нрк	65	200	50	285	122 956
ЭЦВ 6-16-70	-	5,5	-	-	23 128	ЭЦВ10-65-225 нрк	65	225	65	290	149 270
ЭЦВ6-16-70 армлен	16	70	5,5	63	23 128	ЭЦВ10-65-225 noryl	65	225	55		149 270
ЭЦВ6-16-75	16	75	5,5	70	23 128	ЭЦВ10-65-250 noryl	65	250	63		159 123
ЭЦВ6-16-80 армлен	16	80	5,5	51	24 249	ЭЦВ10-65-250 нрк	65	250	65	300	159 123
ЭЦВ6-16-90	16	90	6,3	72	25 547	ЭЦВ10-65-275 нрк	65	275	75	320	207 503
	16	90	5,5	67	25 547	ЭЦВ 10-65-300 нрк	-	90	-	-	255 883
ЭЦВ6-16-90 армлен	-		- -	-			-	90	-		306 623
ЭЦВ 6-16-105		7,5			26 609	ЭЦВ 10-65-325 нрк				-	
ЭЦВ6-16-110	16	110	7,5	80	26 904		100	120	55	301	115 463
ЭЦВ6-16-110 армлен	16	110	7,5	76	26 904		120	40	22	183	65 608
ЭЦВ 6-16-125	-	7,5	-	-		ЭЦВ10-120-60 чл	120	60	32	160	71 744
ЭЦВ6-16-130 армлен	16	130	9	71		ЭЦВ10-120-60 бр	120	60	32	160	дог
ЭЦВ 6-16-135	-	7,5	-	-	28 202	ЭЦВ10-120-60 нро	120	60	32	223	71 744
ЭЦВ6-16-140	16	140	11	91	28 556	ЭЦВ10-120-80 нро	120	80	33	231	92 040
ЭЦВ6-16-140 армлен	16	140	11	87	28 556	ЭЦВ10-120-100 нро	120	100	45	271	92 807
ЭЦВ6-16-160	16	160	13	103	31 152	ЭЦВ10-120-120 нро	120	120	55	296	104 371
ЭЦВ6-16-160 армлен	16	160	11	90	31 152	ЭЦВ10-120-140 нро	120	140	75	326	112 808
ЭЦВ 6-16-165	-	13	-	-		ЭЦВ10-120-160 нро	120	160	75	326	118 708
ЭЦВ 6-16-175	-	13	-	-		ЭЦВ10-160-25 нро	160	25	17	183	70 387
ЭЦВ 6-16-185	-	13	-	-	36 285	ЭЦВ10-160-35нро	160	35	22	204	72 452
ЭЦВ6-16-190	16	190	13	110	37 937	ЭЦВ10-160-50нро	160	50	33	236	76 405
ЭЦВ 6-25-15	-	3	-	-	24 898	ЭЦВ10-160-75нро	160	75	45	270	98 707
ЭЦВ 6-25-25	-	3	-	-	25 075	ЭЦВ10-160-100нро	160	100	65	310	106 672
ЭЦВ 6-25-30	-	4	-	-	25 311	ЭЦВ10-160-125нро	160	125	80	340	130 862
ЭЦВ 6-25-40	-	4	-	-	25 547	ЭЦВ10-160-150нро	160	150	90	351	153 695
1	l .	<u> </u>	1	l .		, , , , , , , , , , , , , , , , , , , ,		- •			

							1 1				
ЭЦВ6-25-50	25	50	5,5	65	25 783	ЭЦВ12-160-65нро	160	65	45	255	80 358
ЭЦB6-25-50 noryl	25	50	5,5	65	25 783	ЭЦВ12-160-100нро	160	100	65	286	110 035
ЭЦВ6-25-60	25	60	6,3	70	26 491	ЭЦВ12-160-140нро	160	140	90	327	147 146
ЭЦВ6-25-70	25	70	7,5	74	26 609	ЭЦВ12-160-175нро	160	175	110	402	246 856
ЭЦВ6-25-70 noryl	25	70	7,5	74	26 609	ЭЦВ12-160-200нро	160	200	130	477	290 988
ЭЦВ6-25-80	25	80	7,5	77	27 140	ЭЦВ12-200-35нро	200	35	32	235	81 007
ЭЦВ6-25-90	25	90	9	87	27 612	ЭЦВ12-200-70нро	200	70	65	313	149 211
ЭЦВ6-25-100	25	100	11	90	29 500	ЭЦВ12-200-105нро	200	105	90	358	202 606
ЭЦВ6-25-100 noryl	90	25	11	90	29 500	ЭЦВ12-200-140нро	200	140	110	440	249 216
ЭЦВ 6-25-110	-	11	-	-	29 736	ЭЦВ12-210-25нро	210	25	22	175	66 080
ЭЦВ6-25-120	25	120	11	92	30 031	ЭЦВ12-210-55нро	210	55	45	250	99 002
ЭЦВ6-25-140	25	140	13	96	34 043	ЭЦВ12-250-35нро	250	35	37	267	99 238
ЭЦВ8-16-80 noryl	16	80	5,5		27 553	ЭЦВ12-250-70нро	250	70	75	350	176 941
ЭЦВ8-16-100	16	100	6,3	74	29 087	ЭЦВ12-250-105нро	250	105	110	410	259 069
ЭЦВ8-16-100 noryl	16	100	6,3		29 087	ЭЦВ12-250-140нро	250	140	130	504	305 679
ЭЦВ8-16-120 noryl	16	120	7,5		29 205						
ЭЦВ8-16-140	16	140	11	93	30 326						
ЭЦВ8-16-140чл	16	140	11	106	30 326						
ЭЦВ8-16-140бр	16	140	11	106	дог						
ЭЦВ8-16-140 noryl	16	140	11	143	30 326						
ЭЦВ8-16-160	16	160	13	107	37 288						
ЭЦВ8-16-160 noryl	16	160	11		37 288						
ЭЦВ8-16-160чл	16	160	11	110	37 288						