```
■ 選択mysql -u SEKI-p
                                                                                                                      X
MariaDB [Challenge db]> INSERT INTO profiles VALUES(3, '鈴木 実', '080-5566-7788', 24, '2000-12-24');
Query OK, 1 row affected (0.06 sec)
MariaDB [Challenge_db]> INSERT INTO profiles VALUES(4, '佐藤 清', '012-0987-6543', 19, '2005-08-01');
Query OK, 1 row affected (0.03 sec)
MariaDB [Challenge_db]> INSERT INTO profiles VALUES(5, '高橋 清', '090-9900-1234', 24, '2000-12-24');
Query OK, 1 row affected (0.03 sec)
MariaDB [Challenge db]> SELECT * FROM profiles;
 profilesID |
                        tell
                                               birthday
              name
                                        age
                        012-345-6789
                                          30
                                               1994-02-01
                        090-1122-3344
                                          37
                                               1987-08-12
                        080-5566-7788
                                          24
                                               2000-12-24
                        012-0987-6543
                                               2005-08-01
                        090-9900-1234
                                               2000-12-24
  rows in set (0.00 sec)
MariaDB [Challenge db]> SELECT * FROM profiles where profilesID = 3;
 profilesID | name
                       tell
                                              birthday
                                       age
          3 | 鈴木 実 | 080-5566-7788 |
  row in set (0.00 sec)
```

MariaDB [Challenge\_db]>

É