

CCDP v0.1.1 ADDENDUM INDEX

Kotov Ivan

Bruxelles, Belgium - 2026

Reserved DOI: 10.5281/zenodo.20680938

Mode A addendum-only registry, reading order, package boundary, and release checklist

Author: Kotov Ivan

Location: Bruxelles, Belgium

Year: 2026

DOI: Reserved DOI: 10.5281/zenodo.20680938

Package: Child- c Development Protocol

Baseline package: CCDP v0.1 DOI-bound / release-bound corpus slice

Addendum package: CCDP v0.1.1 hygiene addendum

Document ID: CCDP_v0_1_1_ADDENDUM_INDEX

Short name: ADDENDUM_INDEX

Status: Draft addendum package-control registry

Date: 2026-06-13

Selected patch mode: MODE_A_ADDENDUM_ONLY

Layer: CCDP / v0.1.1 hygiene / publication integrity / package control

Document class: addendum index / reading order / release-control manifest

Assertion class: C-A10 control-layer artifact; does not upgrade child-safety, legal, clinical, psychological, or product-readiness claims

Primary rule: this index governs the v0.1.1 addendum pack; it does not rewrite the DOI-bound v0.1 baseline.

o. Executive summary

This document is the package-level registry for the CCDP v0.1.1 hygiene addendum.

The addendum exists because CCDP v0.1 needs release hygiene clarification, but the baseline artifacts may already be DOI-bound, PDF-paired, SHA-manifested, release-bound, or otherwise externally citable.

The selected patch strategy is:

Mode A = addendum-only patching.

Therefore:

1. CCDP v0.1 baseline artifacts remain historically frozen;
2. no v0.1 source Markdown file is silently edited in place;
3. no paired v0.1 PDF is silently regenerated under the same identity;
4. v0.1.1 corrections are issued as addendum documents;
5. current operational reading is baseline plus addendum;
6. if a baseline statement conflicts with a v0.1.1 hygiene clarification, the addendum controls current interpretation without changing the historical baseline artifact.

Current core addendum documents already created:

```
DOI_SAFE_PATCH_STRATEGY.md
CCDP_v0_1_1_Hygiene_Patch_APPLIED.md
OBSOLETE.md
CANONICAL_PRECEDENCE_RULE.md
RAW_EVIDENCE_EXCEPTION_CANONICAL.md
CCDP_v0_1_1_ADDENDUM_INDEX.md
```

Required next addendum documents before package release:

```
TERMINOLOGY_AXIS_CLARIFICATION.md
PUBLIC_TECHNICAL_SENSITIVE_SPLIT.md
CLEAN_START_CLARIFICATION.md
SOFT_SAFETY_RED_BLACK_MUST_CLARIFICATION.md
TRACEABILITY_CONFORMANCE_DELTA_v0_1_1.md
RELEASE_NOTES_v0_1_1.md
ADDENDUM_MANIFEST.json
SHA256SUMS
```

Controlling formula:

```
CCDP v0.1 historical citation = frozen baseline.
CCDP current operational reading = CCDP v0.1 baseline + CCDP v0.1.1 hygiene addendum.
```

1. Purpose

This index answers six package-control questions:

1. What documents belong to the v0.1.1 addendum?
2. Which documents already exist and which remain pending?
3. In what order should the addendum be read?
4. How does the addendum interact with DOI-bound baseline artifacts?
5. Which hygiene issues are mitigated, pending, or deferred?
6. What must Codex or any future patch agent avoid changing?

This document is not a new child-safety protocol.

It is a publication-control and corpus-navigation layer.

2. Scope

2.1 In scope

This index governs:

- the CCDP v0.1.1 addendum package;
- addendum document registry;
- addendum reading order;
- current operational interpretation of CCDP v0.1 through addendum clarifications;
- DOI-safe patch routing;
- future Codex-safe addendum work;
- issue mitigation mapping for v0.1.1 hygiene;
- addendum package readiness checks;
- addendum manifest and SHA requirements.

2.2 Out of scope

This index does **not**:

- mutate any DOI-bound v0.1 artifact;
 - edit paired PDFs;
 - create a new full v0.1.1 source release by itself;
 - replace `CCDP_v0_1_R_Corpus_Aligned.md`;
 - redefine `c = a + b`;
 - redefine SER / SER-FED;
 - redefine Beacon, CBE, AGL, ARL, ARQ / `c[q]`, VXCX, EA-L4 / EATP, Continuity Bundle, Cold Wake, or L4 Witness;
 - create legal advice;
 - create clinical advice;
 - validate child psychology;
 - validate jurisdictional compliance;
 - certify product readiness;
 - claim that baseline files were patched in place.
-

3. Corpus bridge set

3.1 Explicit bridge

In the `c = a + b` corpus, a continuity-bearing entity must preserve witness integrity. A DOI-bound protocol corpus must do the same.

A published baseline is a witness object:

```
stable identity
stable content
stable citation boundary
explicit correction path
```

The v0.1.1 addendum is the correction path. It gives current readers a safe interpretation layer without falsifying the historical baseline.

3.2 Quiet bridge I — Ashby / requisite variety

The CCDP package now has multiple hygiene failure modes: obsolete drafts, precedence ambiguity, raw-evidence duplication, terminology collisions, Red / Black ambiguity, clean-start ambiguity, public/sensitive split ambiguity, and traceability drift.

One patch operation cannot safely address all of them. The addendum pack supplies enough control variety to handle each issue through a separate bounded document.

3.3 Quiet bridge II — information theory / channel stability

A DOI-bound document is a time-stamped signal. Silent mutation means two readers may cite the same object but receive different content. That corrupts the citation channel.

The addendum preserves channel stability:

```
old signal stays fixed
new corrective signal is added
current reading composes both
```

3.4 Earth paragraph

A signed inspection report is not overwritten after the fact. If a defect is discovered, a correction sheet is attached and logged. The old report remains reconstructable; the correction becomes part of the current file. CCDP v0.1.1 follows the same engineering discipline: do not erase the old witness; attach the correction where future builders can see it.

4. Core interpretation rule

4.1 Historical citation

For historical, bibliographic, DOI, archival, or fixed-release citation, CCDP v0.1 means:

```
CCDP v0.1 baseline artifact exactly as published / released / DOI-bound.
```

The v0.1.1 addendum does not alter that object.

4.2 Current operational reading

For current implementation, review, audit, packaging, or future release preparation, CCDP SHOULD be read as:

```
CCDP v0.1 baseline  
+ CCDP v0.1.1 hygiene addendum
```

4.3 Conflict between baseline and addendum

If a v0.1 baseline statement conflicts with a v0.1.1 hygiene clarification, the current operational rule is:

```
v0.1.1 addendum controls current interpretation  
without rewriting the v0.1 baseline artifact
```

This is a supersession relation, not an in-place source edit.

4.4 Safety floor

No addendum document may weaken:

- immediate child physical safety;
- lawful jurisdictional obligations;
- parent corpus mechanisms;
- minimal disclosure;
- state-not-content discipline;
- raw child life minimization;
- sealed-zone protection;
- Red / Black routing discipline;
- witness integrity;
- adult migration autonomy;
- human responsibility anchor [a](#).

If an addendum appears to weaken any of these, the addendum MUST be held for review.

5. Addendum status vocabulary

Status	Meaning
CREATED	File exists in the addendum working set.
CURRENT	This index file.
PLANNED_REQUIRED	Required before the v0.1.1 addendum pack may be called release-ready.
PLANNED_RECOMMENDED	Recommended before public release, but not a hard package-control blocker.
DEFERRED_MODE_B	Requires a full versioned source release or future major/minor version.
DEFERRED_REVIEW	Requires legal, developmental, clinical, security, or implementation review.
NOT_IN_MODE_A	Prohibited or intentionally excluded under addendum-only strategy.

6. Addendum document registry

6.1 Core addendum controls

Step	Document	Status	Role
0	CCDP_v0_1_1_ADDENDUM_INDEX.md	CURRENT	Package registry, reading order, and addendum control surface.
1	DOI_SAFE_PATCH_STRATEGY.md	CREATED	Mode A publication-integrity strategy and Codex-safe patch boundary.
2	CCDP_v0_1_1_Hygiene_Patch_APPLIED.md	CREATED	Applied work-order for HP-001...HP-013.
3	CANONICAL_PRECEDENCE_RULE.md	CREATED	Package-wide current interpretation and conflict-resolution rule.
4	OBSOLETE.md	CREATED	Obsolete / non-canonical material registry and discoverability mitigation.
5	RAW_EVIDENCE_EXCEPTION_CANONICAL.md	CREATED	Central raw-evidence exception protocol and sidecar discipline.

6.2 Required remaining addendum controls

Step	Document	Status	Role
6	TERMINOLOGY_AXIS_CLARIFICATION.md	PLANNED_REQUIRED	Separates child maturity C0-C5 , conformance CCDP-0...5 , assertion C-A* , memory M* , dependency D* , personality formation PF-* , and related axes.
7	PUBLIC_TECHNICAL_SENSITIVE_SPLIT.md	PLANNED_REQUIRED	Defines public, technical, restricted, sensitive, and internal distribution boundaries.
8	CLEAN_START_CLARIFICATION.md	PLANNED_REQUIRED	Clarifies clean start as adult active-continuity clean start, not unlawful destruction of minimal witness/legal records.
9	SOFT_SAFETY_RED_BLACK_MUST_CLARIFICATION.md	PLANNED_REQUIRED	Clarifies Red / Black MUST behavior under urgent thresholds and unsafe guardian routes.
10	TRACEABILITY_CONFORMANCE_DELTA_v0_1_1.md	PLANNED_REQUIRED	Records traceability and conformance deltas for late modules without mutating baseline matrices.
11	RELEASE_NOTES_v0_1_1.md	PLANNED_REQUIRED	Release summary for the addendum pack.
12	ADDENDUM_MANIFEST.json	PLANNED_REQUIRED	Machine-readable addendum registry.
13	SHA256SUMS	PLANNED_REQUIRED	Addendum package integrity manifest.

6.3 Recommended addendum support

Document	Status	Role
README.md inside addendum directory	PLANNED_RECOMMENDED	Human landing page for the addendum directory.
CODEx_DOI_SAFE_PATCH_RUNBOOK.md	PLANNED_RECOMMENDED	Future Codex instructions for Mode A and possible Mode B.
ERRATA_v0_1_TO_v0_1_1.md	PLANNED_RECOMMENDED	Compact errata table for readers who need a one-page list.
ADDENDUM_CITATION_GUIDE.md	PLANNED_RECOMMENDED	How to cite baseline plus addendum in papers, releases, and audits.

6.4 Not included in Mode A

Artifact	Status	Reason
Edited vo.1 Markdown source files	NOT_IN_MODE_A	Would silently mutate DOI-bound / release-bound baseline.
Regenerated vo.1 PDFs under the same identity	NOT_IN_MODE_A	Would corrupt paired PDF / source citation boundary.
Replacement historical SHA256SUMS	NOT_IN_MODE_A	Historical integrity manifests must not be overwritten.
Full vo.1.1 source package	DEFERRED_MODE_B	Requires Mode B versioned release workflow.
Full product conformance certification	DEFERRED_REVIEW	Requires implementation, audit, security, developmental, and jurisdictional review.

7. Canonical addendum reading order

7.1 Minimal current-reading path

For a reader who already has CCDP vo.1 and only needs to know how to interpret it now:

1. CCDP_v0_1_1_ADDENDUM_INDEX.md
2. DOI_SAFE_PATCH_STRATEGY.md
3. CCDP_v0_1_1_Hygiene_Patch_APPLIED.md
4. CANONICAL_PRECEDENCE_RULE.md
5. RAW_EVIDENCE_EXCEPTION_CANONICAL.md
6. OBSOLETE.md
7. remaining required clarifications as they are created

7.2 Release-control path

For maintainers preparing a vo.1.1 addendum release:

1. DOI_SAFE_PATCH_STRATEGY.md
2. CCDP_v0_1_1_ADDENDUM_INDEX.md
3. CCDP_v0_1_1_Hygiene_Patch_APPLIED.md
4. OBSOLETE.md
5. CANONICAL_PRECEDENCE_RULE.md
6. RAW_EVIDENCE_EXCEPTION_CANONICAL.md
7. TERMINOLOGY_AXIS_CLARIFICATION.md
8. PUBLIC_TECHNICAL_SENSITIVE_SPLIT.md
9. CLEAN_START_CLARIFICATION.md

10. `SOFT_SAFETY_RED_BLACK_MUST_CLARIFICATION.md`
11. `TRACEABILITY_CONFORMANCE_DELTA_v0_1_1.md`
12. `RELEASE_NOTES_v0_1_1.md`
13. `ADDENDUM_MANIFEST.json`
14. `SHA256SUMS`

7.3 Codex path

For Codex or another patch agent:

1. read `DOI_SAFE_PATCH_STRATEGY.md`;
2. read this index;
3. confirm Mode A is active;
4. list baseline files and addendum files separately;
5. fail closed on any requested baseline mutation;
6. create missing addendum documents only;
7. generate addendum manifest and SHA for addendum files only;
8. report any baseline physical move / edit as prohibited unless Mode B is explicitly selected.

8. Recommended Mode A directory layout

Preferred repository layout:

```
ccdp-v0.1.1-hygiene-addendum/  
  README.md  
  CCDP_v0_1_1_ADDENDUM_INDEX.md  
  DOI_SAFE_PATCH_STRATEGY.md  
  CCDP_v0_1_1_Hygiene_Patch_APPLIED.md  
  OBSOLETE.md  
  CANONICAL_PRECEDENCE_RULE.md  
  RAW_EVIDENCE_EXCEPTION_CANONICAL.md  
  TERMINOLOGY_AXIS_CLARIFICATION.md  
  PUBLIC_TECHNICAL_SENSITIVE_SPLIT.md  
  CLEAN_START_CLARIFICATION.md  
  SOFT_SAFETY_RED_BLACK_MUST_CLARIFICATION.md  
  TRACEABILITY_CONFORMANCE_DELTA_v0_1_1.md  
  RELEASE_NOTES_v0_1_1.md  
  manifest/  
    ADDENDUM_MANIFEST.json  
    SHA256SUMS  
  codex/  
    CODEX_DOI_SAFE_PATCH_RUNBOOK.md
```

If a repository cannot use this exact layout, it **MUST** preserve the logical boundary:

```
baseline artifacts != addendum artifacts
```

9. Baseline corpus relation

The addendum interprets but does not rewrite the baseline CCDP v0.1 package.

9.1 Baseline root and package-control files

The following baseline files remain frozen under Mode A if DOI-bound or release-bound:

```
README.md
INDEX.md
CANONICAL_READING_ORDER.md
RELEASE_NOTES.md
OPEN_ISSUES.md
CCDP_v0_1_R_Corpus_Aligned.md
CCDP_Traceability_Matrix_v0_1.md
CCDP_Conformance_Test_Matrix_v0_1.md
CCDP_Contradiction_Register_v0_1.md
CCDP_v0_1_1_Hygiene_Patch.md
```

9.2 Baseline child-facing profiles and schemas

The following baseline files remain frozen under Mode A if DOI-bound or release-bound:

```
CCDP_Threat_Model_v0_1.md
Child_Beacon_Extension_v0_1.md
Guardian_Topology_ARL_Matrix_v0_1.md
Child_Memory_and_Adult_Migration_v0_1.md
Soft_Safety_State_Signaling_Profile_v0_1.md
CCDP_Witness_Event_Schema_v0_1.md
CCDP_Memory_Map_JSON_Schema_v0_1.md
CCDP_Adult_Migration_Checklist_v0_1.md
CCDP_Sealed_Zone_Profile_v0_1.md
Child_Dependency_Audit_Profile_v0_1.md
Child_Physical_Agent_Perimeter_v0_1.md
External_Agent_Handshake_for_CCDP_v0_1.md
Peer_C_Child_Exchange_Profile_v0_1.md
Child_Experience_Exchange_Profile_v0_1.md
Child_cq_Signal_Profile_v0_1.md
CCDP_School_Interface_Profile_v0_1.md
CCDP_Red_Black_Escalation_Profile_v0_1.md
CCDP_Jurisdictional_Handoff_Notes_v0_1.md
CCDP_Developmental_Psychology_Review_Notes_v0_1.md
CCDP_Red_Team_Playbook_v0_1.md
```

9.3 Obsolete baseline material

Known obsolete material:

```
CCDP_v0_1.md
CCDP%20v0_1.md
```

Under Mode A, this addendum may state that the obsolete draft is non-canonical and must not be used as authority.

Physical move / rename / header insertion must not be performed inside a DOI-bound baseline package unless one of the following is true:

1. the file is not part of the DOI-bound baseline; or
2. the operation occurs in a new versioned release copy under Mode B; or
3. the operation is recorded as a new repository state without claiming to mutate the historical DOI artifact.

10. Hygiene issue mitigation map

Issue / Patch	Addendum document	Mode A status	Notes
CR-001 / OI-001 obsolete draft discoverability	OBSOLETE.md	MITIGATED_ADDENDUM	Physical move/header still requires repo-safe handling.
HP-004 / OI-004 canonical precedence	CANONICAL_PRECEDENCE_RULE.md	MITIGATED_ADDENDUM	Baseline files not edited; current interpretation clarified.
HP-007 / OI-005 raw-evidence exception centralization	RAW_EVIDENCE_EXCEPTION_CANONICAL.md	MITIGATED_ADDENDUM	Baseline duplicate wording not replaced under Mode A.
HP-005 / OI-006 clean-start clarification	CLEAN_START_CLARIFICATION.md	PENDING_REQUIRED	Must clarify active adult continuity vs witness/legal records.
HP-006 / OI-007 terminology disambiguation	TERMINOLOGY_AXIS_CLARIFICATION.md	PENDING_REQUIRED	Must separate Co-C5, CCDP-O...5, C-A, M, D, PF, etc.
HP-008 Soft Safety Red / Black MUST	SOFT_SAFETY_RED_BLACK_MUST_CLARIFICATION.md	PENDING_REQUIRED	Must remove MAY/MUST ambiguity for urgent thresholds.
HP-010 / OI-012 public / technical / sensitive split	PUBLIC_TECHNICAL_SENSITIVE_SPLIT.md	PENDING_REQUIRED	Required before public packaging.
HP-002 / OI-002 traceability refresh	TRACEABILITY_CONFORMANCE_DELTA_v0_1_1.md	PENDING_REQUIRED	Mode A delta instead of editing matrix.
HP-003 / OI-003 conformance refresh	TRACEABILITY_CONFORMANCE_DELTA_v0_1_1.md	PENDING_REQUIRED	Mode A delta instead of editing matrix.
HP-009 / OI-009 jurisdictional handoff reminders	CLEAN_START_CLARIFICATION.md + RAW_EVIDENCE_EXCEPTION_CANONICAL.md + future annex	PARTIAL_ADDENDUM	Full local annex deferred.
HP-011 / OI-015 integrity manifest	SHA256SUMS	PENDING_REQUIRED	Addendum files only.
OI-008 developmental psychology review	DPRN + future review pack	DEFERRED_REVIEW	Not solved by hygiene addendum.
OI-010 schema extraction	future .schema.json files	DEFERRED_MODE_B_OR_NEXT_PACK	Not solved by current addendum.

Issue / Patch	Addendum document	Mode A status	Notes
OI-013 PDF production	addendum PDFs optional; baseline PDFs frozen	PENDING_DECISION	Do not regenerate baseline PDFs.
OI-014 cross-repo placement	addendum directory / future repo plan	PARTIAL_ADDENDUM	Needs real repo decision.

11. Addendum conformance language

A reader, implementer, auditor, or future package maintainer may say:

This implementation / review reads CCDP v0.1 together with the CCDP v0.1.1 hygiene addendum.

They MUST NOT say:

The original CCDP v0.1 DOI-bound files have been patched.

unless a Mode B full versioned release has actually been created.

A valid Mode A claim is:

CCDP-v0.1 + v0.1.1-addendum current-reading compatible.

An invalid Mode A claim is:

CCDP-v0.1.1 source package patched in place.

12. Citation guidance

12.1 Historical citation

For fixed historical reference, cite the baseline DOI / release artifact only.

Example form:

Child-c Development Protocol (CCDP) v0.1, baseline DOI/release artifact.

12.2 Current operational citation

For current interpretation after addendum release, cite both baseline and addendum.

Example form:

Child-c Development Protocol (CCDP) v0.1, read with CCDP v0.1.1 Hygiene Addendum, Mode A addendum-only package.

12.3 Quoting corrected material

If quoting or applying a clarified rule, cite the addendum document that contains the current rule, not only the baseline file.

Examples:

```
canonical precedence -> CANONICAL_PRECEDENCE_RULE.md
raw exception -> RAW_EVIDENCE_EXCEPTION_CANONICAL.md
obsolete draft status -> OBSOLETE.md
DOI-safe patching -> DOI_SAFE_PATCH_STRATEGY.md
```

13. Codex carry-forward rules

Any future Codex run touching CCDP v0.1.1 MUST obey this block.

```
CODEX_MODE = MODE_A_ADDENDUM_ONLY

DO NOT:
- edit DOI-bound baseline Markdown files in place;
- edit paired baseline PDFs;
- overwrite historical SHA256SUMS;
- move or delete DOI-bound baseline material silently;
- claim baseline files were patched when only addenda were created.

DO:
- create missing addendum documents;
- update addendum-only index / manifest / release notes if not DOI-bound yet;
- generate SHA256SUMS for addendum files only;
- report baseline changes as prohibited unless Mode B is explicitly selected;
- preserve baseline/addendum separation in Git diff.
```

Codex preflight checklist:

1. Identify target file.
2. Classify target as baseline or addendum.
3. If baseline and DOI-bound status unknown, treat as DOI-bound.
4. If operation would mutate baseline, stop.
5. If operation creates addendum document, proceed.
6. Record created file in ADDENDUM_MANIFEST.json.
7. Update SHA256SUMS only for addendum files.

14. Release gates

14.1 Draft addendum gate

The addendum may be called a draft working set when the following exist:

```
DOI_SAFE_PATCH_STRATEGY.md
CCDP_v0_1_1_ADDENDUM_INDEX.md
CCDP_v0_1_1_Hygiene_Patch_APPLIED.md
OBSOLETE.md
CANONICAL_PRECEDENCE_RULE.md
RAW_EVIDENCE_EXCEPTION_CANONICAL.md
```

Current status:

DRAFT ADDENDUM GATE: PASS

14.2 Release-ready addendum gate

The addendum may be called release-ready only when the following exist:

```
TERMINOLOGY_AXIS_CLARIFICATION.md
PUBLIC_TECHNICAL_SENSITIVE_SPLIT.md
CLEAN_START_CLARIFICATION.md
SOFT_SAFETY_RED_BLACK_MUST_CLARIFICATION.md
TRACEABILITY_CONFORMANCE_DELTA_v0_1_1.md
RELEASE_NOTES_v0_1_1.md
ADDENDUM_MANIFEST.json
SHA256SUMS
```

Current status:

RELEASE-READY ADDENDUM GATE: FAIL / PENDING

14.3 Mode B trigger gate

Switch from Mode A to Mode B only if one of the following is true:

1. baseline source text must be rewritten for current use;
2. paired PDFs must be regenerated;
3. traceability / conformance matrices must be fully refreshed as source artifacts;
4. JSON schemas must be extracted into the canonical source package;
5. public package release requires a clean versioned source set;
6. a DOI provider or repository policy requires a new version rather than addendum-only interpretation;
7. an architecture contradiction is discovered that cannot be safely clarified by addendum.

Until Mode B is explicitly selected:

Mode A remains active.

15. Anti-washing rule

No project, vendor, school, parent dashboard, AI product, agent framework, child-facing system, or safety claim may cite the v0.1.1 addendum as proof of CCDP compatibility unless it also provides evidence appropriate to the CCDP Conformance Test Matrix or its future v0.1.1 delta.

The addendum clarifies reading.

It does not certify products.

Invalid claim:

We cite the CCDP addendum; therefore we are child-safe.

Valid claim form:

We read CCDP v0.1 with the v0.1.1 hygiene addendum and provide a separate conformance evidence bundle for the claimed profile.

16. Non-expansion rule

The v0.1.1 addendum MUST NOT become a stealth expansion of CCDP.

Allowed:

clarify
route
index
centralize
warn
supersede interpretation
record errata
record distribution boundaries

Not allowed:

new root ontology
new child-safety mechanism
new legal doctrine
new clinical claim
new personhood claim
new product certification
new emergency law
new parent-rights doctrine

If a proposed addendum begins to add new mechanism rather than clarify package hygiene, it must be moved to a future profile or Mode B release track.

17. Current addendum working-set status

CREATED:

- CCDP_v0_1_1_ADDENDUM_INDEX.md
- DOI_SAFE_PATCH_STRATEGY.md
- CCDP_v0_1_1_Hygiene_Patch_APPLIED.md
- OBSOLETE.md
- CANONICAL_PRECEDENCE_RULE.md
- RAW_EVIDENCE_EXCEPTION_CANONICAL.md

PENDING_REQUIRED:

- TERMINOLOGY_AXIS_CLARIFICATION.md
- PUBLIC_TECHNICAL_SENSITIVE_SPLIT.md
- CLEAN_START_CLARIFICATION.md
- SOFT_SAFETY_RED_BLACK_MUST_CLARIFICATION.md
- TRACEABILITY_CONFORMANCE_DELTA_v0_1_1.md
- RELEASE_NOTES_v0_1_1.md
- ADDENDUM_MANIFEST.json
- SHA256SUMS

PENDING_RECOMMENDED:

- README.md
- CODEX_DOI_SAFE_PATCH_RUNBOOK.md
- ERRATA_v0_1_TO_v0_1_1.md
- ADDENDUM_CITATION_GUIDE.md

18. Machine-readable registry draft

A future `ADDENDUM_MANIFEST.json` SHOULD encode at least:

```
{
  "package": "CCDP v0.1.1 hygiene addendum",
  "baseline": {
    "name": "CCDP v0.1",
    "status": "doi_bound_or_release_bound_baseline",
    "mutation_policy": "frozen_under_mode_a"
  },
  "patch_mode": "MODE_A_ADDENDUM_ONLY",
  "created_at": "2026-06-13",
  "current_reading_formula": "CCDP v0.1 baseline + CCDP v0.1.1 hygiene addendum",
  "controls": [
    {
      "file": "CCDP_v0_1_1_ADDENDUM_INDEX.md",
      "status": "current",
      "role": "addendum registry and reading order"
    },
    {
      "file": "DOI_SAFE_PATCH_STRATEGY.md",
      "status": "created",
      "role": "DOI-safe Mode A strategy"
    }
  ]
}
```



```

{
  "file": "CCDP_v0_1_1_Hygiene_Patch_APPLIED.md",
  "status": "created",
  "role": "applied hygiene work-order"
},
{
  "file": "OBSOLETE.md",
  "status": "created",
  "role": "obsolete material registry"
},
{
  "file": "CANONICAL_PRECEDENCE_RULE.md",
  "status": "created",
  "role": "current interpretation precedence rule"
},
{
  "file": "RAW_EVIDENCE_EXCEPTION_CANONICAL.md",
  "status": "created",
  "role": "canonical raw-evidence exception protocol"
}
],
"pending_required": [
  "TERMINOLOGY_AXIS_CLARIFICATION.md",
  "PUBLIC_TECHNICAL_SENSITIVE_SPLIT.md",
  "CLEAN_START_CLARIFICATION.md",
  "SOFT_SAFETY_RED_BLACK_MUST_CLARIFICATION.md",
  "TRACEABILITY_CONFORMANCE_DELTA_v0_1_1.md",
  "RELEASE_NOTES_v0_1_1.md",
  "ADDENDUM_MANIFEST.json",
  "SHA256SUMS"
],
"prohibited_under_mode_a": [
  "baseline_markdown_in_place_edits",
  "baseline_pdf_regeneration",
  "historical_sha_overwrite",
  "silent_obsolete_draft_mutation",
  "claims_that_baseline_was_patched"
]
}

```

19. Acceptance checklist

Before the v0.1.1 addendum pack is considered release-ready:

```

[ ] Baseline DOI-bound artifacts remain unmodified.
[ ] DOI_SAFE_PATCH_STRATEGY.md exists.
[ ] CCDP_v0_1_1_ADDENDUM_INDEX.md exists.
[ ] CCDP_v0_1_1_Hygiene_Patch_APPLIED.md exists.
[ ] OBSOLETE.md exists.
[ ] CANONICAL_PRECEDENCE_RULE.md exists.
[ ] RAW_EVIDENCE_EXCEPTION_CANONICAL.md exists.
[ ] TERMINOLOGY_AXIS_CLARIFICATION.md exists.
[ ] PUBLIC_TECHNICAL_SENSITIVE_SPLIT.md exists.
[ ] CLEAN_START_CLARIFICATION.md exists.
[ ] SOFT_SAFETY_RED_BLACK_MUST_CLARIFICATION.md exists.
[ ] TRACEABILITY_CONFORMANCE_DELTA_v0_1_1.md exists.
[ ] RELEASE_NOTES_v0_1_1.md exists.
[ ] ADDENDUM_MANIFEST.json exists.

```

- [] SHA256SUMS exists for addendum files only.
- [] Codex-safe runbook exists or is explicitly deferred.
- [] No document claims that DOI-bound baseline files were edited in place.
- [] Obsolete draft status is discoverable through addendum.
- [] Current operational reading formula is present in release notes.
- [] Public / technical / sensitive distribution boundary is present.
- [] All remaining validation gaps remain marked as review/deferred, not solved.

20. Next required documents

Recommended creation order after this index:

1. TERMINOLOGY_AXIS_CLARIFICATION.md
2. CLEAN_START_CLARIFICATION.md
3. SOFT_SAFETY_RED_BLACK_MUST_CLARIFICATION.md
4. PUBLIC_TECHNICAL_SENSITIVE_SPLIT.md
5. TRACEABILITY_CONFORMANCE_DELTA_v0_1_1.md
6. RELEASE_NOTES_v0_1_1.md
7. ADDENDUM_MANIFEST.json
8. SHA256SUMS

Rationale:

```
terminology first -> prevents class collisions
clean start next -> prevents adult migration misread
Red/Black next -> prevents Soft Safety emergency ambiguity
release split next -> prevents unsafe public packaging
traceability/conformance delta next -> prevents matrix drift under Mode A
release notes / manifest / SHA last -> only after content freeze
```

21. Closing rule

The addendum is a correction layer, not a time machine.

It must not pretend that old artifacts changed.

It must make current reading safer.

It must leave enough evidence for a future maintainer to reconstruct:

```
what v0.1 said
what v0.1.1 clarified
why the clarification was needed
which artifact controls current interpretation
which artifacts remain historical witnesses
```

Compact rule:

```
Do not rewrite the witness.
Index the correction.
```

Control current reading.
Prepare the next clean version only when Mode B is chosen.