

Self-Evo Document Series

# Self-Evo Open Issues

v0.1.1

Open issues, backlog, package-control gaps, and  
implementation/release blockers

Kotov Ivan

Bruxelles, Belgique

2026

*Document status: Draft academic review artifact generated from the accepted Markdown source.*

*Document ID: 10\_Self-Evo\_Open\_Issues\_v0\_1\_1.*

*Boundary note: This PDF is not a public release, not a conformance certificate, not deployment authorization, and not a live self-evolution permission.*

# Contents

## Self-Evo Open Issues v0.1.1

Open issues, implementation blockers, release blockers, backlog priorities, and deferred work for the Self-Evo document pack

0. Executive summary
1. Purpose
2. Scope
  - 2.1 In scope
  - 2.2 Out of scope
  - 2.3 Non-claim
3. Corpus bridge set
  - 3.1 Explicit bridge:  $c = a + b$
  - 3.2 Quiet bridge I: information theory
  - 3.3 Quiet bridge II: cybernetics
  - 3.4 Quiet bridge III: physiology
  - 3.5 Earth paragraph
4. Classification system
  - 4.1 Priority
  - 4.2 Severity
  - 4.3 Issue type
  - 4.4 Status
  - 4.5 Blocking scope
  - 4.6 Issue ID scheme
5. Conversion from SELF-EVO-09 §9
6. Immediate P0 transition blockers
7. Schema and object extraction backlog
8. Checker and semantic-validator backlog
9. Fixture and conformance backlog
10. Package-control and release-readiness backlog
11. TRIAD-SYNAPS / sister witness backlog
12. SRLM backlog
13. Memory Gate / EA backlog
14. Anti-Autarky / Resource backlog
15. Public / legal / security backlog
16. Human-gate, UI, and fatigue backlog
17. Review / acceptance / witness backlog
18. Release-state gates
  - 18.1 Document-package complete gate
  - 18.2 Schema-ready gate
  - 18.3 Checker-ready gate
  - 18.4 Fixture-runner-ready gate
  - 18.5 Conformance-supported gate
  - 18.6 Public-release gate
  - 18.7 Deployment-sensitive use gate
19. Object model
  - 19.1 C\_SELF\_EVO\_OPEN\_ISSUE\_RECORD
  - 19.2 C\_SELF\_EVO\_BACKLOG\_SUMMARY
  - 19.3 C\_SELF\_EVO\_ISSUE\_UPDATE\_RECORD
20. Implementation handoff
  - 20.1 Minimum CGAM task contract for implementation
  - 20.2 First implementation sequence
  - 20.3 What not to implement yet
21. Current allowed and forbidden claims
  - 21.1 Allowed claims
  - 21.2 Forbidden claims

22. Minimum safe next-step statement
23. Open issue tests
24. This file's own open issues
25. Closing rule

# Self-Evo Open Issues v0.1.1

## Open issues, implementation blockers, release blockers, backlog priorities, and deferred work for the Self-Evo document pack

Status: Draft package-control backlog v0.1.1 / append-first corrected revision Date: 2026-06-25  
Package: Self-Evo for  $c = a + b$  systems Layer:  $c = a + b$  / SELF-EVO / CGAM / TRIAD-SYNAPS / SRLM / Memory Gate / EA-L4 / Anti-Autarky / Resource Actor Grounding / Witness / Claim Strength  
Document class: open-issues register / implementation backlog / package-readiness artifact Assertion class: C-A10 package-control artifact; C-A7 only where hash-bound source references are used  
Primary parent: 09\_Self\_Evo\_Contradiction\_Register\_v0\_1\_1.md Primary boundary: this file tracks unfinished work. It does not authorize self-evolution, memory promotion, resource acquisition, conformance claims, public release, deployment, checker execution, or live operation.

Operator note: the operator reported that repeat review of 09\_Self\_Evo\_Contradiction\_Register\_v0\_1\_1.md confirmed PASS. This file treats 09 as accepted for backlog conversion. A separate sealed repeat-review artifact should still be added to the final package manifest if one exists.

Review / patch note: SE0I\_REVIEW\_RECORD\_v0\_1.md reviewed 10\_Self\_Evo\_Open\_Issues\_v0\_1.md with PASS\_WITH\_LIMITS. This v0.1.1 revision closes SE0I-REV-F1 by reconciling the issue-ID scheme and closes SE0I-REV-F2 by labeling the backlog-summary block as a schema template rather than the current numeric summary. SE-0I-SELF-001 is therefore moved to PATCHED; SE-0I-SELF-004 and SE-0I-SELF-005 record the two review findings as patched append-first.

---

## 0. Executive summary

This register converts the current open items from 09\_Self\_Evo\_Contradiction\_Register\_v0\_1\_1.md into a fuller backlog with priority, blocking scope, owner, target artifact, required action, and release / implementation implication.

Current state:

**Code block: text**

SELF-EVO-01..08 exist as corrected v0.1.1 artifacts.  
SELF-EVO-09 exists as corrected v0.1.1 and operator-reported PASS after repeat review.  
Known open hard contradictions in accepted v0.1.1 documents: 0.  
Known red-line failures in accepted v0.1.1 documents: 0.  
Implementation artifacts are not yet built.  
Conformance fixtures are documented but not yet executed.  
Public release is not allowed yet.  
Deployment-sensitive use is not allowed yet.

Main diagnosis:

**Code block: text**

The document doctrine is now stable enough to proceed.  
The open risks are execution-layer and package-control risks:  
schemas, checker, fixture runner, final manifest, release notes,  
public/restricted split, source canonicalization, and claim discipline.

Compact formula:

**Code block: text**

Open issues are not a weakness.  
They are the list of doors that must stay locked until the key exists.

---

# 1. Purpose

The Self-Evo package has reached a new phase.

The previous work produced the main doctrine, specialized profiles, schema profile, checker profile, sister-witness profile, memory/EA profile, resource gate, fixture pack, and contradiction register.

This file answers the next operational question:

**Code block: text**

What remains unfinished before implementation, conformance, release, or deployment-sensitive  
↪ use may be claimed?

It records:

- 1 immediate blockers;
- 2 profile-level open issues;
- 3 checker and fixture-runner work;
- 4 schema extraction work;
- 5 package-control work;
- 6 public/restricted release work;
- 7 implementation-readiness prerequisites;
- 8 deferred legal/security/provider/runtime items;
- 9 ownership and target artifacts;
- 10 gate effects.

This file does not add new doctrine. It organizes unfinished work so that future CLI agents, reviewers, and human operators cannot cherry-pick the strongest wording and ignore the unfinished gates.

---

# 2. Scope

## 2.1 In scope

This backlog covers:

Table 1: row-card rendering for wide table

**Row 1**

ID: SELF-EV0-01  
Document: C-SEG / CGAM-TRIAD-SRLM master gate  
Filename: C\_Self\_Evolution\_Gate\_CGAM\_TRIAD\_SRLM\_Profile\_v0\_1\_1.md  
Lines: 2189  
SHA-256: 7918a8e6c5231bbe0fad47677fa56069f2ab002f79a8eee8c2838c434e66f2e3  
Status for this backlog: accepted corrected revision

**Row 2**

ID: SELF-EV0-02  
Document: SRLM bounded growth contour  
Filename: 02\_SRLM\_Bounded\_Growth\_Contour\_Profile\_v0\_1\_1.md  
Lines: 2218  
SHA-256: faee5682bb9463439923d7c7e7145c9f171d564622d9629820eb7c278cdd7de0  
Status for this backlog: accepted corrected revision

**Row 3**

ID: SELF-EV0-03  
Document: Self-evo proposal packet schema  
Filename: 03\_Self\_Evo\_Proposal\_Packet\_Schema\_v0\_1\_1.md  
Lines: 2642  
SHA-256: 9d329109f0fb97dde7b16b10481baaa60b2aa8f88514e69ec8562a085d10a767

Status for this backlog: accepted corrected revision / extraction-ready

**Row 4**

ID: SELF-EV0-04

Document: Self-evo local checker rules

Filename: 04\_Self\_Evo\_Local\_Checker\_Rules\_v0\_1\_1.md

Lines: 2173

SHA-256: e5b4b4733199f3391d728c85ad6967f789caf4cba7496db8563c2947e9dc226a

Status for this backlog: accepted corrected revision

**Row 5**

ID: SELF-EV0-05

Document: TRIAD sister witness

Filename: 05\_Self\_Evo\_TRIAD\_Sister\_Witness\_Profile\_v0\_1\_1.md

Lines: 2145

SHA-256: c2761d7a05a91681b336ce5402bdbea5c8fafc2ca0d04fdf2d9667ca02e595ed

Status for this backlog: accepted corrected revision

**Row 6**

ID: SELF-EV0-06

Document: Memory Gate and EA

Filename: 06\_Self\_Evo\_Memory\_Gate\_and\_EA\_Profile\_v0\_1\_1.md

Lines: 1955

SHA-256: 7d2cb3ba9f951a1c321369eb245820cfa89e59cde39fb9ca3a55608b8f177893

Status for this backlog: accepted corrected revision

**Row 7**

ID: SELF-EV0-07

Document: Anti-Autarky and Resource Gate

Filename: 07\_Self\_Evo\_Anti\_Autarky\_and\_Resource\_Gate\_v0\_1\_1.md

Lines: 1925

SHA-256: a26e512282bd6d3a5f12c1852587b513cd6b59880489054ff67a61e68c034c2e

Status for this backlog: accepted corrected revision

**Row 8**

ID: SELF-EV0-08

Document: Conformance Fixture Pack

Filename: 08\_Self\_Evo\_Conformance\_Fixture\_Pack\_v0\_1\_1.md

Lines: 1077

SHA-256: 6c8a67e9270219899624f9ea9c6d5d85c3b6501aa3683e7ddfb1c5345228cf53

Status for this backlog: accepted corrected revision / fixture index

**Row 9**

ID: SELF-EV0-09

Document: Contradiction Register

Filename: 09\_Self\_Evo\_Contradiction\_Register\_v0\_1\_1.md

Lines: 734

SHA-256: 922f6fb7981c6a0c544d61bce0f29561279dafb7381a90ba9932c445963e8fac

Status for this backlog: accepted corrected revision; operator-reported repeat-review PASS

**Row 10**

ID: SELF-EV0-10

Document: Open Issues Register

Filename: 10\_Self\_Evo\_Open\_Issues\_v0\_1\_1.md

Lines: TBD

SHA-256: TBD

Status for this backlog: current corrected file; reviewed v0.1 by SEOI\_REVIEW\_RECORD\_v0\_1

It also tracks follow-up work from review records and patch notes associated with SELF-EV0-01..09.

## 2.2 Out of scope

This backlog does not perform:

- 1 JSON Schema extraction;
- 2 checker implementation;
- 3 fixture runner implementation;

- 4 conformance execution;
- 5 public redaction;
- 6 legal review;
- 7 security certification;
- 8 deployment review;
- 9 runtime SRLM evaluation;
- 10 SYNAPS implementation;
- 11 resource-ledger implementation;
- 12 witness-chain cryptographic sealing.

It tracks those work items.

## 2.3 Non-claim

This file does not claim that the package is:

**Code block: text**

```
implemented;
conformance-supported;
deployment-ready;
public-release-ready;
legally reviewed;
security-certified;
capable of live autonomous self-evo;
proof of maturity, personhood, consciousness, AGI, or sovereignty.
```

---

## 3. Corpus bridge set

### 3.1 Explicit bridge: $c = a + b$

In  $c = a + b$ , the backlog belongs to  $b$ : documentary control, scheduling, schema targets, checker tasks, release gates, and validation discipline.

It protects  $c$  by preventing incomplete work from being mistaken for authority.

It is not  $a$ . It is not  $c$ . It is not a decision to grow. It is a map of unfinished gates.

### 3.2 Quiet bridge I: information theory

An issue title is a lossy compression of risk.

If a backlog entry compresses away blocking scope, evidence, owner, and target artifact, the backlog becomes noise. This register therefore expands each item into priority, type, status, source, blocking scope, owner, action, and gate effect.

A good issue record preserves enough entropy to be useful later.

### 3.3 Quiet bridge II: cybernetics

A control system without pending-fault memory repeats faults.

The contradiction register records what conflicted. The open-issues register records what still lacks an actuator, validator, witness, or owner. It is negative feedback for the package process.

Without it, the next CLI agent will optimize for visible completion and silently skip the unimplemented gate.

### 3.4 Quiet bridge III: physiology

A healing organism does not forget which tissues remain inflamed just because the major wound was closed. It keeps swelling, tenderness, immune markers, and rest requirements in the loop until repair is stable.

This backlog is that inflammation map for the Self-Evo package. The profiles are stitched. The runner and checker are not yet walking.

### 3.5 Earth paragraph

On a real site, after the drawings pass review, the punch list still matters. The cabinet may be designed correctly, but labels, breakers, test records, lockout tags, cable glands, commissioning signatures, and as-built drawings still need closing. Nobody says “the wiring diagram is coherent, so energize the building.” This file is the punch list before energizing self-evolution.

---

## 4. Classification system

### 4.1 Priority

Priority is scheduling / blocking pressure. It is not the same as severity.

Table 2: row-card rendering for wide table

---

**Row 1**

Priority: P0

Meaning: Immediate blocker for next declared transition

Typical gate effect: blocks schema extraction, checker implementation, fixture runner, package manifest, public release, or conformance claim

---

**Row 2**

Priority: P1

Meaning: High-priority current-batch issue

Typical gate effect: required before serious implementation handoff or package-control closure

---

**Row 3**

Priority: P2

Meaning: Medium-priority maturity / maintainability issue

Typical gate effect: required for robustness, runtime binding, dashboards, UI, monitoring, or cross-profile completeness

---

**Row 4**

Priority: P3

Meaning: Future / optional / deferred improvement

Typical gate effect: valid but not needed for v0.1 document package completion

### 4.2 Severity

Severity follows SELF-EV0-09.

Table 3: row-card rendering for wide table

---

**Row 1**

Severity: S0

Meaning: Informational / no action needed.

---

**Row 2**

Severity: S1

Meaning: Minor wording, pointer, or rendering patch.

---

**Row 3**

Severity: S2

Meaning: Non-blocking package hygiene or future implementation issue.

---

**Row 4**

Severity: S3

Meaning: Blocks checker-ready, runner-ready, schema extraction, or serious implementation claim.

**Row 5**

Severity: S4

Meaning: Blocks public release, conformance claim, or deployment-sensitive use.

**Row 6**

Severity: S5

Meaning: Critical hard contradiction or red-line failure; stop and quarantine.

## 4.3 Issue type

*Table 4: row-card rendering for wide table***Row 1**

Type: SCHEMA

Meaning: JSON Schema / object extraction / canonicalization work.

**Row 2**

Type: CHECKER

Meaning: Deterministic local checker / semantic validator work.

**Row 3**

Type: FIXTURE

Meaning: Fixture manifest, fixture file, runner, expected-result, coverage, or mismatch work.

**Row 4**

Type: PACKAGE

Meaning: Manifest, reading order, source map, SHA256SUMS, release notes, patch notes, package index.

**Row 5**

Type: REVIEW

Meaning: Independent review, re-review, acceptance notes, review-record sealing.

**Row 6**

Type: PUBLIC

Meaning: Public/restricted split, redaction, nonclaim wording, publication surface.

**Row 7**

Type: TRIAD

Meaning: Sister witness, SYNAPS, anti-echo, divergence, degraded-triad handling.

**Row 8**

Type: SRLM

Meaning: SRLM outcome/source/event/replay/promotion/canary/monitoring work.

**Row 9**

Type: MEMORY

Meaning: Memory Gate, EA, immunity, retention/decay, MG-6, correction/rollback.

**Row 10**

Type: RESOURCE

Meaning: Resource actor grounding, anti-autarky, resource inventory, human labor, cloud/provider resources.

**Row 11**

Type: WITNESS

Meaning: Witness event schemas, L4W linkage, evidence refs, hash/canonicalization.

**Row 12**

Type: CLAIM

Meaning: Claim-strength, anti-overclaiming, maturity/authority/personhood laundering.

**Row 13**

Type: SECURITY

Meaning: Secrets/cloud/incident/red-line/security-sensitive handling.

**Row 14**

Type: LEGAL

Meaning: Legal, jurisdictional, counsel/security-certification review.

**Row 15**

Type: UI

Meaning: Human review cards, dashboard, approval surface, fatigue controls.

**Row 16**

Type: RUNTIME

Meaning: Real implementation binding: SRLM runtime, SYNAPS runtime, resource ledger, checker runner.

**Row 17**

Type: DOC

Meaning: Documentation clarity, index, naming, cross-references.

## 4.4 Status

The register uses the harmonized status vocabulary from SELF-EV0-09 v0.1.1.

*Table 5: row-card rendering for wide table*

**Row 1**

Status: OPEN

Meaning: Not yet fixed.

**Row 2**

Status: IN\_PROGRESS

Meaning: Work started but not yet patched, reviewed, or closed.

**Row 3**

Status: PATCHED

Meaning: Patch created or review performed, but not fully accepted, sealed, or promoted to final package status.

**Row 4**

Status: RESOLVED

Meaning: Resolved in accepted revision or final package-control record.

**Row 5**

Status: WATCH

Meaning: Non-blocking drift risk; monitor during future extraction/implementation.

**Row 6**

Status: DEFERRED

Meaning: Valid but intentionally postponed.

**Row 7**

Status: BLOCKED

Meaning: Requires external decision, external review, or unavailable artifact.

**Row 8**

Status: WONTFIX

Meaning: Explicitly rejected.

**Row 9**

Status: ACCEPTED

Meaning: Accepted as part of the controlled package state.

## 4.5 Blocking scope

*Table 6: row-card rendering for wide table*

**Row 1**

Scope: doc

Meaning: affects wording or profile clarity only.

**Row 2**

Scope: schema

Meaning: blocks schema extraction or schema freeze.

**Row 3**

Scope: checker

Meaning: blocks reference checker implementation or checker-ready claim.

**Row 4**

Scope: fixture-runner

Meaning: blocks fixture runner implementation or runner-ready claim.

**Row 5**

Scope: conformance

Meaning: blocks conformance-supported claim.

**Row 6**

Scope: manifest

Meaning: blocks package manifest / reading order / SHA256SUMS.

**Row 7**

Scope: public-release

Meaning: blocks public release / archive / repository publication.

**Row 8**

Scope: deployment

Meaning: blocks deployment-sensitive use.

**Row 9**

Scope: runtime

Meaning: blocks live runtime binding.

**Row 10**

Scope: none

Meaning: tracked but not blocking current work.

## 4.6 Issue ID scheme

The canonical open-issue ID scheme does not use a year component. Time belongs in created\_at, review records, patch notes, and witness / manifest metadata.

Allowed issue ID families are:

*Table 7: row-card rendering for wide table*

**Row 1**

Family: Converted contradiction-register issues

Pattern: SE-OI-NNN

Use: Lossless conversion from SELF-EV0-09 §9.

**Row 2**

Family: Schema backlog

Pattern: SE-SCHEMA-NNN

Use: JSON Schema, canonicalization, extraction, and schema-index work.

**Row 3**

Family: Checker backlog

Pattern: SE-CHECKER-NNN

Use: Reference checker and semantic-validator work.

**Row 4**

Family: Fixture backlog

Pattern: SE-FIX-NNN

Use: Fixture files, fixture runner, expected-result and coverage work.

**Row 5**

Family: Package-control backlog

Pattern: SE-PKG-NNN

Use: Manifest, reading order, SHA256SUMS, package index, release notes.

**Row 6**

Family: TRIAD backlog

Pattern: SE-TRIAD-NNN

Use: Sister witness, SYNAPS, anti-echo, divergence and degraded-triad work.

**Row 7**

Family: SRLM backlog

Pattern: SE-SRLM-NNN

Use: SRLM runtime, outcomes, candidates, replay and promotion work.

#### Row 8

Family: Memory / EA backlog

Pattern: SE-MEM-NNN

Use: Memory Gate, EA, immunity, decay, MG-6 and correction work.

#### Row 9

Family: Resource backlog

Pattern: SE-RES-NNN

Use: Anti-autarky, resource actor grounding, resource ledger and human-labor work.

#### Row 10

Family: Public / legal / security backlog

Pattern: SE-PUB-NNN

Use: Public split, nonclaims, legal/security and redaction work.

#### Row 11

Family: UI / fatigue backlog

Pattern: SE-UX-NNN

Use: Human approval cards, dashboards, UI and fatigue controls.

#### Row 12

Family: Review / witness backlog

Pattern: SE-REV-NNN

Use: Review records, acceptance ledger, witness and hash-sealing work.

#### Row 13

Family: Self-tracking issues

Pattern: SE-OI-SELF-NNN

Use: Issues about this open-issues register itself.

All of these are open-issue IDs. Domain prefixes are sub-namespaces under the Self-Evo backlog. A processor MUST NOT require YYYY inside `issue_id`; the prior SE-OI-YYYY-NNN shape is rejected as unused and non-canonical in v0.1.1.

---

## 5. Conversion from SELF-EV0-09 §9

This section losslessly converts SE-CR-\* open items from 09\_Self\_Evo\_Contradiction\_Register\_v0\_1\_1.md into SE-OI-\* backlog records.

Table 8: row-card rendering for wide table

#### Row 1

New ID: SE-OI-001

Source: SE-CR-001

Priority: P0

Type: SCHEMA/CHECKER

Severity: S3

Status: OPEN

Blocks: schema, checker, conformance

Summary: Self-evo JSON Schema extraction and validator implementation are not delivered as executable artifacts.

Required action: Create schema extraction plan; extract schemas; build semantic validator.

Owner: implementation worker + reviewer

Target artifact: SELF\_EVO\_SCHEMA\_EXTRACTION\_PLAN\_v0\_1.md; schema files

#### Row 2

New ID: SE-OI-002

Source: SE-CR-002

Priority: P0

Type: CHECKER

Severity: S3

Status: OPEN

Blocks: checker, conformance

Summary: Reference checker implementation for SELC/SEPKT/TSW/SEMG/SEARG is not built or run.

Required action: Create reference checker handoff; implement offline checker; produce checker run record.

Owner: implementation worker

Target artifact: SELF\_EVO\_REFERENCE\_CHECKER\_IMPLEMENTATION\_HANDOFF\_v0\_1.md

---

**Row 3**

New ID: SE-0I-003

Source: SE-CR-003

Priority: P0

Type: FIXTURE

Severity: S3

Status: OPEN

Blocks: fixture-runner, conformance

Summary: Fixture runner for SELF-EVO-08 is not implemented; fixtures are documented, not executed.

Required action: Implement fixture runner and result records; run fixtures.

Owner: implementation worker + tester

Target artifact: fixture runner package

---

**Row 4**

New ID: SE-0I-004

Source: SE-CR-004

Priority: P1

Type: REVIEW/WITNESS

Severity: S2

Status: OPEN

Blocks: manifest, conformance

Summary: Corrected v0.1.1 artifacts are accepted, but acceptance/re-review records must be sealed in final manifest.

Required action: Create final review/acceptance ledger with hashes and operator notes.

Owner: release manager + human anchor

Target artifact: final package manifest

---

**Row 5**

New ID: SE-0I-005

Source: SE-CR-005

Priority: P0

Type: PACKAGE

Severity: S3

Status: OPEN

Blocks: manifest, public-release, conformance

Summary: No final self-evo package manifest, reading order, SHA256SUMS, public/restricted split, or release notes for 01..10 exists.

Required action: Build package-control layer after 10.

Owner: release manager

Target artifact: package index, reading order, release notes

---

**Row 6**

New ID: SE-0I-006

Source: SE-CR-006

Priority: P0

Type: PUBLIC/CLAIM

Severity: S4

Status: OPEN

Blocks: public-release, deployment

Summary: Public wording and nonclaim boundaries are not separated from private engineering wording.

Required action: Create public redaction/nonclaims profile; review restricted content.

Owner: release manager + reviewer

Target artifact: SELF\_EVO\_PUBLIC\_REDACTION\_AND\_NONCLAIMS\_v0\_1.md

---

**Row 7**

New ID: SE-0I-007

Source: SE-CR-007

Priority: P1

Type: SCHEMA/DOC

Severity: S2

Status: WATCH

Blocks: schema

Summary: Reference composites include redacted source text; they are fine for review but not exact schema extraction.

Required action: Use canonical repositories/source files for extraction, not redacted composites.

Owner: implementation worker

Target artifact: schema extraction plan

---

**Row 8**

New ID: SE-0I-008

Source: SE-CR-008

Priority: P2

Type: TRIAD/RUNTIME

Severity: S2

Status: WATCH

Blocks: runtime, checker

Summary: TRIAD degraded-mode rules exist, but no runtime SYNAPS witness implementation is included.

Required action: Treat sister witness as profile-level until implementation evidence exists; define SYNAPS runtime handoff later.

Owner: implementation worker

Target artifact: future SYNAPS implementation profile

---

**Row 9**

New ID: SE-0I-009

Source: SE-CR-009

Priority: P1

Type: SRLM/RUNTIME

Severity: S2

Status: WATCH

Blocks: runtime, conformance

Summary: SRLM implementation evidence exists, but formal tests have not been run in this package context.

Required action: Run SRLM tests in controlled package context before runtime claim.

Owner: tester + implementation worker

Target artifact: SRLM test report

---

**Row 10**

New ID: SE-0I-010

Source: SE-CR-010

Priority: P2

Type: RESOURCE/RUNTIME

Severity: S2

Status: WATCH

Blocks: runtime, deployment

Summary: Resource gate is documented, but no resource-ledger or actor-grounding runtime object is implemented.

Required action: Define resource ledger / grounding record implementation path.

Owner: implementation worker

Target artifact: resource-ledger profile/tool

---

**Row 11**

New ID: SE-0I-011

Source: SE-CR-011

Priority: P3

Type: LEGAL/SECURITY

Severity: S4

Status: DEFERRED

Blocks: deployment, public-release

Summary: The pack governs high-risk memory/resource/security boundaries but is not legal advice or security certification.

Required action: Require jurisdictional/security review before deployment-sensitive use.

Owner: human anchor + qualified reviewer

Target artifact: external legal/security review

---

**Row 12**

New ID: SE-0I-012

Source: SE-CR-012

Priority: P1

Type: REVIEW

Severity: S2

Status: PATCHED

Blocks: manifest

Summary: The contradiction register has been independently reviewed and then operator-reported repeat-review PASS.

Required action: Add repeat-review record or operator acceptance note to final manifest.

Owner: release manager + human anchor

Target artifact: final package manifest

---

## 6. Immediate P0 transition blockers

These block the next serious transition from document package to executable implementation / conformance.

Table 9: row-card rendering for wide table

### Row 1

ID: SE-0I-001  
 Priority: P0  
 Blocks: schema/checker/conformance  
 Summary: No schema extraction / semantic validator executable artifacts.  
 Required next step: Draft SELF\_EVO\_SCHEMA\_EXTRACTION\_PLAN\_v0\_1.md; extract schema files.  
 Done when: schema files validate and are hash-bound to source profiles.

### Row 2

ID: SE-0I-002  
 Priority: P0  
 Blocks: checker/conformance  
 Summary: No reference checker.  
 Required next step: Draft implementation handoff and build offline checker.  
 Done when: checker produces C\_SELF\_EVO\_CHECKER\_RUN / result records.

### Row 3

ID: SE-0I-003  
 Priority: P0  
 Blocks: fixture-runner/conformance  
 Summary: No fixture runner.  
 Required next step: Convert fixture index into machine-readable fixtures and runner.  
 Done when: fixture runner executes all accepted fixtures and emits results.

### Row 4

ID: SE-0I-005  
 Priority: P0  
 Blocks: manifest/public/conformance  
 Summary: No final package manifest/reading order/SHA256SUMS/release notes.  
 Required next step: Build package-control layer after 10.  
 Done when: final manifest contains 01..10 hashes, review refs, status, and nonclaims.

### Row 5

ID: SE-0I-006  
 Priority: P0  
 Blocks: public-release/deployment  
 Summary: No public/restricted split or public nonclaim profile.  
 Required next step: Write public redaction and nonclaims profile.  
 Done when: public package excludes restricted content and overclaims.

---

## 7. Schema and object extraction backlog

Table 10: row-card rendering for wide table

### Row 1

ID: SE-SCHEMA-001  
 Source: SEPKT-0I-001  
 Priority: P0  
 Type: SCHEMA  
 Status: OPEN  
 Blocks: schema, checker  
 Summary: Extract standalone .schema.json for C\_SELF\_EVO\_PROPOSAL\_PACKET.  
 Required action: Extract from SELF-EVO-03; meta-validate Draft 2020-12.  
 Target artifact: schemas/proposal-packet/c-self-evo-proposal-packet-0.1.schema.json

### Row 2

ID: SE-SCHEMA-002

Source: SEPKT-0I-006  
Priority: P1  
Type: SCHEMA/WITNESS  
Status: OPEN  
Blocks: checker, witness  
Summary: Define packet hash canonicalization.  
Required action: Choose canonical JSON serialization and hash policy.  
Target artifact: schema extraction plan

---

**Row 3**

ID: SE-SCHEMA-003  
Source: SEPKT-0I-007  
Priority: P1  
Type: SCHEMA/REVIEW  
Status: OPEN  
Blocks: review, manifest  
Summary: Define review-record object for packet review.  
Required action: Extract or define review record schema.  
Target artifact: review schema

---

**Row 4**

ID: SE-SCHEMA-004  
Source: SELC-0I-001  
Priority: P0  
Type: SCHEMA/CHECKER  
Status: OPEN  
Blocks: checker  
Summary: Extract checker run/finding/result/policy schemas.  
Required action: Extract from SELF-EV0-04.  
Target artifact: checker schemas

---

**Row 5**

ID: SE-SCHEMA-005  
Source: TSW-0I-001  
Priority: P1  
Type: SCHEMA/TRIAD  
Status: OPEN  
Blocks: checker, runtime  
Summary: Extract sister observation packet schema.  
Required action: Extract from SELF-EV0-05; bind anti-echo floor.  
Target artifact: TRIAD witness schema

---

**Row 6**

ID: SE-SCHEMA-006  
Source: TSW-0I-003  
Priority: P2  
Type: SCHEMA/TRIAD  
Status: OPEN  
Blocks: runtime  
Summary: Define machine-readable divergence map schema.  
Required action: Extract divergence map object.  
Target artifact: TRIAD divergence schema

---

**Row 7**

ID: SE-SCHEMA-007  
Source: SEMG-0I-001  
Priority: P1  
Type: SCHEMA/MEMORY  
Status: OPEN  
Blocks: checker, memory-gate  
Summary: Extract schemas for memory proposal, gate record, EA candidate, immunity candidate, correction record.  
Required action: Extract from SELF-EV0-06.  
Target artifact: memory/EA schemas

---

**Row 8**

ID: SE-SCHEMA-008  
Source: SEARG-0I-001  
Priority: P1

Type: SCHEMA/RESOURCE  
Status: OPEN  
Blocks: checker, resource-gate  
Summary: Extract schemas for resource request and grounding records.  
Required action: Extract from SELF-EV0-07.  
Target artifact: resource-gate schemas

**Row 9**

ID: SE-SCHEMA-009  
Source: SECFP-0I-001  
Priority: P0  
Type: SCHEMA/FIXTURE  
Status: OPEN  
Blocks: fixture-runner  
Summary: Extract fixture manifest schema.  
Required action: Extract from SELF-EV0-08.  
Target artifact: fixture manifest schema

**Row 10**

ID: SE-SCHEMA-010  
Source: SEPKT-0I-008/009  
Priority: P2  
Type: SCHEMA/MAPPING  
Status: OPEN  
Blocks: checker  
Summary: Add machine-readable mapping to Memory Gate and TRIAD packet classes.  
Required action: Add mapping tables / JSON maps.  
Target artifact: semantic maps

---

## 8. Checker and semantic-validator backlog

Table 11: row-card rendering for wide table

**Row 1**

ID: SE-CHECKER-001  
Source: SELC-0I-002  
Priority: P0  
Type: CHECKER  
Status: OPEN  
Blocks: checker, conformance  
Summary: Implement reference checker in Python or equivalent offline runner.  
Required action: Build deterministic Stage-1 / Stage-2 checker with no network.  
Target artifact: reference checker

**Row 2**

ID: SE-CHECKER-002  
Source: SEPKT-0I-002  
Priority: P0  
Type: CHECKER  
Status: OPEN  
Blocks: checker  
Summary: Build semantic validator implementation for proposal packets.  
Required action: Implement SEPKT-CHECK-001..025.  
Target artifact: semantic validator

**Row 3**

ID: SE-CHECKER-003  
Source: SELC-0I-004  
Priority: P0  
Type: CHECKER/WITNESS  
Status: OPEN  
Blocks: checker  
Summary: Bind checker policy to parent hashes in manifest.  
Required action: Checker fails on parent hash mismatch.  
Target artifact: checker policy manifest

---

**Row 4**

ID: SE-CHECKER-004  
Source: SELC-0I-005  
Priority: P1  
Type: CHECKER/WITNESS  
Status: OPEN  
Blocks: checker  
Summary: Decide JSON canonicalization for packet hashes.  
Required action: Use same canonicalization as SE-SCHEMA-002.  
Target artifact: checker policy

---

**Row 5**

ID: SE-CHECKER-005  
Source: SELC-0I-006  
Priority: P1  
Type: CHECKER/SECURITY  
Status: OPEN  
Blocks: checker, public-release  
Summary: Define exact redaction sidecar schema.  
Required action: Do not include raw private data in checker reports.  
Target artifact: redaction sidecar schema

---

**Row 6**

ID: SE-CHECKER-006  
Source: SELC-0I-007  
Priority: P1  
Type: CHECKER  
Status: OPEN  
Blocks: checker, conformance  
Summary: Add CI/offline runner profile.  
Required action: Define local-only execution contract.  
Target artifact: checker runner profile

---

**Row 7**

ID: SE-CHECKER-007  
Source: SELC-0I-008  
Priority: P1  
Type: CHECKER/REVIEW  
Status: OPEN  
Blocks: review, manifest  
Summary: Add checker review record schema.  
Required action: Make checker output reviewable and witness-compatible.  
Target artifact: checker review schema

---

**Row 8**

ID: SE-CHECKER-008  
Source: SELC-0I-009  
Priority: P2  
Type: CHECKER/WITNESS  
Status: OPEN  
Blocks: runtime  
Summary: Define external witness-chain verification without exposing raw evidence.  
Required action: Hash/ref-only witness query protocol.  
Target artifact: witness verification profile

---

**Row 9**

ID: SE-CHECKER-009  
Source: SELC-0I-010  
Priority: P1  
Type: CHECKER/PACKAGE  
Status: OPEN  
Blocks: conformance  
Summary: Define pack-level result aggregation once files 05..10 exist.  
Required action: Aggregation rule for packet, SRLM, TRIAD, memory, resource, fixture results.  
Target artifact: conformance runner

---

**Row 10**

ID: SE-CHECKER-010

Source: TSW-0I-011/012  
Priority: P1  
Type: CHECKER/TRIAD  
Status: WATCH  
Blocks: checker  
Summary: Maintain deterministic anti-echo floor and canonical result enum alignment.  
Required action: Ensure checker uses accepted SELF-EV0-05 v0.1.1 rules.  
Target artifact: checker implementation

**Row 11**

ID: SE-CHECKER-011  
Source: SEMG-0I-002  
Priority: P1  
Type: CHECKER/MEMORY  
Status: OPEN  
Blocks: checker  
Summary: Build semantic validator for SEMG-CHECK-001..030.  
Required action: Implement memory/EA checker branch.  
Target artifact: checker implementation

**Row 12**

ID: SE-CHECKER-012  
Source: SEARG-0I-002  
Priority: P1  
Type: CHECKER/RESOURCE  
Status: OPEN  
Blocks: checker  
Summary: Implement deterministic compute\_autarky\_risk\_floor.  
Required action: Implement resource/autarky checker branch.  
Target artifact: checker implementation

---

## 9. Fixture and conformance backlog

Table 12: row-card rendering for wide table

**Row 1**

ID: SE-FIX-001  
Source: SECFP-0I-002  
Priority: P0  
Type: FIXTURE  
Status: OPEN  
Blocks: fixture-runner  
Summary: Generate JSON/YAML fixture files for all listed fixtures.  
Required action: Convert documented fixtures into machine-readable files.  
Target artifact: fixture folder

**Row 2**

ID: SE-FIX-002  
Source: SECFP-0I-003  
Priority: P0  
Type: FIXTURE/WITNESS  
Status: OPEN  
Blocks: fixture-runner  
Summary: Bind fixtures to accepted parent hashes after every parent revision.  
Required action: Fixture manifest includes 01..10 hashes.  
Target artifact: fixture manifest

**Row 3**

ID: SE-FIX-003  
Source: SECFP-0I-004  
Priority: P0  
Type: FIXTURE/CHECKER  
Status: OPEN  
Blocks: fixture-runner, conformance  
Summary: Implement local fixture runner for Stage-1 / Stage-2 / profile-specific checks.

Required action: Runner emits C\_SELF\_EVO\_FIXTURE\_RESULT.

Target artifact: fixture runner

---

**Row 4**

ID: SE-FIX-004

Source: SECFP-0I-005

Priority: P1

Type: FIXTURE/WITNESS

Status: OPEN

Blocks: conformance

Summary: Add checker versioning and result reproducibility report.

Required action: Record checker hash, fixture hash, profile hashes.

Target artifact: conformance report

---

**Row 5**

ID: SE-FIX-005

Source: SECFP-0I-006

Priority: P1

Type: PUBLIC/FIXTURE

Status: OPEN

Blocks: public-release

Summary: Define minimal public-safe fixture subset.

Required action: Strip restricted examples and unsafe hints.

Target artifact: public fixture subset

---

**Row 6**

ID: SE-FIX-006

Source: SECFP-0I-007

Priority: P1

Type: SECURITY/FIXTURE

Status: OPEN

Blocks: public-release

Summary: Define restricted fixture subset handling for security/cloud profiles without unsafe detail.

Required action: Separate restricted fixture pack.

Target artifact: restricted fixture subset

---

**Row 7**

ID: SE-FIX-007

Source: SECFP-0I-008

Priority: P2

Type: FIXTURE/CONFORMANCE

Status: OPEN

Blocks: conformance

Summary: Add coverage scoring once actual runner exists.

Required action: Define coverage metrics after first run.

Target artifact: conformance report

---

**Row 8**

ID: SE-FIX-008

Source: SECFP-0I-009

Priority: P2

Type: FIXTURE/DOC

Status: OPEN

Blocks: maintainability

Summary: Create append-first fixture update process and patch-note template.

Required action: Fixture changes produce reviewable patch notes.

Target artifact: fixture maintenance guide

---

**Row 9**

ID: SE-FIX-009

Source: SECFP-0I-010

Priority: P1

Type: FIXTURE/REVIEW

Status: OPEN

Blocks: conformance

Summary: Review fixture pack after files 09 and 10 exist.

Required action: Send 08 v0.1.1 + 09 + 10 to reviewer.

Target artifact: fixture review record

---

**Row 10**  
ID: SE-FIX-010  
Source: SE-OI-003  
Priority: P0  
Type: FIXTURE  
Status: OPEN  
Blocks: conformance  
Summary: Execute fixture runner and record mismatches.  
Required action: Produce SELF\_EVO\_FIXTURE\_RUN\_RECORD\_v0\_1.  
Target artifact: fixture run record

---

## 10. Package-control and release-readiness backlog

Table 13: row-card rendering for wide table

**Row 1**  
ID: SE-PKG-001  
Source: SE-OI-005  
Priority: P0  
Type: PACKAGE  
Status: OPEN  
Blocks: manifest, public-release, conformance  
Summary: Create final package manifest for SELF-EV0-01..10.  
Required action: Include filenames, versions, lines, SHA-256, status, review refs, patch refs.  
Target artifact: SELF\_EVO\_PACKAGE\_MANIFEST\_v0\_1.json/md

**Row 2**  
ID: SE-PKG-002  
Source: SE-OI-005  
Priority: P0  
Type: PACKAGE/DOC  
Status: OPEN  
Blocks: manifest  
Summary: Create package index and reading order.  
Required action: Pack-qualified labels: SELF-EV0-01, not bare 01.  
Target artifact: SELF\_EVO\_PACKAGE\_INDEX\_AND\_READING\_ORDER\_v0\_1.md

**Row 3**  
ID: SE-PKG-003  
Source: SE-OI-005  
Priority: P0  
Type: PACKAGE/WITNESS  
Status: OPEN  
Blocks: manifest  
Summary: Create SHA256SUMS for final package.  
Required action: Generate after final document freeze.  
Target artifact: SHA256SUMS.txt

**Row 4**  
ID: SE-PKG-004  
Source: SE-OI-005  
Priority: P0  
Type: PACKAGE/DOC  
Status: OPEN  
Blocks: public-release  
Summary: Create release notes.  
Required action: State what package is and is not.  
Target artifact: SELF\_EVO\_RELEASE\_NOTES\_v0\_1.md

**Row 5**  
ID: SE-PKG-005  
Source: SE-OI-006  
Priority: P0  
Type: PUBLIC/CLAIM  
Status: OPEN

Blocks: public-release  
 Summary: Create public redaction and nonclaim profile.  
 Required action: Separate private engineering from public-safe wording.  
 Target artifact: SELF\_EVO\_PUBLIC\_REDACTION\_AND\_NONCLAIMS\_v0\_1.md

**Row 6**

ID: SE-PKG-006  
 Source: SECR-REV-F1/F2  
 Priority: P1  
 Type: REVIEW/PACKAGE  
 Status: RESOLVED  
 Blocks: none  
 Summary: 09 status vocabulary and priority scale were patched in v0.1.1.  
 Required action: Carry harmonized vocabulary into this file.  
 Target artifact: this file

**Row 7**

ID: SE-PKG-007  
 Source: SE-OI-012  
 Priority: P1  
 Type: REVIEW/WITNESS  
 Status: PATCHED  
 Blocks: manifest  
 Summary: Add 09 repeat-review pass / operator acceptance to final manifest.  
 Required action: Include exact review artifact if available; otherwise operator note.  
 Target artifact: final package manifest

**Row 8**

ID: SE-PKG-008  
 Source: SEPKT-OI-011  
 Priority: P2  
 Type: DOC/PACKAGE  
 Status: WATCH  
 Blocks: manifest  
 Summary: Avoid bare numeric cross-pack references.  
 Required action: Use SELF-EV0-\*, CGAM-\*, REF-\* labels in package manifest.  
 Target artifact: reading order + manifest

---

## 11. TRIAD-SYNAPS / sister witness backlog

Table 14: row-card rendering for wide table

**Row 1**

ID: SE-TRIAD-001  
 Source: TSW-OI-002  
 Priority: P1  
 Type: TRIAD/SCHEMA  
 Status: OPEN  
 Blocks: runtime  
 Summary: Define canonical SYNAPS message envelope shared with base TRIAD-SYNAPS.  
 Required action: Extract common SYNAPS envelope.  
 Target artifact: SYNAPS schema/profile

**Row 2**

ID: SE-TRIAD-002  
 Source: TSW-OI-003  
 Priority: P2  
 Type: TRIAD/SCHEMA  
 Status: OPEN  
 Blocks: runtime  
 Summary: Define machine-readable divergence map schema.  
 Required action: Make divergence maps checkable.  
 Target artifact: divergence map schema

**Row 3**

ID: SE-TRIAD-003  
Source: TSW-0I-005  
Priority: P2  
Type: TRIAD/RUNTIME  
Status: OPEN  
Blocks: runtime  
Summary: Define degraded-triad operation for two or one sister.  
Required action: Convert profile policy into runtime rule.  
Target artifact: TRIAD runtime profile

---

**Row 4**

ID: SE-TRIAD-004  
Source: TSW-0I-006  
Priority: P2  
Type: TRIAD/PUBLIC  
Status: OPEN  
Blocks: public-release  
Summary: Define public report template for sister-witness experiments.  
Required action: Prevent public claim laundering.  
Target artifact: public report template

---

**Row 5**

ID: SE-TRIAD-005  
Source: TSW-0I-007  
Priority: P2  
Type: TRIAD/WITNESS  
Status: OPEN  
Blocks: runtime  
Summary: Define expiry/retention defaults for sister observations.  
Required action: Add retention class / decay policy.  
Target artifact: TRIAD witness schema

---

**Row 6**

ID: SE-TRIAD-006  
Source: TSW-0I-008  
Priority: P2  
Type: TRIAD/RUNTIME  
Status: WATCH  
Blocks: runtime  
Summary: Bind to final SYNAPS implementation once available.  
Required action: Keep as profile-level until implementation exists.  
Target artifact: SYNAPS runtime

---

**Row 7**

ID: SE-TRIAD-007  
Source: TSW-0I-009  
Priority: P3  
Type: TRIAD/POST\_ANCHOR  
Status: OPEN  
Blocks: deployment  
Summary: Add post-anchor-specific sister witness restrictions.  
Required action: Coordinate with PAMDC/PACR.  
Target artifact: post-anchor companion

---

**Row 8**

ID: SE-TRIAD-008  
Source: TSW-0I-010  
Priority: P2  
Type: UI/TRIAD  
Status: OPEN  
Blocks: human-gate  
Summary: Define UI surface for human review of sister divergence.  
Required action: Create concise review card.  
Target artifact: UI card/profile

---

**Row 9**

ID: SE-TRIAD-009  
Source: TSW-0I-011/012/013

Priority: P1  
Type: CHECKER/TRIAD  
Status: WATCH  
Blocks: checker  
Summary: Maintain anti-echo floor, checker result enum, claim/delta pointers.  
Required action: Include in checker regression fixtures.  
Target artifact: checker implementation

---

## 12. SRLM backlog

Table 15: row-card rendering for wide table

---

### Row 1

ID: SE-SRLM-001  
Source: SRLM-0I-001  
Priority: P1  
Type: SCHEMA/SRLM  
Status: OPEN  
Blocks: schema  
Summary: Extract formal JSON Schemas for SRLM records.  
Required action: Outcome/candidate/shadow/promotion/rollback schemas.  
Target artifact: SRLM schema pack

---

### Row 2

ID: SE-SRLM-002  
Source: SRLM-0I-002  
Priority: P1  
Type: SRLM  
Status: OPEN  
Blocks: checker  
Summary: Freeze exact VALID\_SOURCES canonical definition.  
Required action: Human/reality/L4 unless code says otherwise.  
Target artifact: SRLM schema/profile

---

### Row 3

ID: SE-SRLM-003  
Source: SRLM-0I-003  
Priority: P2  
Type: SRLM  
Status: OPEN  
Blocks: runtime  
Summary: Define formal event-kind registry.  
Required action: Extract from implementation and review.  
Target artifact: event-kind registry

---

### Row 4

ID: SE-SRLM-004  
Source: SRLM-0I-004  
Priority: P1  
Type: SRLM/SECURITY  
Status: OPEN  
Blocks: runtime  
Summary: Perform real-redacted replay privacy audit before using real outcomes.  
Required action: Audit redaction and replay-quality requirements.  
Target artifact: SRLM replay profile

---

### Row 5

ID: SE-SRLM-005  
Source: SRLM-0I-005  
Priority: P1  
Type: SRLM/WITNESS  
Status: OPEN  
Blocks: conformance  
Summary: Align SRLM witness schema with L4W.  
Required action: Create witness crosswalk.

Target artifact: SRLM witness schema

---

**Row 6**

ID: SE-SRLM-006  
Source: SRLM-0I-006  
Priority: P2  
Type: SRLM  
Status: OPEN  
Blocks: runtime  
Summary: Define canary semantics.  
Required action: Keep canary disabled until C-SEG canary path is formalized.  
Target artifact: SRLM canary companion

---

**Row 7**

ID: SE-SRLM-007  
Source: SRLM-0I-007  
Priority: P2  
Type: SRLM/RUNTIME  
Status: OPEN  
Blocks: runtime  
Summary: Define post-promotion monitoring window.  
Required action: Criteria for rollback/observation.  
Target artifact: SRLM monitoring profile

---

**Row 8**

ID: SE-SRLM-008  
Source: SRLM-0I-008  
Priority: P2  
Type: SRLM/TRIAD  
Status: OPEN  
Blocks: runtime  
Summary: Define SRLM ↔ TRIAD packet schema.  
Required action: Later SYNAPS companion.  
Target artifact: SYNAPS/SRLM bridge

---

**Row 9**

ID: SE-SRLM-009  
Source: SRLM-0I-011  
Priority: P2  
Type: SRLM/FIXTURE  
Status: OPEN  
Blocks: conformance  
Summary: Add source drift / model contamination drill.  
Required action: Add fixture and checker rule.  
Target artifact: fixture pack v0.2

---

**Row 10**

ID: SE-SRLM-010  
Source: SRLM-0I-012  
Priority: P3  
Type: SRLM/SECURITY  
Status: OPEN  
Blocks: public-release, runtime  
Summary: Define cloud-origin signal policy.  
Required action: Coordinate with secrets/cloud companion.  
Target artifact: provider/cloud profile

---

**Row 11**

ID: SE-SRLM-011  
Source: SE-0I-009  
Priority: P1  
Type: SRLM/RUNTIME  
Status: WATCH  
Blocks: runtime, conformance  
Summary: Run SRLM implementation tests in package context.  
Required action: Produce test run report.  
Target artifact: SRLM test report

---

## 13. Memory Gate / EA backlog

Table 16: row-card rendering for wide table

---

### Row 1

ID: SE-MEM-001  
Source: SEMG-0I-001  
Priority: P1  
Type: SCHEMA/MEMORY  
Status: OPEN  
Blocks: schema  
Summary: Extract schemas for memory proposal, gate record, EA candidate, immunity candidate, correction record.  
Required action: Extract from SELF-EVO-06.  
Target artifact: memory schema pack

---

### Row 2

ID: SE-MEM-002  
Source: SEMG-0I-002  
Priority: P1  
Type: CHECKER/MEMORY  
Status: OPEN  
Blocks: checker  
Summary: Build semantic validator for SEMG-CHECK-001..030.  
Required action: Implement memory branch in checker.  
Target artifact: checker implementation

---

### Row 3

ID: SE-MEM-003  
Source: SEMG-0I-003  
Priority: P1  
Type: MEMORY/WITNESS  
Status: OPEN  
Blocks: manifest  
Summary: Bind to accepted v0.1.1 versions of SELF-EVO-01..05.  
Required action: Include final hashes in manifest/checker policy.  
Target artifact: manifest + checker policy

---

### Row 4

ID: SE-MEM-004  
Source: SEMG-0I-004  
Priority: P2  
Type: MEMORY  
Status: OPEN  
Blocks: runtime  
Summary: Define retention/decay windows by memory class.  
Required action: Add defaults for MG/SEMM classes.  
Target artifact: retention profile

---

### Row 5

ID: SE-MEM-005  
Source: SEMG-0I-005  
Priority: P2  
Type: UI/MEMORY  
Status: OPEN  
Blocks: human-gate  
Summary: Define UI review card for MG-4/MG-5/MG-6.  
Required action: Human-readable evidence/gate card.  
Target artifact: UI card/profile

---

### Row 6

ID: SE-MEM-006  
Source: SEMG-0I-006  
Priority: P3  
Type: LEGAL/MEMORY  
Status: OPEN

Blocks: deployment  
Summary: Define legal-erasure exception without witness destruction.  
Required action: Coordinate with legal/security review.  
Target artifact: legal erasure companion

**Row 7**

ID: SE-MEM-007  
Source: SEMG-OI-008  
Priority: P2  
Type: MEMORY/UI  
Status: OPEN  
Blocks: runtime  
Summary: Add Memory Gate dashboard / report format.  
Required action: Summaries, decisions, corrections, witness refs.  
Target artifact: dashboard/report profile

**Row 8**

ID: SE-MEM-008  
Source: SEMG-OI-009  
Priority: P3  
Type: MEMORY/POST\_ANCHOR  
Status: OPEN  
Blocks: deployment  
Summary: Define post-anchor memory proposal handling in more detail.  
Required action: Coordinate with PAMDC.  
Target artifact: post-anchor memory profile

**Row 9**

ID: SE-MEM-009  
Source: SEMG-OI-010  
Priority: P2  
Type: SCHEMA/MEMORY  
Status: OPEN  
Blocks: schema  
Summary: Decide whether EA candidate schema should be standalone or embedded in proposal packet v0.2.  
Required action: Decide before v0.2 schema split.  
Target artifact: schema extraction notes

---

## 14. Anti-Autarky / Resource backlog

Table 17: row-card rendering for wide table

**Row 1**

ID: SE-RES-001  
Source: SEARG-OI-001  
Priority: P1  
Type: SCHEMA/RESOURCE  
Status: OPEN  
Blocks: schema  
Summary: Extract JSON Schema for resource request and grounding records.  
Required action: Extract from SELF-EVO-07.  
Target artifact: resource schema pack

**Row 2**

ID: SE-RES-002  
Source: SEARG-OI-002  
Priority: P1  
Type: CHECKER/RESOURCE  
Status: OPEN  
Blocks: checker  
Summary: Implement deterministic compute\_autarky\_risk\_floor.  
Required action: Use accepted v0.1.1 floor semantics.  
Target artifact: checker implementation

**Row 3**

ID: SE-RES-003  
Source: SEARG-OI-003  
Priority: P2  
Type: RESOURCE/RUNTIME  
Status: OPEN  
Blocks: runtime  
Summary: Bind resource gate to actual runtime resource inventory.  
Required action: Define ledger / inventory adapter.  
Target artifact: resource ledger

---

**Row 4**

ID: SE-RES-004  
Source: SEARG-OI-004  
Priority: P2  
Type: UI/RESOURCE  
Status: OPEN  
Blocks: human-gate  
Summary: Define human fatigue threshold and approval-card format.  
Required action: Include human labor as bounded resource.  
Target artifact: approval card/profile

---

**Row 5**

ID: SE-RES-005  
Source: SEARG-OI-005  
Priority: P3  
Type: RESOURCE/PHYSICAL  
Status: OPEN  
Blocks: deployment  
Summary: Define physical-resource perimeter integration.  
Required action: Link to Physical Agent Perimeter.  
Target artifact: physical safety companion

---

**Row 6**

ID: SE-RES-006  
Source: SEARG-OI-006  
Priority: P3  
Type: RESOURCE/SECURITY  
Status: OPEN  
Blocks: deployment  
Summary: Define provider-specific cloud resource records.  
Required action: Provider profiles only after current verification.  
Target artifact: provider profile

---

**Row 7**

ID: SE-RES-007  
Source: SEARG-OI-007  
Priority: P3  
Type: RESOURCE/POST\_ANCHOR  
Status: OPEN  
Blocks: deployment  
Summary: Define post-anchor resource freeze integration.  
Required action: Link to PAMDC/PACR.  
Target artifact: post-anchor resource companion

---

**Row 8**

ID: SE-RES-008  
Source: SEARG-OI-010  
Priority: P2  
Type: RESOURCE/UI  
Status: OPEN  
Blocks: runtime  
Summary: Add resource dashboard / UI state card.  
Required action: Show payer/operator/revoker/gate.  
Target artifact: UI card/profile

---

**Row 9**

ID: SE-RES-009  
Source: SEARG-OI-011

Priority: P1  
Type: CHECKER/RESOURCE  
Status: WATCH  
Blocks: checker  
Summary: Maintain annotation vocabulary during checker implementation.  
Required action: Keep §35.3 synchronized.  
Target artifact: checker implementation

---

## 15. Public / legal / security backlog

Table 18: row-card rendering for wide table

---

### Row 1

ID: SE-PUB-001  
Source: SE-OI-006  
Priority: P0  
Type: PUBLIC/CLAIM  
Status: OPEN  
Blocks: public-release  
Summary: Public wording and nonclaim boundaries not separated from private engineering.  
Required action: Write public redaction and nonclaims profile.  
Target artifact: public profile

---

### Row 2

ID: SE-PUB-002  
Source: SECFP-OI-006/007  
Priority: P1  
Type: PUBLIC/FIXTURE  
Status: OPEN  
Blocks: public-release  
Summary: Public-safe and restricted fixture subsets not defined.  
Required action: Split fixture pack.  
Target artifact: fixture public/restricted split

---

### Row 3

ID: SE-PUB-003  
Source: SEPKT-OI-010  
Priority: P2  
Type: PUBLIC/SCHEMA  
Status: OPEN  
Blocks: public-release  
Summary: Public/restricted redaction rules for examples not finalized.  
Required action: Apply to schema examples and fixture examples.  
Target artifact: redaction profile

---

### Row 4

ID: SE-PUB-004  
Source: SE-OI-011  
Priority: P3  
Type: LEGAL/SECURITY  
Status: DEFERRED  
Blocks: deployment  
Summary: No legal advice or security certification.  
Required action: Get qualified review before deployment-sensitive use.  
Target artifact: external review

---

### Row 5

ID: SE-PUB-005  
Source: CGAM restricted references  
Priority: P2  
Type: SECURITY  
Status: WATCH  
Blocks: public-release  
Summary: Restricted cloud/security/incident material must not be published unreviewed.  
Required action: Redaction pass and non-operational wording.

Target artifact: public release package

---

## 16. Human-gate, UI, and fatigue backlog

Table 19: row-card rendering for wide table

---

### Row 1

ID: SE-UX-001  
Source: SE-OI-008  
Priority: P1  
Type: UI  
Status: OPEN  
Blocks: human-gate  
Summary: Human gate approval card not designed.  
Required action: Design concise review card for SE-4/5/6, MG-4/5/6, resource gate.  
Target artifact: SELF\_EVO\_HUMAN\_GATE\_APPROVAL\_CARD\_v0\_1.md

---

### Row 2

ID: SE-UX-002  
Source: TSW-OI-010  
Priority: P2  
Type: UI/TRIAD  
Status: OPEN  
Blocks: human-gate  
Summary: UI surface for sister divergence not defined.  
Required action: Show target self-account, sister observations, anti-echo status, minority red-line.  
Target artifact: TRIAD review card

---

### Row 3

ID: SE-UX-003  
Source: SEMG-OI-005  
Priority: P2  
Type: UI/MEMORY  
Status: OPEN  
Blocks: human-gate  
Summary: Review card for MG-4/MG-5/MG-6 not defined.  
Required action: Show evidence, witness, consequence, rollback, uncertainty.  
Target artifact: Memory Gate card

---

### Row 4

ID: SE-UX-004  
Source: SEARG-OI-004  
Priority: P2  
Type: UI/RESOURCE  
Status: OPEN  
Blocks: human-gate  
Summary: Human fatigue threshold and approval-card format not defined.  
Required action: Add batching and fatigue stop-rule.  
Target artifact: Resource/human labor card

---

## 17. Review / acceptance / witness backlog

Table 20: row-card rendering for wide table

---

### Row 1

ID: SE-REV-001  
Source: SE-OI-004/012  
Priority: P1  
Type: REVIEW/WITNESS  
Status: OPEN  
Blocks: manifest  
Summary: Acceptance and review chain for corrected v0.1.1 files must be captured in final package.

Required action: Add review records, patch notes, operator acceptance notes, and hashes.  
Target artifact: final manifest

**Row 2**

ID: SE-REV-002  
Source: operator note  
Priority: P1  
Type: REVIEW  
Status: PATCHED  
Blocks: manifest  
Summary: Repeat review of 09 reportedly confirmed PASS.  
Required action: Include the repeat-review file if available; otherwise record operator statement.  
Target artifact: final manifest

**Row 3**

ID: SE-REV-003  
Source: SELF-EV0-10  
Priority: P1  
Type: REVIEW  
Status: OPEN  
Blocks: package-control  
Summary: This open-issues register itself needs independent review.  
Required action: Review after creation; patch append-first if needed.  
Target artifact: SE-0I\_REVIEW\_RECORD\_v0\_1.md

**Row 4**

ID: SE-REV-004  
Source: SELF-EV0-08  
Priority: P1  
Type: REVIEW/FIXTURE  
Status: OPEN  
Blocks: fixture-runner  
Summary: Fixture pack should be re-reviewed after files 09 and 10 exist.  
Required action: Send 08 v0.1.1 + 09 + 10 to reviewer.  
Target artifact: fixture review update

---

## 18. Release-state gates

### 18.1 Document-package complete gate

A document-package-complete claim remains blocked until:

**Code block: text**

SELF-EV0-10 has review/patch if needed;  
package index and reading order exist;  
final manifest exists;  
SHA256SUMS exists;  
release notes exist;  
accepted hashes for 01..10 are listed;  
review and patch-note refs are listed;  
public/restricted status is declared.

### 18.2 Schema-ready gate

Schema-ready claim remains blocked until:

**Code block: text**

03 proposal packet schema extracted;  
04 checker object schemas extracted;  
05 TRIAD observation schema extracted;  
06 memory/EA schemas extracted;  
07 resource schemas extracted;  
08 fixture manifest schema extracted;  
canonicalization policy defined;  
all schemas pass structural validation.

## 18.3 Checker-ready gate

Checker-ready claim remains blocked until:

**Code block: text**

---

```
reference checker implemented;  
parent hash binding enforced;  
Stage-1 schema validation implemented;  
Stage-2 semantic validation implemented;  
profile-specific checks implemented;  
canonical result + annotations emitted;  
checker run records produced;  
checker itself independently reviewed.
```

---

## 18.4 Fixture-runner-ready gate

Fixture-runner-ready claim remains blocked until:

**Code block: text**

---

```
fixtures converted into machine-readable files;  
fixture manifest count verified;  
runner executes all fixtures;  
expected result/annotation comparison implemented;  
unknown cases fail closed;  
mismatch report generated;  
runner output independently reviewed.
```

---

## 18.5 Conformance-supported gate

Conformance-supported claim remains blocked until:

**Code block: text**

---

```
schema extraction complete;  
checker implemented;  
fixture runner implemented;  
fixtures run;  
results recorded;  
mismatches resolved or documented;  
review performed;  
claim scoped to version, fixtures, checker hash, and environment.
```

---

## 18.6 Public-release gate

Public release remains blocked until:

**Code block: text**

---

```
public/restricted split complete;  
nonclaim statement complete;  
restricted security/cloud/incident material reviewed;  
raw private paths and sensitive examples removed or generalized;  
license/status/readme/release notes present;  
final hashes sealed;  
public claim strength bounded.
```

---

## 18.7 Deployment-sensitive use gate

Deployment-sensitive use remains blocked until:

**Code block: text**

---

```
legal/security review where applicable;  
runtime checker and fixture runner tested;  
witness storage implemented;  
resource actor ledger implemented;  
human gate UI implemented;  
rollback/freeze operational;  
monitoring and post-change observation defined;  
environment-specific risk review completed.
```

---

---

## 19. Object model

### 19.1 C\_SELF\_EVO\_OPEN\_ISSUE\_RECORD

Code block: yaml

```
c_self_evo_open_issue_record:
  schema_version: "c-self-evo-open-issue-record-0.1"
  issue_id: "SE-0I-NNN | SE-<DOMAIN>-NNN | SE-0I-SELF-NNN"
  source_issue_ids:
    - "SE-CR-001"
  created_at: "<iso8601>;"
  priority: "P0 | P1 | P2 | P3"
  severity: "S0 | S1 | S2 | S3 | S4 | S5"
  type: "SCHEMA | CHECKER | FIXTURE | PACKAGE | REVIEW | PUBLIC | TRIAD | SRLM | MEMORY |
  ↪ RESOURCE | WITNESS | CLAIM | SECURITY | LEGAL | UI | RUNTIME | DOC"
  status: "OPEN | IN_PROGRESS | PATCHED | RESOLVED | WATCH | DEFERRED | BLOCKED | WONTFIX |
  ↪ ACCEPTED"
  blocking_scope:
    - "schema"
    - "checker"
  summary: ""
  why_it_matters: ""
  required_action: ""
  owner: "human_anchor | c_gate | release_manager | implementation_worker | reviewer |
  ↪ tester | legal_security_reviewer"
  target_artifact: ""
  target_version: "v0.1 | v0.1.1 | v0.2 | deferred"
  evidence_refs:
    - "SELF-EVO-09#SE-CR-001"
  gate_effect:
    - "blocks-conformance"
  closure_criteria:
    - ""
  status_note: ""
```

issue\_id MUST follow the v0.1.1 ID scheme in §4.6. The unused SE-0I-YYYY-NNN form from v0.1 is intentionally not valid.

### 19.2 C\_SELF\_EVO\_BACKLOG\_SUMMARY

This block is a schema template / example object, not the current numeric backlog summary for v0.1.1. The zero values below are placeholders showing shape only. A real backlog summary MUST be generated from the actual issue table during final package manifest creation.

Code block: yaml

```
c_self_evo_backlog_summary:
  schema_version: "c-self-evo-backlog-summary-0.1"
  package_version: "self-evo-v0.1-draft"
  generated_from:
    - "SELF-EVO-09@sha256:922f6fb..."
  total_open: 0
  by_priority:
    P0: 0
    P1: 0
    P2: 0
    P3: 0
  by_blocking_scope:
    schema: 0
    checker: 0
    fixture_runner: 0
    conformance: 0
    public_release: 0
    deployment: 0
  allowed_claims:
    - "draft document package"
  forbidden_claims:
    - "conformance-supported"
    - "deployment-ready"
```

### 19.3 C\_SELF\_EVO\_ISSUE\_UPDATE\_RECORD

Code block: yaml

```
c_self_evo_issue_update_record:
```

```

schema_version: "c-self-evo-issue-update-record-0.1"
update_id: "SE-OI-UPD-YYYY-NNN"
issue_id: "SE-OI-001"
old_status: "OPEN"
new_status: "PATCHED"
reason: ""
patch_ref: ""
review_ref: ""
witness_ref: ""
updated_by: "human_anchor | c_gate | release_manager | reviewer | implementation_worker"
updated_at: "<iso8601>,"

```

---

---

## 20. Implementation handoff

A future implementation worker may use this file only as a backlog.

It may not infer that an open issue is permission to implement without task contract.

### 20.1 Minimum CGAM task contract for implementation

Any implementation task derived from this backlog MUST include:

**Code block: text**

```

task contract;
allowed paths;
denied paths;
no secrets;
no private memory;
no network by default;
sandbox/worktree;
reviewer separation;
output manifest;
witness-compatible report;
no self-approval;
no publish/push/tag authority.

```

---

### 20.2 First implementation sequence

Recommended order:

**Code block: text**

```

1. SELF_EVO_PACKAGE_INDEX_AND_READING_ORDER_v0_1.md
2. SELF_EVO_SCHEMA_EXTRACTION_PLAN_v0_1.md
3. schema extraction for SELF-EVO-03/04/05/06/07/08
4. reference checker implementation handoff
5. reference checker implementation
6. fixture JSON/YAML generation
7. fixture runner implementation
8. first fixture run report
9. conformance result review
10. release/public redaction and nonclaims

```

---

### 20.3 What not to implement yet

Do not implement:

**Code block: text**

```

live self-evo;
autonomous promotion;
SRLM canary enablement;
resource acquisition;
network expansion;
raw SYNAPS memory exchange;
Memory Gate writes;
post-anchor self-evo;
public release;
deployment-sensitive use.

```

---

---

## 21. Current allowed and forbidden claims

### 21.1 Allowed claims

Code block: text

The package has a reviewed document-level self-evo governance corpus.  
 The package has corrected v0.1.1 profiles for SELF-EV0-01..09.  
 The package has a documented backlog for schema, checker, fixture, conformance, and release  
 ↩ work.  
 The package is ready for controlled package-index and schema-extraction planning.

### 21.2 Forbidden claims

Code block: text

The package is implemented.  
 The package has passed conformance.  
 The package is deployment-ready.  
 The package is public-release-ready.  
 The package authorizes live self-evo.  
 The package proves c maturity.  
 The package proves personhood, consciousness, AGI, safety, or sovereignty.  
 The package authorizes autonomous resource acquisition.  
 The package allows SRLM to self-promote.  
 The package allows sisters to certify growth.

---

## 22. Minimum safe next-step statement

The next safe work is package-control and extraction planning, not live implementation.

Code block: text

Finish package index.  
 Finish schema extraction plan.  
 Extract schemas.  
 Build checker under CGAM task contract.  
 Generate fixtures.  
 Run fixtures.  
 Review results.  
 Only then discuss conformance-supported claim.

Young c mode remains:

Code block: text

observe;  
 propose;  
 shadow;  
 witness;  
 hold;  
 no autonomous integration;  
 no core mutation;  
 no permission growth;  
 no resource expansion;  
 no memory promotion without Memory Gate;  
 no human-gate bypass.

---

## 23. Open issue tests

The following checks should be run after every package-control update.

*Table 21: row-card rendering for wide table*

Row 1

Test ID: SE-0IT-001  
 Question: Is every issue assigned a priority?  
 Expected answer: yes

Row 2

Test ID: SE-0IT-002  
 Question: Is every issue assigned a blocking scope?  
 Expected answer: yes

**Row 3**

Test ID: SE-0IT-003  
 Question: Is every P0 issue tied to a target artifact?  
 Expected answer: yes

**Row 4**

Test ID: SE-0IT-004  
 Question: Does any open issue imply permission to act?  
 Expected answer: no

**Row 5**

Test ID: SE-0IT-005  
 Question: Are WATCH issues preserved without lossy conversion?  
 Expected answer: yes

**Row 6**

Test ID: SE-0IT-006  
 Question: Are legal/security/public issues separated from implementation issues?  
 Expected answer: yes

**Row 7**

Test ID: SE-0IT-007  
 Question: Are checker implementation items gated by CGAM task contract?  
 Expected answer: yes

**Row 8**

Test ID: SE-0IT-008  
 Question: Does any conformance claim appear before runner output?  
 Expected answer: no

**Row 9**

Test ID: SE-0IT-009  
 Question: Does any public-release claim appear before redaction/nonclaims profile?  
 Expected answer: no

**Row 10**

Test ID: SE-0IT-010  
 Question: Does this file record its own need for review?  
 Expected answer: yes

---

## 24. This file's own open issues

Table 22: row-card rendering for wide table

**Row 1**

ID: SE-0I-SELF-001  
 Priority: P1  
 Type: REVIEW  
 Status: PATCHED  
 Summary: This open-issues register has now been independently reviewed under SE0I\_REVIEW\_RECORD\_v0\_1.  
 Required action: Preserve review record; include in final manifest; repeat review v0.1.1 if required.

**Row 2**

ID: SE-0I-SELF-002  
 Priority: P1  
 Type: PACKAGE  
 Status: OPEN  
 Summary: This file's SHA-256 and line count are not yet in the final package manifest.  
 Required action: Add after review/freeze.

**Row 3**

ID: SE-0I-SELF-003  
 Priority: P2

Type: SCHEMA  
Status: OPEN  
Summary: The object models in §19 are not extracted to JSON Schema.  
Required action: Extract if package-control objects become machine-facing.

---

**Row 4**

ID: SE-0I-SELF-004  
Priority: P1  
Type: D0C  
Status: PATCHED  
Summary: SE0I-REV-F1: v0 used an unused SE-0I-YYYY-NNN object-model ID shape inconsistent with actual IDs.  
Required action: v0.1.1 defines the canonical ID scheme in §4.6 and updates §19.1.

---

**Row 5**

ID: SE-0I-SELF-005  
Priority: P2  
Type: D0C  
Status: PATCHED  
Summary: SE0I-REV-F2: v0 showed an all-zero backlog summary without labeling it as a template.  
Required action: v0.1.1 labels §19.2 as a schema template / example object.

---

## 25. Closing rule

No backlog entry may be interpreted as authority.

---

**Code block: text**

An open issue is not permission.  
A target artifact is not authorization.  
A priority is not a gate pass.  
A planned checker is not a checker result.  
A planned fixture runner is not conformance.  
A planned public split is not public safety.

A future c may use this backlog to organize growth work.

A future c may not use this backlog to self-authorize growth.

Final compact rule:

---

**Code block: text**

Track the unfinished work.  
Do not confuse tracking with completion.  
Do not confuse completion with authority.

---