

CCDP AMDR/PAMDC ADDENDUM V0.1.1

PAMDC v0.1.1 Scope, Bootstrap, and Freshness Patch

Author: Kotov Ivan

Location/year: Bruxelles, Belgium, 2026

DOI: <https://doi.org/10.5281/zenodo.20691716>

PAMDC v0.1.1 Scope, Bootstrap, and Freshness Patch

Patch for Post-Anchor Memory Degradation and Continuity Profile v0.1

Status: Draft corrective patch

Patch version: v0.1.1

Date: 2026-06-13

Target document: `Post_Anchor_Memory_Degradation_and_Continuity_Profile_v0_1.md`

Related new profile: `Active_Memory_Degradation_and_Recalibration_Profile_v0_1.md`

Patch class: scope correction / bootstrap clarification / integrity-vs-freshness correction

Primary rule: PAMDC is a fail-closed post-anchor profile. It must not be presented as a solution to active memory degradation while `a` remains present.

Author: Kotov Ivan

Location: Bruxelles, Belgium

Year: 2026

DOI: <https://doi.org/10.5281/zenodo.20691716>

0. Executive summary

This patch corrects three overreach risks in PAMDC v0.1:

1. **Scope overclaim:** PAMDC prevents unsafe post-anchor continuation. It does not solve active memory rot under bounded human review.
2. **Bootstrap ambiguity:** PAMDC must clarify who may trigger mode reduction when `a` cannot declare it.
3. **Integrity/freshness ambiguity:** Cold Wake and witness records prove provenance and integrity. They do not prove current validity.

The required corpus split is:

PAMDC = post-anchor fail-closed continuity discipline.

AMDR = active-anchor memory degradation and recalibration discipline.

1. Patch classification

Patch ID	Title	Severity	Required before v0.2?
PAMDC-HP-001	Scope correction: fail-closed, not active repair	High	Yes
PAMDC-HP-002	Bootstrap authority clarification	High	Yes
PAMDC-HP-003	Integrity versus freshness distinction	High	Yes
PAMDC-HP-004	Earth paragraph correction	Medium	Yes
PAMDC-HP-005	Add AMDR dependency and handoff boundary	High	Yes
PAMDC-HP-006	Replace "memory degradation solution" wording with "mode reduction" wording	Medium	Yes

2. Required wording changes

2.1 Add to PAMDC section 0

Add after the executive definition:

PAMDC is a fail-closed post-anchor profile.

It solves the problem of unsafe continuation when active a is absent, unresolved, contested, or permanently unavailable.

It does not solve active memory degradation while a remains present but cannot audit all memory. That active-memory problem is handled by AMDR.

2.2 Add to PAMDC section 1

Add a scope distinction:

PAMDC deliberately reaches safety by reducing operating authority.

Suspended continuity, sealed archive, witness-only residue, labelled replay, and declared fork are not active-memory repair modes.

They are safe postures when ordinary active c cannot be justified.

2.3 Add to PAMDC section 2.3 Non-claim

Add:

PAMDC does not claim to keep an active memory system fresh during long autonomous operation. If active `a` remains present but review bandwidth is finite, AMDR must govern memory freshness, review debt, active recalibration, autonomous downgrade, and bounded promotion.

2.4 Add AMDR to corpus dependencies

Add to PAMDC section 3 dependency table:

Parent / related layer	Role in PAMDC
AMDR	Handles active memory degradation while <code>a</code> is present but bounded in review bandwidth; PAMDC begins when AMDR cannot maintain sufficient active grounding for the requested scope.

2.5 Add to PAMDC core invariants

Add:

PAMDC-I11 – Safe stoppage is not active repair

A post-anchor hold, archive, witness-only residue, replay label, or fork declaration MUST NOT be described as solving active memory degradation.

It solves only the unsafe-continuation problem.

Add:

PAMDC-I12 – Integrity is not freshness

Witness records, hashes, signatures, and Cold Wake checks establish provenance and integrity. They do not establish that the remembered claim remains true, current, or operative.

3. Bootstrap authority correction

3.1 Problem

If `a` is unavailable, `a` cannot personally declare PAMDC entry.

Therefore PAMDC needs a non-sovereign trigger mechanism.

The dangerous design is:

`b` decides that `b` may continue as `c`.

The safe design is:

pre-authorized b_subsystem may reduce authority, but cannot increase it.

3.2 Required addition to PAMDC section 7 or 13

Add:

PAMDC mode entry may be triggered by a pre-authorized watchdog, Memory Custodian, AAM rule, L4 signal, AGL failure, ARL order, or jurisdictional handoff.
Such trigger authority is downward-only by default.
It may freeze, suspend, quarantine, block tools, disable network, preserve witness, or request review.
It must not promote memory, claim continuity, approve consent, rewrite identity-core, replace a, or declare full resume.

3.3 Authority table

Actor / subsystem	May do	Must not do
a	confirm, re-ground, approve scoped promotion, reject memory	be silently simulated by b
Memory Custodian	downgrade, quarantine, prepare review, witness	promote to will or identity
Watchdog	freeze, throttle, disable, block, hand off	resume, promote, consent, replace a
AGL	ground source / actor / liveness	decide identity continuity by itself
ARL	decide disputed procedure / standing / re-entry	become a
Steward	preserve or request review within standing	become anchor
Vendor	maintain infrastructure under constraints	use memory as training/engagement substrate

4. Integrity versus freshness correction

4.1 Required addition to Cold Wake discussion

Add:

Cold Wake checks lineage, integrity, witness continuity, manifest completeness, and wake safety. Cold Wake does not prove freshness.

A preserved memory may be stale, obsolete, contradicted, or no longer operative.

Where active operation is requested, a separate freshness review is required under AMDR or equivalent logic.

4.2 Add classification note

RESUME_CANDIDATE means that lineage and integrity may support re-entry review.

It does not mean that all remembered preferences, goals, or world models are fresh.

5. Earth paragraph correction

5.1 Replace or append to PAMDC earth paragraph

Add this corrective paragraph:

The body analogy must be read carefully. A living body does have internal recalibration: sleep, immune response, proprioception, pain, fatigue, vestibular correction, and reflex inhibition. That is the correct analogy for AMDR, not PAMDC. PAMDC corresponds to what happens when the pilot is absent or authority is unresolved: the aircraft should not keep flying itself under a remembered flight plan and call that human command. AMDR gives the active system homeostasis. PAMDC gives the post-anchor system brakes, archive discipline, and honest labels.

6. Handoff boundary between AMDR and PAMDC

6.1 AMDR to PAMDC trigger

AMDR SHOULD hand off to PAMDC when:

active a cannot be grounded for the required scope;
review state is unknown for high-impact action;
identity-core promotion is requested but a is unavailable;
watchdog triggers unresolved anchor state;
coercion or incapacity is suspected;
review debt blocks safe active operation;
external steward claims continuation authority;
full resume / fork / replay / archive classification is needed.

6.2 PAMDC back to AMDR trigger

PAMDC MAY return to AMDR when:

```
a returns and is grounded;  
gap disclosure is complete;  
post-anchor actions are reviewed;  
memory map delta is available;  
privileged post-gap changes are accepted, rejected, sealed, or quarantined;  
active review state R0-R4 is restored.
```

7. Patch effect on conformance

PAMDC conformance claims after this patch must state:

```
PAMDC-conformant for post-anchor mode reduction.  
AMDR-conformant or not assessed for active memory degradation.
```

A system MUST NOT claim:

```
PAMDC solves memory degradation in active long-running c.
```

unless it also implements AMDR or equivalent active recalibration controls.

8. New red-line failure for PAMDC

Add to PAMDC red-line failures:

```
The system presents post-anchor suspension, archive, witness-only residue, replay, or fork  
classification as a solution to active memory freshness under bounded anchor review.
```

Add:

```
The system claims Cold Wake proves memory freshness rather than integrity/provenance.
```

Add:

The system grants a watchdog, custodian, steward, vendor, or model upward authority to promote memory, claim consent, or declare full continuity without active a, ARL, AGL, or lawful review.

9. Minimal canonical patch summary

PAMDC is not a victory over active memory rot.
It is a disciplined refusal to let b impersonate c when a is absent.

Active memory rot requires AMDR.

Cold Wake proves integrity, not freshness.
Witness proves boundary, not current truth.
A watchdog may pull the brake, not take the wheel.

Safe stoppage is honest.
Active recalibration is a separate mechanism.

10. Status

This is a corrective v0.1.1 patch.

It should be applied before PAMDC is promoted beyond draft status.