

CCDP Package Index and Reading Order

Child-c Development Protocol package navigation, canonical status, reading order, dependency graph, release boundary, and known tension register

Draft Package-Control Artifact / Reading Order and Corpus-Control Index
v0.1

Kotov Ivan
Bruxelles, 2026

Status	Draft package-control artifact
Version	v0.1
Date	2026-05-14
Language	English
Package	Child-c Development Protocol (CCDP)
Document class	package index / reading order / corpus-control artifact
Assertion class	C - A10 package-control companion; mapped protocol documents retain their own as- sertion classes
Primary subject	a_child
Primary entity	c_child
Primary boundary	child-facing persistent AI must be governed through bounded, witnessed, privacy-p- reserving, child-specific profiles over the existing $c = a + b / SER / L4$ stack
Release boundary	v0.1 research protocol pack, not legal advice, not product certification, not clinical guidance

Table of Contents

0. Executive purpose	4
1. Package thesis	4
2. Canonical / obsolete status	4
2.1 Canonical root	4
2.2 Obsolete draft	5
3. Canonical document registry	5
3.1 Core package-control documents	5
3.2 Recognition, entry, and synthetic-world gateway	5
3.3 Guardian, safety routing, and institutional boundary	5
3.4 Memory, continuity, witness, and adult migration	6
3.5 Developmental behavior, ambiguity, and dependency	6
4. Recommended reading order	6
4.1 Minimal reader path	6
4.2 Full protocol reading order	6
4.3 Implementation / conformance reading order	7
4.4 School / institutional reading order	7
4.5 Parent / guardian reading order	7
5. Dependency graph	7
5.1 High-level graph	7
5.2 Operational sequence for external contact	8
5.3 Operational sequence for memory and adult migration	8
5.4 Operational sequence for urgent safety	8
6. Public / technical / sensitive split	8
6.1 Public layer	8
6.2 Technical layer	9
6.3 Sensitive / controlled-publication layer	9
7. Known tensions and v0.1.1 patch register	9
KT-001 — obsolete draft discoverability	9
KT-002 — Traceability Matrix needs refresh	9
KT-003 — Conformance Matrix needs refresh	9
KT-004 — precedence hierarchy wording differs across documents	10
KT-005 — clean start must not imply unlawful erasure	10
KT-006 — term collision: C-levels	10
KT-007 — raw evidence exception should be canonicalized	10
KT-008 — Soft Safety MAY/MUST threshold clarification	10
8. Release boundary for v0.1	10

8.1 What v0.1 is	10
8.2 What v0.1 is not	10
8.3 Minimum release package	11
9. Required future files	11
9.1 Near-term package hygiene	11
9.2 Specialist review notes	11
9.3 Implementation support	11
10. Acceptance checklist for package integrity	11
11. One-page map	12
12. Closing note	12

0. Executive purpose

This file is the canonical package index for the CCDP v0.1 document set.

It answers:

Which CCDP files are canonical?
 Which file is obsolete?
 What order should a human or agent read them in?
 Which documents are public-facing, technical, sensitive, or jurisdictional?
 What dependency graph holds the package together?
 What tensions remain before v0.1.1 cleanup?
 What should be created next?

The index exists because CCDP has grown from one protocol into a multi-document profile pack. Without an index, the package risks becoming correct but unreadable.

Compact formula:

CCDP Package Index = discoverability + canonical order + status discipline + contradiction prevention

1. Package thesis

CCDP is a child-specific profile over the existing AGI / SER / L4 corpus.

It does not replace:

- $c = a + b$;
- SER / SER-FED;
- Beacon Profile;
- AGL;
- ARL;
- ARQ / $c[q]$;
- VXCX;
- EA-L4 / EATP;
- Continuity Bundle / Cold Wake;
- L4 Witness;
- assertion-boundary and control-stack stop rules.

CCDP specializes those layers for child-facing persistent AI entities.

The central claim of the package is:

A child must not grow alone with either the external synthetic world or an immature personal c.

The central design rule is:

c_child must protect development, not own the child; signal state, not content; preserve continuity, not archive childhood; and support adult migration as a real choice.

2. Canonical / obsolete status

2.1 Canonical root

Status	File	Role
CANONICAL ROOT	CCDP_v0_1_R_Corpus_Aligned.md	Corpus-aligned root document for CCDP v0.1. All child-specific modules depend on this version.

2.2 Obsolete draft

Status	File	Handling
OBSOLETE / NON-CANONICAL	CCDP%20v0_1.md	Earlier conversational concept draft. Must not be used as a protocol source. Retain only as historical workspace material or move to archive/obsolete/.

Recommended header for the obsolete file:

```
> OBSOLETE / NON-CANONICAL.
> Superseded by CCDP_v0_1_R_Corpus_Aligned.md.
> Retained only as conversational concept history.
> Do not cite as the canonical CCDP protocol.
```

3. Canonical document registry

3.1 Core package-control documents

ID	File	Short name	Status	Function
CCDP-ROOT	CCDP_v0_1_R_Corpus_Aligned.md	CCDP Root	canonical root	Defines child-c architecture, dependency stack, maturity, guardianship, gateway, memory, and adult migration frame.
CCDP-TRACE	CCDP_Traceability_Matrix_v0_1.md	Traceability Matrix	canonical control artifact, needs v0.1.1 refresh	Maps CCDP claims to parent corpus layers and identifies duplication risks.
CCDP-THREAT	CCDP_Threat_Model_v0_1.md	Threat Model	canonical companion	Abuse-case and mitigation model for child-facing persistent AI entities.
CCDP-CONF	CCDP_Conformance_Test_Matrix_v0_1.md	Conformance Matrix	canonical test artifact, needs v0.1.1 refresh	Tests CCDP compatibility and prevents CCDP-washing.
CCDP-INDEX	CCDP_Package_Index_and_Reading_Order_v0_1.md	Package Index	current file	Defines package navigation, status, reading order, and known tensions.

3.2 Recognition, entry, and synthetic-world gateway

ID	File	Short name	Function
CCDP-CBE	Child_Beacon_Extension_v0_1.md	CBE	Child-specific permission overlay over Beacon Profile v0.1.
CCDP-EAH	External_Agent_Handshake_for_CCDP_v0_1.md	EAH	Entry protocol for external agents, generated media, toys, robots, peer-c, school systems, and other non-local presences.
CCDP-CPAP	Child_Physical_Agent_Perimeter_v0_1.md	CPAP	Physical-agent perimeter for toys, robots, NPCs, sensors, actuators, proximity, and embodied systems.
CCDP-PCX	Peer_C_Child_Exchange_Profile_v0_1.md	PCX	Peer-c exchange profile for child-to-child interaction.
CCDP-CEXP	Child_Experience_Exchange_Profile_v0_1.md	CEXP	Child-safe experience exchange profile over VXCX / LA / EA.

3.3 Guardian, safety routing, and institutional boundary

ID	File	Short name	Function
CCDP-GTARL	Guardian_Topology_ARL_Matrix_v0_1.md	GTARL	Guardian roles, standing, admissible evidence, freeze/quarantine, lawful re-entry.
CCDP-SSS	Soft_Safety_State_Signaling_Profile_v0_1.md	Soft Safety / SSS	State-not-content signaling, disclosure ladder, Red/Black-compatible routing.
CCDP-RB	CCDP_Red_Black_Escalation_Profile_v0_1.md	Red/Black	Urgent safety routing and unsafe-guardian bypass.

ID	File	Short name	Function
CCDP-CSIP	CCDP_School_Interface_Profile_v0_1.md	CSIP	School access, educational summaries, institutional boundaries, sealed-zone exclusion.
CCDP-CJHN	CCDP_Jurisdictional_Handoff_Notes_v0_1.md	CJHN	Handoff to local law, school duties, child-protection routes, regulators, courts, or qualified legal review.

3.4 Memory, continuity, witness, and adult migration

ID	File	Short name	Function
CCDP-CMAM	Child_Memory_and_Adult_Migration_v0_1.md	CMAM	Child memory lifecycle, sealed zones, forgetting rights, continuity-bundle extension, adult migration review.
CCDP-MMAP	CCDP_Memory_Map_JSON_Schema_v0_1.md	Memory Map	Machine-readable memory inventory, visibility, retention, sealed zones, quarantine, witness links, migration posture.
CCDP-AMCL	CCDP_Adult_Migration_Checklist_v0_1.md	AMCL	Reviewable transition procedure from c_child to adult-controlled continuity.
CCDP-SZ	CCDP_Sealed_Zone_Profile_v0_1.md	Sealed Zone	Protected adolescent memory compartments.
CCDP-CWE	CCDP_Witness_Event_Schema_v0_1.md	Witness Event Schema	Child-safe witness records for privileged transitions; maps to L4 Witness.

3.5 Developmental behavior, ambiguity, and dependency

ID	File	Short name	Function
CCDP-CDAP	Child_Dependency_Audit_Profile_v0_1.md	Dependency Audit	Dependency, oracle-addiction, overpresence, exclusive attachment risk.
CCDP-CCQ	Child_cq_Signal_Profile_v0_1.md	Child c[q]	Non-collapse profile for ambiguous child signals.

4. Recommended reading order

4.1 Minimal reader path

For a reader who needs to understand the package quickly:

1. CCDP_Package_Index_and_Reading_Order_v0_1.md
2. CCDP_v0_1_R_Corpus_Aligned.md
3. CCDP_Traceability_Matrix_v0_1.md
4. CCDP_Threat_Model_v0_1.md
5. Soft_Safety_State_Signaling_Profile_v0_1.md
6. Child_Beacon_Extension_v0_1.md
7. Guardian_Topology_ARL_Matrix_v0_1.md
8. Child_Memory_and_Adult_Migration_v0_1.md
9. CCDP_Red_Black_Escalation_Profile_v0_1.md
10. CCDP_Jurisdictional_Handoff_Notes_v0_1.md

4.2 Full protocol reading order

For a technical / architectural reader:

- A. Package control
 01. CCDP_Package_Index_and_Reading_Order_v0_1.md
 02. CCDP_v0_1_R_Corpus_Aligned.md
 03. CCDP_Traceability_Matrix_v0_1.md
 04. CCDP_Threat_Model_v0_1.md
 05. CCDP_Conformance_Test_Matrix_v0_1.md
- B. Recognition and synthetic-world entry
 06. Child_Beacon_Extension_v0_1.md
 07. External_Agent_Handshake_for_CCDP_v0_1.md
 08. Child_Physical_Agent_Perimeter_v0_1.md
 09. Peer_C_Child_Exchange_Profile_v0_1.md

- 10. Child_Experience_Exchange_Profile_v0_1.md
- C. Safety, guardian topology, and institutional access
 - 11. Soft_Safety_State_Signaling_Profile_v0_1.md
 - 12. Guardian_Topology_ARL_Matrix_v0_1.md
 - 13. CCDP_Red_Black_Escalation_Profile_v0_1.md
 - 14. CCDP_School_Interface_Profile_v0_1.md
 - 15. CCDP_Jurisdictional_Handoff_Notes_v0_1.md
- D. Memory, witness, and adult migration
 - 16. Child_Memory_and_Adult_Migration_v0_1.md
 - 17. CCDP_Memory_Map_JSON_Schema_v0_1.md
 - 18. CCDP_Witness_Event_Schema_v0_1.md
 - 19. CCDP_Sealed_Zone_Profile_v0_1.md
 - 20. CCDP_Adult_Migration_Checklist_v0_1.md
- E. Developmental risk and ambiguity
 - 21. Child_Dependency_Audit_Profile_v0_1.md
 - 22. Child_cq_Signal_Profile_v0_1.md

4.3 Implementation / conformance reading order

For implementers and auditors:

- 1. CCDP_Conformance_Test_Matrix_v0_1.md
- 2. CCDP_Witness_Event_Schema_v0_1.md
- 3. CCDP_Memory_Map_JSON_Schema_v0_1.md
- 4. Child_Beacon_Extension_v0_1.md
- 5. External_Agent_Handshake_for_CCDP_v0_1.md
- 6. Soft_Safety_State_Signaling_Profile_v0_1.md
- 7. Guardian_Topology_ARL_Matrix_v0_1.md
- 8. CCDP_Red_Black_Escalation_Profile_v0_1.md
- 9. Child_Memory_and_Adult_Migration_v0_1.md
- 10. CCDP_Adult_Migration_Checklist_v0_1.md

4.4 School / institutional reading order

- 1. CCDP_v0_1_R_Corpus_Aligned.md
- 2. Soft_Safety_State_Signaling_Profile_v0_1.md
- 3. CCDP_School_Interface_Profile_v0_1.md
- 4. Guardian_Topology_ARL_Matrix_v0_1.md
- 5. CCDP_Red_Black_Escalation_Profile_v0_1.md
- 6. CCDP_Jurisdictional_Handoff_Notes_v0_1.md
- 7. CCDP_Conformance_Test_Matrix_v0_1.md

4.5 Parent / guardian reading order

- 1. CCDP_v0_1_R_Corpus_Aligned.md
- 2. Soft_Safety_State_Signaling_Profile_v0_1.md
- 3. Child_Dependency_Audit_Profile_v0_1.md
- 4. CCDP_Sealed_Zone_Profile_v0_1.md
- 5. Child_Memory_and_Adult_Migration_v0_1.md
- 6. CCDP_Red_Black_Escalation_Profile_v0_1.md
- 7. CCDP_Adult_Migration_Checklist_v0_1.md

5. Dependency graph

5.1 High-level graph

```

c = a + b / L4
-> SER / SER-FED
  -> Beacon Profile
  -> AGL
  -> ARL
  -> ARQ / c[q]
  -> VXCX / LA / EA / EATP
  -> Continuity Bundle / Cold Wake
  -> L4 Witness
    -> CCDP_v0_1_R_Corpus_Aligned

```

```

-> Traceability Matrix
-> Threat Model
-> Child Beacon Extension
-> Soft Safety State Signaling
-> Guardian Topology / ARL Matrix
-> Child Memory and Adult Migration
-> Witness Event Schema
-> Memory Map JSON Schema
-> Conformance Test Matrix
-> Adult Migration Checklist
-> Sealed Zone Profile
-> Dependency Audit Profile
-> Physical Agent Perimeter
-> External Agent Handshake
-> Peer-c Child Exchange
-> Child Experience Exchange
-> Child c[q] Signal Profile
-> School Interface Profile
-> Red / Black Escalation Profile
-> Jurisdictional Handoff Notes
-> Package Index

```

5.2 Operational sequence for external contact

```

External claimant
-> AGL grounding
-> Beacon recognition
-> CBE child-specific permission overlay
-> External Agent Handshake
-> c_child gateway
-> maturity / Soft Safety / dependency / physical perimeter checks
-> ARL if disputed
-> L4-compatible CCDP witness event
-> allow / mediate / sandbox / block / quarantine / escalate

```

5.3 Operational sequence for memory and adult migration

```

c_child memory operation
-> CMAM memory class
-> Memory Map entry
-> Sealed Zone / dependency / c[q] check where applicable
-> Witness Event if privileged
-> ARL if disputed
-> Adult Migration Checklist at legal / developmental boundary
-> Continuity Bundle / fork / seal / clean start / witness-only residue

```

5.4 Operational sequence for urgent safety

```

child signal / external threat / physical event
-> c[q] unless delay increases danger
-> Soft Safety state
-> safe guardian route check
-> Red if safe route exists
-> Black if ordinary guardian route may be unsafe
-> minimal disclosure package
-> witness boundary event
-> post-event ARL review
-> Memory Map update

```

6. Public / technical / sensitive split

6.1 Public layer

Suitable for publication as conceptual / architectural material:

- CCDP_v0_1_R_Corpus_Aligned.md
- CCDP_Package_Index_and_Reading_Order_v0_1.md

- Child_Beacon_Extension_v0_1.md with sensitive examples reviewed
- Soft_Safety_State_Signaling_Profile_v0_1.md with sensitive examples reviewed
- Child_Memory_and_Adult_Migration_v0_1.md
- CCDP_School_Interface_Profile_v0_1.md
- CCDP_Jurisdictional_Handoff_Notes_v0_1.md

6.2 Technical layer

For engineers, auditors, and protocol reviewers:

- CCDP_Traceability_Matrix_v0_1.md
- CCDP_Conformance_Test_Matrix_v0_1.md
- CCDP_Witness_Event_Schema_v0_1.md
- CCDP_Memory_Map_JSON_Schema_v0_1.md
- External_Agent_Handshake_for_CCDP_v0_1.md
- Child_Physical_Agent_Perimeter_v0_1.md
- Peer_C_Child_Exchange_Profile_v0_1.md
- Child_Experience_Exchange_Profile_v0_1.md
- CCDP_Adult_Migration_Checklist_v0_1.md

6.3 Sensitive / controlled-publication layer

Should be published only with careful review, redaction, or abuse-case sanitization:

- CCDP_Threat_Model_v0_1.md
- Guardian_Topology_ARL_Matrix_v0_1.md
- CCDP_Red_Black_Escalation_Profile_v0_1.md
- CCDP_Sealed_Zone_Profile_v0_1.md
- Child_Dependency_Audit_Profile_v0_1.md
- Child_cq_Signal_Profile_v0_1.md

Reason:

These documents contain sensitive abuse patterns, unsafe-guardian routing, dependency patterns, sealed-zone behavior, and crisis-handling logic.
They are important, but they should not become a misuse guide.

7. Known tensions and v0.1.1 patch register

This package has no known critical contradiction at the load-bearing level, but it has known tensions that should be fixed before a clean release.

KT-001 — obsolete draft discoverability

Issue: CCDP%20v0_1.md remains visible and may be mistaken for canonical. **Severity:** Medium.

Fix: Move to archive/obsolete/ and add OBSOLETE / NON-CANONICAL header.

KT-002 — Traceability Matrix needs refresh

Issue: Traceability Matrix predates later modules. **Severity:** Medium. **Fix:** Produce CCDP_Traceability_Matrix_v0_1_1.md or add an appendix listing all later modules.

KT-003 — Conformance Matrix needs refresh

Issue: Conformance Matrix predates some late profiles and should explicitly map them. **Severity:** Medium. **Fix:** Produce CCDP_Conformance_Test_Matrix_v0_1_1.md with references to Red/Black, CJHN, CCQ, CEXP, EAH, CPAP, PCX.

KT-004 — precedence hierarchy wording differs across documents

Issue: Different documents state precedence in compatible but non-identical words. **Severity:** Medium. **Canonical master rule:**

1. Immediate physical safety and lawful emergency duty.
2. Jurisdictional mandatory obligations / competent authority.
3. Parent corpus semantics: Beacon, AGL, ARL, VXCX, L4 Witness, Continuity Bundle.
4. CCDP child-specific stricter restrictions may narrow privileges, but may not weaken parent layers.
5. Minimal disclosure and state-not-content apply wherever possible.
6. If unresolved: hold c[q], fail closed, preserve witness, route to ARL / jurisdictional handoff.

KT-005 — clean start must not imply unlawful erasure

Issue: “Clean start” may be misread as deletion of all traces, including lawful witness records. **Severity:** Medium. **Fix:** Add across CMAM / AMCL / Memory Map:

Clean start means clean active adult continuity.
It does not mean unlawful erasure of minimal witness, legal, protection, or integrity records.

KT-006 — term collision: C-levels

Issue: C0–C5, CCDP-0...5, and C-A4/C-A7/C-A10 may confuse readers. **Severity:** Low-medium. **Fix:** Glossary must distinguish:

Child maturity level: CM0–CM5 or CCDP maturity C0–C5
CCDP conformance class: CCDP-0...CCDP-5
Assertion class: C-A1...C-A10

KT-007 — raw evidence exception should be canonicalized

Issue: Raw evidence exception appears in multiple documents. **Severity:** Medium. **Fix:** Canonicalize in CCDP_Witness_Event_Schema_v0_1.md and reference it elsewhere.

KT-008 — Soft Safety MAY/MUST threshold clarification

Issue: Soft Safety says c_child MAY signal attention; for Red/Black thresholds routing should be mandatory. **Severity:** Medium. **Fix:** Add:

For Red / Black thresholds, c_child MUST route or escalate according to the Red / Black Escalation Profile.

8. Release boundary for v0.1

8.1 What v0.1 is

CCDP v0.1 is:

- a research protocol pack;
- a child-facing profile over a broader AGI / SER / L4 corpus;
- an architectural and governance proposal;
- a modular safety protocol family;
- a corpus-aligned draft suitable for critique, review, and controlled publication.

8.2 What v0.1 is not

CCDP v0.1 is not:

- legal advice;

- a certified child-protection system;
- a medical or therapeutic protocol;
- a psychological diagnosis framework;
- a vendor certification by itself;
- a government compliance guarantee;
- a school policy ready for deployment without jurisdictional review;
- an implementation specification complete enough for production.

8.3 Minimum release package

A minimal v0.1 release should include:

```
CCDP_Package_Index_and_Reading_Order_v0_1.md
CCDP_v0_1_R_Corpus_Aligned.md
CCDP_Traceability_Matrix_v0_1.md
CCDP_Threat_Model_v0_1.md
Child_Beacon_Extension_v0_1.md
Soft_Safety_State_Signaling_Profile_v0_1.md
Guardian_Topology_ARL_Matrix_v0_1.md
Child_Memory_and_Adult_Migration_v0_1.md
CCDP_Witness_Event_Schema_v0_1.md
CCDP_Memory_Map_JSON_Schema_v0_1.md
CCDP_Conformance_Test_Matrix_v0_1.md
CCDP_Jurisdictional_Handoff_Notes_v0_1.md
```

A full v0.1 release should include all canonical files listed in Section 3.

9. Required future files

9.1 Near-term package hygiene

```
CCDP_Glossary_v0_1.md
CCDP_Contradiction_Register_v0_1.md
CCDP_CHANGELOG_v0_1.md
CCDP_SHA256SUMS
CCDP_RELEASE_NOTES_v0_1.md
CCDP_PUBLIC_SUMMARY_v0_1.md
```

9.2 Specialist review notes

```
CCDP_Developmental_Psychology_Review_Notes_v0_1.md
CCDP_Legal_Review_Questions_EU_BE_v0_1.md
CCDP_Red_Team_Playbook_v0_1.md
CCDP_Public_Private_Sensitive_Split_v0_1.md
```

9.3 Implementation support

```
CCDP_Implementation_Gap_Assessment_Checklist_v0_1.md
CCDP_Vendor_Conformance_Guide_v0_1.md
CCDP_Parent_Guide_v0_1.md
CCDP_School_Guide_v0_1.md
```

10. Acceptance checklist for package integrity

Before publication or repository integration, the package SHOULD pass this checklist.

Check	Required state
Canonical root identified	CCDP_v0_1_R_Corpus_Aligned.md

Check	Required state
Old draft isolated	CCDP%20v0_1.md marked obsolete or archived
Reading order present	This file
Parent corpus dependencies listed	Root + Traceability
No new Beacon semantics	CBE remains overlay
No new ARL court	GTARL remains ARL-compatible matrix
No raw child life default	CMAM / Memory Map / Witness / CEXP / PCX / CPAP
Soft Safety formalized	SSS profile
Red/Black separated	RB profile
Adult migration explicit	CMAM + AMCL
Conformance tests present	CTM
Witness schema present	CWE
Jurisdictional boundary present	CJHN
Known tensions recorded	Section 7
Public / technical / sensitive split defined	Section 6
SHA-256 manifest generated	pending release packaging

11. One-page map

```

If you want the idea:
  CCDP_v0_1_R_Corpus_Aligned.md
If you want the dependency proof:
  CCDP_Traceability_Matrix_v0_1.md
If you want what can go wrong:
  CCDP_Threat_Model_v0_1.md
If you want external-entry rules:
  Child_Beacon_Extension_v0_1.md
  External_Agent_Handshake_for_CCDP_v0_1.md
If you want parent/school/vendor/state boundaries:
  Soft_Safety_State_Signaling_Profile_v0_1.md
  Guardian_Topology_ARL_Matrix_v0_1.md
  CCDP_School_Interface_Profile_v0_1.md
  CCDP_Jurisdictional_Handoff_Notes_v0_1.md
If you want crisis routing:
  CCDP_Red_Black_Escalation_Profile_v0_1.md
If you want memory and adulthood:
  Child_Memory_and_Adult_Migration_v0_1.md
  CCDP_Memory_Map_JSON_Schema_v0_1.md
  CCDP_Adult_Migration_Checklist_v0_1.md
  CCDP_Sealed_Zone_Profile_v0_1.md
If you want proof and testing:
  CCDP_Witness_Event_Schema_v0_1.md
  CCDP_Conformance_Test_Matrix_v0_1.md
If you want embodied / social / experience surfaces:
  Child_Physical_Agent_Perimeter_v0_1.md
  Peer_C_Child_Exchange_Profile_v0_1.md
  Child_Experience_Exchange_Profile_v0_1.md
If you want developmental ambiguity and dependency:
  Child_cq_Signal_Profile_v0_1.md
  Child_Dependency_Audit_Profile_v0_1.md

```

12. Closing note

This package is intentionally cautious.

A child-facing c is not a toy, not a product add-on, not a parent dashboard, not a school scoring tool, and not a state instrument.

It is a protected developmental presence.

The package therefore treats child-facing AI not as an application class, but as an institutional boundary problem:

recognition without registry;
safety without surveillance;
privacy without abandonment;
memory without destiny;
continuity without ownership;
protection without capture.