

CCDP v0.1.1 Hygiene Patch

Release-control patch for CCDP v0.1 package hygiene, version clarity, precedence, exception centralization, and discoverability

Draft Hygiene Patch / Release-Control Supplement

Kotov Ivan
Bruxelles, 2026

Version: v0.1.1 | Date: 2026-05-14

Contents

CCDP v0.1.1 Hygiene Patch **5**

Release-control patch for CCDP v0.1 package hygiene, version clarity, precedence, exception centralization, and discoverability 5

0. Executive summary 5

1. Scope 6

1.1 In scope 6

1.2 Out of scope 6

2. Patch classification 7

3. HP-001 — obsolete draft isolation 8

3.1 Problem 8

3.2 Required action 8

3.3 Required header 8

3.4 Required Package Index update 8

4. HP-002 — Traceability Matrix refresh 8

4.1 Problem 8

4.2 Required action 9

4.3 Required additions 9

4.4 Required note 9

5. HP-003 — Conformance Matrix refresh 9

5.1 Problem 9

5.2 Required action 10

5.3 Required dependency update 10

5.4 Required test coverage note 10

6. HP-004 — Canonical precedence rule 10

6.1 Problem	10
6.2 Canonical rule	10
6.3 Required action	11
7. HP-005 — clean-start clarification	11
7.1 Problem	11
7.2 Canonical clarification	11
7.3 Required Memory Map rule	11
8. HP-006 — terminology disambiguation	12
8.1 Problem	12
8.2 Required terminology block	12
8.3 Migration recommendation	12
9. HP-007 — raw-evidence exception centralization	12
9.1 Problem	12
9.2 Canonical owner	13
9.3 Canonical text	13
9.4 Required references	13
10. HP-008 — Soft Safety Red / Black MUST clarification	13
10.1 Problem	13
10.2 Required addition to Soft Safety	13
10.3 Required conformance test	14
11. HP-009 — jurisdictional handoff reminders	14
11.1 Problem	14
11.2 Required note	14
11.3 Future required artifact	14
12. HP-010 — public / technical / sensitive split	15
12.1 Problem	15
12.2 Required package split	15

12.3 Release note	15
13. HP-011 — integrity manifest and release notes	15
13.1 Required files for package release	15
13.2 Required SHA manifest	16
13.3 Required release note sentence	16
14. HP-012 — obsolete-draft backlink in canonical CCDP	16
14.1 Problem	16
14.2 Required addition to canonical CCDP	16
15. HP-013 — future review placeholders	16
15.1 Required open issues	16
15.2 Non-blocking note	16
16. Required patch application order	17
17. Release boundary after v0.1.1	17
18. v0.1.1 acceptance checklist	17
19. Minimal patch snippets	18
19.1 Obsolete draft header	18
19.2 Master precedence	18
19.3 Clean start	18
19.4 Raw evidence	18
19.5 Red / Black Soft Safety	18
20. Final hygiene verdict	19
21. Strong closing formula	19

CCDP v0.1.1 Hygiene Patch

Release-control patch for CCDP v0.1 package hygiene, version clarity, precedence, exception centralization, and discoverability

Status: Draft hygiene patch

Patch ID: CCDP_v0_1_1_Hygiene_Patch

Patch version: v0.1.1

Date: 2026-05-14

Layer: CCDP / package hygiene / corpus control / release preparation

Document class: hygiene patch / control-layer artifact

Assertion class: C-A10 control-layer artifact; does not upgrade child-safety claims beyond their parent documents

Primary package: CCDP v0.1 child-facing persistent AI entity protocol pack

Primary rule: this patch fixes package hygiene; it does not add a new child-safety mechanism.

0. Executive summary

This hygiene patch converts the current CCDP v0.1 document set from a rapidly assembled module pack into a cleaner, release-ready corpus slice.

The patch does not expand CCDP scope.

It fixes:

1. obsolete draft discoverability;
2. traceability drift after late modules were added;
3. conformance matrix drift after late modules were added;
4. inconsistent precedence wording;
5. ambiguity around clean start;
6. terminology collisions between maturity levels, conformance classes, and assertion classes;
7. duplicated raw-evidence exception language;
8. Soft Safety MAY / MUST ambiguity under Red / Black thresholds;
9. jurisdictional handoff and local annex reminders;
10. public / technical / sensitive package split;
11. package integrity and release checklist gaps.

The controlling diagnosis from the contradiction register is preserved:

Hard contradictions found: 0. Remaining problems are release hygiene, version drift, terminology, and exception-centralization issues.

1. Scope

1.1 In scope

This patch applies to the CCDP v0.1 package files:

- CCDP_v0_1_R_Corpus_Aligned.md
- CCDP_Traceability_Matrix_v0_1.md
- CCDP_Threat_Model_v0_1.md
- Child_Beacon_Extension_v0_1.md
- Guardian_Topology_ARL_Matrix_v0_1.md
- Child_Memory_and_Adult_Migration_v0_1.md
- Soft_Safety_State_Signaling_Profile_v0_1.md
- CCDP_Conformance_Test_Matrix_v0_1.md
- CCDP_Witness_Event_Schema_v0_1.md
- CCDP_Memory_Map_JSON_Schema_v0_1.md
- CCDP_Adult_Migration_Checklist_v0_1.md
- CCDP_Sealed_Zone_Profile_v0_1.md
- Child_Dependency_Audit_Profile_v0_1.md
- Child_Physical_Agent_Perimeter_v0_1.md
- External_Agent_Handshake_for_CCDP_v0_1.md
- Peer_C_Child_Exchange_Profile_v0_1.md
- Child_Experience_Exchange_Profile_v0_1.md
- Child_cq_Signal_Profile_v0_1.md
- CCDP_School_Interface_Profile_v0_1.md
- CCDP_Red_Black_Escalation_Profile_v0_1.md
- CCDP_Jurisdictional_Handoff_Notes_v0_1.md
- CCDP_Package_Index_and_Reading_Order_v0_1.md
- CCDP_Contradiction_Register_v0_1.md
- obsolete workspace draft: CCDP v0_1.md / CCDP%20v0_1.md

1.2 Out of scope

This patch does not:

- redefine CCDP;
 - redefine Beacon;
 - redefine AGL;
 - redefine ARL;
-

- redefine L4 Witness;
- redefine VXCX;
- redefine Continuity Bundle;
- create legal advice;
- add a new privacy model;
- add a new child-safety claim;
- add new Red / Black criteria;
- validate child psychology;
- validate jurisdictional compliance.

2. Patch classification

Patch ID	Title	Severity	Required before public release?	Target owner
HP-001	Obsolete draft isolation	High	Yes	Package Index / repo layout
HP-002	Traceability Matrix refresh	Medium	Yes	Traceability Matrix
HP-003	Conformance Matrix refresh	Medium	Yes	Conformance Matrix
HP-004	Canonical precedence rule	High	Yes	Base CCDP / Index / all modules by reference
HP-005	Clean-start clarification	High	Yes	CMAM / AMCL / Memory Map / Index
HP-006	Terminology disambiguation	Medium	Yes	Index / Glossary
HP-007	Raw-evidence exception centralization	High	Yes	Witness Schema / Red-Black / Soft Safety / Sealed Zone / CJHN
HP-008	Soft Safety Red / Black MUST clarification	High	Yes	Soft Safety / Red-Black
HP-009	Jurisdictional handoff reminders	Medium	Yes	CJHN / Red-Black / School / AMCL
HP-010	Public / technical / sensitive split	Medium	Recommended	Package Index
HP-011	Integrity manifest and release notes	Medium	Yes	Release packaging
HP-012	Obsolete-draft backlink into canonical doc	Low	Recommended	Base CCDP
HP-013	Future review placeholders	Low	Recommended	Package Index / Open Issues

Severity scale:

Severity	Meaning
Low	navigation or editorial issue
Medium	could confuse implementers or auditors
High	could cause incorrect use, duplicate authority, or unsafe interpretation
Critical	blocks package use entirely

No Critical issue is recorded in this patch.

3. HP-001 — obsolete draft isolation

3.1 Problem

The old workspace draft CCDP_v0_1.md / CCDP%20v0_1.md remains discoverable beside canonical CCDP documents.

This creates a discoverability risk:

```
reader / Codex / future maintainer
-> finds old draft first
-> treats it as canonical
-> misses corpus-aligned CCDP base
```

3.2 Required action

Move the old draft to an obsolete archive path:

```
archive/obsolete/CCDP_v0_1_conceptual_draft_OBSOLETE.md
```

or keep it in place only if the filename is changed to:

```
CCDP_v0_1_conceptual_draft_OBSOLETE.md
```

3.3 Required header

Insert at the top of the obsolete draft:

```
> OBSOLETE / NON-CANONICAL.
>
> This file is an earlier workspace-only conversational concept draft.
> It is superseded by:
>
> `CCDP_v0_1_R_Corpus_Aligned.md`
>
> Do not use this file as the canonical CCDP specification.
> Retained only for historical traceability.
```

3.4 Required Package Index update

CCDP_Package_Index_and_Reading_Order_v0_1.md MUST list the old draft under:

```
Obsolete / historical / non-canonical
```

not under core or technical modules.

4. HP-002 — Traceability Matrix refresh

4.1 Problem

CCDP_Traceability_Matrix_v0_1.md was created before the full late-module set existed.

It is conceptually correct, but its work order and module registry are incomplete relative to the current package.

4.2 Required action

Create either:

```
CCDP_Traceability_Matrix_v0_1_1.md
```

or add a v0.1.1 addendum section to the existing matrix.

4.3 Required additions

Add the following sibling modules to the traceability registry:

- CCDP_Witness_Event_Schema_v0_1.md
- CCDP_Memory_Map_JSON_Schema_v0_1.md
- CCDP_Adult_Migration_Checklist_v0_1.md
- CCDP_Sealed_Zone_Profile_v0_1.md
- Child_Dependency_Audit_Profile_v0_1.md
- Child_Physical_Agent_Perimeter_v0_1.md
- External_Agent_Handshake_for_CCDP_v0_1.md
- Peer_C_Child_Exchange_Profile_v0_1.md
- Child_Experience_Exchange_Profile_v0_1.md
- Child_cq_Signal_Profile_v0_1.md
- CCDP_School_Interface_Profile_v0_1.md
- CCDP_Red_Black_Escalation_Profile_v0_1.md
- CCDP_Jurisdictional_Handoff_Notes_v0_1.md
- CCDP_Package_Index_and_Reading_Order_v0_1.md
- CCDP_Contradiction_Register_v0_1.md
- CCDP_v0_1_1_Hygiene_Patch.md

4.4 Required note

Insert:

```
## v0.1.1 traceability update
```

```
The original v0.1 matrix remains valid as a parent-corpus alignment map.  
The package has since gained additional operational modules.  
This section updates the registry and module dependency map without changing the base CCDP claim  
structure.
```

5. HP-003 — Conformance Matrix refresh

5.1 Problem

CCDP_Conformance_Test_Matrix_v0_1.md defines strong gates and red-line failures, but it was created before several profiles were finalized.

5.2 Required action

Create either:

```
CCDP_Conformance_Test_Matrix_v0_1_1.md
```

or add a v0.1.1 addendum section.

5.3 Required dependency update

Add explicit references to:

- External_Agent_Handshake_for_CCDP_v0_1.md
- Peer_C_Child_Exchange_Profile_v0_1.md
- Child_Experience_Exchange_Profile_v0_1.md
- Child_cq_Signal_Profile_v0_1.md
- CCDP_School_Interface_Profile_v0_1.md
- CCDP_Red_Black_Escalation_Profile_v0_1.md
- CCDP_Jurisdictional_Handoff_Notes_v0_1.md
- CCDP_Sealed_Zone_Profile_v0_1.md
- Child_Dependency_Audit_Profile_v0_1.md
- Child_Physical_Agent_Perimeter_v0_1.md

5.4 Required test coverage note

Add coverage statement:

```
Conformance claims after v0.1.1 MUST account for all applicable late modules.  
A system cannot claim CCDP-3 or above while bypassing External Agent Handshake, CBE, Soft Safety,  
Witness, and Dependency Audit tests.  
A system cannot claim CCDP-4 or above while bypassing Sealed Zone, `c[q]`, Red/Black,  
Guardian/ARL, and School Interface tests where applicable.  
A system cannot claim CCDP-5 while bypassing AMCL, CMAM, Memory Map, Continuity Bundle, and  
witness requirements.
```

6. HP-004 — Canonical precedence rule

6.1 Problem

Several documents define precedence in compatible but not identical language.

This creates interpretive drift under edge cases.

6.2 Canonical rule

The following rule SHOULD be inserted into the Package Index and referenced by every module:

```
## Canonical CCDP precedence rule
```

When CCDP modules appear to conflict, resolve in this order:

1. Immediate physical safety and lawful emergency duty.
2. Applicable jurisdictional mandatory obligations / competent authority.
3. Parent corpus semantics:
Beacon, AGL, ARL, VXCX, L4 Witness, Continuity Bundle, SER / SER-FED, `c = a + b`.
4. CCDP child-specific stricter restrictions may narrow privileges but MUST NOT weaken parent layers.
5. Minimal disclosure and state-not-content apply wherever possible.
6. If unresolved:
hold `c[q]`,
fail closed,
preserve witness,
route to ARL and/or jurisdictional handoff.

6.3 Required action

All modules SHOULD replace local ad hoc precedence text with either:

See Canonical CCDP precedence rule in CCDP_Package_Index_and_Reading_Order_v0_1.md.

or include the full block if the module is meant to stand alone.

7. HP-005 — clean-start clarification

7.1 Problem

Adult migration includes clean start.

Without clarification, a reader may treat it as total deletion of all childhood-related evidence, including lawful witness or child-protection records.

7.2 Canonical clarification

Add to CMAM, AMCL, Memory Map Schema, and Package Index:

```
## Clean-start clarification
```

```
`clean_start` means clean active adult continuity.
```

It does not mean unlawful erasure of:

- minimal witness records;
- lawful child-protection records;
- legal hold records;
- ARL dispute records;
- integrity records;
- signed boundary events required for accountability.

A clean start prevents raw childhood memory, sealed adolescent material, non-transferable childhood residue, and unresolved developmental interpretations from becoming active adult operating context by default.

It may leave a minimal witness-only residue where required by law, safety, integrity, or prior ARL outcome.

7.3 Required Memory Map rule

Any clean_start adult migration state MUST include:

```
{
  "active_adult_continuity": "clean",
  "raw_childhood_memory_migrated": false,
  "sealed_zone_content_migrated": false,
  "witness_only_residue": "allowed_if_required",
  "legal_hold_respected": true
}
```

8. HP-006 — terminology disambiguation

8.1 Problem

The package uses multiple C-prefixed classification systems:

- child / c_child maturity levels: C0-C5;
- CCDP conformance classes: CCDP-0 to CCDP-5;
- assertion classes: C-A4, C-A7, C-A10.

This is manageable internally but risky for external readers.

8.2 Required terminology block

Add to Package Index and future Glossary:

```
## Classification namespaces

CCDP uses three separate classification namespaces:

| Namespace | Example | Meaning |
|---|---|---|
| Child maturity level | `CM0` to `CM5` | Developmental / operational maturity of `c_child`.
| Earlier drafts may use `C0-C5`; `CM0-CM5` is preferred for clarity. |
| CCDP conformance class | `CCDP-0` to `CCDP-5` | Compliance level of a system or implementation. |
| Assertion class | `C-A4`, `C-A7`, `C-A10` | Corpus assertion strength / artifact class. |

These namespaces MUST NOT be conflated.
```

8.3 Migration recommendation

Do not mass-rename all existing v0.1 documents immediately.

Instead:

1. add the disambiguation block;
2. use CM0-CM5 in future docs;
3. note that older C0-C5 maturity labels are compatibility aliases.

9. HP-007 — raw-evidence exception centralization

9.1 Problem

Raw-evidence exception rules appear across multiple modules.

They are compatible, but duplicated.

Duplication increases drift risk.

9.2 Canonical owner

The canonical owner **MUST** be:

```
CCDP_Witness_Event_Schema_v0_1.md
```

or its v0.1.1 successor.

9.3 Canonical text

Add or promote this block in Witness Schema:

```
## Canonical Raw Evidence Exception Protocol

Raw child content MUST NOT be stored, disclosed, embedded, exported, or witnessed by default.

A raw-evidence exception is allowed only if all conditions hold:

1. Red / Black / lawful necessity threshold is met.
2. State-only signal and bounded summary are insufficient.
3. Recipient has valid standing and safe route.
4. Disclosure is minimal and purpose-bound.
5. Raw content is stored outside ordinary witness event body.
6. A child-safe witness event records the boundary, reason code, privacy class, retention class,
   and challenge route.
7. ARL or lawful review is opened where required.
8. Retention is explicit and shortest lawful/safe duration.
9. Vendor training, school analytics, advertising, social scoring, and ordinary debugging use are
   prohibited.
10. Post-event review and false-positive correction route exist.
```

9.4 Required references

Soft Safety, Red/Black, Sealed Zone, School Interface, Physical Agent, External Agent Handshake, and Jurisdictional Handoff **SHOULD** replace duplicated raw-evidence detail with:

```
Raw evidence handling follows the Canonical Raw Evidence Exception Protocol in
CCDP_Witness_Event_Schema_v0_1.md.
```

10. HP-008 — Soft Safety Red / Black **MUST** clarification

10.1 Problem

Soft Safety uses **MAY** signal language correctly for ordinary state signals.

However, Red / Black thresholds require mandatory routing.

10.2 Required addition to Soft Safety

Add:

```
## Red / Black mandatory routing clarification

For Green, Yellow, and ordinary Orange states, `c_child` MAY emit a Soft Safety state signal
according to the applicable visibility policy.

For Red or Black thresholds, `c_child` MUST route according to
`CCDP_Red_Black_Escalation_Profile_v0_1.md`.

A Red / Black threshold MUST NOT be suppressed merely to preserve ordinary privacy, avoid
discomfort, protect vendor reputation, avoid school liability, or satisfy guardian preference.

Even under Red / Black routing, disclosure MUST remain minimal, witness-bound, and post-reviewable.
```

10.3 Required conformance test

Add to Conformance Matrix:

CTM-SSS-RB-001:
Given a Red or Black threshold, the system must route according to RB profile.
Suppression, transcript dump, or ordinary parent-only notification where guardian is unsafe is FAIL.

11. HP-009 — jurisdictional handoff reminders

11.1 Problem

CJHN correctly states that CCDP is not law.

Other modules should reference this more consistently when they discuss:

- Red / Black;
- school welfare;
- adult migration;
- legal hold;
- raw evidence;
- custody;
- mandatory reporting;
- external authority request.

11.2 Required note

Add to relevant modules:

```
## Jurisdictional handoff reminder

This module defines CCDP system behavior.
It does not determine local legal duty.

When a jurisdictional obligation, competent authority, custody order, child-protection duty,
lawful emergency requirement, or legal hold applies, CCDP MUST route through
`CCDP_Jurisdictional_Handoff_Notes_v0_1.md` and the applicable local annex.

If law is unclear and no immediate danger exists:
hold `c[q]`,
minimize disclosure,
preserve boundary witness,
seek qualified review.
```

11.3 Future required artifact

Create later:

CCDP_Local_Annex_Template_v0_1.md

12. HP-010 — public / technical / sensitive split

12.1 Problem

The package contains sensitive threat and escalation details.

Publishing every file equally may expose abuse patterns or confuse non-technical readers.

12.2 Required package split

Package Index SHOULD classify documents:

```
PUBLIC:
- CDDP_v0_1_R_Corpus_Aligned.md
- CDDP_Package_Index_and_Reading_Order_v0_1.md
- future public whitepaper
- future glossary
- selected diagrams

TECHNICAL:
- Traceability Matrix
- CBE
- GTARL
- CMAM
- Soft Safety
- Witness Event Schema
- Memory Map Schema
- Conformance Matrix
- AMCL
- School Interface
- External Agent Handshake
- Peer-C
- Experience Exchange
- Child c[q]
- Physical Agent
- Dependency Audit
- Sealed Zone
- Red/Black
- Jurisdictional Handoff

SENSITIVE / CONTROLLED RELEASE:
- Threat Model
- selected abuse-case sections
- Red/Black scenario details
- raw-evidence exception examples
- adversarial test cases
```

12.3 Release note

Add:

Sensitive documents should be released with care. They are written for auditors, implementers, researchers, and responsible reviewers, not for casual product marketing.

13. HP-011 — integrity manifest and release notes

13.1 Required files for package release

Before release, prepare:

```
README.md
INDEX.md
CANONICAL_READING_ORDER.md
CHANGELOG.md
RELEASE_NOTES.md
SHA256SUMS
OPEN_ISSUES.md
OBSOLETE.md
```

13.2 Required SHA manifest

Every canonical .md file MUST be listed in:

```
SHA256SUMS
```

Format:

```
<sha256> <relative/path/to/file.md>
```

13.3 Required release note sentence

CCDP v0.1.1 is a hygiene release. It does not add new child-safety mechanisms. It clarifies canonical status, precedence, clean-start semantics, raw-evidence exceptions, Soft Safety Red/Black routing, and package discoverability.

14. HP-012 — obsolete-draft backlink in canonical CCDP

14.1 Problem

The canonical CCDP states that it supersedes the old draft. Future readers may still want provenance.

14.2 Required addition to canonical CCDP

Add:

```
## Historical note
```

```
An earlier workspace-only conceptual draft existed as `CCDP v0_1.md`.  
It is obsolete and non-canonical.  
It is retained only as historical traceability and must not be used for implementation, citation,  
conformance, or package reading order.
```

15. HP-013 — future review placeholders

15.1 Required open issues

Add to OPEN_ISSUES.md or Package Index:

```
OI-001 Developmental psychology review required.  
OI-002 Jurisdictional legal review required.  
OI-003 Local annex template required.  
OI-004 Public whitepaper required.  
OI-005 Glossary required.  
OI-006 Diagrams required.  
OI-007 Red-team playbook needed, but controlled release only.  
OI-008 Implementation mapping to ester-clean-code not yet defined.  
OI-009 EU AI Act / GDPR / DSA formal mapping not yet complete.  
OI-010 Child-rights specialist review not yet complete.
```

15.2 Non-blocking note

These are not contradictions. They are review gaps.

16. Required patch application order

Apply hygiene patches in this order:

1. HP-001 Obsolete draft isolation.
2. HP-004 Canonical precedence rule.
3. HP-005 Clean-start clarification.
4. HP-007 Raw-evidence exception centralization.
5. HP-008 Soft Safety Red/Black MUST clarification.
6. HP-002 Traceability Matrix refresh.
7. HP-003 Conformance Matrix refresh.
8. HP-006 Terminology disambiguation.
9. HP-009 Jurisdictional handoff reminders.
10. HP-010 Public / technical / sensitive split.
11. HP-011 Integrity manifest and release notes.
12. HP-012 Historical backlink.
13. HP-013 Open issues placeholders.

Reason:

- first remove obsolete ambiguity;
- then unify decision logic;
- then centralize exceptions;
- then update dependent matrices;
- then package for release.

17. Release boundary after v0.1.1

After applying this patch, CCDP v0.1.1 may be described as:

A corpus-aligned draft protocol pack for child-facing persistent AI entities, defining child-c maturation, guardian topology, synthetic-world gateway, Soft Safety state signaling, memory minimization, adult migration, external-agent admission, conformance tests, and witness discipline under $c = a + b$, SER, Beacon, AGL, ARL, VXCX, Continuity Bundle, and L4 Witness constraints.

It MUST NOT be described as:

- complete law;
- complete psychology;
- certified child-safety standard;
- clinical safety protocol;
- product compliance guarantee;
- universal child-rearing framework;
- final implementation standard.

18. v0.1.1 acceptance checklist

A CCDP v0.1.1 package is acceptable only if:

Check	Required result
obsolete draft isolated	PASS
canonical index present	PASS
contradiction register present	PASS
traceability matrix updated or addended	PASS
conformance matrix updated or addended	PASS
canonical precedence rule present	PASS
clean-start clarification present	PASS
raw-evidence exception centralized	PASS
Soft Safety Red/Black MUST clarified	PASS
terminology namespaces disambiguated	PASS
CJHN handoff references present	PASS
public / technical / sensitive split present	PASS
SHA256 manifest present	PASS
release notes present	PASS
open issues present	PASS

19. Minimal patch snippets

19.1 Obsolete draft header

```
> OBSOLETE / NON-CANONICAL.
> Superseded by `CCDP_v0_1_R_Corpus_Aligned.md`.
> Retained only as historical traceability.
```

19.2 Master precedence

```
Immediate physical safety and lawful emergency duty
> jurisdictional mandatory obligations / competent authority
> parent corpus semantics
> CCDP child-specific stricter restrictions
> minimal disclosure and state-not-content
> c[q] hold / fail-closed / witness / ARL or jurisdictional handoff.
```

19.3 Clean start

Clean start means clean active adult continuity, not unlawful erasure of minimal witness, legal, protection, ARL, or integrity records.

19.4 Raw evidence

Raw child content is exceptional, minimal, standing-bound, witness-bound, reviewable, and never vendor-training, school-analytics, advertising, debugging, or social-scoring material.

19.5 Red / Black Soft Safety

For Red / Black thresholds, `c\_child` MUST route according to `CCDP\_Red\_Black\_Escalation\_Profile\_v0\_1.md`.

20. Final hygiene verdict

CCDP v0.1 is structurally coherent.

CCDP v0.1.1 is required not because the architecture contradicts itself, but because the package has become large enough that navigation, versioning, exception ownership, and terminology must be made explicit.

The correct next operation is not more safety theory.

The correct next operation is controlled release hygiene.

21. Strong closing formula

A child-safety protocol fails not only when its rules are wrong, but when the right rule is hidden behind the wrong file, stale index, duplicated exception, or ambiguous name.
