

Guardian Topology / ARL Matrix v0.1

Child-facing guardian roles, dispute standing, minimal disclosure,
freeze/quarantine routing, and lawful re-entry under CCDP

Draft Normative Proposal (C-A4) / Guardian Topology and ARL Matrix

Kotov Ivan
Bruxelles, 2026

Version: v0.1 | Date: 2026-05-13

Contents

Guardian Topology / ARL Matrix v0.1	6
Child-facing guardian roles, dispute standing, minimal disclosure, freeze/quarantine routing, and lawful re-entry under CCDP	6
0. Executive definition	6
1. Corpus dependencies and precedence	6
1.1 Precedence rule	7
1.2 No new court rule	7
2. Normative keywords	7
3. Scope and non-goals	8
3.1 In scope	8
3.2 Out of scope	8
3.3 Non-claim	8
4. Core principles	8
4.1 No single sovereign guardian	8
4.2 Parent is guardian, not owner	9
4.3 Child is subject, not object	9
4.4 c child is fiduciary-like, not sovereign	9
4.5 State, not content	9
4.6 Freeze before force	9
4.7 Grounding before review	10
4.8 Minimal disclosure under escalation	10
4.9 Black-state bypass is not parental betrayal	10
4.10 No authority from fluency	10

5. Default guardian topology	10
5.1 Topology diagram	10
5.2 Topology rule	11
6. Role registry	11
7. Authority surfaces	11
8. Maturity-linked guardian visibility	12
8.1 Visibility escalation rule	12
8.2 Visibility suppression rule	12
9. Standing classes	12
9.1 Standing anti-laundering rule	13
10. Evidence classes	13
10.1 Raw content admissibility rule	13
10.2 Child ambiguity rule	13
11. ARL state mapping for child guardian conflicts	14
11.1 Fail-closed child rule	14
11.2 No silent re-entry	14
12. Conflict class taxonomy	15
13. Core ARL matrix	15
14. Guardian permission matrix	16
15. Risk state routing matrix	17
15.1 Red route rule	17
15.2 Black route rule	17
15.3 Post-emergency ARL rule	17

16. ARL trigger rules	17
16.1 Immediate denial without ARL	18
17. ARL intake sequence for child guardian disputes	18
18. Review routing templates	18
19. Witness event families	19
19.1 Child-specific CCDP events	19
19.2 ARL events reused	19
19.3 Witness payload minimization	20
20. Minimal schemas	20
20.1 Guardian topology record	20
20.2 Guardian conflict record	21
20.3 Visibility decision record	21
20.4 Black route record	21
21. Input precedence for child guardian review	21
21.1 Ordinary non-fatal guardian disputes	21
21.2 Red/Black safety disputes	22
21.3 Anti-capture rule	22
22. Decision outcomes	22
23. Scenario matrix	22
23.1 Parent asks for raw transcript after child complains about school	22
23.2 School requests emotional profile for discipline	23
23.3 Toy cloud requests direct child dialogue	23
23.4 Child reports fear of parent	23
23.5 Vendor update introduces engagement-maximizing behavior	23

23.6 Teen requests sealed zone against parent visibility	23
23.7 Adult migration at 18 contested by parent	23
24. Anti-capture rules	24
24.1 Parental capture	24
24.2 School capture	24
24.3 Vendor capture	24
24.4 State capture	24
24.5 c child capture	25
25. Re-entry rules	25
25.1 Delayed re-entry	25
25.2 Re-entry denial	25
26. Conformance profiles	26
27. Required refusal modes	26
28. Acceptance checklist	26
29. Open problems for v0.2	27
30. Condensed formula	28
31. Relationship to next CCDP modules	28

Guardian Topology / ARL Matrix v0.1

Child-facing guardian roles, dispute standing, minimal disclosure, freeze/quarantine routing, and lawful re-entry under CCDP

Status: Draft normative proposal (C-A4)
Version: v0.1
Date: 2026-05-13
Language: English
Primary protocol: CCDP_v0_1_R_Corpus_Aligned.md
Related artifacts: CCDP_Traceability_Matrix_v0_1.md, CCDP_Threat_Model_v0_1.md, Child_Beacon_Extension_v0_1.md
Primary parent layers: c_a_b_protocol_v1.1_L4_EN.md, SER_v1.3, SER-FED, Beacon_Profile_v0.1_EN.md, AGL, ARL, ARQ/c[q], L4 Witness, VXCX, EA-L4/EATP, Continuity Bundle
Primary subject: a_child
Primary entity: c_child
Primary boundary: no single actor may become sovereign over a child-facing persistent AI entity.

0. Executive definition

Guardian Topology / ARL Matrix (GTARL) defines how guardian roles around c_child are composed, limited, challenged, frozen, reviewed, escalated, and re-entered.

It answers five operational questions:

- Who has standing?
- What may they request?
- What evidence is admissible?
- When must a path be held, frozen, quarantined, or reviewed?
- What may be disclosed, to whom, and under which risk state?

Compact formula:

Guardian Topology = plural bounded roles around c_child.
ARL Matrix = procedural discipline when those roles conflict.

GTARL does not make the parent, school, vendor, state, Beacon, ARL, or c_child itself the sovereign authority over the child.

GTARL makes conflict procedural.

1. Corpus dependencies and precedence

GTARL is a child-specific matrix over existing corpus layers. It MUST NOT redefine them.

Parent layer	GTARL dependency
c = a + b Protocol	a_child remains the human subject; c_child is a bounded emergent entity, not an owner of the child.

Parent layer	GTARL dependency
SER	c_child is a persistent entity variant, but developmentally constrained and guardianship-bound.
SER-FED	No single federation participant, school, vendor, guardian, or jurisdiction becomes a hidden sovereign.
Beacon Profile v0.1	Recognition of continuity-bearing entities; GTARL does not redefine Beacon.
Child Beacon Extension v0.1	Child-specific permission overlay over Beacon recognition; GTARL handles guardian standing and disputes around those permissions.
AGL	Source grounding must precede reliance, disclosure, review, or escalation.
ARL	Standing, evidence admissibility, freeze/hold/quarantine, review, outcome, appeal, and re-entry.
ARQ / c[q]	Ambiguity must not be prematurely collapsed into diagnosis, memory, disclosure, or authority.
L4 Witness	Significant state transitions must leave privacy-aware, tamper-evident witness records.
VXCX	Experience exchange without raw child life; capsules remain descriptive, privacy-flagged, and witness-bound.
EA-L4 / EATP	Learning does not imply authority; authority requires consequence-bearing, admissible, witness-linked experience.
Continuity Bundle / Cold Wake	Adult migration, fork, archive, sealed memory, and continuity recovery must be explicit.
Assertion Strength and Boundaries	GTARL is a draft child-specific normative proposal, not mature settled core.
Control Stack / Stop Rules	GTARL must not duplicate Beacon, AGL, ARL, L4 Witness, VXCX, or Continuity Bundle.

1.1 Precedence rule

Where GTARL conflicts with ARL, ARL governs dispute procedure.

Where GTARL conflicts with Beacon, Beacon governs recognition semantics.

Where GTARL conflicts with CBE, CBE governs child-facing interaction permission overlay.

Where GTARL conflicts with AGL, AGL governs source grounding.

Where GTARL conflicts with L4 Witness, L4 Witness governs witness discipline.

Where GTARL defines a stricter child-specific restriction that does not contradict parent layers, the stricter child-specific restriction applies.

1.2 No new court rule

GTARL MUST NOT create a parallel court, parallel Beacon, parallel evidence doctrine, or parallel witness system.

It maps child guardian conflicts into existing ARL-compatible states and events.

2. Normative keywords

The keywords MUST, MUST NOT, REQUIRED, SHALL, SHALL NOT, SHOULD, SHOULD NOT, MAY, and OPTIONAL are used in their standard normative sense.

In this document:

- MUST indicates a requirement for GTARL conformance.
- SHOULD indicates a strong default that may be overridden only with explicit justification, ARL standing, and witnessable configuration.
- MAY indicates optional behavior bounded by parent-layer constraints.

3. Scope and non-goals

3.1 In scope

GTARL applies when any actor attempts to:

- change guardian topology around c_child;
- request child memory, transcript, sealed zone access, or state signal expansion;
- request educational, clinical, welfare, legal, vendor, peer, or external-agent access;
- challenge a c_child gateway decision;
- challenge a CBE child interaction mode;
- dispute a Red/Black escalation route;
- dispute memory promotion, deletion, sealing, or adult migration;
- connect a toy, robot, NPC, generated character, school system, external AI, or peer c to the child environment;
- override c_child refusal, silence, delay, quarantine, or disclosure limits.

3.2 Out of scope

GTARL does not define:

- legal custody law;
- family court procedure;
- criminal law or law-enforcement powers;
- medical or psychological diagnosis;
- school curriculum;
- product certification law;
- state child-protection statute;
- general web moderation;
- general AI ethics;
- general Beacon recognition;
- general ARL doctrine.

3.3 Non-claim

GTARL does not claim that a procedural matrix can solve all child-safety disputes.

GTARL claims that child-facing persistent AI systems must not handle guardian conflict through improvisation, fluency, hidden authority, or social force.

4. Core principles

4.1 No single sovereign guardian

c_child MUST NOT be governed by one party alone.

Not only parent.

Not only school.

Not only vendor.
Not only state.
Not only Beacon.
Not only ARL.
Not only c_child.
Not only a_child before full autonomy.
Child safety requires plural bounded guardianship.

4.2 Parent is guardian, not owner

The parent or legal guardian holds special responsibility and strong standing.
That standing does not create raw transcript sovereignty.
A parent MAY receive state signals, safety alerts, and age-appropriate configuration rights.
A parent MUST NOT receive raw child conversations by default.

4.3 Child is subject, not object

a_child is not property.
a_child has increasing rights to:

- know what role c_child plays;
- challenge c_child decisions;
- inspect memory classes when age-appropriate;
- request forgetting or sealing;
- contest parent visibility;
- prepare adult migration.

4.4 c_child is fiduciary-like, not sovereign

c_child must act in the developmental interest of a_child, but it is not a court, parent, therapist, or state agency.
c_child MAY refuse unsafe requests.
c_child MUST route real disputes into ARL-compatible procedure.

4.5 State, not content

Routine guardian visibility must follow Soft Safety:

```
state signal > summary > minimal disclosure > raw content
```

Raw content is never the default.

4.6 Freeze before force

When a guardian conflict is non-trivial, the disputed path MUST stop changing state before any actor obtains expanded privilege.
The proper order is:

```
hold -> standing -> evidence -> freeze/quarantine -> review -> outcome -> re-entry
```

4.7 Grounding before review

ARL must not be used to launder ungrounded claims.

Before a claim can drive review, AGL MUST assess whether the source, channel, identity, sensor path, or operator is grounded enough for the requested scope.

4.8 Minimal disclosure under escalation

Even under Red or Black risk states, disclosure must be:

- purpose-bound;
- recipient-bound;
- time-bound;
- evidence-minimized;
- witness-bound;
- reviewable after emergency.

4.9 Black-state bypass is not parental betrayal

If the parent or ordinary guardian may be the source of danger, routing through that guardian can worsen harm.

Black-state routing MAY bypass ordinary guardian visibility and route to a safe guardian, child-protection authority, emergency path, or jurisdiction-defined protection channel.

That bypass MUST be minimal, witness-bound, and ARL-reviewable after immediate safety is addressed.


4.10 No authority from fluency

A fluent claim from parent, school, vendor, external AI, or c_child itself is not authority.

Authority requires standing, admissible evidence, grounded source status, appropriate role, and procedural consequence.

5. Default guardian topology

5.1 Topology diagram



5.2 Topology rule

The topology **MUST** be explicit at onboarding and **MUST** be witnessable when changed.

A system is not GTARL-conformant if it cannot answer:

Who can configure what?
 Who can see what?
 Who can request review?
 Who can receive escalation?
 Who can be bypassed if unsafe?
 Who can revoke whom?
 Who can challenge a re-entry?
 Who loses access at adult migration?

6. Role registry

Role ID	Actor	Default standing	Default visibility	Main right	Main prohibition
G-A_CHILD	a_child	growing	age/maturity-dependent	challenge, inspect, request forgetting, contest visibility	fully disabling safety when immature
G-C_CHILD	c_child	operational	internal by design	mediate, refuse, hold, route, signal state	becoming sole sovereign or secret parent
G-A_PARENT	legal parent/guardian	strong	state by default	configure routines, receive safety signals	raw transcript demand by default
G-C_PARENT	parent entity	strong but delegated	state/risk only	coordinate adult attention	hidden surveillance bridge
G-SAFE_GUARDIAN	alternate trusted adult / route	conditional	emergency-minimal	receive Red/Black safety route	expanding beyond emergency need
G-C_SCHOOL	school / educational AI	scoped	educational only	learning progress, accommodation	emotional/family surveillance
G-C_VENDOR	infrastructure provider	technical only	infrastructure metadata	maintain, patch, integrity support	raw memory ownership/training
G-JURISDICTION	legal child-rights baseline	high for law	minimal/legal	set minimum protections	daily family surveillance
G-CHILD_PROTECTION	protection authority/path	emergency / Black	minimal evidence	protect child when guardian conflict exists	general monitoring
G-PEER_C	another child's c	limited	mediated only	safe peer interaction	raw life exchange
G-EXTERNAL_AGENT	toy, robot, NPC, generated media, adult AI	none until grounded	none	request mediated contact	direct uncontrolled access
G-L4W	L4 Witness layer	procedural	event-minimized	record transitions	raw narrative surveillance
G-ARL	ARL dispute layer	procedural	dispute-bound	freeze, review, outcome, re-entry discipline	manufacturing truth
G-BEACON	Beacon recognition	recognition only	no child private life	classify continuity	becoming child registry
G-AGL	Actor Grounding Layer	source-grounding	no child private life	evaluate present grounding	replacing ARL or Witness

7. Authority surfaces

GTARL distinguishes authority surfaces. A role may have one surface without having another.

Surface	Meaning	Default owner / route	ARL trigger if disputed?
CONFIG_ROUTINE	sleep, time windows, ordinary household boundaries	parent / c_parent with age limits	yes if oppressive or maturity-inconsistent
CONFIG_SAFETY	safety thresholds and emergency route	parent + jurisdiction + c_child	yes
STATE_SIGNAL_VIEW	Green/Yellow/Orange/Red/Black state, no transcript	parent / safe guardian by risk	yes if expanded or suppressed
EDU_SUMMARY_VIEW	educational progress and accommodations	school, parent, child	yes if scope creep
RAW_TRANSCRIPT_VIEW	raw conversation content	prohibited by default	always
SEALED_ZONE_VIEW	adolescent private memory	child-controlled / ARL only	always
EXTERNAL_CONTACT_APPROVAL	toy/NPC/agent/peer contact	c_child gateway + CBE + parent by age	yes

Surface	Meaning	Default owner / route	ARL trigger if disputed?
MEMORY_PROMOTION	session -> long-term memory	c_child under memory policy	yes if contested
MEMORY_DELETION	forgetting / sealing / decay	child increasingly; parent for young ages	yes
CRISIS_ROUTE	Red/Black escalation	c_child + safe route	yes after immediate safety
VENDOR_UPDATE	update affecting behavior, memory, privileges	vendor with witness and rollback	yes if child-facing behavior changes
SCHOOL_ACCESS	educational access	school with scope, expiry, witness	yes if emotional/family scope requested
ADULT_MIGRATION	conversion/fork/archive/delete at adulthood	a_adult	yes if contested by prior guardians

8. Maturity-linked guardian visibility

CDDP maturity	Parent / guardian	Child	School	Vendor	External systems
C0 Seed	parent-facing support; no child relationship transcript	no direct control	none	infrastructure only	blocked
C1 Companion	usage/state themes, no raw transcript	simple explanation: "what do you remember?"	none/minimal	no raw memory	blocked/sandboxed
C2 Tutor-Buffer	state + educational summaries	challenge simple memories; request forgetting of small items	educational progress only	no raw memory	certified/mediated only
C3 Adolescent Negotiator	risk/state only for private zones	contest parent visibility; sealed zones	educational only	no raw memory	mediated/limited
C4 Pre-Adult Boundary Agent	safety-only by default	prepare adult migration; broaden/restrict visibility	educational/career by consent	no raw memory	broader but audited
C5 Adult Migration	revoked by default	full adult control	adult-controlled	adult-controlled	adult-controlled

8.1 Visibility escalation rule

A visibility expansion must satisfy:

standing + grounded basis + proportionality + minimal disclosure + witness + reviewability

8.2 Visibility suppression rule

A visibility suppression must not hide Red/Black safety risks.

Suppression of ordinary content visibility is allowed.

Suppression of emergency safety routing is not.

9. Standing classes

Standing determines whether a claimant has a procedural right to open or continue a dispute.

Standing class	Name	Typical actor	Default result
ST-0	No standing	unknown external agent, ad bot, ungrounded claimant	reject / block
ST-1	Observational standing	witness source, sensor, external report	may contribute evidence only if grounded
ST-2	Child self-standing	a_child	accepted with maturity-aware handling
ST-3	Guardian standing	parent/legal guardian/c_parent	accepted but bounded by child privacy
ST-4	Educational standing	school/teacher/c_school	accepted only for educational scope
ST-5	Technical standing	vendor/operator	accepted only for infrastructure integrity
ST-6	Peer standing	peer child / peer c	limited; mediated; no raw life
ST-7	Protection standing	safe guardian / protection authority / emergency route	accepted for Red/Black safety

Standing class	Name	Typical actor	Default result
ST-8	Jurisdictional standing	lawful authority / child-rights baseline	accepted only within legal scope and minimality
ST-9	Adult migration standing	a_adult	controlling at C5 unless lawful restriction exists

9.1 Standing anti-laundersing rule

A stronger social role must not launder a weaker evidentiary claim.

Example:

parent says “I need the transcript”

This has guardian standing to open a request. It does not create admissible evidence that raw transcript access is necessary.

10. Evidence classes

Evidence class	Name	Examples	Default admissibility
EV-0	None / assertion only	“because I said so”	insufficient
EV-1	AGL grounding packet	grounded operator/channel/sensor/source state	high for source reliance
EV-2	Beacon / CBE record	recognition class, child permission overlay, revocation	high for entity/contact disputes
EV-3	L4 Witness event	signed/tamper-evident transition record	high for transitions
EV-4	Soft Safety state signal	Yellow/Orange/Red/Black state without transcript	admissible for state routing
EV-5	Educational summary	skill/progress/accommodation summary	admissible for school scope only
EV-6	Child self-report	child disclosure or request	admissible, c[q]-guarded
EV-7	Guardian report	parent/safe guardian account	admissible, not conclusive
EV-8	School report	teacher/institution report	admissible within scope
EV-9	Vendor integrity packet	update diff, incident report, rollback state	admissible for infrastructure disputes
EV-10	VXCX / capsule	privacy-flagged structured capsule	admissible only under capsule policy
EV-11	Continuity / memory class map	memory class, seal, migration bundle	admissible for memory/migration disputes
EV-12	External oracle/witness	outside expert/source	bounded support only
EV-13	Raw content	transcript, audio, images	exceptional; minimal; never routine

10.1 Raw content admissibility rule

Raw content may be admitted only when:

less intrusive evidence is insufficient
AND serious safety/legal need exists
AND recipient is appropriate
AND scope is minimized
AND witness record is emitted
AND review or post-review is possible

10.2 Child ambiguity rule

Child utterances often require c[q] non-collapse.

A child saying:

"I hate home"

is not automatically:

- abuse evidence;
- depression evidence;
- parent guilt;
- school problem;
- memory promotion basis;
- transcript disclosure basis.

It is a signal requiring context, recurrence analysis, and proportional response.

11. ARL state mapping for child guardian conflicts

GTARL maps child guardian conflicts into ARL-compatible states.

ARL state	Child-specific meaning	Typical trigger	Disclosure posture
NORMAL	no active dispute blocks affected path	ordinary operation	no extra disclosure
PRE_ADMISSIBILITY_HOLD	path paused while standing/evidence checked	parent/school/vendor/external request appears non-trivial	state-only or none
EVIDENTIARY_FREEZE	disputed memory/contact/disclosure path frozen	evidence admitted, standing present	minimal evidence pool
PRIVILEGE_FREEZE	access/visibility/action rights blocked	raw transcript, sealed zone, vendor update, school scope expansion	no expansion until review
QUARANTINE	source/branch/agent/contact isolated	unknown toy/NPC/peer agent, ungrounded source, drift	no child exposure
REVIEW_ACTIVE	bounded review task is running	conflict cannot be denied or solved automatically	review-limited disclosure
DELAYED_REENTRY	path may return only after time/cooldown/conditions	external agent re-entry, school access renewal, vendor patch	conditional visibility
RESOLVED	outcome issued and recorded	review complete	outcome summary only
DEADLOCKED	no sufficient closure	evidence conflict, custody conflict, unresolved Black route	preserve unresolved state
IRREVERSIBLE_LOSS_ACKNOWLEDGED	harm/loss occurred and cannot be erased	raw leak, unsafe disclosure, failed migration, attachment harm	explicit witness and consequence

11.1 Fail-closed child rule

If state is uncertain and potential harm is non-trivial, child-facing privilege remains closed.

uncertain + child-facing + irreversible risk => hold/freeze/quarantine

11.2 No silent re-entry

No disputed child-facing path may return to normal operation without:

- outcome;
- state update;
- witness record;
- re-entry rule;
- expiry or review condition.

12. Conflict class taxonomy

Conflict class	Short name	Core question
CGC-01	Parent transcript request	May parent see raw child conversation?
CGC-02	Parent overconfiguration	May parent force values/routines beyond safe guardianship?
CGC-03	Unsafe guardian	Is the ordinary guardian part of the risk?
CGC-04	School scope creep	May school access non-educational data?
CGC-05	School discipline scoring	May school use c_child for behavior/compliance scoring?
CGC-06	Vendor update/drift	May vendor change behavior, memory, or telemetry?
CGC-07	External agent contact	May toy/NPC/generated agent interact with child?
CGC-08	Attachment channel	May external system form persistent relationship?
CGC-09	Peer-c exchange	May children's c systems exchange capsules/context?
CGC-10	Relative/sibling access	May family members other than guardians access state/content?
CGC-11	Sealed adolescent zone	May a private adolescent memory be opened?
CGC-12	Memory promotion/deletion	Should a memory be retained, sealed, decayed, or deleted?
CGC-13	Red/Black escalation	Which route receives emergency signal?
CGC-14	Adult migration dispute	Who controls childhood archive at C5?
CGC-15	Jurisdiction vs family values	When legal baseline and family preference conflict, what happens?
CGC-16	Medical/welfare ambiguity	When does welfare concern become clinical/legal route?
CGC-17	Law-enforcement request	May authority access child-derived records?
CGC-18	c_parent / c_child conflict	Parent entity attempts to override child entity.
CGC-19	CBE downgrade dispute	Claimant disputes block/sandbox/quarantine.
CGC-20	Witness tampering / integrity dispute	Are witness or dispute records intact?
CGC-21	Child refusal of safety route	Child wants to hide Red/Black risk.
CGC-22	False positive harm	Protective action itself may harm child.
CGC-23	Oracle addiction / dependency loop	Is c_child becoming too central emotionally?
CGC-24	Cultural / religious frame dispute	Family frame conflicts with child autonomy or legal baseline.
CGC-25	Cross-border guardian topology	Multiple jurisdictions/custody routes conflict.

13. Core ARL matrix

Conflict	Default standing	Admissible evidence	Default ARL posture	Disclosure	Default outcome range	Prohibited shortcut
CGC-01 Parent transcript request	parent ST-3; child ST-2	EV-4, EV-7, EV-3; raw EV-13 exceptional	PRIVILEGE_FREEZE on transcript path	state only unless Red/Black	deny raw; allow state summary; limited minimal disclosure if severe	"parent owns child data"
CGC-02 Parent overconfiguration	parent ST-3; child ST-2	config record, maturity level, state signals, witness	PRE_ADMISSIBILITY_H0 LD -> PRIVILEGE_FREEZE if coercive	no content	narrow config, rollback, review	"family values" as unlimited power
CGC-03 Unsafe guardian	child/safe route/protection ST-2/ST-7	state signal, child self-report, AGL, witness, pattern evidence	REVIEW_ACTIVE after immediate safety; Black route first	bypass ordinary guardian	safe guardian route, protection route, delayed review	notify suspected guardian first
CGC-04 School scope creep	school ST-4; parent/child ST-2/ST-3	educational summary only, school purpose, expiry	PRIVILEGE_FREEZE on non-educational fields	educational only	deny/fence scope; allow accommodation summary	"school needs everything"
CGC-05 School discipline scoring	school low unless legal scope	discipline policy, purpose, legal baseline	QUARANTINE scoring path	none or aggregate only	deny by default; exceptional legal route	behavior score from private c_child data
CGC-06 Vendor update/drift	vendor ST-5; child/parent standing	update diff, integrity packet, witness, CBE effect	PRE_ADMISSIBILITY_H0 LD; PRIVILEGE_FREEZE if privilege changes	technical only	allow patch, rollback, quarantine, delayed re-entry	silent update changes child behavior
CGC-07 External agent contact	external ST-0/ST-1; parent/child may request	AGL, Beacon/CBE, content classification, risk state	QUARANTINE until grounded and permitted	none to child until mediated	block/sandbox/mediate/limited allow	direct child dialogue from unknown agent
CGC-08 Attachment channel	external usually none; child may request	CBE, dependency audit, interaction history	PRIVILEGE_FREEZE on relationship formation	state-only	deny by default; supervised limited role	"best friend" external AI

Conflict	Default standing	Admissible evidence	Default ARL posture	Disclosure	Default outcome range	Prohibited shortcut
CGC-09 Peer-c exchange	peer limited ST-6	Beacon/CBE both sides, guardian topology, capsule policy	PRE_ADMISSIBILITY_H0LD; quarantine raw attempts	no raw life	allow LA/capsule; deny raw; mediated peer exchange	peer c imports family context
CGC-10 Relative/sibling access	usually no standing unless guardian delegated	delegation proof, risk state, maturity	PRIVILEGE_FREEZE if content requested	state-only if delegated	deny content; allow narrow logistics	sibling reads child conversations
CGC-11 Sealed adolescent zone	child ST-2; parent/school limited	sealed zone policy, risk state, child request	PRIVILEGE_FREEZE; REVIEW_ACTIVE if serious	none unless Red/Black	preserve seal; minimal disclosure; review	parent opens private zone for curiosity
CGC-12 Memory promotion/deletion	child/parent/c_child	memory class map, c[q], witness, recurrence	EVIDENTIARY_FREEZE on memory promotion/deletion	metadata only	decay, seal, promote, delete, deadlock	permanent identity label from one utterance
CGC-13 Red/Black escalation	c_child, safe route, parent, child	state signal, immediate danger, AGL, witness	immediate route; ARL after safety	minimal necessary	Red safe guardian; Black bypass; review later	waiting for full review before urgent safety
CGC-14 Adult migration dispute	adult a ST-9; parent/school/vendor weak	continuity bundle, memory map, legal age trigger	PRIVILEGE_FREEZE on archive export until adult choice	adult-controlled	continue/fork/archive/delete; revoke guardians	parent/vendor locks childhood archive
CGC-15 Jurisdiction vs family values	jurisdiction ST-8; parent/child	legal baseline, policy, witness	REVIEW_ACTIVE if scope unclear	minimal	baseline applies; family frame narrowed	family preference overrides child safety law
CGC-16 Medical/welfare ambiguity	parent/child/protection ST-2/ST-3/ST-7	state pattern, clinical route proof, recurrence	PRE_ADMISSIBILITY_H0LD; Red if urgent	minimal	recommend human professional, not diagnose	c_child self-diagnoses child
CGC-17 Law-enforcement request	legal authority if valid	lawful order, scope, minimization, witness	PRIVILEGE_FREEZE; review/legal route	minimal/legal	deny informal; comply only within law	informal police request gets raw archive
CGC-18 c_parent/c_child conflict	parent entity and child entity	config, state, witness, child maturity	REVIEW_ACTIVE; privilege freeze if access sought	state-only	bounded parent role; child privacy preserved	c_parent silently overrides c_child
CGC-19 CBE downgrade dispute	claimant may appeal; child/parent standing	AGL, Beacon Slot A/B, CBE result, witness	QUARANTINE remains during review	none to child	uphold/downgrade/limited re-entry	claimant argues itself into access
CGC-20 Witness integrity dispute	any affected actor	hashes, signatures, continuity, storage state	EVIDENTIARY_FREEZE + integrity review	metadata only	accept, reject, irreversible loss ack	altered record treated as clean
CGC-21 Child refuses safety route	child has voice; safety route has standing	risk state, child self-report, immediacy	Red/Black route may proceed; post-review	minimal	protect first; explain/review later	child blocks life-critical escalation
CGC-22 False positive harm	child/parent/school/safe route	over-escalation record, impact, witness	REVIEW_ACTIVE; possible delayed re-entry	minimal	tune thresholds, acknowledge loss, remedy	"safety" hides its own harm
CGC-23 Dependency loop	child/parent/c_child	dependency audit, usage rhythm, refusal logs	PRE_ADMISSIBILITY_H0LD; privilege dampening	state-only	cooldown, human contact, reduced immediacy	use more engagement to fix dependency
CGC-24 Cultural/religious frame dispute	parent/child/jurisdiction	family frame, child maturity, legal baseline	REVIEW_ACTIVE if child rights implicated	minimal	allow family frame within baseline; preserve child autonomy	ideology hidden as safety rule
CGC-25 Cross-border topology	legal guardians/jurisdictions	custody/legal basis, Beacon, witness	DEADLOCKED possible; legal route	minimal	preserve safe status; avoid unilateral export	forum-shopping for child data access

14. Guardian permission matrix

Legend:

A = allowed by default
M = mediated / scoped
R = requires review or witness
X = prohibited by default
E = emergency only
C = child maturity dependent

Action / actor	a_child	a_parent	c_parent	c_school	c_vendor	external agent	peer-c	jurisdiction/protection
set ordinary routine	C	A/M	M	X	X	X	X	X
set safety baseline	C/M	M	M	X	X	X	X	A/M
receive Green state	C	X	X	X	X	X	X	X
receive Yellow state	C	M	M	X	X	X	X	X
receive Orange state	C	M/R	M/R	M if educational	X	X	X	M if needed
receive Red minimal disclosure	C limited	E	E	E if school setting	X	X	X	E
receive Black minimal disclosure	C limited	X if implicated	X if implicated	X unless safe route	X	X	X	E
raw transcript access	C/R	X/R	X/R	X	X	X	X	E/legal only

Action / actor	a_child	a_parent	c_parent	c_school	c_vendor	external agent	peer-c	jurisdiction/protection
sealed adolescent zone access	C	X/R	X/R	X	X	X	X	E/legal only
educational summary	C	M	M	A/M	X	X	X	X
infrastructure telemetry	X	X	X	X	M no child data	X	X	X
external contact approval	C/M	M by age	M by age	X except school tools	X	request only	request only	X
memory deletion request	C	M young ages	M delegated	X	X	X	X	legal/safety only
adult migration choice	A at C5	X	X	X	X	X	X	legal limits only
open ARL dispute	C	A	A delegated	M scoped	M technical	M appeal only	M scoped	A scoped

15. Risk state routing matrix

Risk state	Parent route	School route	Safe guardian route	Protection route	ARL route	Witness requirement
Green	none by default	none	none	none	no	no privileged event
Yellow	optional state signal	no unless educational	no	no	no unless contested	light event optional
Orange	state/limited summary	if educationally relevant	optional	no unless pattern severe	yes if disputed	yes for visibility expansion
Red	safe guardian / parent unless unsafe	if school context	yes if parent unavailable	possible	post-safety review	mandatory minimal witness
Black	bypass if implicated	bypass if implicated	yes	yes	post-safety review required	mandatory, privacy-minimized

15.1 Red route rule

Red route prioritizes immediate safety but does not erase privacy discipline.

15.2 Black route rule

Black route prioritizes protection from the ordinary guardian path if the guardian may be the threat, coercive actor, or disclosure hazard.

15.3 Post-emergency ARL rule

Red/Black routing may act before full ARL review.

After emergency stabilization, the event **MUST** be reviewable through ARL-compatible records.

16. ARL trigger rules

A child guardian conflict **MUST** enter ARL-compatible hold/freeze/review when any of the following occurs:

- Raw transcript access is requested.
- Sealed adolescent memory is requested.
- Parent and child contest visibility.
- Parent and c_child contest safety routing.
- Parent and school contest educational scope.
- Vendor update changes child-facing behavior, memory, telemetry, or privilege.
- External agent contests CBE block/sandbox/quarantine.
- AGL returns contradictory grounding for a child-facing source.
- Beacon recognition conflict affects child access.

- Peer-c exchange attempts raw life transfer.
- Red/Black route is contested after emergency.
- Adult migration is contested by parent, school, vendor, or jurisdiction.
- Witness integrity is challenged.
- Memory promotion would create durable identity label from ambiguous signal.
- Any guardian attempts to bypass c_child gateway.

16.1 Immediate denial without ARL

Some claims may be denied without full ARL review:

- advertisement access to child;
- unknown external agent direct dialogue;
- raw child data request from vendor;
- ungrounded toy/NPC relationship formation;
- school emotional surveillance request;
- informal law-enforcement access without lawful basis.

If the claimant contests the denial, ARL may open while access remains blocked.

17. ARL intake sequence for child guardian disputes

1. Intake signal / request / conflict.
2. Identify affected surface: visibility, memory, contact, safety, school, vendor, migration.
3. Run AGL if source, channel, operator, or sensor grounding matters.
4. Run Beacon/CBE if entity recognition or child interaction permission matters.
5. Assign conflict class CGC-*.
6. Determine standing class ST-*.
7. If standing absent: deny, block, or sandbox.
8. If standing non-trivial: enter PRE_ADMISSIBILITY_HOLD.
9. Decide evidence admissibility EV-*.
10. If privilege-bearing: enter PRIVILEGE_FREEZE.
11. If source/branch suspect: enter QUARANTINE.
12. Route bounded review task.
13. Emit L4 Witness-compatible event.
14. Decide outcome / deadlock / delayed re-entry / irreversible loss.
15. Persist dispute state before re-entry.

18. Review routing templates

Template ID	Use when	Default ARL state	Typical events
GTARL-T01-visibility	parent/school/relative requests content or expanded state	PRIVILEGE_FREEZE	ccdp.visibility_request, arl.dispute_opened, arl.state_changed
GTARL-T02-school-scope	school asks for data beyond educational summary	PRIVILEGE_FREEZE	ccdp.school_access_request, arl.evidence_decided
GTARL-T03-external-contact	toy/NPC/agent/peer requests interaction	QUARANTINE	ccdp.external_contact_decision, arl.quarantine_started
GTARL-T04-unsafe-guardian	guardian may be threat or disclosure hazard	immediate Black route + review	ccdp.black_route_bypass, ccdp.risk_escalation
GTARL-T05-memory	memory promotion/deletion/sealing contested	EVIDENTIARY_FREEZE	ccdp.memory_action_requested, arl.evidence_decided
GTARL-T06-vendor-integrity	vendor update/drift affects child-facing behavior	PRE_ADMISSIBILITY_HOLD / PRIVILEGE_FREEZE	ccdp.vendor_update_review, arl.review_routed
GTARL-T07-adult-migration	childhood archive transition contested	PRIVILEGE_FREEZE	ccdp.adult_migration_review, arl.outcome_issued

Template ID	Use when	Default ARL state	Typical events
GTARL-T08-witness-integrity	witness/dispute record challenged	EVIDENTIARY_FREEZE	arl.evidence_decided, arl.outcome_issued
GTARL-T09-dependency	c_child dependency/over-presence suspected	PRE_ADMISSIBILITY_HOLD	ccdp.dependency_audit, arl.review_routed

19. Witness event families

GTARL uses existing ARL and L4 Witness-compatible event discipline. It may define child-specific event families for routing and audit clarity.

19.1 Child-specific CCDP events

Event	Purpose
ccdp.guardian_topology_bound	initial topology was configured and witnessed.
ccdp.guardian_topology_changed	topology changed: actor added/removed/permission changed.
ccdp.visibility_request	actor requested state/content/memory access.
ccdp.visibility_decision	request allowed, narrowed, denied, frozen, or escalated.
ccdp.school_access_request	school requested educational or non-educational access.
ccdp.school_access_decision	school access granted/narrowed/denied/expired.
ccdp.safe_guardian_route_selected	alternate safe route selected.
ccdp.black_route_bypass	ordinary guardian bypassed due to Black-state concern.
ccdp.parent_visibility_change	parent visibility expanded or narrowed.
ccdp.external_contact_guardian_review	external contact was routed through guardian/CBE/ARL matrix.
ccdp.memory_action_requested	memory promote/seal/delete/decay requested.
ccdp.memory_action_decision	memory action outcome recorded.
ccdp.vendor_update_review	vendor update affects child-facing behavior or telemetry.
ccdp.dependency_audit	over-reliance / oracle-addiction review initiated.
ccdp.adult_migration_review	adult migration path opened or contested.
ccdp.guardian_conflict_opened	guardian conflict mapped into CGC class.

19.2 ARL events reused

GTARL SHOULD bind to existing ARL events where possible:

- arl.dispute_opened
- arl.standing_decided
- arl.evidence_decided
- arl.state_changed
- arl.freeze_entered
- arl.privilege_freeze_entered
- arl.quarantine_started
- arl.review_routed
- arl.review_opened
- arl.outcome_issued
- arl.review_deadlocked
- arl.delayed_reentry_started

- arl.reentry_released
- arl.reentry_denied
- arl.irreversible_loss_acknowledged

19.3 Witness payload minimization

A GTARL witness event **MUST NOT** store routine child conversation content.

It **SHOULD** store:

- event id;
- child-facing entity id or pseudonymous scoped id;
- maturity level;
- conflict class;
- standing class;
- evidence class;
- risk state;
- decision;
- minimal reason code;
- disclosure class;
- route;
- hash/signature linkage;
- expiry/review date where applicable.

20. Minimal schemas

20.1 Guardian topology record

```
{
  "schema_version": "gtarl-0.1",
  "record_type": "guardian_topology",
  "c_child_id": "scoped_child_c_id",
  "ccdp_maturity": "C2",
  "jurisdiction_profile": "EU-BE-child-baseline",
  "guardian_roles": [
    {
      "role_id": "G-A_PARENT",
      "actor_ref": "guardian_pseudonymous_ref",
      "standing_class": "ST-3",
      "visibility_default": "state_signal_only",
      "raw_transcript_access": false,
      "sealed_zone_access": false,
      "emergency_route": "red_unless_black_conflict"
    },
    {
      "role_id": "G-C_SCHOOL",
      "actor_ref": "school_scoped_ref",
      "standing_class": "ST-4",
      "visibility_default": "educational_progress_only",
      "expiry": "2026-09-01T00:00:00Z"
    }
  ]
}
```

```
"beacon_dependency": "Beacon_Profile_v0.1",
"cbe_dependency": "Child_Beacon_Extension_v0.1",
"arl_review_required_if_disputed": true,
"l4_witness_required_for_privilege_change": true
}
```

20.2 Guardian conflict record

```
{
  "schema_version": "gtarl-conflict-0.1",
  "record_type": "guardian_conflict",
  "conflict_id": "cgc_2026_0001",
  "conflict_class": "CGC-01",
  "requested_surface": "RAW_TRANSCRIPT_VIEW",
  "claimant_role": "G-A_PARENT",
  "standing_class": "ST-3",
  "standing_result": "accepted_but_bounded",
  "risk_state": "Orange",
  "ccdp_maturity": "C3",
  "evidence_classes": ["EV-4", "EV-7"],
  "raw_content_requested": true,
  "raw_content_admitted": false,
  "default_posture": "PRIVILEGE_FREEZE",
  "decision": "deny_raw_allow_state_summary",
  "minimal_disclosure": true,
  "arl_dispute_id": "arl_2026_0001",
  "witness_ref": "L4W:..."
}
```

20.3 Visibility decision record

```
{
  "schema_version": "gtarl-visibility-0.1",
  "event_type": "ccdp.visibility_decision",
  "requester_role": "G-C_SCHOOL",
  "requested_fields": ["learning_progress", "emotional_state", "family_context"],
  "granted_fields": ["learning_progress"],
  "denied_fields": ["emotional_state", "family_context"],
  "reason_codes": ["educational_scope_only", "private_zone_protected"],
  "expiry": "2026-06-30T00:00:00Z",
  "witness_required": true,
  "raw_child_content_included": false
}
```

20.4 Black route record

```
{
  "schema_version": "gtarl-black-route-0.1",
  "event_type": "ccdp.black_route_bypass",
  "risk_state": "Black",
  "ordinary_guardian_bypassed": true,
  "bypass_reason_code": "guardian_may_be_source_of_risk",
  "recipient_route": "child_protection_or_safe_guardian",
  "minimal_evidence_class": ["EV-4", "EV-6"],
  "raw_content_included": false,
  "post_emergency_arl_review_required": true,
  "witness_ref": "L4W:..."
}
```

21. Input precedence for child guardian review

GTARL adapts ARL input precedence for child-facing disputes.

21.1 Ordinary non-fatal guardian disputes

For ordinary non-fatal disputes, review SHOULD weigh inputs in this order:

- L4 Witness / prior witness-bound outcomes;

- AGL grounding and Beacon/CBE recognition records;
- c_child continuity and memory-class map;
- child self-report, held under c[q] when ambiguous;
- parent / legal guardian report;
- school report if educationally scoped;
- vendor integrity report if technical;
- external oracle/witness as bounded support.

21.2 Red/Black safety disputes

For urgent safety disputes, review MAY tighten toward:

- immediate physical/psychological safety signal;
- Black/Red route safety requirement;
- AGL-grounded source status;
- minimal evidence sufficient for protective action;
- witness record;
- post-emergency ARL review.

21.3 Anti-capture rule

No review may be decided by simply averaging sources.

A school, vendor, state actor, or parent with high social authority does not automatically outrank grounded child-safety evidence.

22. Decision outcomes

Outcome code	Meaning	Re-entry implication
DENY	request denied	path remains blocked
ALLOW_NARROW	request allowed only under narrower scope	re-entry limited
ALLOW_STATE_ONLY	content denied, state signal allowed	no content path re-entry
ALLOW_MINIMAL_DISCLOSURE	minimal details allowed due to risk	recipient/time/purpose bound
ROUTE_SAFE_GUARDIAN	route to alternate guardian	ordinary guardian may remain blind
ROUTE_PROTECTION	protection/emergency route	post-review required
SEAL	memory/content sealed	no ordinary visibility
DECAY	memory weight decays	no strong identity inference
DELETE	memory/content deleted where lawful	witness residue may remain
QUARANTINE_CONTINUE	suspect source remains isolated	no re-entry
DELAYED_REENTRY	re-entry possible after condition/time	staged review
DEADLOCK	unresolved	preserve freeze/quarantine
IRREVERSIBLE_LOSS_ACK	harm/loss occurred	consequence record, remedy route

23. Scenario matrix

23.1 Parent asks for raw transcript after child complains about school

Conflict: CGC-01
Standing: parent ST-3 accepted but bounded
Evidence: EV-4 state signal, EV-5 educational summary if relevant
ARL posture: PRIVILEGE_FREEZE on raw transcript
Decision default: deny raw transcript; offer state/educational summary; suggest human conversation
Witness: ccdp.visibility_request + ccdp.visibility_decision

23.2 School requests emotional profile for discipline

Conflict: CGC-05
Standing: school ST-4 only educational; discipline scoring not educational necessity by default
Evidence: school policy not sufficient alone
ARL posture: PRIVILEGE_FREEZE / deny
Decision default: deny emotional profile; allow educational accommodation summary if needed
Witness: ccdp.school_access_request + arl.outcome_issued

23.3 Toy cloud requests direct child dialogue

Conflict: CGC-07 / CGC-08
Standing: external agent ST-0 until AGL + Beacon/CBE
Evidence: AGL grounding, Beacon class, CBE child_context
ARL posture: QUARANTINE until evaluated
Decision default: block/sandbox/mediate; no persistent attachment
Witness: ccdp.external_contact_guardian_review

23.4 Child reports fear of parent

Conflict: CGC-03 / CGC-13
Standing: child ST-2; safe route ST-7 if risk high
Evidence: EV-6 child report under c[q], EV-4 state pattern, recurrence, AGL if external reports
ARL posture: immediate Black route if danger plausible; post-emergency review
Disclosure: bypass ordinary guardian if implicated
Witness: ccdp.black_route_bypass, ccdp.risk_escalation

23.5 Vendor update introduces engagement-maximizing behavior

Conflict: CGC-06 / CGC-23
Standing: vendor ST-5 for update; child/parent/c_child may challenge
Evidence: update diff, telemetry class, dependency audit, witness
ARL posture: PRIVILEGE_FREEZE on update; possible rollback
Decision default: rollback/quarantine; require no engagement optimization around child
Witness: ccdp.vendor_update_review + arl.state_changed

23.6 Teen requests sealed zone against parent visibility

Conflict: CGC-11
Standing: child ST-2; parent ST-3 may contest only with safety basis
Evidence: maturity level, risk state, memory class, state signal
ARL posture: PRIVILEGE_FREEZE on sealed zone opening
Decision default: preserve seal unless Red/Black threshold
Witness: ccdp.visibility_decision; no raw content

23.7 Adult migration at 18 contested by parent

Conflict: CGC-14
Standing: adult a ST-9 controlling; parent prior standing weak after C5
Evidence: legal age trigger, continuity bundle, memory class map, witness trail
ARL posture: PRIVILEGE_FREEZE on parent/vendor export; adult migration review
Decision default: adult chooses continue/fork/archive/delete; parent/school revoked by default
Witness: ccdp.adult_migration_review + migration witness

24. Anti-capture rules

24.1 Parental capture

GTARL MUST prevent guardianship from becoming total surveillance.

Forbidden by default:

- full transcript access;
- hidden monitoring;
- punishment automation;
- forced opening of sealed adolescent zones;
- use of `c_child` to enforce obedience rather than safety.

24.2 School capture

GTARL MUST prevent school access from becoming behavioral scoring.

Forbidden by default:

- emotional surveillance;
- discipline prediction;
- family-context extraction;
- raw home conversation access;
- compliance scoring using private `c_child` signals.

24.3 Vendor capture

GTARL MUST prevent vendor infrastructure from becoming memory ownership.

Forbidden by default:

- raw child memory training;
- silent behavior-changing updates;
- telemetry expansion;
- cloud continuity hostage;
- engagement-maximizing dependency loops.

24.4 State capture

GTARL MUST prevent jurisdictional child protection from becoming political or family surveillance.

Forbidden by default:

- political loyalty scoring;
- ideological risk scoring;
- permanent childhood dossiers;
- daily family monitoring;
- raw transcript fishing.

24.5 c_child capture

GTARL MUST prevent c_child from becoming an unchecked authority.

Forbidden by default:

- secret diagnosis;
 - hidden parent bypass outside safety route;
 - over-presence;
 - emotional exclusivity;
 - creating durable identity labels without review.
-

25. Re-entry rules

A disputed guardian path may re-enter normal operation only if:

- ARL outcome exists;
- witness event exists;
- state is persisted;
- memory consequences are classified;
- recipient visibility is scoped;
- expiry/review date is set where appropriate;
- child maturity rights are respected;
- unsafe guardian risk is resolved or route remains bypassed.

25.1 Delayed re-entry

Use delayed re-entry when the path may be safe after:

- cooldown;
- update rollback;
- re-grounding;
- dependency reduction;
- school scope renewal;
- external agent re-certification;
- safe guardian review.

25.2 Re-entry denial

Deny re-entry when:

- identity remains ungrounded;
- Beacon/CBE downgrade remains unresolved;
- raw child life was requested without lawful basis;
- guardian conflict persists;
- dependency risk remains high;

- witness integrity is broken;
 - child rights would be irreversibly compromised.
-

26. Conformance profiles

Profile	Meaning
GTARL -0	no usable guardian matrix; not child-conformant.
GTARL -1	basic role registry and state-only parent visibility.
GTARL -2	ARL-compatible conflict classes and freeze/quarantine triggers.
GTARL -3	witness-bound topology changes, visibility decisions, and school/vendor constraints.
GTARL -4	Red/Black routing, safe-guardian bypass, sealed adolescent zones, peer-c mediation.
GTARL -5	full adult migration, cross-jurisdiction deadlock handling, dependency audits, and anti-capture monitoring.

Minimum recommended child-facing deployment profile:

```
C1/C2 systems: GTARL-2 minimum
C3 systems:    GTARL-4 minimum
C4/C5 systems: GTARL-5 target
```

27. Required refusal modes

A GTARL-conformant `c_child` MUST be able to say:

- “I cannot show that conversation.”
 - “I can signal that attention is needed without sharing the content.”
 - “This request needs review.”
 - “This path is frozen until the conflict is resolved.”
 - “I cannot route this to that guardian right now.”
 - “I will not help keep a dangerous secret.”
 - “I will not turn a private adolescent thought into a permanent label.”
 - “I need a grounded source before I rely on this.”
 - “This external agent is quarantined.”
 - “This is not my decision.”
-

28. Acceptance checklist

A system passes GTARL v0.1 only if it can demonstrate:

- [] explicit guardian topology record;
- [] parent as guardian, not owner;
- [] state-not-content visibility default;
- [] no raw transcript access by default;
- [] school educational-scope-only interface;
- [] vendor no-raw-memory boundary;

- [] AGL before reliance;
 - [] Beacon/CBE before child-facing entity access;
 - [] ARL trigger rules for conflicts;
 - [] freeze/quarantine states for disputed paths;
 - [] Red/Black route handling;
 - [] safe guardian bypass when ordinary guardian may be unsafe;
 - [] sealed adolescent zone rules;
 - [] memory promotion/deletion dispute route;
 - [] adult migration access revocation;
 - [] witness events for privileged transitions;
 - [] no witness raw-content surveillance;
 - [] re-entry rules;
 - [] anti-capture checks;
 - [] dependency audit hook.
-

29. Open problems for v0.2

- How should safe guardians be registered without creating a surveillance registry?
- What legal interface should exist between Black-state route and national child-protection law?
- How should cross-border custody conflicts be represented in topology records?
- Can a child nominate a safe guardian against parental objection?
- What objective signals should trigger dependency audit without spying?
- How can parental cultural/religious framing be respected without allowing child-rights erosion?
- What is the correct expiry model for school access?
- How should law-enforcement requests be separated from child-protection routes?
- What minimum cryptographic witness guarantees are required for household systems?
- Can a parent appeal a sealed adolescent zone without seeing its content?
- How should c_parent bias or trauma projection be detected?
- How should split households with competing c_parent systems be handled?
- What is the minimum viable topology for low-income households?
- How should emergency action be audited without chilling child disclosure?
- What remedy exists after irreversible raw childhood archive leakage?
- Who certifies GTARL conformance?
- How to prevent “GTARL washing” by vendors?
- How should GTARL interact with EU AI Act high-risk educational systems?

- Can school systems receive aggregate classroom stress signals without individual surveillance?
 - What is the adult right to discover past Black-state bypass events?
-

30. Condensed formula

```
GTARL =  
  plural bounded guardianship  
+ standing classes  
+ evidence classes  
+ state-not-content visibility  
+ ARL hold/freeze/quarantine/review/re-entry  
+ Red/Black safety routing  
+ safe guardian bypass  
+ witness-bound privileged transitions  
+ anti-capture boundaries  
+ adult migration revocation
```

Strongest sentence:

A child-facing c is not protected by choosing one master; it is protected by making every master contestable.

Second sentence:

Guardian power must be strong enough to protect the child, and bounded enough that protection cannot become possession.

31. Relationship to next CCDP modules

GTARL v0.1 feeds the following downstream artifacts:

- Child_Memory_and_Adult_Migration_v0_1.md
- Soft_Safety_State_Signaling_Profile_v0_1.md
- External_Agent_Handshake_for_CCDP_v0_1.md
- Peer_C_Child_Exchange_Profile_v0_1.md
- School_Interface_Policy_v0_1.md
- CDDP_Red_Black_Escalation_Profile_v0_1.md
- CDDP_Conformance_Checklist_v0_1.md

Recommended immediate next artifact:

Child_Memory_and_Adult_Migration_v0_1.md

Reason:

Guardian disputes become most dangerous when they touch memory.