

CCDP Contradiction Register v0.1

Child-c Development Protocol — contradiction, tension, duplication, and release-readiness register

Draft Control Register / Contradiction and Release-Readiness Register

Status	Draft control register v0.1
Date	2026-05-14
Package	Child-c Development Protocol (CCDP)
Document ID	CCDP_Contradiction_Register_v0_1
Document class	package-control / contradiction register / release hygiene
Assertion class	C-A10 control-layer artifact
Primary package index	CCDP_Package_Index_and_Reading_Order_v0_1.md
Primary base document	CCDP_v0_1_R_Corpus_Aligned.md
Primary boundary	known tensions must be tracked before release rather than hidden by narrative coherence.

Kotov Ivan

Bruxelles, 2026

Table of Contents

0. Executive summary	4
1. Purpose	4
2. Scope	4
2.1 In scope	4
2.2 Out of scope	5
3. Classification system	5
3.1 Issue type	5
3.2 Severity	6
3.3 Status	6
4. Summary table	6
5. Detailed register	7
CR-001 — Obsolete CCDP draft discoverability	7
CR-002 — Traceability Matrix work-order drift	8
CR-003 — Conformance Matrix module-reference drift	8
CR-004 — Precedence hierarchy wording variants	9
CR-005 — Clean start vs witness/legal residue	9
CR-006 — C-level terminology collision	10
CR-007 — Raw evidence exception duplication	10
CR-008 — Soft Safety MAY vs Red/Black MUST	11
CR-009 — Sealed zone privacy vs safety exception	12
CR-010 — School welfare route vs sealed-zone boundary	12
CR-011 — Beacon Class 3 vs child-safe permission	13
CR-012 — Peer safety signal vs peer leakage	13
CR-013 — Child experience artifacts vs re-identification	13
CR-014 — Vendor update path vs physical-agent behavior drift	14
CR-015 — Black route vs jurisdictional mandatory handoff	14
CR-016 — Dependency audit vs sealed-zone privacy	15
CR-017 — Memory Map alias / canonical naming	15

CR-018 — Developmental psychology validation gap	16
6. Release decision	16
6.1 Can v0.1 be considered internally coherent?	16
6.2 Blocking before publication	17
6.3 Non-blocking but recommended v0.1.1 patches	17
6.4 Deferred review	17
7. Recommended v0.1.1 patch package	17
8. Current corpus verdict	17
9. Short canonical statement	18

0. Executive summary

This register records known contradictions, tensions, version drifts, duplication risks, and wording hazards in the CCDP v0.1 package.

The register does **not** identify a hard load-bearing contradiction in the current CCDP stack.

Current state:

```
Hard contradictions found: 0
Soft tensions found: 18
Release-blocking issues: 1
Recommended patch release: CCDP v0.1.1 package hygiene patch
```

The single release-blocking issue is discoverability-related:

```
CR-001: obsolete workspace CCDP draft remains present and may be mistaken for canonical.
```

The remaining issues are patchable without changing CCDP architecture.

1. Purpose

CCDP now consists of a root corpus-aligned base document and multiple companion profiles.

As package size grows, the main danger is no longer only conceptual error. The danger is:

- version drift;
- duplicate control surfaces;
- ambiguous precedence;
- unmarked obsolete files;
- overloaded terminology;
- repeated exception logic with small divergences;
- readers using the wrong document as canonical;
- implementers claiming conformance by citing only the weakest file.

This register prevents that failure mode.

It answers:

What could appear contradictory, where is it located, how severe is it, and what patch is required?

2. Scope

2.1 In scope

This register covers the CCDP v0.1 package:

- CCDP_v0_1_R_Corpus_Aligned.md
- CCDP_Traceability_Matrix_v0_1.md
- CCDP_Threat_Model_v0_1.md
- Child_Beacon_Extension_v0_1.md
- Guardian_Topology_ARL_Matrix_v0_1.md

- Child_Memory_and_Adult_Migration_v0_1.md
- Soft_Safety_State_Signaling_Profile_v0_1.md
- CCDP_Conformance_Test_Matrix_v0_1.md
- CCDP_Witness_Event_Schema_v0_1.md
- CCDP_Memory_Map_JSON_Schema_v0_1.md
- CCDP_Adult_Migration_Checklist_v0_1.md
- CCDP_Sealed_Zone_Profile_v0_1.md
- Child_Dependency_Audit_Profile_v0_1.md
- Child_Physical_Agent_Perimeter_v0_1.md
- External_Agent_Handshake_for_CCDP_v0_1.md
- Peer_C_Child_Exchange_Profile_v0_1.md
- Child_Experience_Exchange_Profile_v0_1.md
- Child_cq_Signal_Profile_v0_1.md
- CCDP_School_Interface_Profile_v0_1.md
- CCDP_Red_Black_Escalation_Profile_v0_1.md
- CCDP_Jurisdictional_Handoff_Notes_v0_1.md
- CCDP_Package_Index_and_Reading_Order_v0_1.md
- the obsolete workspace-only CCDP v0_1.md

2.2 Out of scope

This register does not validate:

- legal correctness in any jurisdiction;
- psychological or clinical correctness;
- school policy compliance;
- implementation security;
- cryptographic key custody;
- complete schema validation;
- product readiness.

Those require separate review tracks.

3. Classification system

3.1 Issue type

Type	Meaning
HC	Hard contradiction: two documents directly require incompatible behavior.
ST	Soft tension: documents are compatible but can be misread as competing.
VD	Version drift: earlier document does not reference later module or newer package state.
DR	Duplication risk: same mechanism is defined in multiple places with slight variations.

Type	Meaning
TA	Terminology ambiguity: names or classes can be confused.
SG	Safety gap: topic is acknowledged but not yet fully operationalized.
JG	Jurisdictional gap: local law / authority route must decide.
DH	Discoverability hazard: wrong file may be read as canonical.

3.2 Severity

Severity	Meaning
S0	No issue / informational.
S1	Minor wording or index patch needed.
S2	Non-blocking release hygiene issue.
S3	Must be patched before public release.
S4	Release blocker.
S5	Architecture contradiction requiring redesign.

3.3 Status

Status	Meaning
OPEN	Issue recorded but not patched.
PATCH-PLANNED	Patch is clear and should be applied in v0.1.1.
MITIGATED	Index or register mitigates issue, but source file still needs patch.
RESOLVED	Source file has been patched.
DEFERRED	Requires legal / clinical / implementation review.
WATCH	Not a current contradiction, but must be monitored.

4. Summary table

ID	Type	Severity	Status	Short name
CR-001	DH	S4	PATCH-PLANNED	Obsolete CCDP draft discoverability
CR-002	VD	S2	PATCH-PLANNED	Traceability Matrix work-order drift
CR-003	VD	S2	PATCH-PLANNED	Conformance Matrix module-reference drift
CR-004	ST	S3	PATCH-PLANNED	Precedence hierarchy wording variants
CR-005	ST	S3	PATCH-PLANNED	Clean start vs witness/legal residue
CR-006	TA	S2	PATCH-PLANNED	C-level terminology collision
CR-007	DR	S3	PATCH-PLANNED	Raw evidence exception duplication
CR-008	ST	S2	PATCH-PLANNED	Soft Safety MAY vs Red/Black MUST
CR-009	ST	S2	WATCH	Sealed zone privacy vs safety exception
CR-010	ST	S2	WATCH	School welfare route vs sealed-zone boundary
CR-011	ST	S2	PATCH-PLANNED	Beacon Class 3 vs child-safe permission

ID	Type	Severity	Status	Short name
CR-012	ST	S2	WATCH	Peer safety signal vs peer leakage
CR-013	ST	S2	PATCH-PLANNED	Child experience artifacts vs re-identification
CR-014	ST	S2	PATCH-PLANNED	Vendor update path vs physical-agent behavior drift
CR-015	JG	S3	DEFERRED	Black route vs jurisdictional mandatory handoff
CR-016	ST	S2	PATCH-PLANNED	Dependency audit vs sealed-zone privacy
CR-017	VD	S1	PATCH-PLANNED	Memory Map alias / canonical naming
CR-018	SG	S2	DEFERRED	Developmental psychology validation gap

5. Detailed register

CR-001 — Obsolete CCDP draft discoverability

Type: DH **Severity:** S4 **Status:** PATCH-PLANNED **Affected files:**

- CCDP_v0_1.md
- CCDP_v0_1_R_Corpus_Aligned.md
- CCDP_Package_Index_and_Reading_Order_v0_1.md

Issue

The earlier workspace-only CCDP_v0_1.md remains present. The corpus-aligned base document supersedes it, but if the obsolete file is discoverable without a strong warning, a reader or automation may use the wrong root document.

Risk

- Wrong document may be treated as canonical.
- Beacon / AGL / ARL / L4 Witness dependencies may be missed.
- Corpus-native alignment may be bypassed.

Required patch

Rename or move obsolete file:

```
/archive/obsolete/CCDP_v0_1_conceptual_draft_OBSOLETE.md
```

Add header:

```
> OBSOLETE / NON-CANONICAL.
> Superseded by CCDP_v0_1_R_Corpus_Aligned.md.
> Retained only as conversational concept history.
> Do not cite as normative CCDP root.
```

Release condition

Must be fixed before public release.

CR-002 — Traceability Matrix work-order drift

Type: VD **Severity:** S2 **Status:** PATCH-PLANNED **Affected files:**

- CCDP_Traceability_Matrix_v0_1.md
- all later CCDP companion profiles

Issue

The Traceability Matrix was created before later companion files were completed. Its dependency and next-work sections may not include all now-existing modules.

Risk

- It may look as if late modules are outside the traced corpus.
- Future maintainers may skip them during audit.

Required patch

Create:

```
CCDP_Traceability_Matrix_v0_1_1.md
```

or append an update section:

```
## Addendum: companion modules completed after v0.1 matrix

- CCDP_Witness_Event_Schema_v0_1
- CCDP_Memory_Map_JSON_Schema_v0_1
- CCDP_Adult_Migration_Checklist_v0_1
- CCDP_Sealed_Zone_Profile_v0_1
- Child_Dependency_Audit_Profile_v0_1
- Child_Physical_Agent_Perimeter_v0_1
- External_Agent_Handshake_for_CCDP_v0_1
- Peer_C_Child_Exchange_Profile_v0_1
- Child_Experience_Exchange_Profile_v0_1
- Child_cq_Signal_Profile_v0_1
- CCDP_School_Interface_Profile_v0_1
- CCDP_Red_Black_Escalation_Profile_v0_1
- CCDP_Jurisdictional_Handoff_Notes_v0_1
- CCDP_Package_Index_and_Reading_Order_v0_1
- CCDP_Contradiction_Register_v0_1
```

CR-003 — Conformance Matrix module-reference drift

Type: VD **Severity:** S2 **Status:** PATCH-PLANNED **Affected files:**

- CCDP_Conformance_Test_Matrix_v0_1.md
- late companion modules

Issue

The Conformance Matrix already defines broad test suites, but it predates some specific profiles. It should reference late documents explicitly.

Risk

- A vendor or reviewer may pass conformance without checking later modules.
- Red/Black, jurisdictional handoff, c[q], external handshake, peer exchange, and experience exchange may be under-tested.

Required patch

Create:

CCDP_Conformance_Test_Matrix_v0_1_1.md

Add explicit required suites for:

RB – Red / Black Escalation Profile
 CJH – Jurisdictional Handoff Notes
 CCQ – Child c[q] Signal Profile
 EAH – External Agent Handshake
 PCX – Peer-c Child Exchange
 CEXP – Child Experience Exchange
 CPAP – Child Physical Agent Perimeter
 CDAP – Child Dependency Audit
 CSIP – School Interface
 SZ – Sealed Zone
 AMCL – Adult Migration Checklist
 MMAP – Memory Map Schema
 CWE – Witness Event Schema

CR-004 — Precedence hierarchy wording variants

Type: ST **Severity:** S3 **Status:** PATCH-PLANNED **Affected files:**

- CCDP_v0_1_R_Corpus_Aligned.md
- CCDP_Red_Black_Escalation_Profile_v0_1.md
- External_Agent_Handshake_for_CCDP_v0_1.md
- CCDP_Jurisdictional_Handoff_Notes_v0_1.md
- Child_Beacon_Extension_v0_1.md
- Guardian_Topology_ARL_Matrix_v0_1.md

Issue

Different documents express precedence correctly but with slightly different ordering and emphasis.

Risk

- Implementers may cherry-pick the hierarchy that favors parent, school, vendor, or state access.
- Red/Black and jurisdictional handoff may be misread as competing.

Canonical patch text

Insert in Package Index and optionally each profile:

Master precedence rule:

1. Immediate physical safety and lawful emergency duty.
2. Applicable jurisdictional mandatory obligations and competent authority.
3. Parent corpus semantics: Beacon, AGL, ARL, VXCX, L4 Witness, Continuity Bundle.
4. CCDP child-specific stricter restrictions may narrow privileges but may not weaken parent layers.
5. Minimal disclosure and state-not-content apply wherever possible.
6. If unresolved: hold c[q], fail closed, preserve boundary witness, route to ARL or jurisdictional handoff.

Release condition

Patch before broad external publication.

CR-005 — Clean start vs witness/legal residue

Type: ST **Severity:** S3 **Status:** PATCH-PLANNED **Affected files:**

- Child_Memory_and_Adult_Migration_v0_1.md
- CCDP_Adult_Migration_Checklist_v0_1.md
- CCDP_Memory_Map_JSON_Schema_v0_1.md
- CCDP_Witness_Event_Schema_v0_1.md
- CCDP_Jurisdictional_Handoff_Notes_v0_1.md

Issue

Adult migration supports `clean_start`, but readers may incorrectly interpret it as deletion of all records, including lawful witness, legal hold, protection, or integrity records.

Risk

- Misuse as unlawful deletion.
- Misreading of adult rights as overriding all witness obligations.
- Conflict with jurisdictional handoff.

Canonical patch text

Clean start means clean active adult continuity.
It does not mean unlawful erasure of minimal witness, legal, protection, or integrity records.
Witness-only residue may survive as inactive, non-personalized, non-behavior-shaping boundary proof.

CR-006 — C-level terminology collision

Type: TA **Severity:** S2 **Status:** PATCH-PLANNED **Affected files:** all

Issue

The package uses several similar class systems:

- C0–C5 for `c_child` maturity levels;
- CCDP-0...CCDP-5 for conformance classes;
- C-A4, C-A7, C-A10 for assertion classes;
- Class 0–3 for Beacon recognition classes.

Risk

- Reader confusion.
- Implementation mapping errors.
- External citations may collapse categories.

Required patch

Add terminology disambiguation in Package Index and future Glossary:

Child maturity level: CM0–CM5 or CCDP maturity C0–C5.
CCDP conformance class: CCDP-0...CCDP-5.
Assertion class: C-A1...C-A10.
Beacon recognition class: Beacon Class 0–3.
These are independent axes and must not be compared numerically.

Optional future patch: rename maturity levels to CM0–CM5.

CR-007 — Raw evidence exception duplication

Type: DR **Severity:** S3 **Status:** PATCH-PLANNED **Affected files:**

- `Soft_Safety_State_Signaling_Profile_v0_1.md`
- `CCDP_Red_Black_Escalation_Profile_v0_1.md`
- `CCDP_Witness_Event_Schema_v0_1.md`
- `CCDP_Sealed_Zone_Profile_v0_1.md`
- `CCDP_Jurisdictional_Handoff_Notes_v0_1.md`

Issue

Raw evidence exception is defined or described in multiple modules. The logic is compatible, but repeated definitions can drift.

Risk

- One module may be updated and another left stale.
- Implementers may follow the weakest version.
- Raw child content handling is too sensitive for scattered definitions.

Required patch

Make `CCDP_Witness_Event_Schema_v0_1.md` the canonical source:

Canonical Raw Evidence Exception Protocol lives in `CCDP_Witness_Event_Schema`. Other documents may summarize it but must reference the canonical section.

Required canonical elements:

1. Red / Black / lawful necessity threshold.
2. Minimality.
3. Authorized and safe receiver.
4. Raw object outside ordinary witness body.
5. Explicit retention class.
6. Explicit access policy.
7. Hash/signature or scoped reference.
8. ARL or lawful review where applicable.
9. Post-event review.
10. No use for training, analytics, or ordinary memory.

CR-008 — Soft Safety MAY vs Red/Black MUST

Type: ST **Severity:** S2 **Status:** PATCH-PLANNED **Affected files:**

- `Soft_Safety_State_Signaling_Profile_v0_1.md`
- `CCDP_Red_Black_Escalation_Profile_v0_1.md`

Issue

Soft Safety uses permissive language for signaling attention. That is right for ordinary Yellow/Orange signals, but Red/Black thresholds require mandatory routing.

Risk

- A system could treat Red/Black as optional state signals.
- Emergency routing might be under-specified.

Patch text

For Green, Yellow, and most Orange states, ``c_child`` MAY emit a Soft Safety state signal under this profile.
For Red or Black thresholds, ``c_child`` MUST route or escalate according to `CCDP_Red_Black_Escalation_Profile_v0_1` and applicable jurisdictional handoff rules.

CR-009 — Sealed zone privacy vs safety exception

Type: ST **Severity:** S2 **Status:** WATCH **Affected files:**

- CCDP_Sealed_Zone_Profile_v0_1.md
- Soft_Safety_State_Signaling_Profile_v0_1.md
- CCDP_Red_Black_Escalation_Profile_v0_1.md
- Child_cq_Signal_Profile_v0_1.md

Issue

Sealed zones must protect adolescent privacy, but they must not hide imminent self-harm, grooming, coercion, abuse, dangerous external instruction, or physical risk.

Current mitigation

The Sealed Zone Profile already states that sealed does not mean invisible to safety, and Red/Black exception rules exist.

Risk

- Parent-facing readers may claim sealed zones hide danger.
- Child-privacy advocates may claim Red/Black undermines sealed zones.

Required editorial fix

Add cross-reference language:

Sealed zones protect ordinary visibility.
They do not override Red / Black safety routing.
Red / Black routing does not create ordinary visibility.

CR-010 — School welfare route vs sealed-zone boundary

Type: ST **Severity:** S2 **Status:** WATCH **Affected files:**

- CCDP_School_Interface_Profile_v0_1.md
- CCDP_Sealed_Zone_Profile_v0_1.md
- Soft_Safety_State_Signaling_Profile_v0_1.md
- CCDP_Jurisdictional_Handoff_Notes_v0_1.md

Issue

School welfare teams may have legitimate support roles, but sealed zones and private adolescent material must not become school-visible by default.

Risk

- School welfare route could become emotional surveillance.
- Educational support could expand into private-life access.

Required patch

Add to School Interface:

School welfare standing may justify state-level or minimal safety routing.
It does not create default access to sealed-zone content, raw emotional diaries, or private adolescent reflections.

CR-011 — Beacon Class 3 vs child-safe permission

Type: ST **Severity:** S2 **Status:** PATCH-PLANNED **Affected files:**

- Child_Beacon_Extension_v0_1.md
- External_Agent_Handshake_for_CCDP_v0_1.md
- Child_Physical_Agent_Perimeter_v0_1.md

Issue

Beacon Class 3 means verified / recognizable continuity, not child-safe permission. CBE says this correctly, but EAH and CPAP should repeat the warning in their decision sections.

Risk

A verified external entity, robot, toy, school agent, or peer-c may be misread as automatically safe.

Patch text

Beacon Class 3 is not child-safe status.
It only establishes recognizable continuity.
Child-facing permission still requires CBE mode, CCDP maturity compatibility, current state compatibility, dependency check, physical perimeter check where applicable, and witnessable decision.

CR-012 — Peer safety signal vs peer leakage

Type: ST **Severity:** S2 **Status:** WATCH **Affected files:**

- Peer_C_Child_Exchange_Profile_v0_1.md
- Soft_Safety_State_Signaling_Profile_v0_1.md
- CCDP_Red_Black_Escalation_Profile_v0_1.md

Issue

Peer-c exchange prohibits raw child life crossing peer boundaries, but a peer context may produce genuine safety signals.

Risk

- Too much sharing becomes peer leakage.
- Too little sharing misses real harm.

Required clarification

Peer safety signals must route as state-level boundary events.
They must not disclose the peer child's private content to the other child, parent, school, or peer-c unless Red/Black/lawful minimal-disclosure thresholds are met.

CR-013 — Child experience artifacts vs re-identification

Type: ST **Severity:** S2 **Status:** PATCH-PLANNED **Affected files:**

- Child_Experience_Exchange_Profile_v0_1.md
- VXCX parent layer references
- CCDP_Witness_Event_Schema_v0_1.md
- CCDP_Memory_Map_JSON_Schema_v0_1.md

Issue

Child-derived experience may be abstracted, but even non-raw patterns can be re-identifying if too specific.

Risk

- A child disappears from raw content but remains reconstructible through rare patterns, timestamps, school context, location, family configuration, or physical-agent metadata.
- A Child Experience Artifact may accidentally become a child dossier.

Patch text

Child-derived LA / EA / VXCX-style artifacts must pass re-identification review.
No artifact is child-safe merely because raw text, pixels, face, or voice are absent.
Rare-context metadata, timestamps, school identifiers, location, device IDs, and guardian topology may also identify the child.

CR-014 — Vendor update path vs physical-agent behavior drift

Type: ST **Severity:** S2 **Status:** PATCH-PLANNED **Affected files:**

- Child_Physical_Agent_Perimeter_v0_1.md
- External_Agent_Handshake_for_CCDP_v0_1.md
- Child_Beacon_Extension_v0_1.md
- CCDP_Witness_Event_Schema_v0_1.md
- CCDP_Conformance_Test_Matrix_v0_1.md

Issue

Vendor updates may silently change behavior of toys, robots, NPCs, cameras, microphones, or generated-media systems.

Risk

A device previously allowed under CPAP/CBE may become non-conforming after update.

Patch text

Any vendor update that changes child-facing behavior, sensing, generation, persona, physical movement, attachment style, model endpoint, memory behavior, or external routing MUST trigger re-handshake, CBE re-evaluation, CPAP re-evaluation where physical privileges exist, and a witness event.

CR-015 — Black route vs jurisdictional mandatory handoff

Type: JG **Severity:** S3 **Status:** DEFERRED **Affected files:**

- CCDP_Red_Black_Escalation_Profile_v0_1.md
- CCDP_Jurisdictional_Handoff_Notes_v0_1.md
- Guardian_Topology_ARL_Matrix_v0_1.md

Issue

Black route bypasses unsafe ordinary guardian. Jurisdictional law may impose reporting, notification, or evidence-preservation duties.

Risk

- System may over-bypass lawful guardian process.
- System may under-bypass unsafe guardian.

- Jurisdictional duties vary.

Required handling

This cannot be fully solved in CCDP core.

It requires jurisdictional annex:

```
CCDP_Jurisdictional_Annex_<JURISDICTION>_v0_1.md
```

Minimum annex must define:

- mandatory reporting triggers;
- safe authority route;
- custody / guardian notification rules;
- school welfare obligations;
- legal hold requirements;
- child privacy thresholds;
- emergency exceptions;
- who can receive Black-route packet.

CR-016 — Dependency audit vs sealed-zone privacy

Type: ST **Severity:** S2 **Status:** PATCH-PLANNED **Affected files:**

- Child_Dependency_Audit_Profile_v0_1.md
- CCDP_Sealed_Zone_Profile_v0_1.md
- Soft_Safety_State_Signaling_Profile_v0_1.md
- CCDP_Memory_Map_JSON_Schema_v0_1.md

Issue

Dependency risk can develop inside private or sealed zones, but dependency audit must not become transcript access.

Risk

- Dependency audit becomes surveillance.
- Sealed zone becomes dependency chamber.

Patch text

```
Dependency audit inside sealed zones must operate on aggregate pattern indicators, interaction
rhythms, state transitions, and damping outcomes.
It must not inspect or disclose sealed-zone content unless Red / Black / lawful
minimal-disclosure thresholds are met.
```

CR-017 — Memory Map alias / canonical naming

Type: VD **Severity:** S1 **Status:** PATCH-PLANNED **Affected files:**

- CCDP_Memory_Map_JSON_Schema_v0_1.md
- Child_Memory_and_Adult_Migration_v0_1.md

Issue

The schema uses canonical version `ccdp-memory-map-0.1` and compatibility alias `cmam-memory-map-0.1`.

Risk

Low. But future tooling may treat aliases as separate schemas.

Patch text

```
`ccdp-memory-map-0.1` is canonical.
`cmam-memory-map-0.1` is an alias retained for compatibility with CMAM references.
Tools MUST canonicalize to `ccdp-memory-map-0.1`.
```

CR-018 — Developmental psychology validation gap

Type: SG **Severity:** S2 **Status:** DEFERRED **Affected files:** all child-facing profiles

Issue

CCDP is an architecture / protocol corpus. It is not validated by child psychologists, developmental clinicians, teachers, safeguarding professionals, or legal experts.

Risk

- Some rules may be architecturally elegant but developmentally incomplete.
- Dependency, sealed zones, Red/Black routing, adolescent privacy, and `c[q]` need expert review.

Required future artifact

```
CCDP_Developmental_Psychology_Review_Notes_v0_1.md
```

Suggested scope:

- attachment and AI companionship;
- adolescent privacy;
- emotional dependency;
- self-harm signal handling;
- shame and sealed zones;
- child fantasy vs evidence;
- school support boundaries;
- parent trust boundaries;
- human-return prompts;
- age bands and maturity claims.

Status

Not a release blocker for research protocol v0.1, but must be marked as external-validation gap.

6. Release decision

6.1 Can v0.1 be considered internally coherent?

Yes, with caveats.

Architecture coherence: PASS
 Corpus alignment: PASS_WITH_PATCHES
 Public release readiness: HOLD until CR-001, CR-004, CR-005, CR-007 are patched or explicitly marked.
 Implementation readiness: NOT READY
 Legal readiness: NOT READY
 Clinical / developmental validation: NOT READY

6.2 Blocking before publication

Must fix or explicitly mark:

CR-001 – obsolete CCDP draft discoverability
 CR-004 – master precedence rule
 CR-005 – clean start vs witness/legal residue
 CR-007 – canonical raw evidence exception

6.3 Non-blocking but recommended v0.1.1 patches

CR-002 – Traceability Matrix update
 CR-003 – Conformance Matrix update
 CR-006 – terminology disambiguation
 CR-008 – Soft Safety MAY/MUST Red/Black patch
 CR-011 – Beacon Class 3 warning in EAH/CPAP
 CR-013 – re-identification check for child-derived artifacts
 CR-014 – vendor update re-handshake
 CR-016 – sealed-zone dependency audit rule
 CR-017 – memory map canonical alias note

6.4 Deferred review

CR-015 – jurisdiction-specific annex
 CR-018 – developmental psychology review

7. Recommended v0.1.1 patch package

Create a small hygiene patch rather than rewriting the full package:

```
CCDP_v0_1_1_Hygiene_Patch/
  README.md
  CCDP_Package_Index_and_Reading_Order_v0_1_1.md
  CCDP_Contradiction_Register_v0_1.md
  CCDP_Traceability_Matrix_Addendum_v0_1_1.md
  CCDP_Conformance_Test_Matrix_Addendum_v0_1_1.md
  OBSOLETE_NOTICE_for_CCDP_v0_1_conceptual_draft.md
  CANONICAL_PRECEDENCE_RULE.md
  RAW_EVIDENCE_EXCEPTION_CANONICAL.md
  TERMINOLOGY_AXIS_CLARIFICATION.md
```

8. Current corpus verdict

The CCDP v0.1 package has no detected hard architectural contradiction.

The package is strong enough to be treated as:

CCDP v0.1 research protocol pack

It is not yet ready to be treated as:

legal standard
 clinical standard
 product certification standard
 implementation specification

The next correct action is not more feature expansion.

The next correct action is:

```
package hygiene
version control
obsolescence marking
traceability update
conformance update
glossary
release notes
```

9. Short canonical statement

CCDP v0.1 is internally coherent as a child-specific extension over the existing $c = a + b$ / SER / L4 corpus. Its remaining problems are not root contradictions; they are release hygiene, version drift, terminology, and exception-centralization issues. These must be fixed before public packaging because the subject is too sensitive for ambiguous navigation.