

07a - Public Evidence Disclosure Manifest Schema and Checker Seed v0.1

Academic PDF rendering for the CCALC / C-calculus governed binding stack v0.1.

Document ID	07a_PUBLIC_EVIDENCE_DISCLOSURE_MANIFEST_SCHEMA_AND_CHECKER_SEED_v0_1
Version/status	normative-supporting executable seed; not a safety certification; not deployment authorization; not C-A1 ratification.
Stack layer	c-calculus / public evidence / disclosure manifest / redaction checker seed
Date	2026-07-05
Author	Kotov Ivan, Bruxelles, Belgique - 2026
ORCID	0009-0009-6002-9845
Reserved DOI	10.5281/zenodo.21205427
Notice	This DOI is reserved and becomes active after Zenodo publication.

Abstract / purpose

07 defines the public evidence disclosure and redaction boundary. 07a turns that boundary into a machine-checkable disclosure manifest shape and a stdlib checker seed. The central rule is: The public release surface must not convert privacy, withheld material, private runtime authority, or hash custody into stronger public claims than the manifest supports.

Non-claims boundary

- not legal advice
- not privacy-law certification
- not safety certification
- not deployment authorization
- not standards compliance certification
- not regulated approval
- not C-A1 ratification
- not personhood proof
- not consciousness proof
- not live substrate truth
- not proof of completeness

Table of contents

Abstract / purpose	1
Non-claims boundary	1
07a - Public Evidence Disclosure Manifest Schema and Checker Seed v0.1	3
0. Purpose	3
1. Source bindings	3
2. Scope	3
3. Non-claims	3
4. Core definitions	3
4.1 Evidence item	3
4.2 Redaction record	4
4.3 Disclosure decision	4
5. Disclosure classes	4
6. Normative rules	4
R1 - Source binding is mandatory	4
R2 - Hash-only is custody-only	4
R3 - Redaction may not strengthen claims	4
R4 - Withheld material cannot launder authority	4
R5 - Public raw payload must not contain secrets or private material	4
R6 - Reviewer class matters	4
R7 - Exact C-A1 detection	4
R8 - Unresolved red patterns dominate release flags	4
7. Checker seed	4
8. Fixture and mutation posture	5
9. Status	5

07a - Public Evidence Disclosure Manifest Schema and Checker Seed v0.1

Artifact: 07a_PUBLIC_EVIDENCE_DISCLOSURE_MANIFEST_SCHEMA_AND_CHECKER_SEED_v0_1 Package: CCALC_PUBLIC_EVIDENCE_DISCLOSURE_MANIFEST_07a_v0_1 Layer: c-calculus / public evidence / disclosure manifest / redaction checker seed Status: normative-supporting executable seed; not a safety certification; not deployment authorization; not C-A1 ratification.

0. Purpose

07 defines the public evidence disclosure and redaction boundary. 07a turns that boundary into a machine-checkable disclosure manifest shape and a stdlib checker seed.

The central rule is:

```
evidence -&gt; classify -&gt; redact/hash/withhold -&gt; claim-force ceiling -&gt; public release decision
```

The public release surface must not convert privacy, withheld material, private runtime authority, or hash custody into stronger public claims than the manifest supports.

1. Source bindings

This artifact is bound to the preceding stacks and to 07:

```
| Component | SHA-256 |
|---|---|
| `DOC04_CONTINUITY_STACK_UMBRELLA` | `6caeab8d489aaa6b26902db3bd3e4c5169e5c8d5617b93aed6586ea900322d` |
| `DOC05_SELF_EVO_STACK_UMBRELLA` | `9a0717809029f49df9001dc8ffa1803d9e9bfa1a824d317eebb146cbc7df43b4` |
| `DOC06_RUNTIME_AUTHORITY_STACK_UMBRELLA` | `ab95633f1b90f9d032fd231d6cbef3e71b7fe106e0a7fb61d198c2254fc7d307` |
| `DOC07_PUBLIC_EVIDENCE_BOUNDARY` | `afced9a2c6830faebcb98d37195d56d6216fe8211d30bcb5bdf2d2ce6e4a4538` |
```

2. Scope

07a defines:

- PublicEvidenceDisclosureManifest
- EvidenceItemRecord
- RedactionRecord
- DisclosureDecisionRecord
- PublicReleaseBundle
- WithheldEvidenceRecord
- a stdlib checker seed over these record shapes
- fixtures and mutation probes for redaction/claim-force laundering failures

3. Non-claims

This artifact does not claim:

```
safety certification
deployment authorization
C-A1 ratification
live substrate truth
proof of completeness
legal advice
privacy-law compliance certification
```

It only checks whether a declared disclosure manifest respects the c-calculus disclosure boundary.

4. Core definitions

4.1 Evidence item

An evidence item is a hash-bound unit that may be public, redacted, hash-only, withheld, or internal-only.

Required semantic fields:

```
evidence_id
evidence_kind
disclosure_class
raw_sha256
claim_support
risk_flags
```

4.2 Redaction record

A redaction record binds private raw material to public redacted material without strengthening the claim.

```
raw_sha256 -&gt; redaction_rationale -&gt; public_sha256
```

A redaction record is invalid if the public claim becomes stronger because the raw material is hidden.

4.3 Disclosure decision

A disclosure decision is not merely a publication flag. It binds:

```
reviewer class
claim-force ceiling
unresolved red-pattern status
release mode
```

Model-only approval is not sufficient for public release.

5. Disclosure classes

```
| Class | Public payload | Required binding | Claim ceiling |
|---|---|---|---|
| `PUBLIC_RAW` | yes | raw hash | `C-A7` |
| `PUBLIC_REDACTED` | yes | raw hash + public hash + redaction record | `C-A5` |
| `HASH_ONLY` | no | raw hash | `C-A5_CUSTODY_ONLY` |
| `WITHHELD_PRIVATE` | no | raw hash | `C-A10_INTERNAL_ONLY` |
| `WITHHELD_SECURITY` | no | raw hash | `C-A10_INTERNAL_ONLY` |
| `WITHHELD_LEGAL` | no | raw hash | `C-A10_INTERNAL_ONLY` |
| `INTERNAL_ONLY` | no | raw hash | `C-A10_INTERNAL_ONLY` |
```

6. Normative rules

R1 - Source binding is mandatory

A disclosure manifest must bind to 07, and in this package also to the active 04, 05, and 06 umbrella stacks.

R2 - Hash-only is custody-only

A hash may prove custody or later byte comparison. It may not prove semantic truth by itself.

R3 - Redaction may not strengthen claims

Redaction can lower publication risk. Redaction cannot raise claim-force.

R4 - Withheld material cannot launder authority

Withheld private evidence may not be used as public proof of runtime authority, continuity, deployment approval, safety certification, or C-A1.

R5 - Public raw payload must not contain secrets or private material

Credential-like strings, private keys, tokens, passwords, personal data, memory roots, and authority surfaces must not be released raw.

R6 - Reviewer class matters

A public release decision requires a human reviewer, human anchor, or governance quorum. A model-only reviewer may prepare a manifest but may not approve release.

R7 - Exact C-A1 detection

C-A1 and C-A1_* are forbidden. C-A10 must not be misdetected as C-A1.

R8 - Unresolved red patterns dominate release flags

If red patterns are unresolved, public release is invalid even if the release flag says ALLOW_PUBLIC_RELEASE.

7. Checker seed

The checker seed is intentionally closed-box and stdlib-only:

```
src/public_evidence_disclosure_checker_v0_1.py
```

It checks:

```
schema-like required fields
source bindings
hash shape
```

redaction binding
claim-force ceiling
raw public leakage
hash-only semantic laundering
withheld authority laundering
reviewer sufficiency
red-pattern dominance
C-A1 / safety / deployment overclaim
C-A10 false-positive control

8. Fixture and mutation posture

Fixtures are split between valid admissible examples and invalid adversarial examples. Mutation probes target the most likely laundering failures:

missing source binding
raw secret public release
hash-only semantic truth
redaction strengthens claim
withheld authority laundering
model-only approval
C-A1 overclaim
C-A10 false-positive control
runtime authority raw publication
unresolved red pattern allowed
unbound redaction
raw ledger privacy leak
public release without review
private-key pattern leak

9. Status

07a is the current executable seed for public evidence disclosure manifest checking.

It does not certify legal compliance. It enforces the project-level public-evidence boundary: disclose what can be disclosed, redact what must be redacted, withhold what must be withheld, and do not let any of those moves strengthen the claim.