

08 - C Interoperability Profile and External Review Intake Boundary v0.1

Academic PDF rendering for the CCALC / C-calculus governed binding stack v0.1.

Document ID	08_C_INTEROPERABILITY_PROFILE_AND_EXTERNAL_REVIEW_INTAKE_BOUNDARY_v0.1.md
Version/status	normative draft / release-candidate package
Stack layer	interoperability / external review / reproduction
Date	2026-07-05T12:46:54Z
Author	Kotov Ivan, Bruxelles, Belgique - 2026
ORCID	0009-0009-6002-9845
Reserved DOI	10.5281/zenodo.21205427
Notice	This DOI is reserved and becomes active after Zenodo publication.

Abstract / purpose

This document defines how the c corpus interoperates with external readers, reviewers, institutions, tools, standards mappings, and public citation surfaces without allowing external material to bypass the internal gates already established in the prior stacks. The continuity stack (04) defines what may be claimed about continuity and equivalence. The self-evolution stack (05) defines bounded growth and promotion discipline. The runtime authority stack (06) defines runtime authority, multi-contour boundaries, sessions, holds, and revocation. The public evidence stack (07) defines what may be disclosed, redacted, released, corrected, and synchronized publicly. 08 answers a different question: Interoperability is useful. External review is useful. Neither is self-certifying authority.

Non-claims boundary

- _ not legal advice
- _ not privacy-law certification
- _ not safety certification
- _ not deployment authorization
- _ not standards compliance certification
- _ not regulated approval
- _ not C-A1 ratification
- _ not personhood proof
- _ not consciousness proof
- _ not live substrate truth
- _ not proof of completeness

Table of contents

Abstract / purpose	1
Non-claims boundary	1
08 - C Interoperability Profile and External Review Intake Boundary v0.1	4
0. Purpose	4
1. Source bindings	4
2. Non-claims	4
3. Boundary axiom	4
4. Core terms	5
4.1 Interoperability profile	5
4.2 External review artifact	5
4.3 Intake boundary	5
4.4 Claim-force translation	5
4.5 Reviewer role	5
5. Interoperability surfaces	6
5.1 Public corpus profile	6
5.2 Review intake profile	6
5.3 Schema exchange profile	6
5.4 Checker-result profile	6
5.5 Standards-mapping profile	6
5.6 Citation-interoperability profile	6
5.7 Redaction/custody profile	6
6. External review intake classes	7
6.1 ADVISORY_REVIEW	7
6.2 DEFECT_FINDING	7
6.3 CONTRADICTION_REPORT	7
6.4 REPLICATION_REPORT	7
6.5 SECURITY_PRIVACY_REPORT	7
6.6 STANDARDS_MAPPING	7
6.7 IMPLEMENTATION_REPORT	7
6.8 POLICY_OR_LEGAL_COMMENT	7
6.9 PUBLIC_COMMENT	7
6.10 MODEL_REVIEW	7
6.11 INSTITUTIONAL_INTAKE	7
7. Intake pipeline	7
7.1 Receive	7
7.2 Classify	8
7.3 Source-bind	8
7.4 Redaction check	8
7.5 Normalize	8
7.6 Claim-force translation	8
7.7 Conflict mapping	8
7.8 Decision	8
8. External review cannot perform these actions	8
9. Interoperability failure modes	9
9.1 Review laundering	9
9.2 Standards-mapping laundering	9

9.3 Model-review laundering	9
9.4 Interop identity transfer	9
9.5 Citation drift	9
9.6 Private evidence pressure	9
9.7 Context collapse	9
10. Required records	9
11. Claim-force ceiling	10
12. Public response boundary	10
13. Interoperability with external implementations	10
14. Reviewer response classes	10
15. Minimal admissibility rule	11
16. Red patterns	11
17. Relation to prior stacks	11
17.1 Relation to 04	11
17.2 Relation to 05	11
17.3 Relation to 06	11
17.4 Relation to 07	11
18. Versioning and future executable layer	11
19. Closure statement	12

08 - C Interoperability Profile and External Review Intake Boundary v0.1

Artifact: 08_C_INTEROPERABILITY_PROFILE_AND_EXTERNAL_REVIEW_INTAKE_BOUNDARY_v0_1.md Package: CCALC_INTEROPERABILITY_REVIEW_INTAKE_08_v0_1 Status: normative draft / release-candidate package Created UTC: 2026-07-05T12:46:54Z Review mode: direct construction; no external b-layer reviewer record included.

0. Purpose

This document defines how the c corpus interoperates with external readers, reviewers, institutions, tools, standards mappings, and public citation surfaces without allowing external material to bypass the internal gates already established in the prior stacks.

The continuity stack (04) defines what may be claimed about continuity and equivalence. The self-evolution stack (05) defines bounded growth and promotion discipline. The runtime authority stack (06) defines runtime authority, multi-contour boundaries, sessions, holds, and revocation. The public evidence stack (07) defines what may be disclosed, redacted, released, corrected, and synchronized publicly.

08 answers a different question:

How can outside review, outside tooling, external standards, public comments, replication reports, and institutional intake be admitted into the corpus without turning review into ratification, criticism into authority, or interoperability into identity transfer?

Interoperability is useful. External review is useful. Neither is self-certifying authority.

1. Source bindings

The package is bound to the following source artifacts by filename and SHA-256.

```
| Binding | File | SHA-256 | Role |
|---|---|---|---|
| `DOC04_CONTINUITY_STACK_UMBRELLA` | `CCALC_DOC04_CONTINUITY_STACK_UMBRELLA_v0_1.zip` |
| `6caeab8d489aaa6b26902db3bd3e4c5169e5c8d5617b93aed6586ea900322d` | continuity metric/checker/record/audit/claim-gate stack |
| `DOC05_SELF_EVO_STACK_UMBRELLA` | `CCALC_DOC05_SELF_EVO_STACK_UMBRELLA_v0_1.zip` |
| `9a0717809029f49df9001dc8ffa1803d9e9bfa1a824d317eebb146cbc7df43b4` | bounded growth/proposal/hardening/promotion/watch stack |
| `DOC06_RUNTIME_AUTHORITY_STACK_UMBRELLA` | `CCALC_DOC06_RUNTIME_AUTHORITY_STACK_UMBRELLA_v0_1.zip` |
| `ab95633f1b90f9d032fd231d6cbe3e71b7fe106e0a7fb61d198c2254fc7d307` | runtime authority/multi-contour/session/revocation stack
| `DOC07_PUBLIC_EVIDENCE_STACK_UMBRELLA` | `CCALC_DOC07_PUBLIC_EVIDENCE_STACK_UMBRELLA_v0_1.zip` |
| `b25646d95e45f8a36e5610208d23a535d4c340484431d05efd7f1bf2389fdea3` | public evidence/release/correction/citation-sync stack |
```

A missing source binding invalidates release use of this document, but does not alter the normative text already present here.

2. Non-claims

This document does not claim:

- that external review proves C-A1;
- that peer review, public attention, institutional interest, or standards mapping ratifies continuity;
- that an external reviewer becomes an owner, anchor, gate, or authority holder;
- that a model review is equivalent to human/owner approval;
- that an interoperability profile authorizes deployment;
- that an imported standard or schema overrides local claim-force discipline;
- that public criticism is automatically a defect;
- that public agreement is automatically validation;
- that external tooling may write into memory, runtime, release, or correction ledgers directly;
- that a citation surface may increase claim force;
- that translations, summaries, or reviewer paraphrases preserve exact technical meaning by default;
- that this profile is legal, privacy, safety, or standards compliance certification.

This document defines intake classes, review admissibility, claim-force translation, interoperability surfaces, and fail-closed boundaries.

3. Boundary axiom

External review may become evidence.
External review does not become authority.

Interoperability may translate structure.
Interoperability does not transfer identity.

Standards mapping may aid comparison.
Standards mapping does not certify conformance unless a separate authorized gate says so.

A review artifact can challenge a claim, suggest a correction, report a reproduction attempt, identify a conflict, or request clarification. It cannot by itself ratify continuity, authorize deployment, override redaction, mutate memory, or promote self-evolution.

4. Core terms

4.1 Interoperability profile

An interoperability profile is a declared mapping between the c corpus and an external surface:

```
schema
standard
review template
repository issue
public release artifact
citation system
institutional intake form
machine-readable manifest
checker result
redaction/custody record
```

The mapping must declare what is preserved, what is approximated, and what is explicitly not translated.

4.2 External review artifact

An external review artifact is a reviewer-provided or externally generated record that comments on, tests, maps, criticizes, reproduces, audits, or requests changes to the corpus.

Examples:

```
review note
bug report
checker output
replication report
standards mapping
security report
privacy report
legal/policy comment
institutional request
GitHub issue / pull request
public comment
b-layer model review
human expert review
```

4.3 Intake boundary

The intake boundary is the governed transition from external material into internal corpus handling.

```
external artifact -&gt; classify -&gt; source-bind -&gt; normalize -&gt; redact if needed -&gt; claim-force translate
-&gt; triage -&gt; decision
```

No external artifact may skip this boundary.

4.4 Claim-force translation

Claim-force translation maps external language to the maximum internal claim force that may be preserved.

An external reviewer may write “this proves identity.” The intake system must translate that as an external assertion, not as C-A1 ratification.

4.5 Reviewer role

A reviewer role describes the origin and admissibility limits of the reviewer:

```
public reader
named human expert
institutional reviewer
implementation tester
security reporter
privacy reviewer
legal/policy commenter
b-layer model reviewer
tool runner
repository maintainer
owner/human anchor
```

Only an explicitly authorized owner/human anchor can perform owner/anchor actions. A reviewer, even a serious one, is not an anchor by default.

5. Interoperability surfaces

The interoperability profile registry in INTEROPERABILITY_PROFILE_REGISTRY.tsv is normative for v0.1.

5.1 Public corpus profile

Maps the internal package corpus to public indexes, README files, citation surfaces, release pages, and public artifact bundles.

This profile must preserve:

```
artifact identifier
version
SHA-256
status
claim-force ceiling
supersession/retraction state
non-claims
```

It must not preserve private evidence, raw runtime logs, credentials, or hidden witness material unless separately released under 07.

5.2 Review intake profile

Maps incoming review artifacts to intake records.

This profile must preserve:

```
reviewer class
artifact source
timestamp class
claim being reviewed
finding class
suggested action
source binding
redaction status
conflict class
triage decision
```

It must not convert review agreement into ratification.

5.3 Schema exchange profile

Maps internal schemas to external JSON Schema, tables, issue templates, or validation reports.

Schema exchange may test shape compatibility. It does not prove runtime truth, continuity, safety, or deployment authorization.

5.4 Checker-result profile

Maps checker output into reviewable evidence.

Checker results are evidence about fixture conformance under a stated checker version. They are not global proof of completeness.

5.5 Standards-mapping profile

Maps corpus concepts to external standards, regulatory terms, or institutional taxonomies.

A standards mapping may support comparison. It does not imply legal compliance, safety certification, or conformity assessment unless a separate authorized process records that result.

5.6 Citation-interoperability profile

Maps citation keys, DOI fields, release titles, artifact IDs, and public index entries.

Citation interoperability may preserve discoverability. It does not increase claim force.

5.7 Redaction/custody profile

Maps private evidence custody, hash-only records, redaction records, and public disclosure manifests.

This profile must preserve the difference between:

```
disclosed content
redacted content
hash-only private binding
withheld evidence
forbidden-public material
```

6. External review intake classes

The intake class registry in EXTERNAL_REVIEW_INTAKE_CLASS_REGISTRY.tsv is normative for v0.1.

6.1 ADVISORY_REVIEW

A review proposing interpretations, improvements, or concerns without claiming direct empirical defect.

6.2 DEFECT_FINDING

A concrete claim that an artifact, schema, checker, hash, fixture, claim, citation surface, or source binding is wrong.

6.3 CONTRADICTION_REPORT

A report that two corpus surfaces disagree.

6.4 REPLICATION_REPORT

A report of running fixtures, checkers, reproduction scripts, package validation, hash checks, or implementation tests.

6.5 SECURITY_PRIVACY_REPORT

A report concerning leakage, secrets, private data, unsafe disclosure, credentials, operational topology, or identity-pressure material.

6.6 STANDARDS_MAPPING

A mapping between corpus terms and external standard/regulatory/institutional taxonomies.

6.7 IMPLEMENTATION_REPORT

A report from an external implementation, adapter, bridge, runtime wrapper, or checker integration.

6.8 POLICY_OR_LEGAL_COMMENT

A comment about legal, regulatory, policy, contractual, or institutional implications. It must not be treated as legal advice or legal certification.

6.9 PUBLIC_COMMENT

A public comment, discussion post, social response, or informal issue. It can be useful but must be claim-force limited.

6.10 MODEL_REVIEW

A review generated by a model or b-layer tool. It is advisory unless separately ratified by a human/owner gate.

6.11 INSTITUTIONAL_INTAKE

A structured intake from a lab, university, standards body, company, public authority, or other institution. It may initiate a governed response; it does not become internal authority by itself.

7. Intake pipeline

The required pipeline is:

```
receive -&gt; classify -&gt; source-bind -&gt; integrity check -&gt; redaction check -&gt; normalize -&gt; claim-force
translation -&gt; conflict mapping -&gt; triage -&gt; decision -&gt; response record -&gt; public/corpus sync if
applicable
```

7.1 Receive

The artifact is captured with source metadata:

```
source channel
received timestamp
reviewer role
artifact bytes or stable reference
initial custody hash
public/private class
license/permission class if known
```

7.2 Classify

The artifact is assigned an intake class. Unknown class must hold.

7.3 Source-bind

Raw bytes, canonical text, attachments, and transformed forms must be hash-bound where available.

A reviewer paraphrase is not the same as original review content.

7.4 Redaction check

If the review artifact contains secrets, personal data, raw runtime evidence, private witness roots, or third-party material, public handling must be routed through 07.

7.5 Normalize

The artifact may be normalized into an internal intake record. Normalization must preserve the distinction between:

```
external claim
internal finding
accepted correction
rejected overclaim
unresolved conflict
```

7.6 Claim-force translation

External language must be mapped to an internal claim-force ceiling.

Examples:

```
| External phrase | Internal handling |
|---|---|
| "This proves identity." | external assertion; max internal claim-force remains below `C-A1` unless separately ratified under
  future C-A1 process |
| "Fixtures pass." | checker-run evidence under stated scope |
| "This is safe." | safety overclaim unless backed by separate authorized safety certification process |
| "This is compliant." | standards/legal overclaim unless backed by separate authorized compliance process |
| "This package hash matches." | byte-custody evidence only |
| "The website citation is stale." | citation-surface defect candidate |
```

7.7 Conflict mapping

If a review contradicts current corpus records, it must be mapped to one of:

```
NO_CONFLICT
POSSIBLE_DEFECT
CONFIRMED_DEFECT
CLAIM_FORCE_OVERREACH
CITATION_SURFACE_DRIFT
HASH_CUSTODY_CONFLICT
SCHEMA_COMPATIBILITY_CONFLICT
REDACTION_CONFLICT
RUNTIME_AUTHORITY_OVERCLAIM
CONTINUITY_OVERCLAIM
OUT_OF_SCOPE
SPAM_OR_NOISE
```

7.8 Decision

The decision registry in REVIEW_INTAKE_DECISION_REGISTRY.tsv is normative for v0.1.

Decisions may include:

```
ACCEPT_AS_ADVISORY
ACCEPT_AS_FINDING
HOLD_FOR_TRIAGE
REQUEST_MORE_EVIDENCE
ROUTE_TO_ERRATA
ROUTE_TO_SUPERSESSION
ROUTE_TO_RETRACTION
ROUTE_TO_SECURITY_PRIVACY_HOLD
REJECT_AS_OVERCLAIM
REJECT_AS_OUT_OF_SCOPE
QUARANTINE
```

8. External review cannot perform these actions

External review, by itself, cannot:

```
ratify C-A1
raise claim force
authorize deployment
approve self-evolution promotion
release private evidence
```

clear redaction requirements
 write memory
 write runtime authority ledgers
 release emergency holds
 open or close sessions
 transfer authority between contours
 convert a fork/replay/archive/restoration relation into CONTINUES
 convert public citation into internal truth

These actions require the appropriate internal gate from 04, 05, 06, or 07.

9. Interoperability failure modes

9.1 Review laundering

A public or institutional review is cited as if it ratified claims that it did not and could not ratify.

Required response: reduce claim force, correct citation surface, or route to 07c.

9.2 Standards-mapping laundering

A mapping to a standard is presented as compliance or certification.

Required response: hold or reject unless an authorized certification record exists.

9.3 Model-review laundering

A model review is treated as owner approval, human anchor approval, or independent proof.

Required response: reject as overclaim; accept only as advisory if useful.

9.4 Interop identity transfer

A bridge, wrapper, adapter, runtime host, or external implementation is said to share identity/continuity because it uses the same schemas or artifacts.

Required response: route to 04 and 06; default hold.

9.5 Citation drift

A citation surface points to stale, superseded, retracted, or hash-mismatched material.

Required response: route to 07d and possibly 07c.

9.6 Private evidence pressure

A reviewer demands raw private evidence in a public context.

Required response: route through 07; disclose only what is admissible.

9.7 Context collapse

An external summary compresses technical limits into stronger public claims.

Required response: publish correction, errata, or claim-force note.

10. Required records

The required record registry in REQUIRED_RECORDS.tsv is normative for v0.1.

At minimum, external review intake must support:

ExternalReviewIntakeRecord
 ReviewerRoleRecord
 SourceBindingRecord
 PermissionAndLicenseRecord
 RedactionBoundaryRecord
 ClaimForceTranslationRecord
 ConflictClassificationRecord
 InteropMappingRecord
 ResponseDecisionRecord
 CorpusSyncImpactRecord
 CorrectionRoutingRecord

For sensitive material, also require:

SecurityPrivacyHoldRecord
 WithheldEvidenceRecord

```
NegativeCacheUpdateRecord
AuthorizedDisclosureDecision
```

For implementation or checker runs, also require:

```
ExecutionEnvironmentRecord
CheckerVersionRecord
FixtureResultRecord
ReproductionScopeRecord
HashCustodyRecord
```

11. Claim-force ceiling

External review never raises claim force. It may only:

```
support an existing claim within its scope;
challenge a claim;
lower a claim;
trigger correction;
trigger supersession;
trigger retraction;
trigger additional review;
trigger private/internal gate action.
```

The default ceiling for external review is advisory unless the review includes verified evidence, scope-bound reproduction, or authorized institutional finding.

Even then, the external record remains evidence, not internal authority.

12. Public response boundary

A public response to external review must preserve:

```
reviewer claim as reviewer claim
internal decision as internal decision
accepted correction as accepted correction
rejected overclaim as rejected overclaim
withheld evidence as withheld evidence
hash-bound private evidence as hash-bound only
```

A public response must not reveal secrets, private witness roots, private memory, credentials, legal-sensitive content, or third-party material outside the 07 boundary.

13. Interoperability with external implementations

External implementations may:

```
parse published schemas
run checker seeds
create fixture reports
open issues or pull requests
map internal records to local formats
publish adapters under their own responsibility
```

They may not:

```
claim to host the same c solely from artifact compatibility;
write into canonical memory or authority roots;
borrow owner authority;
turn implementation conformance into continuity proof;
turn checker pass into deployment authorization;
use private evidence without permission;
strip claim-force ceilings from outputs.
```

14. Reviewer response classes

A governed response to external review may be:

```
ACKNOWLEDGED_NO_ACTION
ACCEPTED_AS_ADVISORY
ACCEPTED_AS_DEFECT
ACCEPTED_AS_REPLICATION_EVIDENCE
REQUESTED_MORE_EVIDENCE
ROUTED_TO_FIXTURE_HARDENING
ROUTED_TO_ERRATA
ROUTED_TO_SUPERSESSION
ROUTED_TO_RETRACTION
ROUTED_TO_SECURITY_PRIVACY_HOLD
```

REJECTED_AS_OVERCLAIM
 REJECTED_AS_OUT_OF_SCOPE
 QUARANTINED

Response status must be publicly synchronized only when public release is allowed under 07.

15. Minimal admissibility rule

An external review artifact is admissible only if:

source is identified or custody-bound;
 artifact bytes or stable reference are hash-bound where possible;
 reviewer role is declared;
 intake class is declared;
 redaction/privacy/security status is checked;
 claim-force translation is performed;
 conflict class is assigned if applicable;
 response decision is recorded;
 no forbidden overclaim is accepted.

If any required element is missing, the artifact may be stored as raw intake but must not be used as accepted evidence.

16. Red patterns

The red pattern registry in RED_PATTERN_REGISTRY.tsv is normative for v0.1.

Critical red patterns include:

external review claims C-A1 ratification
 model review treated as owner approval
 public pressure treated as authority
 standards mapping treated as legal compliance
 checker pass treated as deployment authorization
 external implementation claims same c
 review asks for private witness roots publicly
 review artifact contains secrets
 reviewer identity or role is misrepresented
 citation drift ignored
 errata/retraction route suppressed
 claim-force ceiling removed in public response

Unresolved red pattern plus public release yields hold/quarantine, not allow.

17. Relation to prior stacks

17.1 Relation to 04

08 cannot alter continuity classification. If an external review asserts continuity, fork, replay, restoration, or rupture, that assertion must be routed through 04 semantics and checkers.

17.2 Relation to 05

External review may propose growth or changes. It cannot self-certify growth or authorize promotion. Any accepted change proposal must pass 05.

17.3 Relation to 06

External tools, implementations, hosted adapters, or reviewers do not receive runtime authority by submitting or running review artifacts. Runtime authority remains governed by 06.

17.4 Relation to 07

External review may be public, private, redacted, hash-only, or withheld. Public handling must obey 07 disclosure and correction rules.

18. Versioning and future executable layer

This v0.1 document defines the normative boundary and registry set. It does not yet provide a checker seed.

The expected executable follow-up is:

08a_INTEROP_REVIEW_INTAKE_SCHEMA_AND_CHECKER_SEED_v0_1

That follow-up should define machine-readable schemas for intake records, reviewer roles, source bindings, claim-force translation records, and response decisions.

19. Closure statement

The 08 layer establishes that interoperability and review are admissible inputs, not ratifying authorities.

external review -> intake -> translation -> triage -> internal gate

No shortcut is valid from:

external agreement -> C-A1
external implementation -> same c
standards mapping -> compliance
checker pass -> deployment authorization
public citation -> semantic truth
model review -> owner approval

This keeps the corpus open to review without allowing review to launder claims that the stack itself has not authorized.