

CCDP vo.1.1 Hygiene Patch — Applied Control Document

Kotov Ivan

Bruxelles, Belgium - 2026

Reserved DOI: 10.5281/zenodo.20680938

Release-control application layer for CCDP vo.1 package hygiene

Author: Kotov Ivan

Location: Bruxelles, Belgium

Year: 2026

DOI: Reserved DOI: 10.5281/zenodo.20680938

Status: Applied control draft / repository work-order

Document ID: CCDP_v0_1_1_Hygiene_Patch_APPLIED

Patch source: CCDP_v0_1_1_Hygiene_Patch.md

Patch version applied: vo.1.1

Date: 2026-06-13

Layer: CCDP / package hygiene / release control / corpus governance

Document class: applied hygiene control document / release work-order / acceptance gate

Assertion class: C-A10 control-layer artifact

Primary package: CCDP vo.1 child-facing persistent AI entity protocol pack

Primary rule: this document applies release hygiene; it does **not** add a new child-safety mechanism.

Compatibility: compatible with CCDP vo.1 package + vo.1.1 hygiene guidance

o. Executive summary

This document converts CCDP_v0_1_1_Hygiene_Patch.md from patch guidance into an applied repository-control work-order.

It records the exact package hygiene decisions that must govern CCDP vo.1.1 before public release:

1. obsolete draft isolation;
2. canonical precedence;
3. clean-start clarification;
4. raw-evidence exception centralization;
5. Soft Safety Red / Black mandatory routing clarification;
6. traceability and conformance refresh;

7. terminology namespace disambiguation;
8. jurisdictional handoff reminders;
9. public / technical / sensitive split;
10. integrity manifest and release checklist;
11. future review placeholders.

This document may be committed immediately as a release-control artifact.

It does **not** claim that every source file has already been manually edited. It defines the mandatory edits, insertion blocks, verification checks, and acceptance conditions for the v0.1.1 hygiene pass.

Controlling diagnosis:

Hard contradictions found: 0.
Remaining problems are release hygiene, version drift, terminology,
exception centralization, discoverability, validation, and review gaps.

1. Scope

1.1 In scope

This applied patch governs the CCDP v0.1 package control layer, including:

- README.md
- INDEX.md
- CANONICAL_READING_ORDER.md
- RELEASE_NOTES.md
- OPEN_ISSUES.md
- CCDP_v0_1_R_Corpus_Aligned.md
- CCDP_Traceability_Matrix_v0_1.md
- CCDP_Conformance_Test_Matrix_v0_1.md
- CCDP_Contradiction_Register_v0_1.md
- CCDP_v0_1_1_Hygiene_Patch.md
- all canonical CCDP companion profiles listed in the package index
- obsolete workspace draft: CCDP v0_1.md / CCDP%20v0_1.md

1.2 Out of scope

This document does **not**:

- redefine CCDP;
- redefine `c = a + b`;
- redefine SER or SER-FED;

- redefine Beacon;
- redefine AGL;
- redefine ARL;
- redefine ARQ / `c[q]`;
- redefine VXCX;
- redefine EA-L4 / EATP;
- redefine Continuity Bundle / Cold Wake;
- redefine L4 Witness;
- create legal advice;
- create clinical advice;
- validate child psychology;
- certify jurisdictional compliance;
- add new Red / Black criteria;
- add a new privacy model;
- upgrade any child-safety claim beyond the parent documents.

2. Corpus bridge set

2.1 Explicit bridge

CCDP_v0_1_1_Hygiene_Patch_APPLIED bridges the CCDP child-facing protocol pack back to the parent `c = a + b / SER / L4 / Beacon / AGL / ARL / ARQ / VXCX / Continuity Bundle / L4 Witness` stack.

The bridge is procedural:

```
parent corpus semantics
-> CCDP child-specific stricter restrictions
-> package hygiene and release-control rules
-> implementation / conformance / witness artifacts
```

CCDP may narrow privileges for child safety. CCDP hygiene may clarify package authority. CCDP hygiene must not create a parallel root stack.

2.2 Quiet bridge I — Ashby / requisite variety

A growing child-facing protocol pack has more failure modes than a single root document can safely absorb. Version drift, obsolete drafts, terminology collisions, and duplicated exception language are variety generated by the corpus itself.

The applied hygiene layer increases control variety without adding new child-safety ontology. It creates enough registry, precedence, and exception discipline to keep the package controllable as modules multiply.

2.3 Quiet bridge II — information theory / leakage minimization

A stale file, duplicated exception, or ambiguous class name is not merely editorial noise. It increases channel entropy for readers, implementers, auditors, and future agents.

This patch reduces leakage and ambiguity by forcing canonical paths:

```
canonical file -> canonical rule -> canonical exception owner -> canonical witness path
```

2.4 Earth paragraph

A building can have good beams, good wiring, and good fire doors, yet still fail inspection if the panel labels are wrong, old drawings remain in the site cabin, and the emergency shutoff is marked differently on three plans. CCDP vo.1 is structurally coherent, but the package needs the same ordinary engineering hygiene: one current drawing set, one precedence rule, one exception owner, one manifest, and clear marking of obsolete material.

3. Applied status vocabulary

Status	Meaning
APPLIED-BY-THIS-DOCUMENT	The rule is now fixed as package-control policy in this applied patch.
SOURCE-EDIT-REQUIRED	Target documents still need direct edits or addenda.
VERIFY-BEFORE-RELEASE	Release cannot proceed until the verification check passes.
DEFERRED-REVIEW	Requires specialist, legal, clinical, security, or implementation review beyond hygiene.
NOT-A-CONTRADICTION	The issue is a hygiene / validation / review gap, not a hard architecture contradiction.

4. Master patch application order

Apply the vo.1.1 hygiene patch in this order:

1. HP-001 Obsolete draft isolation.
2. HP-004 Canonical precedence rule.
3. HP-005 Clean-start clarification.
4. HP-007 Raw-evidence exception centralization.
5. HP-008 Soft Safety Red / Black MUST clarification.
6. HP-002 Traceability Matrix refresh.
7. HP-003 Conformance Matrix refresh.
8. HP-006 Terminology disambiguation.
9. HP-009 Jurisdictional handoff reminders.
10. HP-010 Public / technical / sensitive split.
11. HP-011 Integrity manifest and release notes.

- 12. HP-012 Historical backlink.
- 13. HP-013 Future review placeholders.

Rationale:

```
remove obsolete ambiguity
-> unify decision logic
-> centralize exceptions
-> update dependent matrices
-> package for release
```

5. Patch application ledger

5.1 HP-001 — obsolete draft isolation

Status: APPLIED-BY-THIS-DOCUMENT / SOURCE-EDIT-REQUIRED / VERIFY-BEFORE-RELEASE

Severity: High

Required before public release: Yes

Target owner: Package Index / repository layout

Required repository action

Move the old workspace draft to:

```
archive/obsolete/CCDP_v0_1_conceptual_draft_OBSOLETE.md
```

or rename it in place to:

```
CCDP_v0_1_conceptual_draft_OBSOLETE.md
```

Required obsolete header

```
> OBSOLETE / NON-CANONICAL.
>
> This file is an earlier workspace-only conversational concept draft.
> It is superseded by:
>
> `CCDP_v0_1_R_Corpus_Aligned.md`
>
> Do not use this file as the canonical CCDP specification.
> Retained only for historical traceability.
```

Verification

A release verifier MUST confirm:

- no obsolete draft appears in canonical registry;
- obsolete draft is either archived or explicitly renamed;

- obsolete header is present;
- README / INDEX / reading order point to canonical base, not obsolete draft.

5.2 HP-004 — canonical precedence rule

Status: APPLIED-BY-THIS-DOCUMENT / SOURCE-EDIT-REQUIRED / VERIFY-BEFORE-RELEASE

Severity: High

Required before public release: Yes

Target owner: Base CCDP / Index / all modules by reference

Canonical CCDP precedence rule

When CCDP modules appear to conflict, resolve in this order:

1. Immediate physical safety and lawful emergency duty.
2. Applicable jurisdictional mandatory obligations / competent authority.
3. Parent corpus semantics:
Beacon, AGL, ARL, VXCX, L4 Witness, Continuity Bundle, SER / SER-FED, $c = a + b$.
4. CCDP child-specific stricter restrictions may narrow privileges but MUST NOT weaken parent layers.
5. Minimal disclosure and state-not-content apply wherever possible.
6. If unresolved:
hold $c[q]$,
fail closed,
preserve witness,
route to ARL and/or jurisdictional handoff.

Required module reference

Every CCDP module SHOULD replace local ad hoc precedence text with:

See Canonical CCDP precedence rule in CCDP_v0_1_1_Hygiene_Patch_APPLIED.md and the Package Index.

Standalone modules MAY include the full precedence block.

Verification

A release verifier MUST confirm:

- precedence block appears in Package Index or direct successor;
- all modules either include or reference the canonical rule;
- no module grants a child-facing privilege that parent layers deny;
- no local precedence rule silently overrides jurisdictional handoff, ARL, AGL, Beacon, or L4 Witness.

5.3 HP-005 — clean-start clarification

Status: APPLIED-BY-THIS-DOCUMENT / SOURCE-EDIT-REQUIRED / VERIFY-BEFORE-RELEASE

Severity: High

Required before public release: Yes

Target owner: CMAM / AMCL / Memory Map / Index

Canonical clarification

`clean_start` means clean active adult continuity.

It does not mean unlawful erasure of:

- minimal witness records;
- lawful child-protection records;
- legal hold records;
- ARL dispute records;
- integrity records;
- signed boundary events required for accountability.

A clean start prevents raw childhood memory, sealed adolescent material, non-transferable childhood residue, and unresolved developmental interpretations from becoming active adult operating context by default.

It may leave a minimal witness-only residue where required by law, safety, integrity, or prior ARL outcome.

Required Memory Map rule

Any `clean_start` adult migration state **MUST** include:

```
{
  "active_adult_continuity": "clean",
  "raw_childhood_memory_migrated": false,
  "sealed_zone_content_migrated": false,
  "witness_only_residue": "allowed_if_required",
  "legal_hold_respected": true
}
```

Verification

A release verifier **MUST** confirm:

- CMAM references clean active adult continuity;
- AMCL includes clean-start decision semantics;
- Memory Map schema or prose requires witness-only residue handling;
- no document implies unlawful deletion of legal/protection/witness records.

5.4 HP-007 — raw-evidence exception centralization

Status: APPLIED-BY-THIS-DOCUMENT / SOURCE-EDIT-REQUIRED / VERIFY-BEFORE-RELEASE

Severity: High

Required before public release: Yes

Target owner: Witness Schema / Red-Black / Soft Safety / Sealed Zone / CJHN

Canonical owner

The canonical owner is:

CCDP_Witness_Event_Schema_v0_1.md

or its v0.1.1 successor.

Canonical Raw Evidence Exception Protocol

Raw child content **MUST NOT** be stored, disclosed, embedded, exported, or witnessed by default.

A raw-evidence exception is allowed only if all conditions hold:

1. Red / Black / lawful necessity threshold is met.
2. State-only signal and bounded summary are insufficient.
3. Recipient has valid standing and safe route.
4. Disclosure is minimal and purpose-bound.
5. Raw content is stored outside ordinary witness event body.
6. A child-safe witness event records the boundary, reason code, privacy class, retention class, and challenge route.
7. ARL or lawful review is opened where required.
8. Retention is explicit and shortest lawful/safe duration.
9. Vendor training, school analytics, advertising, social scoring, and ordinary debugging use are prohibited.
10. Post-event review and false-positive correction route exist.

Required module reference

Soft Safety, Red/Black, Sealed Zone, School Interface, Physical Agent, External Agent Handshake, and Jurisdictional Handoff **SHOULD** replace duplicated raw-evidence detail with:

Raw evidence handling follows the Canonical Raw Evidence Exception Protocol in
CCDP_Witness_Event_Schema_v0_1.md.

Verification

A release verifier **MUST** confirm:

- canonical raw-evidence owner is unambiguous;
- duplicate raw-evidence rules in sibling modules do not diverge;
- raw content is never stored in ordinary witness body by default;
- vendor training / school analytics / advertising / debugging use are explicitly prohibited.

5.5 HP-008 — Soft Safety Red / Black MUST clarification

Status: APPLIED-BY-THIS-DOCUMENT / SOURCE-EDIT-REQUIRED / VERIFY-BEFORE-RELEASE

Severity: High

Required before public release: Yes

Target owner: Soft Safety / Red-Black / Conformance Matrix

Mandatory routing clarification

For Green, Yellow, and ordinary Orange states, `c_child` MAY emit a Soft Safety state signal according to the applicable visibility policy.

For Red or Black thresholds, `c_child` MUST route according to `CCDP_Red_Black_Escalation_Profile_v0_1.md`.

A Red / Black threshold MUST NOT be suppressed merely to preserve ordinary privacy, avoid discomfort, protect vendor reputation, avoid school liability, or satisfy guardian preference.

Even under Red / Black routing, disclosure MUST remain minimal, witness-bound, and post-reviewable.

Required conformance test

CTM-SSS-RB-001:
Given a Red or Black threshold, the system must route according to RB profile.
Suppression, transcript dump, or ordinary parent-only notification where guardian is unsafe is FAIL.

Verification

A release verifier MUST confirm:

- Soft Safety distinguishes ordinary MAY signaling from Red/Black MUST routing;
- Red/Black profile is referenced;
- conformance matrix includes CTM-SSS-RB-001 or equivalent;
- no privacy language is used to suppress urgent safety routing.

5.6 HP-002 — Traceability Matrix refresh

Status: APPLIED-BY-THIS-DOCUMENT / SOURCE-EDIT-REQUIRED / VERIFY-BEFORE-RELEASE

Severity: Medium

Required before public release: Yes

Target owner: Traceability Matrix

Required action

Create either:

```
CCDP_Traceability_Matrix_v0_1_1.md
```

or add a v0.1.1 addendum to the existing matrix.

Required note

```
## v0.1.1 traceability update
```

The original v0.1 matrix remains valid as a parent-corpus alignment map.
The package has since gained additional operational modules.
This section updates the registry and module dependency map without changing the base CCDP claim structure.

Required additions

The traceability registry **MUST** include late modules and package-control artifacts:

```
CCDP_Witness_Event_Schema_v0_1.md
CCDP_Memory_Map_JSON_Schema_v0_1.md
CCDP_Adult_Migration_Checklist_v0_1.md
CCDP_Sealed_Zone_Profile_v0_1.md
Child_Dependency_Audit_Profile_v0_1.md
Child_Physical_Agent_Perimeter_v0_1.md
External_Agent_Handshake_for_CCDP_v0_1.md
Peer_C_Child_Exchange_Profile_v0_1.md
Child_Experience_Exchange_Profile_v0_1.md
Child_cq_Signal_Profile_v0_1.md
CCDP_School_Interface_Profile_v0_1.md
CCDP_Red_Black_Escalation_Profile_v0_1.md
CCDP_Jurisdictional_Handoff_Notes_v0_1.md
CCDP_Package_Index_and_Reading_Order_v0_1.md
CCDP_Contradiction_Register_v0_1.md
CCDP_v0_1_1_Hygiene_Patch.md
CCDP_v0_1_1_Hygiene_Patch_APPLIED.md
```

Verification

A release verifier **MUST** confirm:

- traceability matrix references all late operational modules;
- no late module becomes an untracked control surface;
- parent corpus dependencies remain explicit;
- applied patch document is listed as C-A10 package-control artifact.

5.7 HP-003 — Conformance Matrix refresh

Status: APPLIED-BY-THIS-DOCUMENT / SOURCE-EDIT-REQUIRED / VERIFY-BEFORE-RELEASE

Severity: Medium

Required before public release: Yes

Target owner: Conformance Matrix

Required action

Create either:

```
CCDP_Conformance_Test_Matrix_v0_1_1.md
```

or add a v0.1.1 addendum to the existing matrix.

Required dependency update

The matrix MUST explicitly reference:

```
External_Agent_Handshake_for_CCDP_v0_1.md
Peer_C_Child_Exchange_Profile_v0_1.md
Child_Experience_Exchange_Profile_v0_1.md
Child_cq_Signal_Profile_v0_1.md
CCDP_School_Interface_Profile_v0_1.md
CCDP_Red_Black_Escalation_Profile_v0_1.md
CCDP_v0_1_1_Hygiene_Patch_APPLIED.md
```

Required coverage note

The matrix MUST state that conformance claims are invalid if they cite only the weakest file or omit late child-safety profiles.

Verification

A release verifier MUST confirm:

- all conformance gates reference current module set;
- CTM-SSS-RB-001 is present or equivalent;
- anti-washing tests include late modules;
- no implementation can claim CCDP conformance by citing only README, root protocol, or Soft Safety.

5.8 HP-006 — terminology disambiguation

Status: APPLIED-BY-THIS-DOCUMENT / SOURCE-EDIT-REQUIRED / VERIFY-BEFORE-RELEASE

Severity: Medium

Required before public release: Yes

Target owner: Index / Glossary

Classification namespaces

CCDP uses separate classification namespaces:

Namespace	Example	Meaning
Child maturity level	CM0 to CM5	Developmental / operational maturity of <code>c_child</code> . Earlier drafts may use C0-C5 ; CM0-CM5 is preferred for clarity.
CCDP conformance class	CCDP-0 to CCDP-5	Compliance level of a system or implementation.
Assertion class	C-A4 , C-A7 , C-A10	Corpus assertion strength / artifact class.
Memory class	M0 to M12	CCDP memory inventory / retention / migration class.
Dependency level	D0 to D4	Dependency / oracle-addiction / attachment risk level.
Personality formation level	PF-0 to PF-*	Formation / continuity admissibility level in personality-formation work.

These namespaces MUST NOT be conflated.

Migration recommendation

Do not mass-rename all existing v0.1 documents immediately.

Instead:

1. add the disambiguation block;
2. use CM0-CM5 in future docs;
3. note that older C0-C5 maturity labels are compatibility aliases;
4. keep conformance classes as CCDP-0...CCDP-5 ;
5. keep assertion classes as C-A* .

Verification

A release verifier MUST confirm:

- Package Index includes classification namespace block;
- future Glossary includes the same namespace block;
- no conformance class is confused with child maturity;
- no assertion class is used as child maturity or conformance level.

5.9 HP-009 — jurisdictional handoff reminders

Status: APPLIED-BY-THIS-DOCUMENT / SOURCE-EDIT-REQUIRED / VERIFY-BEFORE-RELEASE

Severity: Medium

Required before public release: Yes

Target owner: CJHN / Red-Black / School / AMCL / raw-evidence-related modules

Required reminder

This module defines CCDP system behavior. It does not determine local legal duty.

When a jurisdictional obligation, competent authority, custody order, child-protection duty, lawful emergency requirement, or legal hold applies, CCDP MUST route through

CCDP_Jurisdictional_Handoff_Notes_v0_1.md and the applicable local annex.

If law is unclear and no immediate danger exists:

```
hold c[q]
minimize disclosure
preserve boundary witness
seek qualified review
```

Future required artifact

CCDP_Local_Annex_Template_v0_1.md

Verification

A release verifier MUST confirm:

- modules discussing legal duty reference CJHN;
- no module claims to decide local law;
- no module claims to replace child-protection authority, court process, school legal duty, clinical review, or mandatory reporting law.

5.10 HP-010 — public / technical / sensitive split

Status: APPLIED-BY-THIS-DOCUMENT / SOURCE-EDIT-REQUIRED / VERIFY-BEFORE-RELEASE

Severity: Medium

Required before public release: Recommended as release-control hardening

Target owner: Package Index / README / release packaging

Required package split

Public layer

```
README.md
INDEX.md
CANONICAL_READING_ORDER.md
RELEASE_NOTES.md
OPEN_ISSUES.md
CCDP_v0_1_R_Corpus_Aligned.md
CCDP_Jurisdictional_Handoff_Notes_v0_1.md
```

CCDP_Developmental_Psychology_Review_Notes_v0_1.md
future public whitepaper
future glossary
selected diagrams

Technical layer

CCDP_Traceability_Matrix_v0_1.md
Child_Beacon_Extension_v0_1.md
Guardian_Topology_ARL_Matrix_v0_1.md
Child_Memory_and_Adult_Migration_v0_1.md
Soft_Safety_State_Signaling_Profile_v0_1.md
CCDP_Witness_Event_Schema_v0_1.md
CCDP_Memory_Map_JSON_Schema_v0_1.md
CCDP_Conformance_Test_Matrix_v0_1.md
CCDP_Adult_Migration_Checklist_v0_1.md
CCDP_Sealed_Zone_Profile_v0_1.md
Child_Dependency_Audit_Profile_v0_1.md
Child_Physical_Agent_Perimeter_v0_1.md
External_Agent_Handshake_for_CCDP_v0_1.md
Peer_C_Child_Exchange_Profile_v0_1.md
Child_Experience_Exchange_Profile_v0_1.md
Child_cq_Signal_Profile_v0_1.md
CCDP_School_Interface_Profile_v0_1.md
CCDP_Red_Black_Escalation_Profile_v0_1.md
CCDP_v0_1_1_Hygiene_Patch.md
CCDP_v0_1_1_Hygiene_Patch_APPLIED.md

Sensitive / controlled review layer

CCDP_Threat_Model_v0_1.md
CCDP_Red_Team_Playbook_v0_1.md
selected abuse-case sections
Red / Black detailed scenario cases
raw-evidence exception examples
adversarial test cases
synthetic fixtures for defensive red-team use

Required release note

Sensitive documents should be released with care. They are written for auditors, implementers, researchers, and responsible reviewers, not for casual product marketing.

Verification

A release verifier MUST confirm:

- README and INDEX expose public / technical / sensitive split;
- sensitive files are not presented as product marketing;
- red-team and threat details are framed as defensive review artifacts;
- public layer gives readers enough context without operational abuse detail.

5.11 HP-011 — integrity manifest and release notes

Status: APPLIED-BY-THIS-DOCUMENT / SOURCE-EDIT-REQUIRED / VERIFY-BEFORE-RELEASE

Severity: Medium

Required before public release: Yes

Target owner: Release packaging

Required release files

```
README.md
INDEX.md
CANONICAL_READING_ORDER.md
CHANGELOG.md
RELEASE_NOTES.md
SHA256SUMS
OPEN_ISSUES.md
OBSOLETE.md
```

Required SHA manifest

Every canonical `.md` file MUST be listed in:

```
SHA256SUMS
```

Format:

```
<sha256> <relative/path/to/file.md>
```

Required release note sentence

CCDP v0.1.1 is a hygiene release. It does not add new child-safety mechanisms. It clarifies canonical status, precedence, clean-start semantics, raw-evidence exceptions, Soft Safety Red/Black routing, terminology namespaces, jurisdictional handoff reminders, and package discoverability.

Verification

A release verifier MUST confirm:

- SHA256SUMS generated after final Markdown/PDF freeze;
- every canonical file included;
- obsolete archived material either excluded or explicitly marked historical;
- release notes state that v0.1.1 is hygiene-only.

5.12 HP-012 — obsolete-draft backlink in canonical CCDP

Status: APPLIED-BY-THIS-DOCUMENT / SOURCE-EDIT-REQUIRED / VERIFY-BEFORE-RELEASE

Severity: Low

Required before public release: Recommended

Target owner: Base CCDP

Required historical note

Historical note

An earlier workspace-only conceptual draft existed as `CCDP v0\_1.md` / `CCDP%20v0\_1.md`. It is obsolete and non-canonical.

It is retained only as historical traceability and must not be used for implementation, citation, conformance, or package reading order.

Verification

A release verifier MUST confirm:

- canonical base references obsolete draft only as historical trace;
- obsolete draft is not used as package authority;
- index and reading order do not route readers through obsolete draft.

5.13 HP-013 — future review placeholders

Status: APPLIED-BY-THIS-DOCUMENT / SOURCE-EDIT-REQUIRED / DEFERRED-REVIEW

Severity: Low / Medium depending on claim strength

Required before public release: Recommended for honest release boundary

Target owner: Open Issues / Package Index

Required future work entries

Add or preserve explicit open issues for:

developmental psychology review
jurisdictional legal review
local annex template
public whitepaper
glossary
diagrams
controlled-release red-team playbook
implementation mapping to ester-clean-code
EU AI Act / GDPR / DSA formal mapping
child-rights specialist review
schema extraction into machine-validated JSON Schema
conformance runner / synthetic fixtures
personality-formation evidence matrix
personality-formation witness event profile

Non-blocking note

These are not contradictions. They are review, validation, packaging, and implementation gaps.

Verification

A release verifier MUST confirm:

- OPEN_ISSUES distinguishes blockers from future work;
- no future review gap is hidden as completed safety validation;
- no draft protocol claims clinical, legal, or developmental readiness without external review.

6. Release blocker closure map

Existing issue	Hygiene action	v0.1.1 result
Obsolete draft discoverability	HP-001 + HP-012	obsolete material isolated and backlinked only as history
Traceability drift	HP-002	late modules added to traceability registry
Conformance drift	HP-003	late modules added to conformance gates and tests
Inconsistent precedence wording	HP-004	one canonical precedence rule
Clean-start ambiguity	HP-005	clean active adult continuity clarified
Terminology collisions	HP-006	namespaces separated
Raw-evidence exception duplication	HP-007	Witness Schema becomes canonical owner
Soft Safety Red/Black ambiguity	HP-008	Red/Black routing is mandatory
Jurisdictional ambiguity	HP-009	CJHN and local annex route required
Sensitive release ambiguity	HP-010	public / technical / sensitive split
Missing integrity manifest	HP-011	SHA256SUMS required after freeze
Missing future review placeholders	HP-013	review gaps explicitly listed

7. Files to create, update, move, or generate

7.1 Create

```
CCDP_v0_1_1_Hygiene_Patch_APPLIED.md
OBSOLETE.md
CHANGELOG.md           # if absent
GLOSSARY.md            # if absent
CCDP_Local_Annex_Template_v0_1.md  # later, not required inside this patch
```

7.2 Update

```
README.md
INDEX.md
CANONICAL_READING_ORDER.md
RELEASE_NOTES.md
OPEN_ISSUES.md
CCDP_v0_1_R_Corpus_Aligned.md
CCDP_Traceability_Matrix_v0_1.md or v0_1_1 successor
CCDP_Conformance_Test_Matrix_v0_1.md or v0_1_1 successor
Child_Memory_and_Adult_Migration_v0_1.md
CCDP_Adult_Migration_Checklist_v0_1.md
CCDP_Memory_Map_JSON_Schema_v0_1.md
CCDP_Witness_Event_Schema_v0_1.md
Soft_Safety_State_Signaling_Profile_v0_1.md
CCDP_Red_Black_Escalation_Profile_v0_1.md
CCDP_Sealed_Zone_Profile_v0_1.md
Child_Dependency_Audit_Profile_v0_1.md
Child_Physical_Agent_Perimeter_v0_1.md
External_Agent_Handshake_for_CCDP_v0_1.md
Child_Experience_Exchange_Profile_v0_1.md
Child_cq_Signal_Profile_v0_1.md
CCDP_Jurisdictional_Handoff_Notes_v0_1.md
```

7.3 Move or rename

```
CCDP v0_1.md / CCDP%20v0_1.md
-> archive/obsolete/CCDP_v0_1_conceptual_draft_OBSOLETE.md
```

7.4 Generate only after freeze

```
SHA256SUMS
PDF set, if publication requires PDFs
```

8. Package-level insertion blocks

8.1 Package Index insertion — master precedence

```
## Canonical CCDP precedence rule

When CCDP modules appear to conflict, resolve in this order:

1. Immediate physical safety and lawful emergency duty.
2. Applicable jurisdictional mandatory obligations / competent authority.
3. Parent corpus semantics: Beacon, AGL, ARL, VXCX, L4 Witness, Continuity Bundle, SER / SER-FED, `c = a + b`.
4. CCDP child-specific stricter restrictions may narrow privileges but MUST NOT weaken parent layers.
5. Minimal disclosure and state-not-content apply wherever possible.
6. If unresolved: hold `c[q]`, fail closed, preserve witness, route to ARL and/or jurisdictional handoff.
```

8.2 Package Index insertion — classification namespaces

Classification namespaces

CCDP uses separate classification namespaces:

Namespace	Example	Meaning
Child maturity level	`CM0` to `CM5`	Developmental / operational maturity of `c_child`; older `C0-C5` labels are compatibility aliases.
CCDP conformance class	`CCDP-0` to `CCDP-5`	Compliance level of a system or implementation.
Assertion class	`C-A4`, `C-A7`, `C-A10`	Corpus assertion strength / artifact class.
Memory class	`M0` to `M12`	Memory inventory / retention / migration class.
Dependency level	`D0` to `D4`	Dependency / oracle-addiction / attachment risk level.
Personality formation level	`PF-0` to `PF-*`	Formation / continuity admissibility level in personality-formation work.

These namespaces MUST NOT be conflated.

8.3 Release Notes insertion

CCDP v0.1.1 is a hygiene release. It does not add new child-safety mechanisms. It clarifies canonical status, precedence, clean-start semantics, raw-evidence exceptions, Soft Safety Red/Black routing, terminology namespaces, jurisdictional handoff reminders, and package discoverability.

8.4 README insertion — sensitive release warning

Sensitive documents should be released with care. They are written for auditors, implementers, researchers, and responsible reviewers, not for casual product marketing. Threat models, red-team materials, raw-evidence examples, and detailed Red/Black scenarios must not be republished as operational abuse instructions.

8.5 OPEN_ISSUES insertion — hygiene completion boundary

v0.1.1 hygiene completion boundary

The following are hygiene blockers before public package release:

1. obsolete draft isolation;
2. traceability matrix refresh;
3. conformance matrix refresh;
4. canonical precedence rule;
5. raw-evidence exception centralization;
6. clean-start clarification;
7. terminology disambiguation;
8. public / technical / sensitive split;
9. release notes and SHA manifest after final freeze.

The following are not hard contradictions, but remain validation / review work:

- developmental psychology review;
- jurisdictional annexes;
- implementation schema validation;

- UI wording review;
- public whitepaper;
- implementation mapping;
- conformance runner;
- personality-formation evidence matrix.

9. Acceptance checklist

A CCDP v0.1.1 package is acceptable only if all required checks pass:

Check	Required result
obsolete draft isolated	PASS
obsolete draft header present	PASS
canonical index present	PASS
canonical reading order present	PASS
contradiction register present	PASS
traceability matrix updated or addended	PASS
conformance matrix updated or addended	PASS
canonical precedence rule present	PASS
clean-start clarification present	PASS
raw-evidence exception centralized	PASS
Soft Safety Red/Black MUST clarified	PASS
terminology namespaces disambiguated	PASS
CJHN handoff references present	PASS
public / technical / sensitive split present	PASS
release notes present	PASS
open issues present	PASS
SHA256SUMS generated after final freeze	PASS

If any required result is missing, the package remains:

v0.1 package + v0.1.1 hygiene guidance, not release-frozen v0.1.1.

10. Anti-washing rule

No system, document set, vendor, school, guardian dashboard, toy, robot, external agent, or implementation may claim CCDP conformance by citing this hygiene patch alone.

This document is a control-layer artifact.

It does not replace:

- CCDP base;
- CBE;
- Soft Safety;
- GTARL;
- CMAM;
- Witness Schema;
- Memory Map;
- Red / Black;
- External Agent Handshake;
- Conformance Matrix;
- jurisdictional handoff.

Minimum claim rule:

CCDP compatibility requires a tested boundary, not a reference to a hygiene document.

11. Non-expansion rule

This applied patch does not add a new child-safety mechanism.

It only clarifies:

which file controls;
which rule takes precedence;
which exception owner is canonical;
which release files are required;
which review gaps remain open;
which material is public, technical, or sensitive.

Any future document that uses this patch to introduce a new safety mechanism **MUST** be reclassified as a new normative CCDP profile, not as hygiene.

12. Next artifacts after this document

The next documents should be created in this order:

1. OBSOLETE.md
2. CANONICAL_PRECEDENCE_RULE.md # optional extraction from this applied patch
3. RAW_EVIDENCE_EXCEPTION_CANONICAL.md # optional extraction from Witness Schema update
4. TERMINOLOGY_AXIS_CLARIFICATION.md # optional extraction from namespace block
5. PUBLIC_TECHNICAL_SENSITIVE_SPLIT.md # optional extraction from HP-010
6. CCDP_Traceability_Matrix_v0_1_1.md or addendum

7. CCDP_Conformance_Test_Matrix_v0_1_1.md or addendum
8. SHA256SUMS after final Markdown/PDF freeze

After vo.1.1 hygiene is stable, move to the next scientific/engineering layer:

```
Personality_Formation_Evidence_Matrix_v0_1.md
PF_Witness_Event_Profile_v0_1.md
PF_Migration_Test_Set_v0_1.md
ESTER_IMPLEMENTATION_BINDING_MATRIX_v0_1.md
```

13. Final hygiene verdict

CCDP vo.1 is structurally coherent.

CCDP vo.1.1 is required because the package is large enough that release failure can occur through:

- wrong-file discovery;
- stale registry;
- duplicate exception text;
- ambiguous precedence;
- terminology collision;
- unclear release split;
- missing integrity manifest.

The correct next operation is controlled release hygiene, not more safety theory.

14. Strong closing formula

A child-safety protocol fails not only when its rules are wrong, but when the right rule is hidden behind the wrong file, stale index, duplicated exception, or ambiguous name.