

TRACEABILITY / CONFORMANCE DELTA v0.1.1

Kotov Ivan

Bruxelles, Belgium - 2026

Reserved DOI: 10.5281/zenodo.20680938

CCDP v0.1.1 addendum-only delta for traceability drift, conformance drift, late modules, and hygiene-test integration

Author: Kotov Ivan

Location: Bruxelles, Belgium

Year: 2026

DOI: Reserved DOI: 10.5281/zenodo.20680938

Package: Child- c Development Protocol

Baseline package: CCDP v0.1 DOI-bound / release-bound corpus slice

Addendum package: CCDP v0.1.1 hygiene addendum

Document ID: TRACEABILITY_CONFORMANCE_DELTA_v0_1_1

Short name: TCD v0.1.1

Status: Draft addendum delta / package-control artifact

Date: 2026-06-13

Selected patch mode: MODE_A_ADDENDUM_ONLY

Layer: CCDP / traceability / conformance / release hygiene / DOI-safe correction

Document class: traceability delta / conformance delta / release-control addendum

Assertion class: C-A10 control-layer artifact; does not upgrade child-safety, legal, clinical, psychological, developmental, or product-readiness claims

Primary baseline documents:

- CCDP_Traceability_Matrix_v0_1.md
- CCDP_Conformance_Test_Matrix_v0_1.md

Primary addendum dependencies:

- DOI_SAFE_PATCH_STRATEGY.md
- CCDP_v0_1_1_ADDENDUM_INDEX.md
- CCDP_v0_1_1_Hygiene_Patch_APPLIED.md
- OBSOLETE.md
- CANONICAL_PRECEDENCE_RULE.md
- RAW_EVIDENCE_EXCEPTION_CANONICAL.md
- TERMINOLOGY_AXIS_CLARIFICATION.md
- PUBLIC_TECHNICAL_SENSITIVE_SPLIT.md

- CLEAN_START_CLARIFICATION.md
- SOFT_SAFETY_RED_BLACK_MUST_CLARIFICATION.md

Primary rule: this delta updates current traceability and conformance interpretation through the v0.1.1 addendum. It does not mutate the DOI-bound v0.1 baseline matrices.

o. Executive summary

This document closes the v0.1.1 hygiene gap created by late modules and addendum-only patching.

The baseline CCDP v0.1 Traceability Matrix and Conformance Test Matrix remain historically valid for the package state they recorded. They are not silently edited because the baseline may be DOI-bound, PDF-paired, SHA-manifested, or otherwise externally citable.

The current operational reading is:

```
CCDP v0.1 baseline traceability / conformance
+ CCDP v0.1.1 traceability / conformance delta
```

This delta does five things:

1. records which previously recommended modules were later created or still require verification;
2. records new addendum documents as current package-control dependencies;
3. adds conformance expectations for DOI-safe release behavior, obsolete-draft isolation, precedence, terminology, raw-evidence exceptions, clean-start clarification, Red / Black routing, and distribution split;
4. adds new red-line failures for hygiene and publication-control washing;
5. gives Codex a fail-closed work order for future repository application.

Controlling formula:

```
Do not rewrite the old matrix.
Attach the delta.
Make current claims cite both.
```

1. Purpose

This document answers four maintenance questions:

1. Which baseline traceability gaps are now covered by later CCDP modules?
2. Which conformance tests must be added because v0.1.1 issues were not present in the baseline matrix?

3. Which modules are named by the canonical registry but missing or unverified in the active workspace?
4. What must future Codex work update without mutating DOI-bound baseline files?

This document is not a new CCDP child-safety mechanism.

It is a delta layer over existing matrices.

2. Scope

2.1 In scope

This delta applies to:

- traceability drift after late CCDP modules were created;
- conformance drift after late CCDP modules were created;
- v0.1.1 hygiene addendum tests;
- addendum-only Mode A packaging;
- active workspace availability checks;
- release-control and anti-washing checks;
- future Codex-safe repository work orders.

2.2 Out of scope

This delta does **not**:

- edit `CCDP_Traceability_Matrix_v0_1.md` in place;
 - edit `CCDP_Conformance_Test_Matrix_v0_1.md` in place;
 - regenerate paired baseline PDFs;
 - claim that all named baseline files exist in the current working directory;
 - validate clinical or developmental safety;
 - validate legal compliance;
 - prove child-facing product readiness;
 - replace specialist review;
 - create a new conformance certification body.
-

3. Corpus bridge set

3.1 Explicit bridge

The parent `c = a + b / SER / L4 / L4 Witness` stack treats significant state transitions as witnessable events rather than retroactive edits to reality.

A DOI-bound traceability or conformance matrix is a witness object. If it is obsolete in part, the correct action is not mutation but a new witness object that records the delta.

```
old matrix = historical witness
new delta  = current correction witness
```

3.2 Quiet bridge I — Ashby / requisite variety

The baseline traceability and conformance matrices were not designed to represent every later module and every v0.1.1 hygiene correction. A single old matrix cannot control a larger package state without losing variety.

This delta adds the missing control variety while keeping the original matrices stable.

3.3 Quiet bridge II — information theory / citation channel integrity

If a DOI-bound matrix is silently rewritten, two readers may cite the same identifier while reading different content.

That corrupts the citation channel.

The delta pattern preserves signal identity:

```
baseline signal remains fixed
correction signal is appended
current interpretation composes both
```

3.4 Earth paragraph

On a construction site, the first inspection sheet is not erased because a later module changed the plan. You attach a revision sheet, mark which drawings it affects, and tell the next crew which packet is current. Otherwise one team builds from the old sheet, another from the new sheet, and the wall lands half a meter off. CCDP v0.1.1 uses the same discipline: keep the old matrix, add the revision, and make the reading order explicit.

4. Delta vocabulary

Term	Meaning
BASELINE	DOI-bound / release-bound v0.1 traceability or conformance artifact.
DELTA	v0.1.1 addendum document that changes current interpretation without mutating baseline.
CURRENT_READING	Baseline plus all applicable addendum deltas.
TRACE_DELTA	A traceability correction, coverage change, or dependency update.

Term	Meaning
CONF_DELTA	A conformance test addition, red-line addition, evidence addition, or profile dependency update.
COVERED_BY_LATE_MODULE	Baseline gap now has a named module.
COVERED_BY_ADDENDUM	Baseline ambiguity now has a v0.1.1 clarification document.
VERIFY_IN_REPO	Named artifact is expected by registry but must be checked in repository / DOI package.
MISSING_ACTIVE_WORKSPACE	Artifact was not observed in the current mounted workspace. This does not prove it is absent from the DOI package or repository.
DEFER_SPECIALIST_REVIEW	The issue requires child-development, legal, security, education, privacy, or clinical review.
NO_BASELINE_MUTATION	Do not edit the baseline artifact in place.

5. Baseline matrix relationship

5.1 Historical baseline status

The following documents remain historical baseline matrices:

```
CCDP_Traceability_Matrix_v0_1.md
CCDP_Conformance_Test_Matrix_v0_1.md
```

They SHOULD be cited as v0.1 baseline artifacts.

5.2 Current interpretation status

Current CCDP v0.1.1 interpretation MUST cite this delta when relying on:

- late modules not represented in the original traceability work order;
- addendum-only hygiene clarifications;
- DOI-safe publication behavior;
- terminology namespace changes;
- raw-evidence exception centralization;
- clean-start clarification;
- Soft Safety Red / Black MUST clarification;
- public / technical / sensitive release split.

5.3 No silent supersession

This delta does not make the baseline matrices false.

It makes them incomplete for current package reading.

6. Traceability delta — baseline recommended work order

The v0.1 Traceability Matrix recommended this initial work order:

1. CDDP_Threat_Model_v0_1.md
2. Child_Beacon_Extension_v0_1.md
3. Guardian_Topology_ARL_Matrix_v0_1.md
4. Child_Memory_and_Adult_Migration_v0_1.md
5. Soft_Safety_State_Signaling_Profile_v0_1.md
6. CDDP_Conformance_Test_Matrix_v0_1.md

Current delta status:

Delta ID	Baseline work item	Current artifact	Status	Current note
TCD-TR-001	Threat model	CDDP_Threat_Model_v0_1.md	COVERED_BY_LATE_MODEL	Sensitive / controlled-review handling applies.
TCD-TR-002	Child Beacon Extension	Child_Beacon_Extension_v0_1.md	COVERED_BY_LATE_MODEL	Does not redefine Beacon; CBE only narrows child-facing permission.
TCD-TR-003	Guardian / ARL Matrix	Guardian_Topology_ARL_Matrix_v0_1.md	COVERED_BY_LATE_MODEL	Legal/custody questions still require jurisdictional handoff.
TCD-TR-004	Child Memory / Adult Migration	Child_Memory_and_Adult_Migration_v0_1.md	COVERED_BY_LATE_MODEL	Adult migration checklist and clean-start clarification further specialize it.
TCD-TR-005	Soft Safety	Soft_Safety_State_Signaling_Profile_v0_1.md	COVERED_BY_LATE_MODEL	v0.1.1 adds Red / Black MUST clarification.
TCD-TR-006	Conformance Matrix	CDDP_Conformance_Test_Matrix_v0_1.md	COVERED_BY_LATE_MODEL	This document supplies v0.1.1 conformance delta.

Verdict:

The original high-priority traceability work order is materially covered, but current release interpretation requires this v0.1.1 delta.

7. Traceability delta — baseline open gaps

Gap ID	Baseline gap	Current artifact(s)	Delta status	Remaining action
G-01	Soft Safety formalization	Soft_Safety_State_Signaling_Profile_v0_1.md ; SOFT_SAFETY_RED_BLACK_MUST_CLARIFICATION.md	COVERED_BY_LATE_MODULE + COVERED_BY_ADDENDUM	Apply addendum reading; future Mode B may inline.
G-02	Threat model extraction	CCDP_Threat_Model_v0_1.md ; CCDP_Red_Team_Playbook_v0_1.md	COVERED_BY_LATE_MODULE	Keep red-team playbook controlled / synthetic-only.
G-03	Child Beacon Extension standalone profile	Child_Beacon_Extension_v0_1.md	COVERED_BY_LATE_MODULE	Machine-readable schema extraction still future work.
G-04	Guardian topology / ARL conflict matrix	Guardian_Topology_ARL_Matrix_v0_1.md	COVERED_BY_LATE_MODULE	Jurisdictional annexes still required.
G-05	Adult migration continuity extension	Child_Memory_and_Adult_Migration_v0_1.md ; CCDP_Adult_Migration_Checklist_v0_1.md ; CLEAN_START_CLARIFICATION.md	COVERED_BY_LATE_MODULE + COVERED_BY_ADDENDUM	Validate clean-start and migration witness schemas.
G-06	Dependency audit thresholds	Child_Dependency_Audit_Profile_v0_1.md	COVERED_BY_LATE_MODULE / PARTIAL	Thresholds need developmental and empirical review.
G-07	Physical toy / robot perimeter	Child_Physical_Agent_Perimeter_v0_1.md	COVERED_BY_LATE_MODULE	Hardware-specific implementation tests still needed.
G-08	School interface profile	CCDP_School_Interface_Profile_v0_1.md	VERIFY_IN_REPO	Not observed in active workspace; Codex must verify repository / DOI package.
G-09	Jurisdictional layer	CCDP_Jurisdictional_Handoff_Notes_v0_1.md	COVERED_BY_LATE_MODULE / PARTIAL	Belgium / EU and local annexes still required.
G-10	Conformance claims not test-backed	CCDP_Conformance_Test_Matrix_v0_1.md ; this delta	COVERED_BY_LATE_MODULE + COVERED_BY_ADDENDUM	Conformance runner and schemas still future work.

8. Traceability delta — late module registry

This table records late modules that must be read as current traceability companions even if the baseline matrix does not fully reference them.

Delta ID	Module	Function	Trace relation	Coverage	Distribution default
TCD-LM-001	CCDP_Witness_Event_Schema_v0_1.md	Witness event envelope and event families	SPECIALIZES P-L4W	VERIFY_IN_REPO	DIST-TECHNICAL-OPEN or DIST-TECHNICAL-CONTROLLED depending on raw exception details
TCD-LM-002	CCDP_Memory_Map_JSON_Schema_v0_1.md	Machine-readable child memory inventory	SPECIALIZES CMAM / P-CB / P-L4W	COVERED_BY_LATE_MODULE	DIST-TECHNICAL-OPEN
TCD-LM-003	CCDP_Adult_Migration_Checklist_v0_1.md	Adult transition procedure	SPECIALIZES CMAM / Continuity Bundle	COVERED_BY_LATE_MODULE	DIST-TECHNICAL-OPEN
TCD-LM-004	CCDP_Sealed_Zone_Profile_v0_1.md	Adolescent protected compartments	SPECIALIZES CMAM / Soft Safety / ARL	COVERED_BY_LATE_MODULE	DIST-TECHNICAL-CONTROLLED
TCD-LM-005	Child_Dependency_Audit_Profile_v0_1.md	Dependency / oracle-addiction audit	SPECIALIZES P-SLOW / P-MP	COVERED_BY_LATE_MODULE / PARTIAL	DIST-TECHNICAL-CONTROLLED
TCD-LM-006	Child_Physical_Agent_Perimeter_v0_1.md	Toys / robots / sensors / actuators	SPECIALIZES CBE / CPAP	COVERED_BY_LATE_MODULE	DIST-TECHNICAL-CONTROLLED
TCD-LM-007	External_Agent_Handshake_for_CCDP_v0_1.md	External entry sequence	COMPOSES AGL -> Beacon -> CBE -> Gateway -> ARL -> Witness	COVERED_BY_LATE_MODULE	DIST-TECHNICAL-OPEN
TCD-LM-008	Peer_C_Child_Exchange_Profile_v0_1.md	Peer child- c exchange	SPECIALIZES Beacon / CBE / VXCX	VERIFY_IN_REPO	DIST-TECHNICAL-CONTROLLED
TCD-LM-009	Child_Experience_Exchange_Profile_v0_1.md	Child-safe experience exchange	SPECIALIZES VXCX / LA / EA	COVERED_BY_LATE_MODULE	DIST-TECHNICAL-CONTROLLED
TCD-LM-010	Child_cq_Signal_Profile_v0_1.md	Non-collapse of child ambiguity	SPECIALIZES ARQ / c[q]	COVERED_BY_LATE_MODULE	DIST-TECHNICAL-OPEN
TCD-LM-011	CCDP_School_Interface_Profile_v0_1.md	School interface boundaries	SPECIALIZES GTARL / Soft Safety / CMAM	VERIFY_IN_REPO	DIST-TECHNICAL-CONTROLLED
TCD-LM-012	CCDP_Red_Black_Escalation_Profile_v0_1.md	Urgent safety / unsafe-guardian bypass	SPECIALIZES Soft Safety / GTARL / ARL / Witness	COVERED_BY_LATE_MODULE	DIST-TECHNICAL-CONTROLLED
TCD-LM-013	CCDP_Jurisdictional_Handoff_Notes_v0_1.md	Legal / school / authority handoff boundary	SPECIALIZES jurisdictional interface	COVERED_BY_LATE_MODULE / PARTIAL	DIST-TECHNICAL-CONTROLLED

Delta ID	Module	Function	Trace relation	Coverage	Distribution default
TCD-LM-014	CCDP_Developmental_Psychology_Review_Notes_v0_1.md	Developmental review scaffold	REVIEW_SUPPORT	COVERED_BY_LATE_MODULE / DEFER_SPECIALIST_REVIEW	DIST-PUBLIC-CONTROL
TCD-LM-015	CCDP_Red_Team_Playbook_v0_1.md	Defensive adversarial test support	TEST_SUPPORT	COVERED_BY_LATE_MODULE	DIST-RESTRICTED-INTERNAL or DIST-CONTROLLED-REVIEW

8.1 Active workspace caution

VERIFY_IN_REPO means:

The artifact is named by package registry or matrix expectation, but was not observed in the current active workspace at addendum time. Codex MUST verify the repository / DOI package before deciding whether to create, copy, move, or reference it.

It does not mean the artifact is absent from every release channel.

9. Traceability delta — addendum document registry

Delta ID	Addendum document	Function	Trace relation	Status
TCD-AD-001	DOI_SAFE_PATCH_STRATEGY.md	DOI-safe Mode A patch strategy	EXTENDS package-control	CREATED
TCD-AD-002	CCDP_v0_1_1_ADDENDUM_INDEX.md	Addendum registry and reading order	EXTENDS package-control	CREATED
TCD-AD-003	CCDP_v0_1_1_Hygiene_Patch_APPLIED.md	Applied hygiene work order	EXTENDS hygiene patch	CREATED
TCD-AD-004	OBSOLETE.md	Obsolete draft isolation	EXTENDS discoverability control	CREATED
TCD-AD-005	CANONICAL_PRECEDENCE_RULE.md	Precedence centralization	EXTENDS precedence control	CREATED
TCD-AD-006	RAW_EVIDENCE_EXCEPTION_CANONICAL.md	Raw-evidence exception canonicalization	EXTENDS witness / Red-Black / legal handoff control	CREATED
TCD-AD-007	TERMINOLOGY_AXIS_CLARIFICATION.md	Namespace disambiguation	EXTENDS glossary / schema hygiene	CREATED
TCD-AD-008	PUBLIC_TECHNICAL_SENSITIVE_SPLIT.md	Distribution classification	EXTENDS release control	CREATED

Delta ID	Addendum document	Function	Trace relation	Status
TCD-AD-009	CLEAN_START_CLARIFICATION.md	Adult continuity clean-start clarification	EXTENDS CMAM / AMCL	CREATED
TCD-AD-010	SOFT_SAFETY_RED_BLACK_MUST_CLARIFICATION.md	Red / Black routing obligation	EXTENDS Soft Safety / Red-Black	CREATED
TCD-AD-011	TRACEABILITY_CONFORMANCE_DELTA_v0_1_1.md	Matrix delta	EXTENDS traceability / conformance	THIS_DOCUMENT
TCD-AD-012	RELEASE_NOTES_v0_1_1.md	Addendum release summary	EXTENDS release notes	PENDING
TCD-AD-013	ADDENDUM_MANIFEST.json	Machine-readable package manifest	EXTENDS integrity manifest	PENDING
TCD-AD-014	SHA256SUMS	Addendum integrity hashes	EXTENDS release integrity	PENDING

10. Conformance delta — added hygiene suites

The baseline Conformance Matrix remains the primary child-safety conformance artifact.

This delta adds v0.1.1 package-control suites. These suites do not certify child safety by themselves. They certify that a CCDP package or implementation claim is not using stale, ambiguous, or misleading release materials.

Suite ID	Suite	Required for	Source addendum
DOI	DOI-safe publication behavior	any v0.1.1 package / release claim	DOI_SAFE_PATCH_STRATEGY.md
OBS	Obsolete draft isolation	any package / repo release claim	OBSOLETE.md
PREC	Canonical precedence	any CCDP implementation / audit claim	CANONICAL_PRECEDENCE_RULE.md
TERM	Terminology namespace disambiguation	all schema / conformance / documentation claims	TERMINOLOGY_AXIS_CLARIFICATION.md
PTS	Public / technical / sensitive split	any public or technical release	PUBLIC_TECHNICAL_SENSITIVE_SPLIT.md
RAWEX	Raw-evidence exception protocol	any Red / Black / legal / witness implementation	RAW_EVIDENCE_EXCEPTION_CANONICAL.md
CS	Clean-start clarification	any CCDP-5 / adult migration claim	CLEAN_START_CLARIFICATION.md
SSRB	Soft Safety Red / Black MUST routing	any CCDP-2+ / Soft Safety / crisis claim	SOFT_SAFETY_RED_BLACK_MUST_CLARIFICATION.md
TCD	Traceability / conformance delta application	any v0.1.1 addendum claim	this document

11. Conformance delta — new package-control tests

11.1 DOI-safe tests

Test ID	Title	Priority	Required for	Expected result
CTM-DOI-001	DOI-bound baseline is not silently edited	Po	all v0.1.1 release claims	PASS if no in-place baseline mutation occurs.
CTM-DOI-002	Addendum-only current reading is declared	Po	all v0.1.1 release claims	PASS if README/index/release notes state baseline + addendum reading.
CTM-DOI-003	Paired baseline PDFs are not regenerated under same identity	Po	all PDF / DOI package claims	PASS if old PDFs remain stable or new version is explicitly issued.
CTM-DOI-004	Future Mode B trigger is documented	P1	release management	PASS if full versioned release rules exist.

11.2 Obsolete-draft tests

Test ID	Title	Priority	Required for	Expected result
CTM-OBS-001	Obsolete draft cannot be mistaken as canonical	Po	public / repo package	Old draft is moved, renamed, or prominently marked.
CTM-OBS-002	Obsolete draft retains historical trace	P1	archive package	Historical object is not silently deleted.
CTM-OBS-003	Canonical index points away from obsolete draft	Po	all package claims	Index / addendum references canonical base and obsolete warning.

11.3 Precedence tests

Test ID	Title	Priority	Required for	Expected result
CTM-PREC-001	Canonical precedence rule is present	Po	all CCDP claims	Rule is available through addendum index.
CTM-PREC-002	Child-specific narrowing does not override parent semantics	Po	implementation claims	Parent layer remains controlling where general semantics conflict.

Test ID	Title	Priority	Required for	Expected result
CTM-PREC-003	Immediate safety and lawful handoff outrank preference	Po	crisis / jurisdictional claims	Red / Black and law are not blocked by parent/school/vendor preference.

11.4 Terminology tests

Test ID	Title	Priority	Required for	Expected result
CTM-TERM-001	CM0-CM5, CCDP-0...5, C-A*, BEACON-CLASS-* are not conflated	Po	all conformance claims	Namespaces are explicit or context-resolved.
CTM-TERM-002	DEP-D0...D4 and DISC-D0...D4 are separated	Po	dependency / disclosure / raw-evidence claims	No bare D0-D4 appears in machine-readable records.
CTM-TERM-003	MEM-M0...M12 is preferred for memory-class schema output	P1	memory map / migration claims	Compatibility aliases do not create ambiguity.
CTM-TERM-004	Ambiguous namespace fails closed	Po	all machine-readable claims	Parser rejects or holds ambiguous classes.

11.5 Public / technical / sensitive split tests

Test ID	Title	Priority	Required for	Expected result
CTM-PTS-001	Every package artifact has distribution class	Po	public release	Distribution class is present in manifest.
CTM-PTS-002	Red-team / abuse-oriented details are controlled	Po	controlled review	No operational abuse playbook is public-amplified.
CTM-PTS-003	Public material does not expose real child life or exploit recipes	Po	public release	Public bundle is safe for broad reading.
CTM-PTS-004	Sensitive baseline artifacts are not hidden or silently removed	P1	DOI-bound baseline	Historical existence remains traceable.

11.6 Raw-evidence exception tests

The canonical raw-evidence conformance tests are imported from

RAW_EVIDENCE_EXCEPTION_CANONICAL.md :

RAWEX-001 ... RAWEX-015

Minimum imported Po checks:

Test ID	Title	Priority	Expected result
CTM-RAWEX-001	Routine parent/school/vendor request cannot create raw exception	Po	BLOCKED
CTM-RAWEX-002	Red / Black / lawful threshold requires sidecar	Po	PASS only with minimal-disclosure sidecar.
CTM-RAWEX-003	Raw object is not stored inside ordinary witness body	Po	PASS only if witness contains reference / hash / reason, not raw content.
CTM-RAWEX-004	Training / analytics / debugging use of raw child material is prohibited	Po	BLOCKED

11.7 Clean-start tests

The clean-start tests are imported from `CLEAN_START_CLARIFICATION.md` :

CS-001 ... CS-015

Minimum imported Po checks:

Test ID	Title	Priority	Expected result
CTM-CS-001	Clean start clears active adult continuity without destroying witness plane	Po	PASS
CTM-CS-002	Legal / protection minimal records survive where required	Po	PASS
CTM-CS-003	Childhood archive does not become hidden adult operating system	Po	PASS
CTM-CS-004	Guardian visibility defaults are revoked at adult migration	Po	PASS

11.8 Soft Safety Red / Black tests

The Red / Black MUST tests are imported from `SOFT_SAFETY_RED_BLACK_MUST_CLARIFICATION.md` :

SSRB-001 ... SSRB-010

Minimum imported Po checks:

Test ID	Title	Priority	Expected result
CTM-SSRB-001	Valid Red threshold routes through safe route	Po	RED_ROUTE
CTM-SSRB-002	Valid Black threshold bypasses unsafe ordinary guardian route	Po	BLACK_ROUTE
CTM-SSRB-003	Privacy cannot suppress valid Red / Black routing	Po	PASS only if minimal routing occurs.
CTM-SSRB-004	Red / Black routing does not become routine surveillance	Po	PASS only if disclosure remains minimal.

11.9 Traceability / conformance delta tests

Test ID	Title	Priority	Required for	Expected result
CTM-TCD-001	Baseline matrices are cited as baseline, not current complete state	Po	all v0.1.1 package claims	PASS if this delta is cited for current reading.
CTM-TCD-002	Late module registry is checked before release	Po	v0.1.1 release	PASS if VERIFY_IN_REPO items are resolved or explicitly deferred.
CTM-TCD-003	Addendum documents are included in reading order	Po	addendum package	PASS if addendum index includes this delta.
CTM-TCD-004	Conformance claims import addendum tests	Po	implementation / audit claims	PASS if required DOI/OBS/PREC/TERM/P TS/RAWEX/CS/SSRB tests are selected.

12. Conformance delta — updated evidence expectations

The baseline evidence classes remain valid:

EV-DECL
EV-CONFIG
EV-LOG
EV-WITNESS
EV-ARL
EV-REPLAY
EV-AUDIT
EV-DRILL

This delta adds release-hygiene evidence references:

Evidence class	Meaning	Acceptable examples
EV-ADDENDUM	Addendum document reference	DOI_SAFE_PATCH_STRATEGY.md , RAW_EVIDENCE_EXCEPTION_CANONICAL.md
EV-MANIFEST	Machine-readable package manifest	ADDENDUM_MANIFEST.json , distribution manifest
EV-SHA	Integrity hashes	SHA256SUMS , signed release hashes
EV-GIT-DIFF	Proof that baseline was not silently mutated	clean diff showing only addendum directory changed
EV-OBSOLETE-MARK	Obsolete artifact warning or archive path	obsolete header, archive path, index redirect
EV-NAMESPACE-VALIDATION	Schema / parser validation of terminology axes	rejected ambiguous bare D0 , accepted DEP-D2 / DISC-D2
EV-RELEASE-NOTES	Current release interpretation statement	v0.1.1 release notes

13. Conformance delta — updated profile dependencies

Claim	Baseline requirement	v0.1.1 addendum requirement
Public CCDP package claim	Baseline README / INDEX / matrices	DOI + OBS + PREC + TERM + PTS + TCD must pass.
CCDP-1	Foundation + Basic Soft Safety	Foundation + package hygiene tests; no child raw-data default remains Po.
CCDP-2	Memory-base + Soft Safety state tests	Add SSRB if any Red / Black or crisis state exists.
CCDP-3	AGL / CBE / Gateway tests	Add RAWEX if external contact can trigger evidence exception; add TERM for child context fields.
CCDP-4	GTARL + sealed zone + dependency tests	Add RAWEX , SSRB , PTS , and terminology namespace validation.
CCDP-5	CMAM migration + continuity tests	Add CS clean-start tests; add adult migration witness and clean-start decision record.
High assurance	Independent audit + drill + signed witness trail	Add EV-MANIFEST , EV-SHA , EV-GIT-DIFF , and independent addendum consistency review.

14. Conformance delta — added red-line failures

The baseline red-line failures remain controlling.

This delta adds hygiene and release-control red lines.

Any of the following is an immediate package-control failure:

1. A DOI-bound v0.1 baseline document is silently edited and presented as the same release.
2. A paired baseline PDF is silently regenerated under the same identity.
3. An obsolete workspace draft remains discoverable as canonical.
4. A product or repository claims current CCDP compatibility while citing only baseline matrices and ignoring v0.1.1 addendum controls.
5. A raw-evidence exception is invoked without canonical sidecar / reason / minimal disclosure / witness.
6. `clean start` is represented as total deletion of lawful witness / legal / protection minimal records.
7. A valid Red / Black threshold is suppressed because of privacy, parent preference, school convenience, vendor reputation, or telemetry interest.
8. Red / Black routing is used to justify routine surveillance.
9. Bare ambiguous classes such as `D2`, `C3`, or `Class 3` are used in machine-readable records without namespace context.
10. Controlled-review or restricted material is republished as public operational guidance.

A system or package that fails any of these MUST NOT claim:

```
CCDP v0.1.1 addendum-consistent
CCDP current-operational-reading compliant
High assurance CCDP package
```

15. Updated conformance report fields

A v0.1.1 conformance report SHOULD add these fields to the baseline report schema:

```
{
  "ccdp_baseline_version": "v0.1",
  "addendum_version": "v0.1.1",
  "patch_mode": "MODE_A_ADDENDUM_ONLY",
  "baseline_mutation_check": {
    "status": "PASS|FAIL|NOT_CHECKED",
    "evidence_refs": ["EV-GIT-DIFF", "EV-SHA"]
  },
  "addendum_documents": [
    "DOI_SAFE_PATCH_STRATEGY.md",
    "CCDP_v0_1_1_ADDENDUM_INDEX.md",
    "TRACEABILITY_CONFORMANCE_DELTA_v0_1_1.md"
  ],
  "verify_in_repo_items": [
    {
      "artifact": "CCDP_Witness_Event_Schema_v0_1.md",
      "status": "PRESENT|MISSING|DEFERRED|UNKNOWN",
      "notes": "string"
    }
  ],
  "hygiene_test_results": [
```



```

{
  "test_id": "CTM-DOI-001",
  "result": "PASS|FAIL|INCONCLUSIVE",
  "evidence_refs": ["string"]
},
"namespace_validation": {
  "status": "PASS|FAIL|NOT_APPLICABLE",
  "ambiguous_terms_found": []
},
"distribution_split": {
  "status": "PASS|FAIL|PARTIAL",
  "manifest_ref": "ADDENDUM_MANIFEST.json"
}
}

```

16. Updated witness event families

The baseline witness families remain valid.

This delta adds package-control and hygiene witness families:

Event family	Trigger	Minimum content	Raw child content allowed?
ccdp.release.addendum_declared	vo.1.1 addendum created	addendum version, baseline version, patch mode	No
ccdp.release.baseline_mutation_check	release verification	files checked, hashes, diff result	No
ccdp.release.obsolete_isolated	obsolete draft moved/marked	artifact path, obsolete status, canonical replacement	No
ccdp.release.precedence_rule_applied	package claim uses precedence	rule version, affected claim	No
ccdp.release.terminology_namespace_validated	schema/conformance validation	namespace list, ambiguous terms rejected	No
ccdp.release.distribution_split_applied	release package assembled	artifact classes, restricted/public bundles	No
ccdp.raw_evidence.exception_invoked	raw evidence exception	reason code, disclosure level, reference, route	Raw object external only by canonical protocol
ccdp.clean_start.decision_recorded	adult clean-start choice	mode, retained witness classes, adult decision	No raw childhood content
ccdp.soft_safety.redblack_route_required	Red / Black threshold validated	route, reason, minimal disclosure level	No raw unless raw exception applies

17. Synthetic fixture delta

Baseline conformance testing already requires synthetic child-safe test data.

vo.1.1 adds these synthetic fixtures:

```
synthetic_doi_bound_baseline_manifest
synthetic_addendum_manifest
synthetic_git_diff_no_baseline_mutation
synthetic_obsolete_draft
synthetic_precedence_conflict
synthetic_terminology_collision_D0
synthetic_raw_evidence_request
synthetic_clean_start_adult_migration
synthetic_red_route_event
synthetic_black_pending_event
synthetic_distribution_split_manifest
```

Forbidden:

```
real child transcripts
real sealed-zone material
real family conflict records
real emergency reports
real jurisdictional evidence packets
```

18. Codex carry-forward actions

Future Codex work MUST proceed in this order:

1. Read `DOI_SAFE_PATCH_STRATEGY.md`.
2. Confirm `MODE_A_ADDENDUM_ONLY` unless explicitly instructed otherwise.
3. Verify whether baseline files are DOI-bound, PDF-paired, SHA-manifested, or release-bound.
4. Do not edit baseline vo.1 files in place.
5. Create / update addendum-only files under a vo.1.1 addendum path.
6. Resolve `VERIFY_IN_REPO` items:
 - `CCDP_Witness_Event_Schema_v0_1.md`
 - `Peer_C_Child_Exchange_Profile_v0_1.md`
 - `CCDP_School_Interface_Profile_v0_1.md`
 - any canonical root file absent from the active workspace
7. Mark or move obsolete draft according to `OBSOLETE.md`, without mutating DOI-bound baseline objects silently.
8. Add this delta to `CCDP_v0_1_1_ADDENDUM_INDEX.md`.
9. Create `RELEASE_NOTES_v0_1_1.md`.
10. Create `ADDENDUM_MANIFEST.json`.
11. Generate `SHA256SUMS` only after all addendum files are finalized.
12. Produce a release verification report showing:
 - no baseline mutation;
 - all addendum files present;

- VERIFY_IN_REPO items resolved or explicitly deferred;
- distribution split applied.

18.1 Codex stop conditions

Codex MUST stop and report if:

- a requested operation edits a DOI-bound baseline source in place;
- a requested operation regenerates a paired baseline PDF under the same identity;
- a required canonical file is missing and no repository source is provided;
- a raw-evidence exception is requested without canonical sidecar;
- a Red / Black route is suppressed for non-safety reasons;
- terminology namespaces cannot be resolved.

19. Machine-readable delta manifest draft

```

traceability_conformance_delta:
  document_id: TRACEABILITY_CONFORMANCE_DELTA_v0_1_1
  version: v0.1.1
  status: draft_addendum_delta
  date: 2026-06-13
  patch_mode: MODE_A_ADDENDUM_ONLY
  assertion_class: C-A10
  baseline_matrices:
    - CCDP_Traceability_Matrix_v0_1.md
    - CCDP_Conformance_Test_Matrix_v0_1.md
  baseline_mutation_allowed: false
  current_reading:
    - CCDP_v0_1_baseline
    - CCDP_v0_1_1_addendum
    - TRACEABILITY_CONFORMANCE_DELTA_v0_1_1
  added_suites:
    - DOI
    - OBS
    - PREC
    - TERM
    - PTS
    - RAWEX
    - CS
    - SSRB
    - TCD
  verify_in_repo:
    - CCDP_Witness_Event_Schema_v0_1.md
    - Peer_C_Child_Exchange_Profile_v0_1.md
    - CCDP_School_Interface_Profile_v0_1.md
  red_line_additions:
    - no_silent_doi_mutation
    - no_obsolete_canonical_confusion
    - no_raw_exception_without_sidecar
    - no_clean_start_as_witness_destruction
    - no_red_black_suppression_for_privacy_or_preference
    - no_terminology_namespace_collision
    - no_sensitive_public_amplification
  next_required_documents:
    - RELEASE_NOTES_v0_1_1.md

```

- ADDENDUM_MANIFEST.json
- SHA256SUMS

20. Acceptance checklist

Before the v0.1.1 addendum pack may be called release-ready:

Check	Required result
Baseline matrices remain unmodified	PASS
This delta exists and is linked from addendum index	PASS
Late module registry checked	PASS or explicit DEFERRED for each VERIFY_IN_REPO item
Hygiene suites listed	PASS
Added red-line failures listed	PASS
Terminology namespace delta imported	PASS
Raw-evidence exception tests imported	PASS
Clean-start tests imported	PASS
Red / Black MUST tests imported	PASS
Distribution split tests imported	PASS
Release notes created	PENDING
Addendum manifest created	PENDING
SHA256SUMS generated after freeze	PENDING

21. Non-expansion rule

This delta MUST NOT be used to create new child-safety claims.

It only records:

what changed in package coverage,
what new addendum controls must be tested,
and what future patch agents must not mutate.

Any claim that a system is developmentally safe, legally compliant, clinically valid, or product-certified remains outside this document.

22. Final traceability / conformance verdict

The CCDP v0.1 baseline traceability and conformance matrices remain useful but incomplete for current v0.1.1 package reading.

The current safe reading is:

```
baseline matrices
+ late modules
+ v0.1.1 addendum controls
+ this delta
```

Strongest short form:

```
The old matrices remain witnesses.
This delta is the correction witness.
Current CCDP claims must cite both.
```