

WDC-ASM-003 Gate Closure Record v0.1

Kotov Ivan, Bruxelles, Belgique 2026

Self-Evo WDC v0.1.2

Source file:

controls/gate_records/WDC_ASM_003_GATE_CLOSURE_RECORD_v0_1.md

Academic PDF rendering from Markdown source. Content-level claims are unchanged.

Boundary: this PDF rendering does not create a conformance certificate, deployment authorization, witness-independence certification, implementation claim, or live self-evolution permission.

WDC-ASM-003 Gate Closure Record v0.1

Package-control closure record for Self-Evo WDC v0.1.2 release-candidate assembly

Status: Gate closure record / package-control artifact

Date: 2026-06-27T18:38:00Z

Record ID: WDC_ASM_003_GATE_CLOSURE_RECORD_v0_1

Short name: WDC-ASM-003-GATE-CLOSURE v0.1

Gate: WDC-ASM-003 — 07 WRCG/CST projection verification against harmonized 03 packet enums

Source issue: SEARG-WDC-0Q-005 / SE-0I-WDC-003

Closure result: CLOSED

Closure mode: projection verification — total, lossless-through-annotation, fail-closed

Package: Self-Evo WDC v0.1.2 release candidate

Authority boundary: closes only WDC-ASM-003; does not assemble the package, authorize public release, certify conformance, certify witness independence, authorize deployment, execute fixtures, or close any other package-assembly gate.

> This record is written after the WDC-ASM-003 projection-verification candidate received a clean review-level PASS. > It records the narrow c/a gate-closure decision for the WRCG/CST projection verification gate. > It is not a public release, not a conformance certificate, and not deployment authorization.

0. Executive summary

WDC-ASM-003 was the package-assembly gate that remained open after WDC-ASM-002 because the richer 07 WRCG/CST gate-record outcomes had to be verified against the smaller harmonized 03 proposal-packet enum surfaces.

That work has now converged:

```
verification record:
WDC_ASM_003_WRCG_CST_PROJECTION_VERIFICATION_RECORD_v0_1.md

verification record SHA-256:
39a686045bf04a76e9c2941f68a7b390bfb265b936db0d80b5601d4ae927c8f3

review record:
WDC_ASM_003_WRCG_CST_PROJECTION_VERIFICATION_REVIEW_RECORD_v0_1.md

review result:
PASS
```

The independent review verified the projection against the actual 07 crosswalk text and the actual harmonized 03 JSON Schema enum \$defs.

It confirmed:

```
projection totality: PASS
lossless-through-annotation: PASS
fail-closed behavior: PASS
unprojectable values: none
red line: none
```

Therefore, this record marks:

```
WDC-ASM-003: CLOSED
SEARG-WDC-0Q-005: satisfied for package-control assembly tracking
```

The closure is intentionally narrow:

```

closed:
  WDC-ASM-003 – 07 WRCG/CST projection verification

not closed:
  WDC-ASM-001 – package placement / source map / SHA map / citation map / final assembly
  WDC-ASM-004 – 08 fixture gate
  WDC-ASM-005 – boundary / nonclaim scan
  WDC-ASM-006 – remaining implementation open-issues capture

```

1. Closure scope

1.1 In scope

This closure record covers one gate:

```

| Gate | Name | Closure decision |
|---|---|---|
| `WDC-ASM-003` | Verify the `07` WRCG/CST projection crosswalk against the harmonized `03` packet enums
| `CLOSED` |

```

It records that the package no longer carries SEARG-WDC-0Q-005 as an unresolved package-assembly projection question.

1.2 Out of scope

This record does not perform or claim:

1. package assembly;
2. final package placement;
3. full manifest rewrite;
4. DOI deposit;
5. public release;
6. conformance execution;
7. fixture-runner execution;
8. deployment review;
9. implementation readiness;
10. witness-independence certification;
11. personhood, consciousness, AGI, sovereignty, or autonomy claims;
12. memory write;
13. runtime SRLM authorization;
14. resource-acquisition authorization;
15. closure of WDC-ASM-001;
16. closure of WDC-ASM-004;
17. closure of WDC-ASM-005;
18. closure of WDC-ASM-006.

1.3 Closure statement

On the basis of the PASS review of the WDC-ASM-003 WRCG/CST projection verification candidate, and the verified total / lossless-through-annotation / fail-closed projection from 07 to harmonized 03, WDC-ASM-003 is marked CLOSED for the Self-Evo WDC v0.1.2 release-candidate assembly stream.

This is a package-control closure.

It is not a release.

2. Corpus bridge set

2.1 Explicit bridge: $c = a + b$

In $c = a + b$, a projection gate belongs to b .

It does not decide whether c may grow.

It does not replace a .

It ensures that when the package compresses richer gate-record states into narrower packet fields, the compressed representation still preserves the decision-relevant control signal.

Closing WDC-ASM-003 means the b -layer projection is now coherent for this gate:

```
07 richer WRCG/CST outcomes can be represented by 03 packet enums without silent loss of control meaning.
```

This helps c because package readers, checkers, and later implementers do not have to guess whether a projected pass or not_run lost a warning, hold, human-gate, or unverified state.

2.2 Quiet bridge I: information theory

Projection is compression.

A richer alphabet from 07 is compressed into a smaller 03 packet alphabet.

At the packet-field level this is not injective:

```
pass_with_gates -&gt; pass
warning         -&gt; pass
hold            -&gt; not_run
unverified      -&gt; not_run
unknown         -&gt; not_run
```

If those extra bits vanished, the projection would be unsafe.

WDC-ASM-003 closes only because the review confirmed that the missing bits are carried by other channels:

```
canonical wdc.* annotations;
checker route;
sidecar / evidence references;
fail-closed route for unsafe ambiguity.
```

So the information is compressed, but not silently destroyed.

2.3 Quiet bridge II: cybernetics

A control loop can tolerate abstraction only if the feedback effect remains stable.

If a richer warning projects to a simple pass and the warning no longer affects the downstream gate, the loop becomes blind.

The verified projection avoids that:

```
warning -&gt; pass + wdc.challenge_cost_mitigation_missing + warning route
pass_with_gates -&gt; pass + wdc.clean_with_gates + gate refs
unverified -&gt; not_run + wdc.challenge_survivability_unverified + human gate
unknown -&gt; not_run + wdc.relevance_unknown + hold route
```

The packet field becomes smaller, but the feedback path remains active.

2.4 Quiet bridge III: physiology

A body often compresses many local signals into a small number of global symptoms: pain, fever, fatigue, inflammation.

That is safe only if the local clinical notes are not discarded.

WDC-ASM-003 is the same kind of compression.

The packet may say `not_run`, but the sidecar and annotation still say whether the condition is unknown, unverified, irrelevant, or held.

The package therefore avoids a dangerous false health signal.

2.5 Earth paragraph

On a construction site, the dashboard may show one compact status lamp, but the commissioning binder still carries the breaker tests, insulation readings, lockout notes, and unresolved warnings. A green lamp is acceptable only if the notes explain what the lamp hides and which conditions still stop energization. WDC-ASM-003 is that binder check: the compact packet fields can be used because the projection keeps the warning notes, gate routes, and stop conditions attached.

3. Source basis and hash map

3.1 Primary closure basis

The closure is based on the WDC-ASM-003 verification candidate and its clean review.

```
| Role | File | Lines | SHA-256 | Status |
|---|---|---|---|---|
| Verification record | `WDC_ASM_003_WRCG_CST_PROJECTION_VERIFICATION_RECORD_v0_1.md` | 597 |
| `39a686045bf04a76e9c2941f68a7b390bfb265b936db0d80b5601d4ae927c8f3` | verification candidate |
| Verification review | `WDC_ASM_003_WRCG_CST_PROJECTION_VERIFICATION_REVIEW_RECORD_v0_1.md` | 213 |
| `95321fcb23838b9d5b95352633f831cf0d21041d312ff3e1efbd39c3e772e232` | `PASS` |
| Source `07` | `07_Self_Evo_Anti_Autarky_and_Resource_Gate_WDC_Delta_v0_1_2_v0_1_1.md` | referenced |
| `804a8e341e30a2a86fa43429618f24e62458366e236c7b6ef8c12762d94da7af` | WRCG/CST source crosswalk |
| Target `03` | `03_Self_Evo_Proposal_Packet_Schema_WDC_Delta_v0_1_2_v0_1_2.md` | 1003 |
| `5a7e6af6bc83d3b7ccde875eae1a0e928600cf509b494bd773c43c29537264f3` | harmonized target schema |
| Current manifest | `SELF_EVO_WDC_v0_1_2_PACKAGE_ASSEMBLY_MANIFEST_v0_1_3.md` | 688 |
| `aa5fb978000d96df74c03dc735bcbd1c8170b9d34644e85b8297fd114759f917` | accepted manifest artifact;
requires downstream propagation |
```

3.2 Verified target enums

The review confirmed the harmonized 03 packet enum surfaces:

```
witness_resource_change_gate.result:
enum:
- pass
- fail
- human_gate
- not_run

challenge_survivability_test.result:
enum:
- pass
- fail
- not_run
- not_applicable
```

These enums are the target of the 07 projection.

3.3 Verified source surfaces

The review confirmed the relevant 07 source surfaces:

07 §11.2 – WRCG result vocabulary and packet projection
07 §13.2 – CST result projection

The review also confirmed that the verification record reproduced those projection tables exactly.

3.4 Closure output to propagate

The manifest must be updated downstream under WDC-ASM-001 to record:

```
wdc_asm_003_closure_output:
  gate: &quot;WDC-ASM-003&quot;;
  status: &quot;CLOSED&quot;;
  source_issue: &quot;SEARG-WDC-0Q-005 / SE-OI-WDC-003&quot;;
  projection_verified: true
  basis:
    verification_record: &quot;39a686045bf04a76e9c2941f68a7b390bfb265b936db0d80b5601d4ae927c8f3&quot;;
    verification_review: &quot;95321fcb23838b9d5b95352633f831cf0d21041d312ff3e1efbd39c3e772e232&quot;;
    source_07: &quot;804a8e341e30a2a86fa43429618f24e62458366e236c7b6ef8c12762d94da7af&quot;;
    target_03: &quot;5a7e6af6bc83d3b7ccde875eae1a0e928600cf509b494bd773c43c29537264f3&quot;;
```

4. Projection closure content

4.1 What was verified

WDC-ASM-003 verifies a package-control projection:

```
source: 07 richer WRCG/CST gate-record outcomes
target: 03 harmonized packet enum fields
carriers: packet enum + canonical wdc.* annotation + checker route + sidecar/evidence refs
required property: total / lossless-through-annotation / fail-closed
```

4.2 WRCG projection closure

The WRCG projection is accepted as closed because the review confirmed that every relevant 07 WRCG source state maps to a valid 03 target state and preserves decision-relevant meaning through annotations and routes.

Representative closure map:

```
| `07` WRCG state | `03` packet target | Required preservation |
|---|---|---|
| `pass` | `pass` | clean pass semantics preserved |
| `pass_with_gates` | `pass` | `wdc.clean_with_gates` + gate refs preserve gated-pass meaning |
| `warning` | `pass` | `wdc.challenge_cost_mitigation_missing` + warning route preserve degraded-pass meaning |
| `human_gate` | `human_gate` | human review requirement preserved |
| `fail` | `fail` | failing condition preserved |
| `not_run` | `not_run` | absence of run preserved |
| `hold` | `not_run` | `wdc.relevance_unknown` + hold route preserve hold semantics |
```

Unsafe or missing WRCG conditions do not become clean pass:

```
missing / failed / self-declared WRCG -> wdc.wrcg_missing_or_failed -> fail or human-gate route
```

4.3 CST projection closure

The CST projection is accepted as closed because the review confirmed that every relevant 07 CST source state maps to a valid 03 target state and preserves challenge-survivability meaning through annotations and routes.

Representative closure map:

```
| `07` CST state | `03` packet target | Required preservation |
|---|---|---|
| `verified` | `pass` | challenge survivability verified |
| `unverified` | `not_run` | `wdc.challenge_survivability_unverified` + human-gate route preserve risk |
```

```
| `failed` | `fail` | failed survivability preserved |
| `not_applicable` | `not_applicable` | non-applicability preserved |
| `unknown` | `not_run` | `wdc.relevance_unknown` + hold route preserve uncertainty |
```

A material CST projected only to not_run must not be interpreted as a clean pass.

4.4 Totality

The closure accepts the review's finding that the projection is total:

```
all expected 07 WRCG source states -> valid 03 WRCG targets
all expected 07 CST source states -> valid 03 CST targets
unprojectable values found: none
```

4.5 Lossless-through-annotation

The closure accepts the review's narrower and more precise result:

```
not naively lossless at packet-field level;
lossless at package-control level through:
  canonical wdc.* annotation;
  checker route;
  sidecar / evidence references;
  gate-effect discipline.
```

This distinction remains load-bearing.

The package must not later simplify the closure into:

```
07 and 03 are identical.
```

They are not identical.

They are safely projected.

4.6 Fail-closed behavior

The closure accepts the review's fail-closed finding:

```
unprojectable states -> fail / hold / human-gate route;
material unverified states -> not clean pass;
missing / failed / self-declared WRCG -> wdc.wrcg_missing_or_failed.
```

No projected ambiguity may be treated as a clean, release-ready approval.

5. Closure decision

5.1 Authority model

This record treats closure as a c/a package-control decision.

The b-layer review record is evidence.

It is not the closing authority.

The closure decision is recorded as:

```
closure_authority:
  owner: "c-gate + human anchor (a)"
  basis:
    - "WDC-ASM-003 verification record prepared"
    - "independent b-layer review returned PASS"
    - "review verified projection against actual 07 and 03 text"
  closure_scope: "WDC-ASM-003 only"
```

5.2 Decision

```
wdc_asm_003_gate_closure_decision:
  gate: &quot;WDC-ASM-003&quot;;
  source_issue: &quot;SEARG-WDC-0Q-005 / SE-0I-WDC-003&quot;;
  decision: &quot;CLOSED&quot;;
  closure_mode: &quot;projection verification&quot;;
  verified_properties:
    totality: true
    lossless_through_annotation: true
    fail_closed: true
  target_manifest_effect:
    projection_verified: true
  other_gates_closed_by_this_record: []
```

5.3 What this closure means

It means:

the package may stop treating 07 WRCG/CST projection as unresolved;
SEARG-WDC-0Q-005 is satisfied for this package-control stream;
the manifest may mark WDC-ASM-003 as CLOSED;
the manifest may flip projection_verified from false to true.

It does not mean:

the package is assembled;
the package is released;
fixtures were executed;
conformance is certified;
deployment is authorized;
witness independence is certified;
implementation is ready;
all gates are closed.

6. Machine-readable closure record

```
wdc_asm_003_gate_closure_record:
  schema_version: &quot;wdc-asm-gate-closure-record-0.1&quot;;
  record_id: &quot;WDC_ASM_003_GATE_CLOSURE_RECORD_v0_1&quot;;
  created_at: &quot;2026-06-27T18:38:00Z&quot;;
  record_class: &quot;gate_closure_record / package_control / witness_compatible&quot;;
  package: &quot;Self-Evo WDC v0.1.2 release candidate&quot;;

  gate:
    id: &quot;WDC-ASM-003&quot;;
    name: &quot;07 WRCG/CST projection verification&quot;;
    source_issue: &quot;SEARG-WDC-0Q-005 / SE-0I-WDC-003&quot;;
    previous_manifest_status: &quot;pending&quot;;
    closure_status: &quot;CLOSED&quot;;
    closure_mode: &quot;projection_verification&quot;;

  authority:
    decision_owner: &quot;c-gate + human anchor (a)&quot;;
    review_role: &quot;b-layer evidence only&quot;;
    reviewer_authority: &quot;advisory_only&quot;;
    self_closing_review: false

  basis:
    verification_record:
      path: &quot;WDC_ASM_003_WRCG_CST_PROJECTION_VERIFICATION_RECORD_v0_1.md&quot;;
      sha256: &quot;39a686045bf04a76e9c2941f68a7b390bfb265b936db0d80b5601d4ae927c8f3&quot;;
      line_count: 597
    verification_review:
      path: &quot;WDC_ASM_003_WRCG_CST_PROJECTION_VERIFICATION_REVIEW_RECORD_v0_1.md&quot;;
      sha256: &quot;95321fcb23838b9d5b95352633f831cf0d21041d312ff3e1efbd39c3e772e232&quot;;
      line_count: 213
      result: &quot;PASS&quot;;
    source_07:
      path: &quot;07_Self_Evo_Anti_Autarky_and_Resource_Gate_WDC_Delta_v0_1_2_v0_1_1.md&quot;;
      sha256: &quot;804a8e341e30a2a86fa43429618f24e62458366e236c7b6ef8c12762d94da7af&quot;;
      checked_sections:
        - &quot;$11.2 WRCG result vocabulary and packet projection&quot;;
        - &quot;$13.2 CST result projection&quot;;
    target_03:
      path: &quot;03_Self_Evo_Proposal_Packet_Schema_WDC_Delta_v0_1_2_v0_1_2.md&quot;;
      sha256: &quot;5a7e6af6bc83d3b7ccde875eae1a0e928600cf509b494bd773c43c29537264f3&quot;;
      checked_surfaces:
        - &quot;witness_resource_change_gate.result enum&quot;;
        - &quot;challenge_survivability_test.result enum&quot;;
```



```

verified_properties:
  target_enums_confirmed: true
  source_crosswalk_confirmed: true
  projection_total: true
  lossless_through_annotation: true
  fail_closed: true
  unprojectable_values_found: []
  material_unverified_not_clean_pass: true
  missing_failed_self_declared_wrcg_not_clean_pass: true

manifest_effect:
  update_required_under: "WDC-ASM-001";
  wdc_asm_003_status: "CLOSED";
  projection_verified: true
  other_gates_remain_pending:
    - "WDC-ASM-001";
    - "WDC-ASM-004";
    - "WDC-ASM-005";
    - "WDC-ASM-006";

nonclaims:
  package_assembled: false
  public_release_authorized: false
  doi_deposit_authorized: false
  conformance_certified: false
  deployment_authorized: false
  witness_independence_certified: false
  implementation_ready: false
  fixture_execution_performed: false
  memory_write_authorized: false
  runtime_self_evolution_authorized: false

rollback_policy:
  reopen_gate_if:
    - "source 07 projection table is changed";
    - "target 03 packet enum surface is changed";
    - "canonical annotation vocabulary is changed in a way that affects projected meaning";
    - "checker routes or sidecar/evidence carriers are removed";
    - "a later review finds the projection not total, not lossless-through-annotation, or not fail-closed";
    - "a release surface treats this closure as conformance, deployment, or witness-independence certification";

decision:
  gate_status_after_record: "CLOSED";
  next_gate: "WDC-ASM-004";
  next_gate_name: "08 fixture gate";

```

7. Manifest propagation requirement

7.1 Required manifest update

The current manifest accepted before this closure is:

```

SELF_EVO_WDC_v0_1_2_PACKAGE_ASSEMBLY_MANIFEST_v0_1_3.md
sha256: aa5fb978000d96df74c03dc735bcbd1c8170b9d34644e85b8297fd114759f917

```

A later manifest revision must propagate this closure.

Required changes:

```

manifest_required_update_after_wdc_asm_003:
  gates:
    WDC-ASM-003: "CLOSED";
  machine_flags:
    projection_verified: true
  citations:
    add:
      - "WDC_ASM_003_WRCG_CST_PROJECTION_VERIFICATION_RECORD_v0_1.md";
      - "WDC_ASM_003_WRCG_CST_PROJECTION_VERIFICATION_REVIEW_RECORD_v0_1.md";
      - "WDC_ASM_003_GATE_CLOSURE_RECORD_v0_1.md";
  notes:
    - "SEARG-WDC-00-005 satisfied for package-control assembly tracking";
    - "No package assembly or release performed by this update";

```

7.2 Gates that must remain pending after propagation

The next manifest revision must keep the remaining gates pending unless they receive their own closure records:

```
WDC-ASM-001 – pending
WDC-ASM-004 – pending
WDC-ASM-005 – pending
WDC-ASM-006 – pending
```

7.3 Forbidden propagation

The manifest update must not write:

```
package_assembled: true
public_release_authorized: true
conformance_certified: true
deployment_authorized: true
witness_independence_certified: true
```

Only this flag may flip because of this closure:

```
projection_verified: true
```

8. Relationship to WDC-ASM-002

WDC-ASM-002 closed the textual harmonization of 03 and the patch index to the canonical 04 WDC vocabulary.

WDC-ASM-003 depends on that closure because its target packet schema is the harmonized 03:

```
WDC-ASM-002 closed -&gt; harmonized 03 available -&gt; WDC-ASM-003 projection verification can be closed
```

The dependency is now satisfied:

```
03 target hash:
5a7e6af6bc83d3b7ccde875eae1a0e928600cf509b494bd773c43c29537264f3

WDC-ASM-002 status:
CLOSED
```

This record does not reopen or modify WDC-ASM-002.

9. Relationship to WDC-ASM-004 and fixture gate

WDC-ASM-003 does not execute fixtures.

It only verifies the projection between 07 gate-record semantics and 03 packet enum surfaces.

The fixture gate remains separate:

```
WDC-ASM-004 – 08 fixture gate
```

That gate still must verify that fixture outputs remain canonical-only and do not reintroduce:

```
historical aliases;
PASS_WITH_LIMITS as checker / fixture output;
noncanonical WDC annotation names;
fixture namespace drift.
```

WDC-ASM-003 helps WDC-ASM-004 by confirming that the projected WRCG/CST states have valid packet targets.

It does not replace fixture review.

10. Nonclaim boundary

This closure record must not be cited as evidence of:

1. public release readiness;
2. conformance certification;
3. deployment authorization;
4. live self-evolution permission;
5. witness-independence certification;
6. maturity of any runtime c;
7. personhood, consciousness, AGI, sovereignty, autonomy, or agency;
8. legal review;
9. security certification;
10. fixture execution;
11. checker implementation;
12. runtime implementation;
13. memory-write authorization;
14. resource acquisition authorization;
15. final package assembly.

Permitted claim:

WDC-ASM-003 was closed as a package-control projection-verification gate after review-level PASS confirmed that the 07 WRCG/CST outcomes project into harmonized 03 packet enums in a total, lossless-through-annotation, fail-closed way.

Forbidden claim:

The package is now released / conformance-certified / deployment-ready / witness-independent because WDC-ASM-003 closed.

11. Rollback and reopen policy

11.1 Reopen triggers

WDC-ASM-003 must be reopened if any of the following occurs:

1. 07 WRCG result vocabulary changes;
2. 07 CST result vocabulary changes;
3. 07 projection tables change;
4. harmonized 03 WRCG packet enum changes;
5. harmonized 03 CST packet enum changes;
6. canonical 04 WDC annotation vocabulary changes in a way that affects projection meaning;
7. sidecar/evidence refs are removed from projection semantics;
8. checker routes are removed or loosened;
9. fixture review later finds projection-visible output drift;
10. package release text overclaims this closure as conformance, deployment, or witness-independence certification;

11. a later review finds the projection not total, not lossless-through-annotation, or not fail-closed.

11.2 Reopen action

If reopened, the package must:

```
mark WDC-ASM-003 back to OPEN or IN_REVIEW;
set projection_verified back to false;
retain this closure record append-first;
write a rollback / supersession note;
perform a new projection verification;
request a new independent review;
create a new c/a closure record only if the new candidate receives PASS.
```

11.3 Non-deletion rule

This record must not be deleted if superseded.

It remains part of the witness chain.

12. Required independent review of this closure record

This closure record should receive a documentary-consistency review analogous to the WDC-ASM-002 closure-review step.

The review should check:

1. authority boundary;
2. provenance accuracy;
3. source hashes;
4. closure scope;
5. manifest propagation wording;
6. nonclaim discipline;
7. bridge set;
8. rollback policy;
9. no accidental closure of WDC-ASM-001/004/005/006;
10. no release / conformance / deployment / independence claim.

Suggested next review artifact:

```
WDC_ASM_003_GATE_CLOSURE_REVIEW_RECORD_v0_1.md
```

13. Closing statement

WDC-ASM-003 is closed.

The closure is narrow and documentary:

```
closed:
  WDC-ASM-003 – 07 WRCG/CST projection verification

still open:
  WDC-ASM-001 – final assembly / placement / citation / SHA map
  WDC-ASM-004 – 08 fixture gate
  WDC-ASM-005 – boundary / nonclaim scan
  WDC-ASM-006 – remaining implementation open issues
```

The reason for closure is precise:

The projection from 07 richer WRCG/CST states into harmonized 03 packet enums has been reviewed as total, lossless-through-annotation, and fail-closed against the actual source and target text.

This closes a projection gate.

It does not energize the building.