

WDC-ASM-004 Gate Closure Record v0.1

Kotov Ivan, Bruxelles, Belgique 2026

Self-Evo WDC v0.1.2

Source file:

controls/gate_records/WDC_ASM_004_GATE_CLOSURE_RECORD_v0_1.md

Academic PDF rendering from Markdown source. Content-level claims are unchanged.

Boundary: this PDF rendering does not create a conformance certificate, deployment authorization, witness-independence certification, implementation claim, or live self-evolution permission.

WDC-ASM-004 Gate Closure Record v0.1

c/a package-control closure record for WDC-ASM-004 — 08 fixture gate

Status: Gate closure record / package-control decision artifact

Date: 2026-06-27T19:20:00Z

Record ID: WDC_ASM_004_GATE_CLOSURE_RECORD_v0_1

Short name: WDC-ASM-004-CLOSURE v0.1

Gate: WDC-ASM-004

Gate name: 08 fixture gate — canonical-only fixture surface / no historical-alias expected outputs / no PASS_WITH_LIMITS as checker or fixture output

Decision owner: c gate + human anchor a

Decision layer: c/a package-control closure decision

Basis: WDC_ASM_004_FIXTURE_GATE_VERIFICATION_REVIEW_RECORD_v0_1 result PASS

Closure result: WDC-ASM-004 = CLOSED

Package state after this record: release candidate; not assembled; not public release; not conformance certificate; not deployment authorization

> This record closes one package-assembly gate: WDC-ASM-004. > It does not execute a fixture runner, certify a checker implementation, assemble the package, publish a release, create a DOI deposit, authorize deployment, or certify witness independence.

0. Executive summary

WDC-ASM-004 was the package-assembly gate that required the 08 WDC fixture surface to be checked before final assembly.

The required check was narrow and static:

```
Do the WDC fixtures in SELF-EVO-08 use canonical SELF-EVO-04 WDC outputs?
Are historical aliases confined to legacy-input / prohibited / crosswalk contexts?
Is PASS_WITH_LIMITS absent as a checker or fixture output?
Do 08 §12.3 and §16.1 contain the package-assembly and runner-rejection safeguards?
```

The independent review returned PASS.

This closure record therefore records a c/a package-control decision:

```
WDC-ASM-004: CLOSED
```

The closure is bounded:

```
fixture surface verified: yes
fixture runner executed: no
checker implementation certified: no
package assembled: no
public release authorized: no
deployment authorized: no
witness-independence certified: no
```

The downstream manifest update is required under WDC-ASM-001:

```
WDC-ASM-004 -&gt; CLOSED
fixture_gate_verified -&gt; true
fixture_runner_executed -&gt; false
checker_conformance_certified -&gt; false
WDC-ASM-005 -&gt; still pending
WDC-ASM-001 -&gt; still pending
```

1. Purpose

This record exists to mark the WDC-ASM-004 gate as closed after the fixture-gate verification candidate received review-level PASS.

It answers one specific question:

May the package-control process treat the 08 fixture surface gate as closed for v0.1.2 assembly tracking?

Answer:

Yes – for static fixture-surface package-control purposes only.

This record does not answer:

Did an executable checker pass all fixtures?
Did a fixture runner run against implementation bytes?
Is the implementation conformant?
Is the package assembled?
Is the public release authorized?

Answer to those remains:

No / not claimed / out of scope.

2. Corpus bridge set

2.1 Explicit bridge: $c = a + b$

In $c = a + b$, a fixture pack belongs to b: it is an externalized, repeatable, checkable surface that constrains what future checkers and operators may call a valid outcome.

Closing WDC-ASM-004 does not make b into c, and it does not authorize a to disappear.

It means only this:

The fixture language is now aligned with the checker language.

A c system still needs a for final authority, and it still needs b to remain honest, bounded, and inspectable.

2.2 Quiet bridge I: information theory

A fixture expected output is a compressed answer to a larger semantic situation.

If the expected output uses obsolete words, multiple words for the same state, or review-only verdicts as if they were checker outputs, the fixture becomes a noisy channel. It teaches the next checker the wrong alphabet.

WDC-ASM-004 closes because the fixture surface now preserves the intended codebook:

canonical 04 vocabulary in expected outputs
legacy aliases only as legacy input or prohibited material
PASS_WITH_LIMITS never as an executable expected result

The signal is not “the runner passed.”

The signal is:

the alphabet is clean enough for a runner to be built or executed later without inheriting the draft vocabulary.

2.3 Quiet bridge II: cybernetics

A conformance fixture is a feedback target.

If the target is unstable, the controller learns to chase noise. If the target contains historical aliases as valid outputs, the controller can appear compliant while preserving the very drift the gate was meant to remove.

This gate closes the target surface, not the controller.

The feedback loop is now ready for a later runner:

```
candidate behavior -&gt; checker output -&gt; canonical expected result -&gt; pass/fail decision
```

But this record does not run that loop.

2.4 Quiet bridge III: physiology

A body can have a correct diagnostic chart before the patient is asked to walk.

The chart lists the reflexes, thresholds, warning signs, and rejection criteria. That chart is necessary. It is not the walking test.

WDC-ASM-004 is the chart check:

```
the fixture reflexes point to the right diagnostic terms
the old reflex labels are quarantined
the forbidden review-only verdict is not accepted as an output
```

The later runner is the walking test.

2.5 Earth paragraph

On a real construction site, before energizing a cabinet, the test sheet must use the same labels as the breaker schedule. If the drawing says “QF-17” but the test sheet still says “old pump breaker,” the electricians can still understand each other informally — but the handover pack is not clean.

Here, 08 is the test sheet. 04 is the breaker schedule. WDC-ASM-004 says the labels now match.

It does not mean the building is energized.

3. Evidence basis

3.1 Primary verification candidate

```
| Field | Value |
|---|---|
| Verification record | `WDC_ASM_004_FIXTURE_GATE_VERIFICATION_RECORD_v0_1.md` |
| Verification record SHA-256 | `ff2c0431b98245f53603dcdef74be8bd03f46d9e6276710d5826087c23e521ed` |
| Verification record line count | `650` |
| Verification status | `verification candidate: SOUND` |
| Gate closure performed by verification record | `false` |
```

3.2 Independent review

```
| Field | Value |
|---|---|
| Review record | `WDC_ASM_004_FIXTURE_GATE_VERIFICATION_REVIEW_RECORD_v0_1.md` |
| Review result | `PASS` |
| Review date | `2026-06-27T19:11:59Z` |
| Review role | semantic / package-control reviewer (`b` layer; advisory only) |
| Review authority | evidence only; not closure authority |
| Findings | none |
| Red line | none |
```

3.3 Source fixture artifact checked by review

Field	Value
Source artifact	`08_Self_Evo_Conformance_Fixture_Pack_WDC_Delta_v0_1_2_v0_1_2.md`
Source SHA-256	`4aa5b85e0a0af4c06fc56f30ba355ec6c378133fe3d70caee352fb93b3944389`
Checked surfaces	fixture expected outputs; historical alias contexts; `PASS_WITH_LIMITS` contexts; §12.3 package-assembly requirement; §16.1 runner rejection conditions; `WDC-FIX-008/010/011` inventory

3.4 Review-confirmed facts

The review confirmed:

```
canonical-only expected outputs: yes
historical aliases as active expected outputs: no
PASS_WITH_LIMITS as checker/fixture expected output: no
08 §12.3 package-assembly requirement: present
08 §16.1 runner rejection conditions: present
WDC-FIX-008/010/011 inventory: matches
verification record scope: static fixture-surface check
fixture runner execution: not performed
checker implementation conformance: not claimed
self-closure: false
```

4. Gate definition

4.1 Gate identifier

WDC-ASM-004

4.2 Gate title

08 fixture gate

4.3 Gate source

08 §12.3 fixture package-assembly gate
08 §16.1 runner rejection conditions

4.4 Gate purpose

The gate prevents final package assembly from carrying fixture outputs that are inconsistent with the canonical SELF-EV0-04 WDC vocabulary.

The gate requires that:

1. WDC fixture expected outputs use canonical 04 vocabulary.
2. Historical alias strings are not active expected outputs.
3. Alias-regression fixtures may use old strings only as input or source material.
4. PASS_WITH_LIMITS is never a checker or fixture expected output.
5. 08 contains package-assembly / runner-rejection requirements that reject aliases and PASS_WITH_LIMITS as executable outputs.
6. The gate remains distinct from fixture runner execution and checker implementation certification.

4.5 Gate relationship to other assembly gates

Gate	Relationship
`WDC-ASM-001`	Final assembly / placement / citation / manifest update must record this closure.
`WDC-ASM-002`	Already closed; canonical vocabulary harmonization makes this fixture gate meaningful.
`WDC-ASM-003`	Already closed; projection verification uses canonical annotations that fixture expectations must preserve.
`WDC-ASM-005`	Still pending; boundary/nonclaim scan must verify this closure is not overclaimed.

| `WDC-ASM-006` | Still pending if the package keeps separate implementation-open-issue accounting. |

5. Closure decision

5.1 Decision

WDC-ASM-004: CLOSED

5.2 Closure mode

closure_mode: c/a package-control closure after b-layer review PASS

5.3 Closure basis

The closure is based on:

1. WDC_ASM_004_FIXTURE_GATE_VERIFICATION_RECORD_v0_1.md
2. WDC_ASM_004_FIXTURE_GATE_VERIFICATION_REVIEW_RECORD_v0_1.md result PASS
3. Source 08 fixture pack hash 4aa5b85e...
4. Review-confirmed absence of findings and red lines

5.4 Authority model

The authority model is:

```
authority_model:
  closure_owner: "c-gate + human anchor (a)"
  review_role: "b-layer evidence only"
  reviewer_authority: "advisory_only"
  self_closing_review: false
  closure_record_layer: "c/a package-control decision"
```

The review is used as evidence.

The review is not the closing authority.

5.5 What this closure means

It means:

- The 08 fixture surface is acceptable for package-assembly tracking:
- expected outputs use canonical 04 terms;
 - historical aliases are not active outputs;
 - PASS_WITH_LIMITS is not an expected checker/fixture output;
 - fixture-gate rejection conditions exist;
 - the fixture surface can be treated as closed for WDC v0.1.2 package-control purposes.

5.6 What this closure does not mean

It does not mean:

```
a fixture runner has executed;
a checker implementation passed the fixtures;
the package is conformance-certified;
the package is assembled;
the package is released;
the package is ready for DOI deposit;
deployment-sensitive use is authorized;
witness independence is certified;
a runtime self-evolution system is authorized;
memory writes are authorized;
a human gate has been bypassed.
```

6. Machine-readable closure record

```
wdc_asm_004_gate_closure_record:
  schema_version: "wdc-asm-004-gate-closure-record-0.1"
  record_id: "WDC_ASM_004_GATE_CLOSURE_RECORD_v0_1"
  created_at: "2026-06-27T19:20:00Z"
```

```

record_class: &quot;gate_closure_record / package-control / c-a decision / witness-compatible&quot;;
assertion_class:
  primary: &quot;C-A10&quot;;
  witness: &quot;C-A7&quot;;

gate:
  id: &quot;WDC-ASM-004&quot;;
  name: &quot;08 fixture gate&quot;;
  source: &quot;08 §12.3 fixture package-assembly gate; 08 §16.1 runner rejection conditions&quot;;
  status_before: &quot;pending&quot;;
  status_after: &quot;CLOSED&quot;;
  closure_mode: &quot;static_fixture_surface_verified&quot;;
  source_issue_refs:
    - &quot;08 §12.3&quot;;
    - &quot;SE-OI-WDC-008&quot;;
    - &quot;WDC package assembly gate set&quot;;

decision:
  owner: &quot;c-gate + human anchor (a)&quot;;
  layer: &quot;c/a package-control decision&quot;;
  basis: &quot;b-layer verification review PASS&quot;;
  review_is_authority: false
  closure_is_self_executing: false

reviewed_basis:
  verification_record:
    path: &quot;WDC_ASM_004_FIXTURE_GATE_VERIFICATION_RECORD_v0_1.md&quot;;
    sha256: &quot;ff2c0431b98245f53603dcdef74be8bd03f46d9e6276710d5826087c23e521ed&quot;;
    line_count: 650
    status: &quot;verification candidate SOUND&quot;;
  verification_review:
    path: &quot;WDC_ASM_004_FIXTURE_GATE_VERIFICATION_REVIEW_RECORD_v0_1.md&quot;;
    result: &quot;PASS&quot;;
    findings: []
    red_line: false
    authority: &quot;advisory_only&quot;;
  source_fixture_artifact:
    path: &quot;08_Self_Evo_Conformance_Fixture_Pack_WDC_Delta_v0_1_2_v0_1_2.md&quot;;
    sha256: &quot;4aa5b85e0a0af4c06fc56f30ba355ec6c378133fe3d70caee352fb93b3944389&quot;;

verified_properties:
  canonical_only_expected_outputs: true
  historical_aliases_as_active_expected_outputs: false
  historical_alias_contexts_allowed:
    - &quot;prohibition list&quot;;
    - &quot;legacy_input_annotation&quot;;
    - &quot;trigger/source note&quot;;
    - &quot;explicit prohibition&quot;;
    - &quot;crosswalk table&quot;;
  pass_with_limits_as_checker_or_fixture_output: false
  package_assembly_requirement_present: true
  runner_rejection_conditions_present: true
  fixture_inventory_checked:
    - &quot;WDC-FIX-008&quot;;
    - &quot;WDC-FIX-010&quot;;
    - &quot;WDC-FIX-011&quot;;
  static_fixture_surface_check_only: true
  fixture_runner_executed: false
  checker_implementation_conformance_certified: false

manifest_effect:
  update_required_under: &quot;WDC-ASM-001&quot;;
  set:
    WDC-ASM-004: &quot;CLOSED&quot;;
    fixture_gate_verified: true
    fixture_runner_executed: false
    checker_conformance_certified: false
  keep:
    WDC-ASM-001: &quot;pending&quot;;
    WDC-ASM-005: &quot;pending&quot;;
    WDC-ASM-006: &quot;pending&quot;;
    package_assembled: false
    public_release_authorized: false

gates_not_closed_by_this_record:
  - &quot;WDC-ASM-001 – final placement/citation/assembly&quot;;
  - &quot;WDC-ASM-005 – boundary / nonclaim scan&quot;;
  - &quot;WDC-ASM-006 – remaining implementation open issues&quot;;

nonclaims:
  package_assembled: false
  public_release_authorized: false
  doi_deposit_authorized: false
  conformance_certificate: false
  deployment_authorization: false

```

```

witness_independence_certification: false
checker_implementation_certified: false
fixture_runner_execution_performed: false
implementation_ready: false
memory_write_authorized: false
runtime_self_evolution_authorized: false
personhood_or_consciousness_claim: false
agi_or_sovereignty_claim: false

reopen_conditions:
- &quot;if later review finds historical aliases used as active expected outputs&quot;;
- &quot;if PASS_WITH_LIMITS is found as a checker or fixture expected output&quot;;
- &quot;if the fixture pack hash changes before assembly without a new fixture-gate review&quot;;
- &quot;if a release surface treats this closure as checker implementation conformance&quot;;
- &quot;if a release surface treats this closure as fixture runner execution&quot;;
- &quot;if a release surface treats this closure as deployment, witness-independence, or public-release
  authorization&quot;;
- &quot;if the package manifest fails to propagate the closure accurately&quot;;

next_recommended_step:
- &quot;perform documentary-consistency review of this closure record&quot;;
- &quot;then update the package manifest under WDC-ASM-001&quot;;
- &quot;then proceed to WDC-ASM-005 boundary/nonclaim scan&quot;;

record_sha256: &quot;&lt;&lt;seal at integration time&gt;&gt;&quot;;

```

7. Manifest propagation requirement

This record requires a downstream manifest update under WDC-ASM-001.

The update should set:

```

gate_states:
  WDC-ASM-002: &quot;CLOSED&quot;;
  WDC-ASM-003: &quot;CLOSED&quot;;
  WDC-ASM-004: &quot;CLOSED&quot;;
  WDC-ASM-005: &quot;pending&quot;;
  WDC-ASM-006: &quot;pending&quot;;
  WDC-ASM-001: &quot;pending&quot;;

```

The update should set:

```

machine_flags:
  annotation_harmonization_verified: true
  projection_verified: true
  fixture_gate_verified: true
  fixture_runner_executed: false
  checker_conformance_certified: false
  package_assembled: false
  public_release_authorized: false

```

The update should keep all existing source hashes unchanged:

```

03: 5a7e6af6...
patch index: af01b1b4...
08 fixture pack: 4aa5b85e...

```

Reason:

```

WDC-ASM-004 closes a static fixture-surface gate.
It does not modify 08.
It does not execute a runner.
It does not produce a new fixture pack hash.

```

8. Interaction with WDC-ASM-002 and WDC-ASM-003

8.1 Interaction with WDC-ASM-002

WDC-ASM-002 closed the vocabulary harmonization gate.

That gate established:

03 and the patch index use the canonical 04 WDC vocabulary.

WDC-ASM-004 now establishes:

08 fixture expected outputs use the canonical 04 WDC vocabulary.

Together, they eliminate the main vocabulary drift path:

schema/index vocabulary drift
fixture expected-output vocabulary drift

8.2 Interaction with WDC-ASM-003

WDC-ASM-003 closed the projection verification gate.

That gate established:

07 richer WRCG/CST outcomes project into 03 packet enums safely:
total, lossless-through-annotation, fail-closed.

WDC-ASM-004 now establishes:

08 fixtures test those canonical outputs without reviving historical aliases or review-only verdicts.

Together, they protect both the projection and its fixture surface.

8.3 Combined package-control state

After this closure:

canonical vocabulary alignment: closed
projection verification: closed
fixture surface verification: closed
boundary/nonclaim scan: still pending
full package assembly: still pending

9. Nonclaim boundary

This closure record must not be cited as:

a public release;
a DOI deposit;
a conformance certificate;
a fixture runner execution report;
a checker implementation certification;
a deployment authorization;
a live self-evolution authorization;
a witness-independence certificate;
a maturity/personhood/consciousness/AGI/sovereignty claim;
a memory-write permission;
a human-gate bypass.

Acceptable citation:

WDC-ASM-004 fixture-surface gate closed for package-control tracking after review-level PASS.

Unacceptable citation:

The fixture runner passed.
The checker is certified.
The package is conformance-ready.
The system is deployment-ready.

10. Risk and rollback

10.1 Residual risk after closure

Residual risk is not zero.

The gate closes the static fixture surface, not executable behavior.

Remaining risks:

Risk	Status after this closure
Fixture runner bugs	open / not tested here
Checker implementation bugs	open / not certified here
Public wording overclaim	pending `WDC-ASM-005`
Package assembly placement errors	pending `WDC-ASM-001`
Future fixture edits	require re-review if hash changes
Release-surface misrepresentation	reopen condition

10.2 Reopen rule

Reopen WDC-ASM-004 if any of the following occur:

- 08 fixture pack hash changes before final assembly;
- a historical alias is found as an expected output;
- PASS_WITH_LIMITS is found as a checker or fixture expected output;
- a package surface claims fixture-runner execution based only on this closure;
- a package surface claims checker conformance based only on this closure;
- manifest propagation records the closure incorrectly;
- review identifies a missed fixture-output defect.

10.3 Rollback posture

Rollback is append-first.

Do not delete this record.

If reopened, create:

WDC_ASM_004_GATE_REOPEN_RECORD_v0_1.md

If corrected after reopen, create a new closure or supersession record:

WDC_ASM_004_GATE_CLOSURE_RECORD_v0_1_1.md

11. Review requirement for this closure record

This closure record should receive a documentary-consistency review equivalent to the WDC-ASM-002 and WDC-ASM-003 closure-record reviews.

The review should check:

- authority boundary;
- provenance;
- scope;
- internal consistency;
- nonclaim boundary;
- bridge set;
- rollback policy;
- manifest propagation framing;
- no accidental fixture-runner / conformance claim;
- no self-closing review pattern.

Expected review artifact:

WDC_ASM_004_GATE_CLOSURE_REVIEW_RECORD_v0_1.md

The review may return PASS if the closure record is well-formed.

That review still must not be treated as the closure authority.

12. Package state after this closure

12.1 Closed gates

WDC-ASM-002 — CLOSED
 WDC-ASM-003 — CLOSED
 WDC-ASM-004 — CLOSED

12.2 Open gates

WDC-ASM-001 — pending
 WDC-ASM-005 — pending
 WDC-ASM-006 — pending

12.3 Next gate

WDC-ASM-005 — boundary / nonclaim scan

12.4 Assembly status

package assembled: false
 public release authorized: false
 doi deposit authorized: false
 conformance certificate: false
 deployment authorization: false

13. Closure statement

The WDC-ASM-004 fixture gate is closed for package-control tracking.

The closure is narrow:

08 fixture expected-output surface is canonical-only and package-control safe.

The closure is not broad:

No fixture runner execution.
 No checker implementation certification.
 No conformance claim.
 No release.

The next responsible package-control move is to review this closure record, propagate it into the manifest under WDC-ASM-001, and proceed to WDC-ASM-005.

14. Closing

WDC-ASM-004: CLOSED.

Basis:

- WDC_ASM_004_FIXTURE_GATE_VERIFICATION_RECORD_v0_1.md
- WDC_ASM_004_FIXTURE_GATE_VERIFICATION_REVIEW_RECORD_v0_1.md — PASS
- 08 fixture pack hash: 4aa5b85e...

Meaning:

- fixture expected outputs are canonical-only;
- historical aliases are not active expected outputs;
- PASS_WITH_LIMITS is not a checker/fixture output;
- 08 package-assembly and runner-rejection conditions are present.

Non-meaning:

- no runner execution;
- no checker conformance;
- no assembly;
- no release;
- no deployment;
- no witness-independence certification.

Next:

- WDC_ASM_004_GATE_CLOSURE_REVIEW_RECORD_v0_1.md
- manifest propagation under WDC-ASM-001
- WDC-ASM-005 boundary/nonclaim scan