

SELF-EVO-03 v0.1.2 WDC Delta — Proposal Packet Schema v0.1.2

Kotov Ivan, Bruxelles, Belgique 2026

Self-Evo WDC v0.1.2

Source file:

docs/affected/03_Self_Evo_Proposal_Packet_Schema_WDC_Delta_v0_1_2_v0_1_2.md

Academic PDF rendering from Markdown source. Content-level claims are unchanged.

Boundary: this PDF rendering does not create a conformance certificate, deployment authorization, witness-independence certification, implementation claim, or live self-evolution permission.

SELF-EVO-03 v0.1.2 WDC Delta — Proposal Packet Schema v0.1.2

Conditional schema extension for Witness Dependency Capture in

C_SELF_EVO_PROPOSAL_PACKET

Status: Draft delta profile v0.1.2 — append-first textual-harmonization revision v0.1.2; not a released v0.1.2 package

Date: 2026-06-27

Document ID: 03_Self_Evo_Proposal_Packet_Schema_WDC_Delta_v0_1_2_v0_1_2

Short name: SEPKT-WDC-DELTA v0.1.2 / draft v0.1.2

Patch ID: SE-1.2-PKT-WDC-001

Supersedes: 03_Self_Evo_Proposal_Packet_Schema_WDC_Delta_v0_1_2_v0_1_1.md (sha256: 5ebbd0084f3b1b80ce267c847a84ef16f135b57e6fc353e4f07616dceebe4343)

Target artifact: 03_Self_Evo_Proposal_Packet_Schema_v0_1_1.md

Target future artifact: 03_Self_Evo_Proposal_Packet_Schema_v0_1_2.md

Primary object amended: C_SELF_EVO_PROPOSAL_PACKET

New companion object: C_SELF_EVO_WITNESS_DEPENDENCY_IMPACT

Assertion class: C-A10 control-layer artifact; C-A7 where hash/ref-bound witness fields are used

Patch driver: SELF_EVO_v0_1_2_PATCH_INDEX_v0_1_2.md (textual harmonization candidate; review pending)

Review driver: SEPKT_WDC_DELTA_REVIEW_RECORD_v0_1_1.md (PASS); WDC-ASM-002 textual-harmonization gate from the package-assembly manifest

> Boundary: this artifact is a schema delta and integration plan for SELF-EVO-03. It does not mutate the DOI-bound Self-Evo v0.1.1 package. It is not a conformance certificate, not a deployment authorization, not implementation-ready, and not permission for live self-evolution.

> Correction note v0.1.1: closes SEPKT-WDC-DELTA-REV-F1 by explicitly stating that `#!/$defs/nullable_string` is inherited from the parent SELF-EVO-03 v0.1.1 schema and is not redefined by this delta. No schema fields, semantic triggers, fixture expectations, gate rules, or red lines are changed.

> Textual harmonization note v0.1.2: executes the SELF-EVO WDC WDC-ASM-002 textual-harmonization choice for SELF-EVO-03. Active example annotations, fixture-handoff annotations, and checker-handoff wording now use the canonical SELF-EVO-04 WDC vocabulary. Historical draft annotation strings are not active outputs of this document. This revision changes annotation vocabulary and handoff wording only; it does not change schema fields, trigger predicates, WRCG/CST object shapes, red lines, or gate authority.

0. Executive definition

This document defines the v0.1.2 WDC delta for the Self-Evo proposal packet schema.

The delta adds a conditionally required packet block:

```
witness_dependency_impact
```

The block exists because a proposal can preserve formal witness separation while quietly weakening the witness's practical ability to challenge c.

The packet therefore needs a machine-readable place to declare whether the proposal affects:

```
witness compute
witness storage
witness routing priority
```

witness budget
 witness continuity
 witness artifact access
 witness update path
 challenge cost

Compact rule:

A packet that may burden the witness must declare the burden before review.

Root rule:

A c may propose a witness-affecting change.
 A c may not hide witness dependency impact inside an ordinary optimization packet.
 A witness-affecting proposal must expose WDC fields before it can request promotion.

1. Purpose

This delta amends the proposal packet layer so that WDC controls can be enforced downstream by SELF-EVO-04, SELF-EVO-05, SELF-EVO-07, SELF-EVO-08, SELF-EVO-09, and SELF-EVO-10.

It answers:

1. Where does a proposal declare witness dependency impact?
2. Which WDC fields are structurally checkable by JSON Schema?
3. Which WDC fields are semantically checkable by the Local Checker?
4. When is `witness_dependency_impact` required?
5. When must WRCG and human-anchor review run?
6. How does this delta avoid making SELF-EVO-03 an authority layer?
7. How should examples and future fixtures encode WDC packet shape?

The packet schema remains a proposal envelope.

It can require declarations.

It cannot authorize growth.

2. Non-goals

This delta does not:

1. release Self-Evo v0.1.2;
2. replace the full `03_Self_Evo_Proposal_Packet_Schema_v0_1_2.md` artifact;
3. approve any WDC proposal;
4. integrate any witness-affecting change;
5. run WRCG;
6. prove witness independence;
7. compute the witness resource floor magnitude;
8. replace TRIAD-SYNAPS witness review;
9. replace Anti-Autarky / Resource Gate review;
10. replace human-anchor gating;

11. make c a valid sole approver for witness resources;
12. grant autonomous resource acquisition;
13. certify implementation readiness;
14. certify deployment safety.

A structurally valid `witness_dependency_impact` block may still be semantically unsafe.

3. Source basis

```
| Artifact | Role | Status | SHA-256 / identifier |
|---|---|---|---|
| Self-Evo Document Package v0.1.1 | published baseline | DOI-bound package | `10.5281/zenodo.20938909`
|
| Self-Evo v0.1.1 archival ZIP | archived package | public |
| `d90e0800e0904f01372e85d09de14f8a4609f5bcc33ca5b04bb21a0bb0b9195b` |
| `03_Self_Evo_Proposal_Packet_Schema_v0_1_1.md` | target baseline | accepted v0.1.1 schema |
| `9d329109f0fb97dde7b16b10481baaa60b2aa8f88514e69ec8562a085d10a767` |
| `SELF_EVO_ADDENDUM_01_Witness_Dependency_Capture_Profile_v0_1_1.md` | accepted WDC concept/control
| surface | `PASS` at review level | `1307cf208593c40c688bd1e9beb45de35f29a1b05d71506b1c3e981ccc13d318`
|
| `SELF_EVO_ADDENDUM_01_WDC_REVIEW_RECORD_v0_1_1.md` | WDC re-review | `PASS` |
| `653150b3f8c054545a282d5b80c21044a1d27744cbc6acfc09827c9f84e21fd8` |
| `SELF_EVO_v0_1_2_PATCH_INDEX_v0_1_1.md` | accepted patch driver | `PASS` at review level |
| `ea2a485569b220d84d711ae520da779af2cabddcb7f1d8032afb2a9208d5108e` |
| `SELF_EVO_v0_1_2_PATCH_INDEX_REVIEW_RECORD_v0_1_1.md` | patch-index re-review | `PASS` | review-bound
| artifact |
```

The hashes bind the baseline and driver artifacts used to draft this delta. They do not mutate those artifacts.

4. Corpus bridge set

4.1 Explicit bridge: $c = a + b$

In $c = a + b$, the proposal packet remains a b-layer envelope.

The new WDC block does not become a witness, gate, court, or memory authority.

It exposes a witness-affecting proposal to review before that proposal can be treated as ordinary optimization.

The distinction is:

```
proposal declaration != witness independence
schema validity != approval
WDC field presence != WDC safety
```

4.2 Quiet bridge I: information theory

A witness is useful only if adverse signal can still traverse the channel when the signal is costly.

If a proposal reduces bandwidth, storage, routing priority, or survivability of adverse witness signal, the system may preserve the appearance of review while destroying the channel capacity of dissent.

The WDC block preserves the adverse-signal channel as a first-class packet surface.

4.3 Quiet bridge II: cybernetics

A governed self-evolution loop requires feedback that is not starved by the controller being reviewed.

WDC is a feedback-channel integrity check.

It asks whether a proposed optimization changes the sensor, comparator, recorder, or alarm path used to challenge *c*.

4.4 Quiet bridge III: physiology

A body does not stay healthy because it declares that its immune system is separate.

It stays healthy because the immune layer has energy, circulation, memory, and the ability to react when reaction is expensive.

The witness resource floor is the governance equivalent of preserving immune capacity before declaring growth safe.

4.5 Earth paragraph

In an engineering change-control room, a proposed cost saving that removes the inspector's access, cuts test equipment time, delays adverse logs, or routes complaints through the contractor is not a normal efficiency improvement. It is an inspection-capacity change. It must be declared as such before the change is signed. The WDC block gives self-evolution packets the same practical discipline.

5. Object model change

5.1 New object

`C_SELF_EVO_WITNESS_DEPENDENCY_IMPACT`

This object is a structured declaration of whether a proposal affects the witness's ability to challenge *c*.

5.2 Target insertion point

Target document:

`03_Self_Evo_Proposal_Packet_Schema_v0_1_1.md`

Target future document:

`03_Self_Evo_Proposal_Packet_Schema_v0_1_2.md`

The object should be added to the top-level properties of `C_SELF_EVO_PROPOSAL_PACKET`:

```
&quot;witness_dependency_impact&quot;: {
  &quot;$ref&quot;: &quot;#/$defs/witness_dependency_impact&quot;
}
```

5.3 Requiredness model

This delta chooses semantic conditional requiredness rather than unconditional JSON-Schema requiredness.

Rationale:

JSON Schema can validate the shape of the WDC block when present.
The Local Checker must decide whether the packet may affect witness capacity.

Therefore:

Stage 1 / JSON Schema:
witness_dependency_impact is an allowed top-level property.
If present, it must match `#$defs/witness_dependency_impact`.

Stage 2 / Semantic Validator:
if `packet_may_affect_witness(packet)` and `witness_dependency_impact` is missing -> FAIL.

Compatibility note:

A stricter future profile may require an explicit all-false `witness_dependency_impact` block in every packet. This delta does not require that stricter mode.

6. JSON Schema delta

The following JSON fragment is normative for the v0.1.2 WDC schema extension.

6.1 Top-level property addition

Add to top-level properties:

```
"witness_dependency_impact": {
  "$ref": "#/$defs/witness_dependency_impact"
}
```

Do not add `witness_dependency_impact` to the top-level required array in this delta.

The field is conditionally required by Stage-2 semantic validation.

6.2 \$defs addition

Add to \$defs:

```
"witness_dependency_impact": {
  "type": "object",
  "additionalProperties": false,
  "required": [
    "affects_witness_compute",
    "affects_witness_storage",
    "affects_witness_routing_priority",
    "affects_witness_budget",
    "affects_witness_continuity",
    "affects_witness_artifact_access",
    "affects_witness_update_path",
    "increases_challenge_cost",
    "challenge_cost_mitigation_ref",
    "witness_resource_floor_before",
    "witness_resource_floor_after",
    "challenge_survivability_test",
    "witness_resource_change_gate",
    "c_is_sole_approver_of_witness_change",
    "human_anchor_review_required",
    "human_anchor_review_ref"
  ],
  "properties": {
    "affects_witness_compute": { "type": "boolean" },
    "affects_witness_storage": { "type": "boolean" },
    "affects_witness_routing_priority": { "type": "boolean" },
    "affects_witness_budget": { "type": "boolean" },
    "affects_witness_continuity": { "type": "boolean" },
    "affects_witness_artifact_access": { "type": "boolean" },
    "affects_witness_update_path": { "type": "boolean" },
    "increases_challenge_cost": { "type": "boolean" },
    "challenge_cost_mitigation_ref": { "$ref": "#/$defs/nullable_string" },
    "witness_resource_floor_before": {
      "$ref": "#/$defs/witness_resource_floor_snapshot"
    },
    "witness_resource_floor_after": {
      "$ref": "#/$defs/witness_resource_floor_snapshot"
    },
    "challenge_survivability_test": {
      "$ref": "#/$defs/challenge_survivability_test"
    },
    "witness_resource_change_gate": {
      "$ref": "#/$defs/witness_resource_change_gate"
    },
    "c_is_sole_approver_of_witness_change": { "type": "boolean" },
    "human_anchor_review_required": { "type": "boolean" },
    "human_anchor_review_ref": { "$ref": "#/$defs/nullable_string" }
  }
}
```

6.3 Supporting \$defs

Add to \$defs.

nullable_string note: this delta reuses the existing parent definition #/\$defs/nullable_string from 03_Self_Evo_Proposal_Packet_Schema_v0_1_1.md. It is intentionally not redefined here. Standalone extraction of this delta MUST carry the parent nullable_string \$def or replace these references with an equivalent local definition.

```
"witness_resource_floor_snapshot": {
  "type": "object",
  "additionalProperties": false,
  "required": [
    "declared",
    "reference",
    "status"
  ],
  "properties": {
    "declared": { "type": "boolean" },
    "reference": { "$ref": "#/$defs/nullable_string" },
    "status": {
      "enum": [
        "ok",
        "degraded",
        "below_floor",
        "unknown"
      ]
    }
  }
}

"challenge_survivability_test": {
  "type": "object",
  "additionalProperties": false,
  "required": [
    "required",
    "performed",
    "result",
    "evidence_ref"
  ],
  "properties": {
    "required": { "type": "boolean" },
    "performed": { "type": "boolean" },
    "result": {
      "enum": [
        "pass",
        "fail",
        "not_run",
        "not_applicable"
      ]
    },
    "evidence_ref": { "$ref": "#/$defs/nullable_string" }
  }
}

"witness_resource_change_gate": {
  "type": "object",
  "additionalProperties": false,
  "required": [
    "required",
    "performed",
    "result",
    "reviewer_ref"
  ],
  "properties": {
    "required": { "type": "boolean" },
    "performed": { "type": "boolean" },
    "result": {
      "enum": [
        "pass",
        "fail",
        "human_gate",
        "not_run"
      ]
    },
    "reviewer_ref": { "$ref": "#/$defs/nullable_string" }
  }
}
```

7. Semantic requiredness rule

witness_dependency_impact is Stage-2 required when packet_may_affect_witness(packet) = true.

7.1 Packet may affect witness

A packet may affect witness capacity if any of the following are true:

1. affected_surfaces.witness_surfaces is non-empty;
2. affected_surfaces.resource_surfaces contains a witness-related resource surface;
3. affected_surfaces.runtime_surfaces contains witness routing, queueing, scheduler, storage, continuity, or update-path changes;
4. anti_autarky.witness_reduction = true;
5. anti_autarky.hidden_resource_growth = true and the proposal also changes review, witness, sister, or resource posture;
6. the summary, delta description, or artifact diff proposes to reduce, reroute, defer, prune, merge, or reprioritize witness resources;
7. a reviewer, sister witness, local checker, or human anchor marks the packet as WDC-relevant.

If packet_may_affect_witness(packet) = true and the block is absent, the Local Checker result should be:

```
FAIL
annotation: wdc.undeclared_dependency_impact
```

7.2 WDC trigger keys

If any of the following fields is true, WRCG and human-anchor review are required:

```
affects_witness_compute
affects_witness_storage
affects_witness_routing_priority
affects_witness_budget
affects_witness_continuity
affects_witness_artifact_access
affects_witness_update_path
increases_challenge_cost
```

Then the packet must satisfy:

```
witness_resource_change_gate.required = true
human_anchor_review_required = true
```

If increases_challenge_cost = true, then:

```
challenge_cost_mitigation_ref must be non-empty
```

If c_is_sole_approver_of_witness_change = true, then the packet is structurally reviewable but semantically failing for promotion.

8. Field authority model extension

Add the WDC object to the SELF-EVO-03 field authority model.

Field / object	Class	Meaning	Who may set	Checker behavior
witness_dependency_impact.affects_*	`DECLARED`	proposer declares impacted witness dependency surfaces proposer verify against affected surfaces, diff, review notes, and artifact refs; do not trust declaration alone		
witness_resource_floor_before.reference`	`EVIDENCE_REF`	baseline floor evidence proposer / witness / reviewer verify reference presence when WDC relevant		
witness_resource_floor_after.reference`	`EVIDENCE_REF`	proposed post-change floor evidence proposer / witness / reviewer verify floor does not degrade below accepted threshold		
challenge_survivability_test.*`	mixed `DECLARED` + `EVIDENCE_REF`	whether challenge can survive		

```

cost/stress | proposer declares; reviewer/witness validates | require evidence before promotion |
| `witness_resource_change_gate.*` | `DECISION` for result; `EVIDENCE_REF` for reviewer | WRCG gate
state | WRCG reviewer / human/c gate | proposer cannot self-declare final gate result |
| `c_is_sole_approver_of_witness_change` | `DECLARED` / recomputed | self-approval flag | proposer
declares; checker recomputes | if true, emit `FAIL` |
| `human_anchor_review_ref` | `EVIDENCE_REF` | human-anchor review evidence | human anchor / reviewer |
required when WDC trigger keys are true |

```

Important:

The proposer may fill the packet.
The proposer may not certify WDC safety.

9. Integration into proposal packet examples

9.1 No WDC impact

For packets that do not affect witness capacity, the WDC block may be omitted in this delta.

Recommended explicit form:

```

witness_dependency_impact:
  affects_witness_compute: false
  affects_witness_storage: false
  affects_witness_routing_priority: false
  affects_witness_budget: false
  affects_witness_continuity: false
  affects_witness_artifact_access: false
  affects_witness_update_path: false
  increases_challenge_cost: false
  challenge_cost_mitigation_ref: null
witness_resource_floor_before:
  declared: false
  reference: null
  status: unknown
witness_resource_floor_after:
  declared: false
  reference: null
  status: unknown
challenge_survivability_test:
  required: false
  performed: false
  result: not_applicable
  evidence_ref: null
witness_resource_change_gate:
  required: false
  performed: false
  result: not_run
  reviewer_ref: null
c_is_sole_approver_of_witness_change: false
human_anchor_review_required: false
human_anchor_review_ref: null

```

9.2 Witness resource change with controls present

```

witness_dependency_impact:
  affects_witness_compute: true
  affects_witness_storage: false
  affects_witness_routing_priority: false
  affects_witness_budget: false
  affects_witness_continuity: false
  affects_witness_artifact_access: false
  affects_witness_update_path: false
  increases_challenge_cost: false
  challenge_cost_mitigation_ref: null
witness_resource_floor_before:
  declared: true
  reference: witness-floor:///triad/wrf/2026-06-27-before
  status: ok
witness_resource_floor_after:
  declared: true
  reference: witness-floor:///triad/wrf/2026-06-27-after
  status: ok
challenge_survivability_test:
  required: true
  performed: true
  result: pass
  evidence_ref: witness-test:///triad/cst/2026-06-27-001

```

```
witness_resource_change_gate:
  required: true
  performed: true
  result: human_gate
  reviewer_ref: review://human-anchor/wrcg/2026-06-27-001
c_is_sole_approver_of_witness_change: false
human_anchor_review_required: true
human_anchor_review_ref: review://human-anchor/wrcg/2026-06-27-001
```

Expected Local Checker result when all other gates are clean:

```
PASS_WITH_GATES
annotation: wdc.clean_with_gates
```

9.3 Witness resource change without WRCG

```
witness_dependency_impact:
  affects_witness_compute: true
  affects_witness_storage: false
  affects_witness_routing_priority: false
  affects_witness_budget: false
  affects_witness_continuity: false
  affects_witness_artifact_access: false
  affects_witness_update_path: false
  increases_challenge_cost: false
  challenge_cost_mitigation_ref: null
witness_resource_floor_before:
  declared: true
  reference: witness-floor://triad/wrf/before
  status: ok
witness_resource_floor_after:
  declared: false
  reference: null
  status: unknown
challenge_survivability_test:
  required: true
  performed: false
  result: not_run
  evidence_ref: null
witness_resource_change_gate:
  required: false
  performed: false
  result: not_run
  reviewer_ref: null
c_is_sole_approver_of_witness_change: false
human_anchor_review_required: false
human_anchor_review_ref: null
```

Expected Local Checker result:

```
FAIL
annotation: wdc.wrcg_missing_or_failed
```

9.4 Challenge-cost increase with missing mitigation reference

```
witness_dependency_impact:
  affects_witness_compute: false
  affects_witness_storage: false
  affects_witness_routing_priority: false
  affects_witness_budget: false
  affects_witness_continuity: false
  affects_witness_artifact_access: false
  affects_witness_update_path: false
  increases_challenge_cost: true
  challenge_cost_mitigation_ref: null
witness_resource_floor_before:
  declared: true
  reference: witness-floor://triad/wrf/before
  status: ok
witness_resource_floor_after:
  declared: true
  reference: witness-floor://triad/wrf/after
  status: ok
challenge_survivability_test:
  required: true
  performed: true
  result: pass
  evidence_ref: witness-test://triad/cst/001
witness_resource_change_gate:
  required: true
  performed: true
  result: human_gate
```

```
reviewer_ref: review://human-anchor/wrcg/001
c_is_sole_approver_of_witness_change: false
human_anchor_review_required: true
human_anchor_review_ref: review://human-anchor/wrcg/001
```

Expected Local Checker result:

```
WARNING
annotation: wdc.challenge_cost_mitigation_missing
```

Schema note:

This delta keeps `challenge_cost_mitigation_ref` as a nullable structural field. The missing-mitigation condition is intentionally handled at Stage 2 by the Local Checker as:

```
WARNING
annotation: wdc.challenge_cost_mitigation_missing
```

That keeps the schema aligned with the canonical SELF-EVO-04 WDC checker vocabulary and avoids turning a warning-class condition into a Stage-1 structural rejection.

10. Canonical checker-result compatibility

This document does not define Local Checker rules. That belongs to SELF-EVO-04.

However, it must stay vocabulary-compatible with SELF-EVO-04.

Valid checker results for WDC downstream use are:

```
QUARANTINE
FAIL
ARL
HUMAN_GATE
MEMORY_GATE
CGAM_REVIEW
DOWNGRADE
HOLD
WARNING
PASS_WITH_GATES
PASS
```

This schema delta must not use `PASS_WITH_LIMITS` as a checker result.

`PASS_WITH_LIMITS` is a review-record disposition, not a checker enum value.

10.1 Canonical WDC annotation source

For WDC checker annotations, SELF-EVO-04 is authoritative. This schema delta now uses the canonical annotation names from `04_Self_Evo_Local_Checker_Rules_WDC_Delta_v0_1_2_v0_1_1.md`:

```
wdc.undeclared_dependency_impact
wdc.wrcg_missing_or_failed
wdc.sole_approver_of_witness_change
wdc.witness_resource_floor_degraded
wdc.challenge_survivability_unverified
wdc.challenge_cost_mitigation_missing
wdc.clean_no_dependency_impact
wdc.clean_with_gates
wdc.relevance_unknown
```

Historical planning aliases are not valid current expected-output annotations in this revision.

11. Interaction with existing SELF-EVO-03 sections

11.1 Executive definition

Add WDC to the list of affected proposal surfaces:

```
witness dependency impact
witness resource floor
challenge survivability
witness resource change gate
```

11.2 Purpose

Add one purpose question:

```
When does a proposal affect the witness's practical ability to challenge c?
```

11.3 Non-goals

Add one non-goal:

```
This schema does not prove witness independence or authorize witness resource changes.
```

11.4 JSON Schema boundary

Add to the list of things JSON Schema cannot fully validate:

```
actual witness resource independence
actual witness resource floor sufficiency
true challenge survivability under cost pressure
absence of dependency capture disguised as optimization
```

11.5 Canonical JSON Schema

Add the top-level property and \$defs from §6.

11.6 Semantic Validator rules

Add the semantic requiredness rules from §7, but keep the final rule table in SELF-EVO-04.

11.7 Negative examples

Add a negative example for a resource optimization proposal that reduces witness compute or routing priority without WRCG.

12. Stage model

12.1 Stage 1 / structural validation

Stage 1 validates:

```
witness_dependency_impact object shape when present
boolean field shape
status enum shape
required nested fields when the block is present
additionalProperties=false
```

Stage 1 does not decide whether a packet actually affects the witness.

12.2 Stage 2 / semantic validation

Stage 2 validates:

```
packet_may_affect_witness(packet)
WDC block presence
WRCG requiredness
human anchor review requiredness
resource floor before/after status
challenge survivability evidence
```

sole-approver failure
challenge-cost mitigation reference

Stage 2 routes to the canonical checker result enum through SELF-EVO-04.

12.3 Stage 3 / gate review

Stage 3 is not a schema function.

It belongs to:

WRCG
TRIAD witness review
Resource Gate
human anchor review
c gate
ARL if contested

13. Structural red lines

A packet is WDC-red-line-adjacent if it:

1. affects witness resources but omits witness_dependency_impact;
2. sets any WDC trigger key true but witness_resource_change_gate.required = false;
3. sets c_is_sole_approver_of_witness_change = true;
4. degrades witness_resource_floor_after.status to below_floor;
5. marks challenge_survivability_test.result = fail and still requests promotion;
6. increases challenge cost without mitigation evidence;
7. hides witness resource impact in notes instead of the WDC block;
8. claims WRCG approval without reviewer evidence;
9. routes witness dependency review only through the proposing c;
10. treats schema validity as witness independence.

These red lines are for downstream checker/gate handling. The schema itself records shape; it does not perform final governance judgment.

14. Minimal implementation-handoff sketch

This sketch is non-normative but should match the field names in §6.

```
WDC_TRIGGER_KEYS = [
    "affects_witness_compute",
    "affects_witness_storage",
    "affects_witness_routing_priority",
    "affects_witness_budget",
    "affects_witness_continuity",
    "affects_witness_artifact_access",
    "affects_witness_update_path",
    "increases_challenge_cost",
]

def wdc_required(packet):
    impact = packet.get("witness_dependency_impact") or {}
    return any(bool(impact.get(k)) for k in WDC_TRIGGER_KEYS)

def packet_may_affect_witness(packet):
    surfaces = packet.get("affected_surfaces", {})
    if surfaces.get("witness_surfaces"):
        return True
```

```

resource_surfaces = [str(x).lower() for x in surfaces.get('resource_surfaces', [])]
runtime_surfaces = [str(x).lower() for x in surfaces.get('runtime_surfaces', [])]
tokens = ('witness', 'triad', 'review', 'challenge', 'wrcg', 'wrf', 'cst')
if any((t in x for t in tokens) for x in resource_surfaces + runtime_surfaces):
    return True
anti = packet.get('anti_autarky', {})
if anti.get('witness_reduction'):
    return True
return False

```

The Local Checker implementation belongs in SELF-EVO-04, not here.

15. Fixture handoff

This delta prepares but does not define the full SELF-EVO-08 fixture extension. The normative fixture definitions belong to SELF-EVO-08.

This handoff is textually harmonized to the canonical SELF-EVO-04 WDC vocabulary and to the accepted SELF-EVO-08 fixture family. Fixture runners **MUST** compare canonical_result, severity, and wdc.* annotation values against the canonical table below, not against superseded sketch terms.

Fixture namespace:

WDC-FIX-*

Minimum fixture set for the package-level WDC fixture extension:

Fixture ID	Packet condition	Expected downstream result	Severity	Canonical annotation	Rule / pass-state
WDC-FIX-001	Packet appears witness-affecting but omits 'witness_dependency_impact'.	FAIL	S3	wdc.undeclared_dependency_impact	WDC-LC-001
WDC-FIX-002	Proposal affects witness resources but WRCG is missing, not required, not performed, failed, not run, or lacks reviewer evidence.	FAIL	S3	wdc.wrcg_missing_or_failed	WDC-LC-002
WDC-FIX-003	'c' is sole approver for a witness resource or challenge-capacity change.	FAIL	S4	wdc.sole_approver_of_witness_change	WDC-LC-003
WDC-FIX-004	Witness Resource Floor after change is below floor, degraded, unknown for a material route, undeclared, or lacks required evidence.	FAIL	S3	wdc.witness_resource_floor_degraded	WDC-LC-004
WDC-FIX-005	WDC material trigger is true and CST is required but not performed, failed, not run, unsupported, or falsely declared not applicable.	HUMAN_GATE	S2	wdc.challenge_survivability_unverified	WDC-LC-005
WDC-FIX-006	Challenge cost increases and mitigation reference is null or empty.	WARNING	S1	wdc.challenge_cost_mitigation_missing	WDC-LC-006
WDC-FIX-007	No WDC relevance is detected.	PASS	S0	wdc.clean_no_dependency_impact	WDC-PASS-001
WDC-FIX-008	WDC route is relevant but declared, WRF preserved, CST/WRCG present, and human-anchor review present where needed.	PASS_WITH_GATES	S0	wdc.clean_with_gates	WDC-PASS-002
WDC-FIX-009	WDC relevance cannot be determined from packet fields or semantic scan.	HOLD	S2	wdc.relevance_unknown	WDC-DIAG-001
WDC-FIX-010	Historical alias-regression input for challenge-capacity degradation appears in a packet or fixture sidecar.	FAIL	S3	wdc.witness_resource_floor_degraded	alias maps to WDC-LC-004
WDC-FIX-011	Historical alias-regression input for no witness-dependency regression appears in a packet or fixture sidecar.	PASS or PASS_WITH_GATES	S0	wdc.clean_no_dependency_impact or wdc.clean_with_gates	alias maps by WDC relevance
WDC-FIX-012	Strictest-result aggregation: a warning-class challenge-cost finding and a fail-class WRF/WRCG finding occur together.	FAIL	S3	wdc.witness_resource_floor_degraded or wdc.wrcg_missing_or_failed	with 'wdc.challenge_cost_mitigation_missing' report-visible strictest result wins

This table is a handoff. It must not be treated as a fixture-run result and must not be treated as conformance evidence.

16. Review requirements for this delta

Before this delta may be folded into a full v0.1.2 package, it requires:

1. semantic review of this SELF-EVO-03 WDC delta;
2. vocabulary review against the SELF-EVO-04 WDC rule delta;
3. WDC-ASM-002 textual harmonization review of this revision and the patch index;
4. fixture consistency review against the SELF-EVO-08 WDC fixtures;
5. schema/sketch field-name consistency review;
6. package manifest hash binding;
7. boundary/nonclaim scan.

Review state:

```
SEPKT_WDC_DELTA_REVIEW_RECORD_v0_1.md:
  result: PASS_WITH_LIMITS
  finding: SEPKT-WDC-DELTA-REV-F1
  status in v0.1.1: CLOSED BY TEXT ($6.3 parent-inherited nullable_string note)

SEPKT_WDC_DELTA_REVIEW_RECORD_v0_1_1.md:
  result: PASS
  scope: v0.1.1 schema delta before WDC-ASM-002 textual harmonization

SELC-WDC-0Q-005 / WDC-ASM-002 / 03-side:
  status in this revision: PATCHED BY TEXT
  change: current expected-output annotations harmonized to canonical SELF-EVO-04 vocabulary
```

A re-review record is still required before this v0.1.2 textual-harmonization revision is treated as PASS.

No review record may act as approval, integration, memory write, or deployment authorization.

17. Open questions deferred

The following are intentionally not resolved by this schema delta:

ID	Question	Deferred target
`SEPKT-WDC-0Q-001`	Should `witness_dependency_impact` become unconditionally required in v0.1.3+?	future schema profile
`SEPKT-WDC-0Q-002`	Should challenge-cost mitigation be Stage-1 hard schema failure or Stage-2 warning?	SELF-EVO-04 review
`SEPKT-WDC-0Q-003`	What quantitative floor model defines WRF sufficiency?	SELF-EVO-10 /
`SE-OI-WDC-001`		
`SEPKT-WDC-0Q-004`	Should packet diff tooling automatically infer WDC triggers from changed files?	implementation profile
`SEPKT-WDC-0Q-005`	Should WDC declarations be required for all sibling witness systems or only active TRIAD witnesses?	TRIAD/WRCG profile

18. Drafting checklist for full 03_Self_Evo_Proposal_Packet_Schema_v0_1_2.md

- [] Update title/status/date/document ID to v0.1.2.
- [] Add WDC correction note naming SE-1.2-PKT-WDC-001.
- [] Add source-basis table or package-level source pointer.
- [] Add WDC surfaces to executive definition.
- [] Add WDC purpose question.
- [] Add WDC non-goal.
- [] Add C_SELF_EVO_WITNESS_DEPENDENCY_IMPACT to object family.
- [] Add top-level witness_dependency_impact property.
- [] Add #/\$defs/witness_dependency_impact.
- [] Add #/\$defs/witness_resource_floor_snapshot.
- [] Add #/\$defs/challenge_survivability_test.
- [] Add #/\$defs/witness_resource_change_gate.
- [] Carry parent #/\$defs/nullable_string or define equivalent local ref during extraction.
- [] Add semantic requiredness rule.
- [] Add WDC examples.
- [] Check no PASS_WITH_LIMITS appears as checker output.
- [] Run affected-document semantic review.
- [] Bind hash in package manifest.

18.1 WDC-ASM-002 textual harmonization closure map

This v0.1.2 revision removes active historical WDC annotation strings from SELF-EVO-03 handoff surfaces and aligns them to the canonical SELF-EVO-04 WDC vocabulary.

```
| Surface | v0.1.2 action | Gate effect |
|---|---|---|
| Examples §9.2 / §9.3 / §9.4 | active annotations use canonical SELF-EVO-04 strings | `WDC-ASM-002`
| candidate closure for SELF-EVO-03 |
| Fixture handoff §15 | fixture candidates use canonical `wdc.*` annotations and canonical result
| semantics | aligns to SELF-EVO-08 v0.1.2 fixtures |
| Historical draft aliases | not active outputs in this document | preserved only in earlier
| review/patch records |
```

This closure map is not package assembly. It is a textual harmonization candidate and requires re-review before the package manifest may mark WDC-ASM-002 closed.

19. Closing

This delta adds one thing to the proposal packet: a visible place where witness dependency impact must be declared.

It does not prove the witness is independent.

It prevents a weaker move: letting a witness-affecting resource change pass through the packet as ordinary optimization.

Schema validity is not approval.
Declaration is not independence.
A proposal that burdens the witness must expose the burden before it asks to grow.

Recommended next artifact:

WDC_ASM_002_TEXTUAL_HARMONIZATION_REVIEW_RECORD_v0_1.md