

CLI Agent Package Index and Reading Order v0.1

C-Governed CLI Agent Mesh package navigation, canonical status, reading order, dependency graph, release boundary, and next-work register

Kotov Ivan
Bruxelles 2026

Status	Draft package-control artifact v0.1 / v0.1.1-hygiene synchronized
Date	2026-05-17
Package	C-Governed CLI Agent Mesh
Layer	c = a + b / SER / L4 / Agent Governance / CLI Worker Mesh / Defensive Adaptation / Witness
Document class	package index / reading order / corpus-control artifact / release-preparation companion
Assertion class	C-A10 package-control artifact; mapped profile documents retain their own assertion classes
Primary subject	persistent c entities such as Ester and Liya
Primary worker class	local, cloud, hybrid, portable, and quorum-participating CLI agents operating as bounded executable workers
Primary boundary	executable agents may inspect, propose, simulate, patch, test, compare, and report under c gov-ernance; they must not become will, memory, sovereignty, judge, release authority, incident authority, or retaliatory operators.

Contents

0. Executive purpose	3
1. Package thesis	3
2. Corpus bridge set	4
2.1 Explicit bridge: $c = a + b$	4
2.2 Quiet bridge I: information theory	4
2.3 Quiet bridge II: cybernetics	4
2.4 Earth paragraph	4
3. Canonical package files	4
4. Canonical reading order	6
5. Dependency graph	7
5.1 Governance base	7
5.2 Runtime governance path	7
5.3 Defensive / incident path	7
5.4 Machine-facing path	8
6. Document classes and distribution defaults	8
7. Public / restricted policy	8
8. Current status dashboard	9
9. Remaining blockers	9
9.1 Before release-complete	9
9.2 Before implementation-ready	10
9.3 Before conformance-supported	10
10. Canonical repository layout recommendation	10
11. Codex handoff boundary	11
12. Future companion documents	11
13. Closing rule	12

0. Executive purpose

This file is the canonical package index and reading order for the **C-Governed CLI Agent Mesh v0.1 / v0.1.1-hygiene** document set.

It answers:

```
Which files are canonical?  
What order should a human or agent read them in?  
Which documents are root, schema, safety, incident, cloud, conformance, or release-  
control artifacts?  
Which files are public-facing, technical, restricted, or internal-by-default?  
What dependencies hold the package together?  
What remains open before release-complete?  
Which future companion documents are recommended?
```

Compact formula:

```
Many executable hands.  
One governed continuity.  
No silent autonomy.
```

1. Package thesis

The C-Governed CLI Agent Mesh package is an executable-worker governance layer over the existing `c = a + b` corpus.

It specializes existing SER / L4 / witness / memory-gate / review concepts for the operational fact that `c` may govern multiple executable CLI/cloud agents.

The central claim:

```
A persistent c may use many executable agents, but no executable agent may  
silently become c authority.
```

The central design rule:

```
CLI agents are workers. They may act only under registry eligibility, task contract,  
scoped permission, sandbox/worktree boundary, witness, review, and memory/re-
```

lease gate. They may not self-authorize, self-approve, write core memory, mutate identity, leak secrets, bypass human gates, or retaliate against external systems.

2. Corpus bridge set

2.1 Explicit bridge: $c = a + b$

CLI agents belong to **b**, the technological substrate. They may provide hands, eyes, tests, reports, diffs, and controlled execution. They are not the human anchor **a** and do not become the persistent entity **c**.

2.2 Quiet bridge I: information theory

The package reduces ambiguity by turning agent authority into named objects: task contracts, permission grants, registry entries, witness events, raw evidence sidecars, memory gate records, release surface records, checker runs, and conformance results.

2.3 Quiet bridge II: cybernetics

A worker mesh is a control system. The controller must not be confused with the actuators. The package defines negative feedback: hold, deny, freeze, quarantine, revoke, rollback, review, and red-line failure.

2.4 Earth paragraph

This index is the table of contents taped to the inside of the electrical cabinet. Without it, a worker opens the door and sees only wires. With it, the worker knows which breaker controls the oven, which controls the bathroom, and which must not be touched without the owner standing there.

3. Canonical package files

File	Role
README.md	Human entry point, status boundary, safe reading path.
C-Governed_CLI_Agent_Mesh_Protocol_v0_1.md	Root protocol and doctrine.
CLI_Agent_Package_Index_and_Reading_Order_v0_1.md	Canonical package map, reading order, dependency graph, release boundary.

File	Role
CLI_Agent_GLOSSARY_v0_1.md	Terminology, class prefixes, disambiguation.
CLI_Agent_RELEASE_NOTES_v0_1.md	Release summary and claim boundary.
CLI_Agent_OPEN_ISSUES_v0_1.md	Open issues, blockers, deferred work.
CLI_Agent_Contradiction_Register_v0_1.md	Contradictions, soft tensions, release-readiness risks.
CLI_Agent_v0_1_1_Hygiene_Patch_Notes.md	Hygiene patch notes and synchronization record.
CLI_Agent_Release_and_Implementation_Readiness_Gate_v0_1.md	Release / implementation / conformance claim gates.
CLI_Agent_Task_Contract_Schema_v0_1.md	Task contract envelope.
CLI_Agent_Permission_and_Capability_Model_v0_1.md	Capability, permission, trust, drift, revocation.
CLI_Agent_Handshake_Profile_v0_1.md	Agent admission, provenance, challenge, registration.
CLI_Agent_AB_Mode_and_Gate_Semantics_Profile_v0_1.md	A/B, dry-run/apply/enforce, confirm phrases, arm gates.
CLI_Agent_Registry_Profile_v0_1.md	Agent inventory, eligibility, capability snapshots, revocation.
CLI_Agent_Sandbox_Worktree_Profile_v0_1.md	Sandbox/worktree/branch/container execution boundary.
CLI_Agent_Witness_Event_Profile_v0_1.md	Witness events, chains, references, boundary records.
CLI_Agent_Raw_Evidence_Sidecar_Profile_v0_1.md	Raw evidence sidecar, custody, retention, disclosure separation.
CLI_Agent_Memory_Gate_Profile_v0_1.md	Memory, experience, policy, immunity promotion gate.
CLI_Agent_Rollback_and_Freeze_Profile_v0_1.md	Hold/freeze/quarantine/revoke/rollback/recovery.
CLI_Agent_Quorum_and_Review_Profile_v0_1.md	Multi-agent review and non-sovereign quorum.
CLI_Agent_Executor_Reviewer_Separation_v0_1.md	No self-approval, role separation, conflict detection.
CLI_Agent_Defensive_Emulation_Boundaries_v0_1.md	Restricted defensive emulation / garage / canary / no retaliation.
CLI_Agent_Incident_Response_Profile_v0_1.md	Triage, preservation, containment, repair, lawful handoff.
CLI_Agent_Secrets_and_Cloud_Data_Policy_v0_1.md	Secrets, cloud context, data classes, exposure handling.
CLI_Agent_Public_Redaction_Profile_v0_1.md	Public/restricted split and redaction rules.
CLI_Agent_Release_Public_Surface_Profile_v0_1.md	GitHub/site/archive/release/public-surface discipline.
CLI_Agent_JSON_Schema_Extraction_Plan_v0_1.md	Schema extraction plan and implementation handoff.
CLI_Agent_Schema_Object_Registry_v0_1.md	Canonical object inventory and schema map.
CLI_Agent_Semantic_Validator_Rules_v0_1.md	Semantic validation rules beyond JSON Schema.

File	Role
CLI_Agent_Local_Checker_Profile_v0_1.md	Deterministic local checker and package hygiene pre-flight.
CLI_Agent_Conformance_Test_Matrix_v0_1.md	Conformance levels, tests, evidence, anti-washing.
CLI_Agent_Conformance_Fixture_Pack_v0_1.md	Safe synthetic fixtures for conformance tests.

4. Canonical reading order

1. README.md
2. C-Governed_CLI_Agent_Mesh_Protocol_v0_1.md
3. CLI_Agent_Package_Index_and_Reading_Order_v0_1.md
4. CLI_Agent_GLOSSARY_v0_1.md
5. CLI_Agent_RELEASE_NOTES_v0_1.md
6. CLI_Agent_OPEN_ISSUES_v0_1.md
7. CLI_Agent_Contradiction_Register_v0_1.md
8. CLI_Agent_v0_1_1_Hygiene_Patch_Notes.md
9. CLI_Agent_Release_and_Implementation_Readiness_Gate_v0_1.md
10. CLI_Agent_Task_Contract_Schema_v0_1.md
11. CLI_Agent_Permission_and_Capability_Model_v0_1.md
12. CLI_Agent_Handshake_Profile_v0_1.md
13. CLI_Agent_AB_Mode_and_Gate_Semantics_Profile_v0_1.md
14. CLI_Agent_Registry_Profile_v0_1.md
15. CLI_Agent_Sandbox_Worktree_Profile_v0_1.md
16. CLI_Agent_Witness_Event_Profile_v0_1.md
17. CLI_Agent_Raw_Evidence_Sidecar_Profile_v0_1.md
18. CLI_Agent_Memory_Gate_Profile_v0_1.md
19. CLI_Agent_Rollback_and_Freeze_Profile_v0_1.md
20. CLI_Agent_Quorum_and_Review_Profile_v0_1.md
21. CLI_Agent_Executor_Reviewer_Separation_v0_1.md
22. CLI_Agent_Defensive_Emulation_Boundaries_v0_1.md
23. CLI_Agent_Incident_Response_Profile_v0_1.md
24. CLI_Agent_Secrets_and_Cloud_Data_Policy_v0_1.md
25. CLI_Agent_Public_Redaction_Profile_v0_1.md
26. CLI_Agent_Release_Public_Surface_Profile_v0_1.md
27. CLI_Agent_JSON_Schema_Extraction_Plan_v0_1.md
28. CLI_Agent_Schema_Object_Registry_v0_1.md

29. CLI_Agent_Semantic_Validator_Rules_v0_1.md
 30. CLI_Agent_Local_Checker_Profile_v0_1.md
 31. CLI_Agent_Conformance_Test_Matrix_v0_1.md
 32. CLI_Agent_Conformance_Fixture_Pack_v0_1.md
-

5. Dependency graph

5.1 Governance base

```
README
-> Package Index
-> Release Notes
-> Open Issues
-> Contradiction Register
-> Readiness Gate
```

5.2 Runtime governance path

```
Root Protocol
-> Task Contract
-> Permission and Capability Model
-> Handshake
-> AB/Gate Semantics
-> Registry
-> Sandbox/Worktree
-> Witness
-> Raw Evidence Sidecar where required
-> Local Checker
-> Quorum/Review
-> Executor/Reviewer Separation
-> Memory Gate or Release Surface
-> Rollback/Freeze if needed
```

5.3 Defensive / incident path

```
Defensive Emulation Boundaries
-> Incident Response
-> Secrets and Cloud Data Policy
-> Raw Evidence Sidecar
-> Witness
-> Memory Gate
-> Rollback/Freeze
-> Public Redaction / Release Surface if disclosure occurs
```

5.4 Machine-facing path

```
JSON Schema Extraction Plan
-> Schema Object Registry
-> Semantic Validator Rules
-> Conformance Test Matrix
-> Conformance Fixture Pack
-> Local Checker
-> SCHEMA_INDEX.json / extracted schemas
```

6. Document classes and distribution defaults

Class	Files	Default distribution
Root doctrine	Root protocol, README	public-capable after review
Package control	Package Index, Release Notes, Open Issues, Contradiction Register, Hygiene Notes	public-capable after review
Runtime control	Task, Permission, Handshake, AB/Gate, Registry, Sandbox, Witness, Memory, Rollback	public-capable with synthetic examples only
Evidence control	Raw Evidence Sidecar, Witness, Incident Preservation	restricted when real evidence exists
Multi-agent review	Quorum, ERS, Local Checker	public-capable after review
Sensitive defensive	DEB, IRP, SCDP	restricted / redaction required
Release/publication	Public Redaction, Release Surface	public-capable; real records may be restricted
Schema/conformance	JSEP, SOR, SVR, CTM, CFP	public-capable with synthetic examples; real results restricted as needed

7. Public / restricted policy

Public package may include:

```
doctrine
safe schemas
synthetic fixtures
red-line principles
non-operational examples
release/control status
known open issues
```


Restricted package must hold:

```
real secrets
real credentials
real cloud account refs
real local infrastructure paths
real incident evidence
real raw evidence sidecars
real private memory
legal privileged material
operational canary values
unredacted provider boundary records
real conformance evidence involving private systems
```

8. Current status dashboard

```
Architecture draft-complete: yes
Hygiene synchronization: yes
Package index: created
README: synchronized
Open issues: synchronized
Contradiction register: synchronized
Release notes: synchronized
JSON schema extraction plan: synchronized
SCDP source availability: source_available
CTM source availability: source_available
Package Index source availability: source_available
Release-complete: no
Implementation-ready: no
Conformance-supported: no
Public-release-ready: no
```

9. Remaining blockers

9.1 Before release-complete

1. Confirm canonical filenames in actual repository layout.
2. Resolve duplicate sandbox/worktree source variant.
3. Apply public/restricted split to final repository package.
4. Confirm default-branch discoverability.
5. Freeze Markdown.
6. Generate PDFs and SHA256SUMS after freeze.
7. Create release manifest.

9.2 Before implementation-ready

1. Create P0 schema extraction task contract.
2. Extract P0 schemas.
3. Generate `SCHEMA_INDEX.json`.
4. Bind semantic validator rules to validator stubs or explicit checker contract.
5. Bind fixture pack to conformance runner scope.
6. Run local checker dry-run.
7. Produce discrepancy report.

9.3 Before conformance-supported

1. Execute conformance test runs.
2. Generate evidence packets.
3. Record red-line drill results.
4. Store witness/evidence references safely.
5. Publish only appropriate public summaries.

10. Canonical repository layout recommendation

```
docs/cli-agent-mesh/  
  README.md  
  CLI_Agent_Package_Index_and_Reading_Order_v0_1.md  
  CLI_Agent_RELEASE_NOTES_v0_1.md  
  CLI_Agent_OPEN_ISSUES_v0_1.md  
  CLI_Agent_Contradiction_Register_v0_1.md  
  CLI_Agent_v0_1_1_Hygiene_Patch_Notes.md  
  C-Governed_CLI_Agent_Mesh_Protocol_v0_1.md  
  CLI_Agent_GLOSSARY_v0_1.md  
  CLI_Agent_Release_and_Implementation_Readiness_Gate_v0_1.md  
profiles/  
schemas/  
examples/  
fixtures/  
conformance/  
restricted/
```

The actual repo may use a flatter layout. If so, this index still controls canonical naming and reading order.

11. Codex handoff boundary

Allowed next Codex work:

```
canonical filename inventory
P0 schema extraction
SCHEMA_INDEX.json
semantic validator stubs
local checker dry-run
schema validation report
unresolved discrepancy report
```

Forbidden Codex work at this stage:

```
publish
tag release
push without review
claim conformance
change doctrine meaning
access secrets
load private memory
use real incident evidence
infer missing source profiles
weaken red-line wording
```

Required defaults:

```
memory=off
auto_ingest=false
no silent autonomy
fail closed on ambiguity
```

12. Future companion documents

Deferred, not blocking immediate schema/hygiene handoff:

```
CLI_Agent_Provider_Profile_OpenAI_Codex_v0_1.md
CLI_Agent_Provider_Profile_Google_Gemini_v0_1.md
CLI_Agent_Legal_Handoff_Profile_v0_1.md
CLI_Agent_UI_State_Surface_v0_1.md
CLI_Agent_Retention_and_Decay_Profile_v0_1.md
CLI_Agent_Cross_c_Isolation_Profile_v0_1.md
CLI_Agent_Cost_and_Budget_Profile_v0_1.md
```

13. Closing rule

This index is not decoration.

It is the routing table of the package.

Final rule:

- No orphan documents.
- No invisible branch-only files.
- No stronger claim than the gates support.
- No implementation without schema and semantic checks.
- No release without public/restricted discipline.