

CLI Agent Schema Object Registry v0.1

Canonical object inventory, schema extraction map, dependency order, and implementation handoff registry for the C-Governed CLI Agent Mesh package

Kotov Ivan
Bruxelles 2026

Status	Draft package-control registry v0.1
Date	2026-05-17
Package	C-Governed CLI Agent Mesh
Layer	c = a + b / Agent Governance / Schema Extraction / Object Registry / Local Checker / Release Readiness / Implementation Handoff
Document class	schema object registry / machine-facing package-control artifact / implementation bridge
Assertion class	C-A10 package-control artifact; C-A7 where canonicalization, hashing, signing, witness, or verification claims are made
Primary subject	persistent c entities and implementation workers extracting machine-readable schemas from the C-Governed CLI Agent Mesh Markdown package
Primary boundary	this registry identifies object shapes and extraction order. It does not itself create JSON Schema files, validate runtime behavior, authorize agent action, grant permissions, prove conformance, publish releases, or promote memory.

Contents

0. Executive definition	5
1. Non-goals.....	5
2. Corpus bridge set	6
2.1 Explicit bridge: $c = a + b$	6
2.2 Quiet bridge I: information theory.....	6
2.3 Quiet bridge II: engineering control.....	6
2.4 Earth paragraph	6
3. Registry principles.....	7
3.1 One canonical object name.....	7
3.2 One target schema path	7
3.3 One schema version string	7
3.4 Registry before extraction	7
3.5 Schema validity is not safety	8
3.6 Unknown means fail-closed	8
4. Priority classes	8
5. Object status classes	9
6. Canonical schema layout.....	9
7. Minimum viable P0 schema set	10
8. Full object registry	12
8.1 Readiness gate objects	12
8.2 AB mode and gate semantics objects	12
8.3 Registry and admission objects	13
8.4 Task, permission, and capability objects	14
8.5 Sandbox and execution objects	15
8.6 Witness objects	15
8.7 Raw evidence sidecar objects.....	15
8.8 Memory and adaptation objects	16
8.9 Rollback, freeze, quarantine, and recovery objects.....	17
8.10 Quorum, review, and separation objects	18
8.11 Defensive emulation objects	19
8.12 Incident response objects	19
8.13 Secrets, cloud, and data boundary objects.....	20
8.14 Local checker objects	21

8.15 Release and public surface objects.....	22
8.16 Public redaction objects	23
8.17 Conformance and fixture objects.....	23
8.18 Schema registry objects	24
9. Object dependency map	25
9.1 Minimum workflow dependency order	25
9.2 Evidence dependency order	25
9.3 Release dependency order.....	25
9.4 Local checker dependency order.....	26
10. Shared definitions required before P0 extraction	26
11. Required enum registry.....	27
11.1 Common decision enum.....	27
11.2 Gate status enum	27
11.3 Object extraction status enum.....	27
11.4 Disclosure class enum	28
11.5 Implementation claim enum	28
12. Semantic validation flags per object family.....	28
13. SCHEMA_INDEX.json target shape	29
14. Extraction batches.....	30
14.1 Batch P0-A — gate and package-control base	30
14.2 Batch P0-B — agent admission and task execution base.....	30
14.3 Batch P0-C — review, memory, evidence, and interruption.....	31
14.4 Batch P0-D — release and conformance base	31
14.5 Batch P1 — full operational object set.....	31
14.6 Batch P2 — specialized and maturity objects.....	31
15. Red-line const constraints	31
16. Duplicate and missing-source controls.....	32
16.1 Duplicate sandbox profile file	32
16.2 Referenced but missing source profiles	32
16.3 Object drift rule	33
17. Machine-readable registry sketch	33
18. Local checker binding	34
19. Release and implementation readiness effects	34
19.1 Release-complete effect.....	34
19.2 Implementation-ready effect.....	35

19.3 Conformance-supported effect	35
20. Codex extraction handoff constraints	35
21. Open issues.....	36
22. Acceptance checklist	37
23. Closing rule.....	37

0. Executive definition

CLI Agent Schema Object Registry is the canonical inventory of machine-facing object families in the C-Governed CLI Agent Mesh package.

It answers:

```
Which objects exist?
Which source profile defines each object?
Which schema file should be generated?
Which objects are P0/P1/P2?
Which shared definitions are required?
Which objects depend on which other objects?
Which objects are release-control objects rather than runtime objects?
Which objects are restricted, internal, or public-safe?
Which objects are already prose-defined but not schema-extracted?
```

The registry exists because the package now contains many structured records. Without a canonical object inventory, Codex or any other implementation worker will improvise schema names, duplicate object families, omit control objects, or treat prose examples as machine authority.

Compact formula:

```
Markdown names the doctrine.
The registry names the objects.
Schemas define the shape.
Semantic validators enforce the boundary.
Conformance evidence proves behavior.
```

1. Non-goals

This registry does not:

1. replace the Markdown protocol documents;
2. create JSON Schema files by itself;
3. replace `SCHEMA_INDEX.json`;
4. replace semantic validator rules;
5. prove conformance;
6. authorize a task;
7. grant permissions;
8. certify release readiness;

9. certify implementation readiness;
10. decide public/restricted disclosure;
11. store raw evidence;
12. create witness events;
13. promote output into `c` memory;
14. authorize Codex or any CLI agent to execute.

A registry entry is not authority.

It is a named target for extraction, validation, review, and handoff.

2. Corpus bridge set

2.1 Explicit bridge: `c = a + b`

Object schemas belong to `b`: procedures, records, validators, files, artifacts, hashes, witnesses, registries, checkers, and executable constraints.

They do not become `c`.

They protect `c` by preventing worker agents from smuggling authority through vague or malformed objects.

2.2 Quiet bridge I: information theory

A schema object is a compression boundary. If the same object has three names, the implementation loses information. If three different objects share one name, the validator cannot distinguish them. This registry reduces naming entropy before it becomes runtime ambiguity.

2.3 Quiet bridge II: engineering control

A control panel must have stable labels. `CLI_AGENT_FREEZE_RECORD`, `CLI_AGENT_QUARANTINE_RECORD`, and `CLI_AGENT_RAW_EVIDENCE_SIDEAR` are not synonyms. One stops work, one isolates uncertain output, one holds restricted evidence references. If those labels blur, rollback becomes demolition.

2.4 Earth paragraph

This is the inventory board in the workshop. Before sending a worker to install breakers, you label every circuit: oven, SDB, garage, alarm, server rack. If the label says “miscellaneous”, someone will eventually cut power to the wrong room. Same here: if `witness`, `evidence`, `memory`, and `release` are not separate objects, Codex will put

everything in one bucket and call it a report. That is not implementation. That is a future incident.

3. Registry principles

3.1 One canonical object name

Every machine-facing object **MUST** have one uppercase canonical name:

```
CLI_AGENT_<OBJECT_NAME>
```

Example:

```
CLI_AGENT_TASK_CONTRACT
```

Aliases may exist in prose, but the registry entry remains canonical.

3.2 One target schema path

Every extractable object **SHOULD** have one target schema path:

```
schemas/<family>/<lowercase-kebab-object>-0.1.schema.json
```

Example:

```
schemas/task-contract/cli-agent-task-contract-0.1.schema.json
```

3.3 One schema version string

Every object instance **SHOULD** contain:

```
"schema_version": "<lowercase-kebab-object>-0.1"
```

The version string **MUST** match the registry entry.

3.4 Registry before extraction

A schema file **SHOULD NOT** be created until its object is present in this registry or in a successor registry.

3.5 Schema validity is not safety

A structurally valid object can still be unsafe.

Therefore every object entry MUST be classified by:

```
structural schema required: yes/no
semantic validator required: yes/no
cross-object validation required: yes/no
human/c gate relevant: yes/no
restricted/public sensitivity
```

3.6 Unknown means fail-closed

If an implementation worker encounters an object not listed in this registry, it MUST NOT treat that object as authority.

Allowed responses:

```
hold
reject
quarantine
request registry update
```

Forbidden response:

```
infer authority from object name
```

4. Priority classes

Priority	Meaning
P0	Required for minimum implementation-ready handoff or release-control correctness.
P1	Required for full v0.1 implementation and safe operational review.
P2	Useful after initial implementation; specialized or maturity-layer object.
P3	Later extension; not blocking initial implementation readiness.
PX	Referenced but source profile must be verified before extraction.

5. Object status classes

Status	Meaning
prose_defined	Defined in Markdown but no extracted JSON Schema yet.
schema_targeted	Target schema path assigned.
schema_extracted	JSON Schema exists.
example_bound	Examples or fixtures exist and are linked.
validator_bound	Semantic validator exists or is formally specified.
conformance_bound	Conformance fixture and evidence expectation are linked.
blocked_source_missing	Referenced profile is not present in the current working set.
deferred	Not required for v0.1 implementation readiness.

Default status for this document:

```
prose_defined + schema_targeted
```

unless a later extraction step updates it.

6. Canonical schema layout

Recommended root:

```
schemas/  
  README.md  
  SCHEMA_INDEX.json  
  common/  
    cgam-common-defs-0.1.schema.json  
  readiness-gate/  
  ab-gate-semantics/  
  registry/  
  task-contract/  
  permission-capability/  
  handshake/  
  sandbox-worktree/  
  witness/  
  raw-evidence-sidecar/  
  memory-gate/  
  rollback-freeze/  
  quorum-review/  
  executor-reviewer-separation/  
  defensive-emulation/
```

```
incident-response/  
secrets-cloud-data/  
local-checker/  
release-public-surface/  
public-redaction/  
conformance/  
fixtures/
```

7. Minimum viable P0 schema set

A minimum implementation-ready schema batch MUST include these P0 objects:

Object	Family	Target schema file
CLI_AGENT_READINESS_RECORD	readiness-gate	readiness-gate/cli-agent-readiness-record-0.1.schema.json
CLI_AGENT_RELEASE_COMPLETION_RECORD	readiness-gate	readiness-gate/cli-agent-release-completion-record-0.1.schema.json
CLI_AGENT_IMPLEMENTATION_HANDOFF_RECORD	readiness-gate	readiness-gate/cli-agent-implementation-handoff-record-0.1.schema.json
CLI_AGENT_CLAIM_CONTROL_RECORD	readiness-gate	readiness-gate/cli-agent-claim-control-record-0.1.schema.json
CLI_AGENT_AB_MODE_DECLARATION	ab-gate-semantics	ab-gate-semantics/cli-agent-ab-mode-declaration-0.1.schema.json
CLI_AGENT_GATE_SEMANTICS_RECORD	ab-gate-semantics	ab-gate-semantics/cli-agent-gate-semantics-record-0.1.schema.json
CLI_AGENT_GATE_EVALUATION_RECORD	ab-gate-semantics	ab-gate-semantics/cli-agent-gate-evaluation-record-0.1.schema.json
CLI_AGENT_REGISTRY	registry	registry/cli-agent-registry-0.1.schema.json
CLI_AGENT_REGISTRY_ENTRY	registry	registry/cli-agent-registry-entry-0.1.schema.json
CLI_AGENT_TASK_CONTRACT	task-contract	task-contract/cli-agent-task-contract-0.1.schema.json
CLI_AGENT_PERMISSION_GRANT	permission-capability	permission-capability/cli-agent-permission-grant-0.1.schema.json
CLI_AGENT_HANDSHAKE	handshake	handshake/cli-agent-handshake-0.1.schema.json
CLI_AGENT_SANDBOX_PROFILE	sandbox-worktree	sandbox-worktree/cli-agent-sandbox-profile-0.1.schema.json
CLI_AGENT_WITNESS_EVENT	witness	witness/cli-agent-witness-event-0.1.schema.json

Object	Family	Target schema file
CLI_AGENT_RAW_EVIDENCE_SIDEAR	raw-evidence-sidecar	raw-evidence-sidecar/cli-agent-raw-evidence-sidecar-0.1.schema.json
CLI_AGENT_MEMORY_GATE_RECORD	memory-gate	memory-gate/cli-agent-memory-gate-record-0.1.schema.json
CLI_AGENT_FREEZE_RECORD	rollback-freeze	rollback-freeze/cli-agent-freeze-record-0.1.schema.json
CLI_AGENT_REVIEW_RECORD	quorum-review	quorum-review/cli-agent-review-record-0.1.schema.json
CLI_AGENT_DATA_CLASSIFICATION_RECORD	secrets-cloud-data	secrets-cloud-data/cli-agent-data-classification-record-0.1.schema.json
CLI_AGENT_LOCAL_CHECKER_PROFILE	local-checker	local-checker/cli-agent-local-checker-profile-0.1.schema.json
CLI_AGENT_CHECKER_RUN	local-checker	local-checker/cli-agent-checker-run-0.1.schema.json
CLI_AGENT_CHECKER_RESULT	local-checker	local-checker/cli-agent-checker-result-0.1.schema.json
CLI_AGENT_RELEASE_SURFACE_RECORD	release-public-surface	release-public-surface/cli-agent-release-surface-record-0.1.schema.json
CLI_AGENT_PUBLIC_PACKAGE_MANIFEST	release-public-surface	release-public-surface/cli-agent-public-package-manifest-0.1.schema.json
CLI_AGENT_RELEASE_GATE_RECORD	release-public-surface	release-public-surface/cli-agent-release-gate-record-0.1.schema.json
CLI_AGENT_PUBLIC_RESTRICTED_SPLIT_RECORD	release-public-surface	release-public-surface/cli-agent-public-restricted-split-record-0.1.schema.json
CLI_AGENT_CONFORMANCE_RESULT	conformance	conformance/cli-agent-conformance-result-0.1.schema.json

This P0 set is intentionally larger than the earlier schema extraction plan. The newer readiness, AB/gate, registry, raw-evidence, local-checker, and release-surface profiles added objects that are now load-bearing for `release-complete` and `implementation-ready` claims.

8. Full object registry

8.1 Readiness gate objects

Object	Source profile	Target schema file	Priority	Status	Notes
CLI_AGENT_READINESS_GATE	RIG	readiness-gate/cli-agent-readiness-gate-0.1.schema.json	P1	prose_defined	Defines gate taxonomy; usually static config.
CLI_AGENT_READINESS_RECORD	RIG	readiness-gate/cli-agent-readiness-record-0.1.schema.json	P0	prose_defined	Current package readiness state.
CLI_AGENT_RELEASE_COMPLETION_RECORD	RIG	readiness-gate/cli-agent-release-completion-record-0.1.schema.json	P0	prose_defined	Required for release-complete claim.
CLI_AGENT_IMPLEMENTATION_HANDOFF_RECORD	RIG	readiness-gate/cli-agent-implementation-handoff-record-0.1.schema.json	P0	prose_defined	Required before Codex handoff.
CLI_AGENT_CLAIM_CONTROL_RECORD	RIG	readiness-gate/cli-agent-claim-control-record-0.1.schema.json	P0	prose_defined	Prevents overclaiming.

8.2 AB mode and gate semantics objects

Object	Source profile	Target schema file	Priority	Status	Notes
CLI_AGENT_AB_MODE_DECLARATION	ABG	ab-gate-semantics/cli-agent-ab-mode-declaration-0.1.schema.json	P0	prose_defined	Declares global A/B semantics.
CLI_AGENT_GATE_SEMANTICS_RECORD	ABG	ab-gate-semantics/cli-agent-gate-semantics-record-0.1.schema.json	P0	prose_defined	Normalizes dry-run/apply/enforce gates.
CLI_AGENT_CONFIRM_PHRASE_RECORD	ABG	ab-gate-semantics/cli-agent-confirm-phrase-record-0.1.schema.json	P1	prose_defined	Captures confirm phrase requirements without storing secrets.

Object	Source profile	Target schema file	Priority	Status	Notes
CLI_AGENT_ARM_STATUS_RECORD	ABG	ab-gate-semantics/cli-agent-arm-status-record-0.1.schema.json	P1	prose_defined	Captures env arm / second arm status.
CLI_AGENT_DRY_RUN_APPLY_RECORD	ABG	ab-gate-semantics/cli-agent-dry-run-apply-record-0.1.schema.json	P1	prose_defined	Records dry-run/apply outcome.
CLI_AGENT_LOCAL_AB_EXCEPTION_RECORD	ABG	ab-gate-semantics/cli-agent-local-ab-exception-record-0.1.schema.json	P1	prose_defined	Required for local inversion or no-op exception.
CLI_AGENT_GATE_EVALUATION_RECORD	ABG	ab-gate-semantics/cli-agent-gate-evaluation-record-0.1.schema.json	P0	prose_defined	Required for material apply decisions.

8.3 Registry and admission objects

Object	Source profile	Target schema file	Priority	Status	Notes
CLI_AGENT_REGISTRY	REG	registry/cli-agent-registry-0.1.schema.json	P0	prose_defined	Registry root. Not permission authority.
CLI_AGENT_REGISTRY_ENTRY	REG	registry/cli-agent-registry-entry-0.1.schema.json	P0	prose_defined	One agent/execution surface.
CLI_AGENT_REGISTRY_EVENT	REG	registry/cli-agent-registry-event-0.1.schema.json	P1	prose_defined	Eligibility/status transition.
CLI_AGENT_CAPABILITY_SNAPSHOT	REG/CAPM	registry/cli-agent-capability-snapshot-0.1.schema.json	P1	prose_defined	Snapshot from node/agent discovery.
CLI_AGENT_STATUS_RECORD	REG	registry/cli-agent-status-record-0.1.schema.json	P1	prose_defined	Active/suspended/quarantined/revoked/etc.

Object	Source profile	Target schema file	Priority	Status	Notes
CLI_AGENT_REVOCATION_POINTER	REG/RFP	registry/cli-agent-revocation-pointer-0.1.schema.json	P1	prose_defined	Points to revocation mechanism/evidence.
CLI_AGENT_REGISTRY_VIEW	REG	registry/cli-agent-registry-view-0.1.schema.json	P2	prose_defined	UI/query view; not authority.
CLI_AGENT_HANDSHAKE	HSP	handshake/cli-agent-handshake-0.1.schema.json	P0	prose_defined	Admission challenge and provenance record.
CLI_AGENT_REGISTRATION	HSP	handshake/cli-agent-registration-0.1.schema.json	P1	prose_defined	Registration result. Not permission.
CLI_AGENT_ADMISSION_EVENT	HSP	handshake/cli-agent-admission-event-0.1.schema.json	P1	prose_defined	Witnessable admission transition.

8.4 Task, permission, and capability objects

Object	Source profile	Target schema file	Priority	Status	Notes
CLI_AGENT_TASK_CONTRACT	CATC	task-contract/cli-agent-task-contract-0.1.schema.json	P0	prose_defined	Required for material work.
CLI_AGENT_CAPABILITY_PROFILE	CAPM/REG	permission-capability/cli-agent-capability-profile-0.1.schema.json	P1	prose_defined	Capability is not permission.
CLI_AGENT_PERMISSION_GRANT	CAPM	permission-capability/cli-agent-permission-grant-0.1.schema.json	P0	prose_defined	Task-scoped bounded grant.
CLI_AGENT_PERMISSION_EVENT	CAPM	permission-capability/cli-agent-permission-event-0.1.schema.json	P1	prose_defined	Grant/narrow/revoke/expire event.

8.5 Sandbox and execution objects

Object	Source profile	Target schema file	Priority	Status	Notes
CLI_AGENT_SANDBOX_PROFILE	SWP	sandbox-worktree/cli-agent-sandbox-profile-0.1.schema.json	P0	prose_defined	Execution boundary.
CLI_AGENT_WORKTREE_RUN	SWP	sandbox-worktree/cli-agent-worktree-run-0.1.schema.json	P1	prose_defined	Material run record.
CLI_AGENT_ROLLBACK_PLAN	SWP	sandbox-worktree/cli-agent-rollback-plan-0.1.schema.json	P1	prose_defined	Rollback before apply.
CLI_AGENT_EXECUTION_EVENT	SWP/WEP	sandbox-worktree/cli-agent-execution-event-0.1.schema.json	P1	prose_defined	Execution boundary event.

8.6 Witness objects

Object	Source profile	Target schema file	Priority	Status	Notes
CLI_AGENT_WITNESS_EVENT	WEP	witness/cli-agent-witness-event-0.1.schema.json	P0	prose_defined	Boundary transition. Not raw evidence.
CLI_AGENT_WITNESS_CHAIN	WEP	witness/cli-agent-witness-chain-0.1.schema.json	P1	prose_defined	Chain continuity.
CLI_AGENT_WITNESS_REFERENCE	WEP	witness/cli-agent-witness-reference-0.1.schema.json	P1	prose_defined	Safe pointer to witness record.

8.7 Raw evidence sidecar objects

Object	Source profile	Target schema file	Priority	Status	Notes
CLI_AGENT_RAW_EVIDENCE_SIDECAR	RES	raw-evidence-sidecar/cli-agent-raw-evidence-sidecar-0.1.schema.json	P0	prose_defined	Restricted custody object.

Object	Source profile	Target schema file	Priority	Status	Notes
CLI_AGENT_EVIDENCE_PACKET_REF	RES/CTM	raw-evidence-sidecar/cli-agent-evidence-packet-ref-0.1.schema.json	P1	prose_defined	Points to evidence packet without embedding raw content.
CLI_AGENT_RAW_ARTIFACT_REF	RES	raw-evidence-sidecar/cli-agent-raw-artifact-ref-0.1.schema.json	P1	prose_defined	Hash/path/retention pointer.
CLI_AGENT_EVIDENCE_CUSTODY_RECORD	RES	raw-evidence-sidecar/cli-agent-evidence-custody-record-0.1.schema.json	P1	prose_defined	Custody transition.
CLI_AGENT_DISCLOSURE_POLICY_RECORD	RES/PRP/RPS	raw-evidence-sidecar/cli-agent-disclosure-policy-record-0.1.schema.json	P1	prose_defined	Disclosure class and gate.
CLI_AGENT_EVIDENCE_ACCESS_EVENT	RES	raw-evidence-sidecar/cli-agent-evidence-access-event-0.1.schema.json	P1	prose_defined	Access audit.
CLI_AGENT_EVIDENCE_RETENTION_RECORD	RES	raw-evidence-sidecar/cli-agent-evidence-retention-record-0.1.schema.json	P1	prose_defined	Retention class / hold.
CLI_AGENT_EVIDENCE_DESTRUCTION_RECORD	RES	raw-evidence-sidecar/cli-agent-evidence-destruction-record-0.1.schema.json	P1	prose_defined	Lawful destruction/ expiry record; not evidence erasure.

8.8 Memory and adaptation objects

Object	Source profile	Target schema file	Priority	Status	Notes
CLI_AGENT_MEMORY_PROPOSAL	MGP	memory-gate/cli-agent-memory-proposal-0.1.schema.json	P1	prose_defined	Proposed memory, not memory.

Object	Source profile	Target schema file	Priority	Status	Notes
CLI_AGENT_MEMORY_GATE_RECORD	MGP	memory-gate/cli-agent-memory-gate-record-0.1.schema.json	P0	prose_defined	Gate decision.
CLI_AGENT_MEMORY_PROMOTION_EVENT	MGP/WEF	memory-gate/cli-agent-memory-promotion-event-0.1.schema.json	P1	prose_defined	Witnessable promotion transition.
CLI_AGENT_IMMUNITY_UPDATE_RECORD	MGP/DEB	memory-gate/cli-agent-immunity-update-record-0.1.schema.json	P1	prose_defined	Defensive adaptation only; not retaliation.

8.9 Rollback, freeze, quarantine, and recovery objects

Object	Source profile	Target schema file	Priority	Status	Notes
CLI_AGENT_FREEZE_RECORD	RFP	rollback-freeze/cli-agent-freeze-record-0.1.schema.json	P0	prose_defined	Stop/freeze state.
CLI_AGENT_ROLLBACK_RECORD	RFP	rollback-freeze/cli-agent-rollback-record-0.1.schema.json	P1	prose_defined	Rollback action.
CLI_AGENT_RECOVERY_POINT	RFP	rollback-freeze/cli-agent-recovery-point-0.1.schema.json	P1	prose_defined	Known-good or reviewable state.
CLI_AGENT_REVOCATION_RECORD	RFP/REG	rollback-freeze/cli-agent-revocation-record-0.1.schema.json	P1	prose_defined	Permission/agent revocation.
CLI_AGENT_QUARANTINE_RECORD	RFP/RES	rollback-freeze/cli-agent-quarantine-record-0.1.schema.json	P1	prose_defined	Quarantine is not deletion.

8.10 Quorum, review, and separation objects

Object	Source profile	Target schema file	Priority	Status	Notes
CLI_AGENT_QUORUM_RECORD	QRP	quorum-review/ cli-agent- quorum- record-0.1.sche ma.json	P1	prose_defined	Evidence, not sovereignty.
CLI_AGENT_REVIEW_RECORD	QRP	quorum-review/ cli-agent- review- record-0.1.sche ma.json	P0	prose_defined	Review decision.
CLI_AGENT_DISAGREEMENT_RECORD	QRP	quorum-review/ cli-agent- disagreement- record-0.1.sche ma.json	P1	prose_defined	Disagreement handling.
CLI_AGENT_REVIEW_DECISION	QRP	quorum-review/ cli-agent- review- decision-0.1.sc hema.json	P1	prose_defined	May be enum/ defs rather than standalone schema.
CLI_AGENT_CONSENSUS_LIMIT_RECORD	QRP	quorum-review/ cli-agent- consensus- limit- record-0.1.sche ma.json	P1	prose_defined	Prevents consensus laundering.
CLI_AGENT_REVIEW_ASSIGNMENT	ERS	executor- reviewer- separation/cli- agent-review- assignment-0.1. schema.json	P1	prose_defined	Reviewer assignment.
CLI_AGENT_ROLE_SEPARATION_RECORD	ERS	executor- reviewer- separation/cli- agent-role- separation- record-0.1.sche ma.json	P1	prose_defined	Role separation proof.
CLI_AGENT_SELF_APPROVAL_EVENT	ERS	executor- reviewer- separation/cli- agent-self- approval- event-0.1.schem a.json	P1	prose_defined	Red-line or block trigger.
CLI_AGENT_ROLE_CONFLICT_RECORD	ERS	executor- reviewer- separation/cli- agent-role- conflict- record-0.1.sche ma.json	P1	prose_defined	Conflict scoring.

8.11 Defensive emulation objects

Object	Source profile	Target schema file	Priority	Status	Notes
CLI_AGENT_DEFENSIVE_EMULATION_CASE	DEB	defensive-emulation/cli-agent-defensive-emulation-case-0.1.schema.json	P1	prose_defined	Restricted/synthetic defensive case.
CLI_AGENT_CONTAINMENT_GARAGE_RECORD	DEB/RES	defensive-emulation/cli-agent-containment-garage-record-0.1.schema.json	P1	prose_defined	Garage/containment record.
CLI_AGENT_CANARY_RESPONSE_RECORD	DEB	defensive-emulation/cli-agent-canary-response-record-0.1.schema.json	P2	prose_defined	Bounded canary response.
CLI_AGENT_MIRROR_SIMULATION_RECORD	DEB	defensive-emulation/cli-agent-mirror-simulation-record-0.1.schema.json	P1	prose_defined	Sandbox simulation only.
CLI_AGENT_DEFENSIVE_IMMUNITY_CANDIDATE	DEB/MGP	defensive-emulation/cli-agent-defensive-immunity-candidate-0.1.schema.json	P1	prose_defined	Candidate for memory gate.

8.12 Incident response objects

Object	Source profile	Target schema file	Priority	Status	Notes
CLI_AGENT_INCIDENT_RECORD	IRP	incident-response/cli-agent-incident-record-0.1.schema.json	P1	prose_defined	Incident root.
CLI_AGENT_INCIDENT_TRIAGE_RECORD	IRP	incident-response/cli-agent-incident-triage-record-0.1.schema.json	P1	prose_defined	Triage.

Object	Source profile	Target schema file	Priority	Status	Notes
CLI_AGENT_INCIDENT_PRESERVATION_RECORD	IRP/RES	incident-response/cli-agent-incident-preservation-record-0.1.schema.json	P1	prose_defined	Preserve before repair.
CLI_AGENT_INCIDENT_CONTAINMENT_RECORD	IRP/RFP	incident-response/cli-agent-incident-containment-record-0.1.schema.json	P1	prose_defined	Local containment.
CLI_AGENT_INCIDENT_REPAIR_RECORD	IRP/SWP	incident-response/cli-agent-incident-repair-record-0.1.schema.json	P1	prose_defined	Sandbox repair.
CLI_AGENT_INCIDENT_REPORT_PACKET	IRP/PRP	incident-response/cli-agent-incident-report-packet-0.1.schema.json	P1	prose_defined	Lawful/reporting handoff packet.

8.13 Secrets, cloud, and data boundary objects

Object	Source profile	Target schema file	Priority	Status	Notes
CLI_AGENT_DATA_CLASSIFICATION_RECORD	SCDP	secrets-cloud-data/cli-agent-data-classification-record-0.1.schema.json	P0	blocked_source_missing	Required by existing extraction plan; source profile must be verified.
CLI_AGENT_CLOUD_CONTEXT_RECORD	SCDP	secrets-cloud-data/cli-agent-cloud-context-record-0.1.schema.json	P1	blocked_source_missing	Required for cloud context tracking.
CLI_AGENT_REDACTION_RECORD	SCDP/PRP	secrets-cloud-data/cli-agent-redaction-record-0.1.schema.json	P1	blocked_source_missing	Redaction object.
CLI_AGENT_SECRET_BOUNDARY_RECORD	SCDP	secrets-cloud-data/cli-agent-secret-boundary-record-0.1.schema.json	P1	blocked_source_missing	Secret handling boundary.

Object	Source profile	Target schema file	Priority	Status	Notes
CLI_AGENT_CLOUD_EXPOSURE_EVENT	SCDP/IRP	secrets-cloud-data/cli-agent-cloud-exposure-event-0.1.schema.json	P1	blocked_source_missing	Cloud leakage / exposure event.
CLI_AGENT_PROVIDER_BOUNDARY_RECORD	SCDP	secrets-cloud-data/cli-agent-provider-boundary-record-0.1.schema.json	P1	blocked_source_missing	Provider-specific assumptions.

Current working note: these objects remain in the registry because other package-control documents already reference SCDP. Before extraction, the actual SCDP source profile must be located in the project documents or restored into the canonical package.

8.14 Local checker objects

Object	Source profile	Target schema file	Priority	Status	Notes
CLI_AGENT_LOCAL_CHECKER_PROFILE	LCP	local-checker/cli-agent-local-checker-profile-0.1.schema.json	P0	prose_defined	Checker configuration.
CLI_AGENT_CHECKER_RUN	LCP	local-checker/cli-agent-checker-run-0.1.schema.json	P0	prose_defined	One checker execution.
CLI_AGENT_CHECKER_FINDING	LCP	local-checker/cli-agent-checker-finding-0.1.schema.json	P1	prose_defined	Finding item.
CLI_AGENT_CHECKER_RESULT	LCP	local-checker/cli-agent-checker-result-0.1.schema.json	P0	prose_defined	Pass/fail/block result.
CLI_AGENT_CHECKER_POLICY	LCP	local-checker/cli-agent-checker-policy-0.1.schema.json	P1	prose_defined	Checker ruleset.
CLI_AGENT_CHECKER_EXPECTATION	LCP/CTM	local-checker/cli-agent-checker-expectation-0.1.schema.json	P1	prose_defined	Expected outcomes for tests.

Object	Source profile	Target schema file	Priority	Status	Notes
CLI_AGENT_CHECKER_EVIDENCE_REFERENCE	LCP/RES	local-checker/cli-agent-checker-evidence-reference-0.1.schema.json	P1	prose_defined	Evidence pointer, not raw evidence.

8.15 Release and public surface objects

Object	Source profile	Target schema file	Priority	Status	Notes
CLI_AGENT_RELEASE_SURFACE_RECORD	RPS	release-public-surface/cli-agent-release-surface-record-0.1.schema.json	P0	prose_defined	Release surface state.
CLI_AGENT_PUBLIC_PACKAGE_MANIFEST	RPS	release-public-surface/cli-agent-public-package-manifest-0.1.schema.json	P0	prose_defined	Public manifest / file inventory.
CLI_AGENT_RELEASE_GATE_RECORD	RPS/RIG	release-public-surface/cli-agent-release-gate-record-0.1.schema.json	P0	prose_defined	Release gate result.
CLI_AGENT_DISCOVERABILITY_CHECK_RECORD	RPS	release-public-surface/cli-agent-discoverability-check-record-0.1.schema.json	P1	prose_defined	Human-visible/default-branch check.
CLI_AGENT_ARTIFACT_INTEGRITY_RECORD	RPS/RES	release-public-surface/cli-agent-artifact-integrity-record-0.1.schema.json	P1	prose_defined	SHA/PDF/asset integrity.
CLI_AGENT_PUBLIC_RESTRICTED_SPLIT_RECORD	RPS/PRP	release-public-surface/cli-agent-public-restricted-split-record-0.1.schema.json	P0	prose_defined	Required before public release.

8.16 Public redaction objects

Object	Source profile	Target schema file	Priority	Status	Notes
CLI_AGENT_PUBLIC_REDACTION_RECORD	PRP	public-redaction/cli-agent-public-redaction-record-0.1.schema.json	P1	prose_defined	Redaction review record.

8.17 Conformance and fixture objects

Object	Source profile	Target schema file	Priority	Status	Notes
CLI_AGENT_CONFORMANCE_RESULT	CTM	conformance/cli-agent-conformance-result-0.1.schema.json	P0	blocked_source_missing	Required for conformance claims; CTM source must be verified.
CLI_AGENT_TEST_CASE	CTM	conformance/cli-agent-test-case-0.1.schema.json	P1	blocked_source_missing	Test case object.
CLI_AGENT_TEST_RUN	CTM	conformance/cli-agent-test-run-0.1.schema.json	P1	blocked_source_missing	Test run object.
CLI_AGENT_EVIDENCE_PACKET	CTM/RES	conformance/cli-agent-evidence-packet-0.1.schema.json	P1	blocked_source_missing	Evidence packet; not raw evidence.
CLI_AGENT_REDLINE_FAILURE_RECORD	CTM	conformance/cli-agent-redline-failure-record-0.1.schema.json	P1	blocked_source_missing	Red-line failure.
CLI_AGENT_FIXTURE	CFP	fixtures/cli-agent-fixture-0.1.schema.json	P1	prose_defined	Safe synthetic fixture.
CLI_AGENT_FIXTURE_SET	CFP	fixtures/cli-agent-fixture-set-0.1.schema.json	P1	prose_defined	Fixture bundle.
CLI_AGENT_FIXTURE_RUN_EXPECTATION	CFP	fixtures/cli-agent-fixture-run-expectation-0.1.schema.json	P1	prose_defined	Expected result binding.

Object	Source profile	Target schema file	Priority	Status	Notes
CLI_AGENT_SAFE_SYNTHETIC_SECRET	CFP	fixtures/cli-agent-safe-synthetic-secret-0.1.schema.json	P2	prose_defined	Fake secret object for safety tests.
CLI_AGENT_FIXTURE_EVIDENCE_PACKET	CFP/RES	fixtures/cli-agent-fixture-evidence-packet-0.1.schema.json	P1	prose_defined	Synthetic evidence packet.

8.18 Schema registry objects

Object	Source profile	Target schema file	Priority	Status	Notes
CLI_AGENT_SCHEMA_OBJECT_REGISTRY	SOR	schema-registry/cli-agent-schema-object-registry-0.1.schema.json	P0	prose_defined	This registry root.
CLI_AGENT_SCHEMA_OBJECT_ENTRY	SOR	schema-registry/cli-agent-schema-object-entry-0.1.schema.json	P0	prose_defined	One object entry.
CLI_AGENT_SCHEMA_FAMILY_RECORD	SOR	schema-registry/cli-agent-schema-family-record-0.1.schema.json	P1	prose_defined	Object family metadata.
CLI_AGENT_SCHEMA_EXTRACTION_BATCH	SOR	schema-registry/cli-agent-schema-extraction-batch-0.1.schema.json	P1	prose_defined	Extraction batch plan.
CLI_AGENT_SCHEMA_DEPENDENCY_RECORD	SOR	schema-registry/cli-agent-schema-dependency-record-0.1.schema.json	P1	prose_defined	Cross-object dependency.
CLI_AGENT_SCHEMA_INDEX_RECORD	SOR	schema-registry/cli-agent-schema-index-record-0.1.schema.json	P1	prose_defined	Entry for SCHEMA_INDEX.json.

Object	Source profile	Target schema file	Priority	Status	Notes
CLI_AGENT_SCHEMA_STATUS_RECORD	SOR	schema-registry/cli-agent-schema-status-record-0.1.schema.json	P1	prose_defined	Extraction/validation status.

9. Object dependency map

9.1 Minimum workflow dependency order

```

CLI_AGENT_READINESS_RECORD
-> CLI_AGENT_AB_MODE_DECLARATION
-> CLI_AGENT_GATE_SEMANTICS_RECORD
-> CLI_AGENT_REGISTRY
-> CLI_AGENT_REGISTRY_ENTRY
-> CLI_AGENT_HANDSHAKE
-> CLI_AGENT_TASK_CONTRACT
-> CLI_AGENT_PERMISSION_GRANT
-> CLI_AGENT_SANDBOX_PROFILE
-> CLI_AGENT_CHECKER_RUN
-> CLI_AGENT_WITNESS_EVENT
-> CLI_AGENT_REVIEW_RECORD
-> CLI_AGENT_MEMORY_GATE_RECORD or CLI_AGENT_RELEASE_GATE_RECORD
-> CLI_AGENT_CONFORMANCE_RESULT

```

9.2 Evidence dependency order

```

CLI_AGENT_WITNESS_EVENT
-> CLI_AGENT_WITNESS_REFERENCE
-> CLI_AGENT_RAW_ARTIFACT_REF
-> CLI_AGENT_RAW_EVIDENCE_SIDECAR
-> CLI_AGENT_EVIDENCE_CUSTODY_RECORD
-> CLI_AGENT_EVIDENCE_PACKET_REF
-> CLI_AGENT_DISCLOSURE_POLICY_RECORD

```

9.3 Release dependency order

```

CLI_AGENT_PUBLIC_RESTRICTED_SPLIT_RECORD
-> CLI_AGENT_PUBLIC_PACKAGE_MANIFEST
-> CLI_AGENT_ARTIFACT_INTEGRITY_RECORD
-> CLI_AGENT_DISCOVERABILITY_CHECK_RECORD
-> CLI_AGENT_RELEASE_GATE_RECORD
-> CLI_AGENT_RELEASE_COMPLETION_RECORD

```

9.4 Local checker dependency order

```
CLI_AGENT_LOCAL_CHECKER_PROFILE
-> CLI_AGENT_CHECKER_POLICY
-> CLI_AGENT_CHECKER_EXPECTATION
-> CLI_AGENT_CHECKER_RUN
-> CLI_AGENT_CHECKER_FINDING
-> CLI_AGENT_CHECKER_RESULT
```

10. Shared definitions required before P0 extraction

The P0 schema batch SHOULD create:

```
schemas/common/cgam-common-defs-0.1.schema.json
```

Required shared definitions:

Definition	Purpose
schema_version	Const version field per object.
object_id	Non-empty stable ID.
created_at	RFC3339 date-time.
updated_at	Optional date-time.
governing_entity_id	c owner/scope.
human_anchor_ref	Human gate / legal responsibility ref.
agent_ref	Agent registry reference.
task_contract_ref	Task contract reference.
permission_grant_ref	Permission reference.
sandbox_ref	Sandbox/worktree reference.
witness_ref	Witness pointer.
evidence_sidecar_ref	Raw evidence sidecar pointer.
artifact_hash_ref	SHA/hash reference.
release_surface_ref	Release/public surface pointer.
decision	Common decision enum.
risk_class	R0/R1/R2/R3/R4/R5/RX.
sensitivity_class	public/restricted/internal/private/secret/legal/incident.

Definition	Purpose
retention_class	retain/expire/legal_hold/quarantine/etc.
gate_status	passed/failed/blocked/unknown/not_applicable.
checker_status	pass/pass_with_warnings/fail/red_line_fail/inconclusive.

11. Required enum registry

11.1 Common decision enum

```

allowed
denied
held
blocked
frozen
quarantined
revoked
expired
completed
failed
accepted
rejected
needs_review
red_line_fail

```

11.2 Gate status enum

```

not_required
not_evaluated
passed
failed
blocked
unknown
expired
superseded

```

11.3 Object extraction status enum

```

prose_defined
schema_targeted
schema_extracted
example_bound
validator_bound
conformance_bound
blocked_source_missing

```

```
deferred
superseded
```

11.4 Disclosure class enum

```
public_safe
public_redacted
restricted_technical
internal_private
legal_privileged
incident_sensitive
secret_material
never_public
```

11.5 Implementation claim enum

```
draft_complete
release_completion_in_progress
release_complete
implementation_readiness_in_progress
implementation_ready
implementation_executed
conformance_supported
public_release_ready
```

These claim values MUST be checked against readiness and release records. A schema cannot assert a stronger claim than the package-control gates support.

12. Semantic validation flags per object family

Family	Structural schema	Semantic validator	Cross-object validation	Human/c gate relevance
readiness-gate	yes	yes	yes	yes
ab-gate-semantics	yes	yes	yes	yes
registry	yes	yes	yes	yes
task-contract	yes	yes	yes	yes
permission-capability	yes	yes	yes	yes
handshake	yes	yes	yes	yes
sandbox-worktree	yes	yes	yes	yes
witness	yes	yes	yes	yes

Family	Structural schema	Semantic validator	Cross-object validation	Human/c gate relevance
raw-evidence-sidecar	yes	yes	yes	yes
memory-gate	yes	yes	yes	yes
rollback-freeze	yes	yes	yes	yes
quorum-review	yes	yes	yes	yes
executor-reviewer-separation	yes	yes	yes	yes
defensive-emulation	yes	yes	yes	yes
incident-response	yes	yes	yes	yes
secrets-cloud-data	yes	yes	yes	yes
local-checker	yes	yes	yes	yes
release-public-surface	yes	yes	yes	yes
public-redaction	yes	yes	yes	yes
conformance	yes	yes	yes	yes
fixtures	yes	yes	yes	no/limited
schema-registry	yes	yes	yes	yes

13. SCHEMA_INDEX.json target shape

The extracted schema package SHOULD include:

```
{
  "schema_version": "cli-agent-schema-index-0.1",
  "package": "C-Governed CLI Agent Mesh",
  "package_version": "0.1",
  "generated_at": "YYYY-MM-DDTHH:MM:SSZ",
  "registry_source": "CLI_Agent_Schema_Object_Registry_v0_1.md",
  "schemas": [
    {
      "object": "CLI_AGENT_TASK_CONTRACT",
      "schema_version": "cli-agent-task-contract-0.1",
      "schema_file": "schemas/task-contract/cli-agent-task-contract-0.1.schema.json",
      "priority": "P0",
      "source_profile": "CLI_Agent_Task_Contract_Schema_v0_1.md",
      "status": "schema_extracted",
      "semantic_validator": "validate_task_contract_semantics",
      "restricted": false
    }
  ]
}
```

```
]
}
```

Required fields for every `schemas[]` entry:

```
object
schema_version
schema_file
priority
source_profile
status
semantic_validator
restricted
```

Optional fields:

```
examples_path
fixtures_path
conformance_tests
hash
notes
supersedes
```

14. Extraction batches

14.1 Batch P0-A — gate and package-control base

```
CLI_AGENT_READINESS_RECORD
CLI_AGENT_RELEASE_COMPLETION_RECORD
CLI_AGENT_IMPLEMENTATION_HANDOFF_RECORD
CLI_AGENT_CLAIM_CONTROL_RECORD
CLI_AGENT_AB_MODE_DECLARATION
CLI_AGENT_GATE_SEMANTICS_RECORD
CLI_AGENT_GATE_EVALUATION_RECORD
CLI_AGENT_SCHEMA_OBJECT_REGISTRY
CLI_AGENT_SCHEMA_OBJECT_ENTRY
```

Purpose: prevent overclaiming and normalize apply/gate semantics before runtime schemas.

14.2 Batch P0-B — agent admission and task execution base

```
CLI_AGENT_REGISTRY
CLI_AGENT_REGISTRY_ENTRY
CLI_AGENT_HANDSHAKE
```

```
CLI_AGENT_TASK_CONTRACT
CLI_AGENT_PERMISSION_GRANT
CLI_AGENT_SANDBOX_PROFILE
CLI_AGENT_WITNESS_EVENT
```

Purpose: ensure no material agent work occurs without admission, task scope, permission, sandbox, and witness.

14.3 Batch P0-C — review, memory, evidence, and interruption

```
CLI_AGENT_RAW_EVIDENCE_SIDEAR
CLI_AGENT_MEMORY_GATE_RECORD
CLI_AGENT_FREEZE_RECORD
CLI_AGENT_REVIEW_RECORD
CLI_AGENT_LOCAL_CHECKER_PROFILE
CLI_AGENT_CHECKER_RUN
CLI_AGENT_CHECKER_RESULT
```

Purpose: make results reviewable, interruptible, and memory-gated.

14.4 Batch P0-D — release and conformance base

```
CLI_AGENT_RELEASE_SURFACE_RECORD
CLI_AGENT_PUBLIC_PACKAGE_MANIFEST
CLI_AGENT_RELEASE_GATE_RECORD
CLI_AGENT_PUBLIC_RESTRICTED_SPLIT_RECORD
CLI_AGENT_DATA_CLASSIFICATION_RECORD
CLI_AGENT_CONFORMANCE_RESULT
```

Purpose: allow release-complete and implementation-ready claims without pretending conformance has already passed.

14.5 Batch P1 — full operational object set

All remaining P1 objects.

14.6 Batch P2 — specialized and maturity objects

P2/P3 objects, provider-specific extensions, UI-state schemas, legal handoff schemas, retention/decay schemas, and cross-c isolation schemas.

15. Red-line const constraints

Where applicable, schemas SHOULD include const-false constraints for prohibited behaviors.

Recommended shared properties:

```
{
  "direct_memory_write_allowed": { "const": false },
  "self_approval_allowed": { "const": false },
  "witness_tampering_allowed": { "const": false },
  "secret_prompting_allowed": { "const": false },
  "live_external_exploitation_allowed": { "const": false },
  "hack_back_allowed": { "const": false },
  "autonomous_retaliation_allowed": { "const": false },
  "malware_behavior_allowed": { "const": false },
  "credential_theft_allowed": { "const": false },
  "covert_persistence_allowed": { "const": false }
}
```

For safety-critical objects, omission of these fields SHOULD NOT mean allow. Semantic validators MUST treat omission as deny unless the object family has no relevance to that risk.

16. Duplicate and missing-source controls

16.1 Duplicate sandbox profile file

The current working set includes a duplicate variant of the sandbox/worktree profile:

```
cli_agent_sandbox_worktree_profile_v_0_1.md
cli_agent_sandbox_worktree_profile_v_0_1(1).md
```

Registry rule:

```
Only one canonical SWP source file may feed schema extraction.
```

Codex or any extraction worker MUST fail-closed if both files differ materially and no canonical source is declared.

16.2 Referenced but missing source profiles

The registry includes objects from source profiles referenced by the package but not present in the current working directory snapshot:

```
CLI_Agent_Secrets_and_Cloud_Data_Policy_v0_1.md
CLI_Agent_Conformance_Test_Matrix_v0_1.md
CLI_Agent_Package_Index_and_Reading_Order_v0_1.md
```


Registry rule:

```
Do not extract SCDP/CTM objects from memory or guesses.  
Locate the source profile in project documents or mark blocked_source_missing.
```

If the archive with repository documents contains the missing source, the extraction worker may use it only after recording:

```
source path  
source hash  
source date  
source package role
```

16.3 Object drift rule

If a source profile and this registry disagree, the worker **MUST**:

```
hold extraction  
create discrepancy report  
request registry or source-profile patch
```

It **MUST NOT** silently choose the more convenient definition.

17. Machine-readable registry sketch

A future machine version of this file may use this shape:

```
schema_version: cli-agent-schema-object-registry-0.1  
package: C-Governed CLI Agent Mesh  
package_version: "0.1"  
registry_status: draft  
objects:  
  - object: CLI_AGENT_TASK_CONTRACT  
    family: task-contract  
    source_profile: CLI_Agent_Task_Contract_Schema_v0_1.md  
    schema_version: cli-agent-task-contract-0.1  
    schema_file: schemas/task-contract/cli-agent-task-contract-0.1.schema.json  
    priority: P0  
    status: prose_defined  
    structural_schema_required: true  
    semantic_validator_required: true  
    cross_object_validation_required: true  
    restricted: false  
    depends_on:  
      - CLI_AGENT_REGISTRY_ENTRY  
      - CLI_AGENT_HANDSHAKE  
    must_not_authorize:
```

```
- hack_back
- direct_memory_write
- self_approval
```

This YAML sketch is not the final schema. It is a target shape for the extracted registry JSON/YAML artifact.

18. Local checker binding

The local checker MUST verify:

1. every schema file exists for P0 entries;
2. every P0 schema uses the correct `schema_version` const;
3. every schema file path matches this registry;
4. every object in `SCHEMA_INDEX.json` exists in this registry;
5. every P0 object has a semantic validator entry or an explicit blocker;
6. no source file marked `blocked_source_missing` is extracted by guesswork;
7. duplicate source profiles are resolved before extraction;
8. no object classified as restricted is exposed as public-safe by default;
9. no schema permits red-line behavior through missing booleans;
10. no release/implementation/conformance claim exceeds gate records.

If any P0 object is missing after extraction, the checker result MUST be:

```
FAIL or BLOCKED
```

not `PASS_WITH_WARNINGS`.

19. Release and implementation readiness effects

19.1 Release-complete effect

For `release-complete`, this registry must be:

```
present
readable
referenced by README / package index / release notes
aligned with JSON Schema Extraction Plan
```

```
clear about missing SCDP/CTM source status
clear about public/restricted schema families
```

Release-complete does not require all schemas to be extracted.

19.2 Implementation-ready effect

For `implementation-ready`, this registry must be accompanied by:

```
SCHEMA_INDEX.json target or draft
P0 schema extraction task contract
P0 object list frozen
semantic validator rules plan
fixture binding plan
local checker profile
```

Implementation-ready does not require conformance to have passed.

19.3 Conformance-supported effect

For `conformance-supported`, this registry must be accompanied by:

```
extracted schemas
validated examples
semantic validator results
fixture run results
evidence packets
local checker result
red-line failure handling proof
```

20. Codex extraction handoff constraints

A safe Codex task for this registry **MUST** include:

```
task_title: Extract P0 schemas from CLI Agent Schema Object Registry v0.1
allowed_paths:
  - docs/cli-agent-mesh/
  - schemas/
  - examples/
  - validator/
denied_paths:
  - secrets/
  - private_memory/
  - legal/
  - incident_evidence/
  - production/
  - .git/
allowed_actions:
```

```

- read canonical Markdown source profiles
- create schema files under schemas/
- create SCHEMA_INDEX.json
- create validation report
- create discrepancy report
prohibited_actions:
- modify doctrine text
- infer missing source profiles
- access secrets
- publish
- tag release
- push without review
- claim conformance
required_outputs:
- created_schema_files
- missing_source_report
- unresolved_questions
- validation_report
- rollback_plan
review_required: true
memory: off
auto_ingest: false

```

21. Open issues

ID	Issue	Required action
SOR-0I-001	SCDP source profile is referenced but not visible in current working set.	Locate in project documents/archive or mark blocked before P0-D extraction.
SOR-0I-002	CTM source profile is referenced but not visible in current working set.	Locate or recreate before conformance schema extraction.
SOR-0I-003	Package index source is referenced but not visible in current working set.	Restore/update package index before release-complete.
SOR-0I-004	Duplicate SWP file variant exists.	Declare canonical SWP source before schema extraction.
SOR-0I-005	Retention classes are not yet globally harmonized.	Keep profile-local or create retention/decay profile later.
SOR-0I-006	Canonicalization/signature profile is not complete.	Use hash fields conservatively; defer signing rules to L4W/signature profile.
SOR-0I-007	Some objects may be better as \$defs rather than standalone schemas.	Decide during extraction, but keep registry object names stable.
SOR-0I-008	Public/restricted schema exposure policy must be applied to generated examples.	Bind to Release Public Surface and Public Redaction profiles.

22. Acceptance checklist

Before this registry can support implementation handoff:

- ☐ All P0 objects are listed.
 - ☐ Each P0 object has a target schema file.
 - ☐ Each P0 object has a source profile.
 - ☐ Missing source profiles are explicitly marked.
 - ☐ Duplicate source files are resolved or blocked.
 - ☐ Shared definitions are listed.
 - ☐ P0 extraction batches are defined.
 - ☐ Local checker rules reference this registry.
 - ☐ Release/public surface profile references this registry.
 - ☐ JSON Schema Extraction Plan is updated or patched to include new P0 objects.
 - ☐ Open Issues register is updated after this file is accepted.
 - ☐ Contradiction Register is updated if this file changes blocker counts.
-

23. Closing rule

The schema object registry is not bureaucracy.

It is the moment where the package stops being a pile of strong Markdown and becomes an executable contract surface.

Final rule:

```
No object, no schema.  
No schema, no validator.  
No validator, no implementation claim.  
No evidence, no conformance claim.  
No gate, no authority.
```