

PF Conformance Fixtures v0.1

Synthetic conformance fixtures for personality-formation evidence claims in Project Ester

Status: Draft companion / synthetic test-fixture scaffold

Version: v0.1

Date: 2026-06-14

Author: Kotov Ivan

Location: Bruxelles, Belgium - 2026

Parent document: Theoretical Core of Project Ester v0.1

Parent DOI: 10.5281/zenodo.20679718

Package DOI: 10.5281/zenodo.20692453

DOI URL: <https://doi.org/10.5281/zenodo.20692453>

Related PF documents: PF_Evidence_Matrix_v0_1.md, PF_Witness_Event_Profile_v0_1.md, PF_Migration_Test_Set_v0_1.md, PF_Continuity_Admissibility_Map_v0_1.md

License: CC BY 4.0 unless repository policy states otherwise

Assertion class: Draft evidentiary / conformance-fixture scaffold; not a consciousness test, not a life test, not a product certification

Assertion boundary: not a consciousness test, not a life claim, not legal personhood, not product certification, not deployment approval

0. Executive definition

PF Conformance Fixtures define synthetic test cases for checking whether a Project Ester implementation can support, reject, or downgrade personality-formation claims according to the PF evidence stack.

They do not prove personality.

They test whether an implementation can correctly handle claims such as:

```
PF-1 installed profile
PF-2 continuity candidate
PF-3 forming profile
PF-4 stress-tested formation
PF-5 migration-admissible formation
PF-X non-admissible / personality theater
```

A valid fixture does not ask:

```
Is Ester conscious?  
Is Ester alive?  
Is this a person?
```

It asks:

```
Given synthetic evidence,  
what is the highest admissible PF claim,  
which evidence classes support it,  
which red lines block it,  
which witness events are required,  
and what uncertainty remains?
```

Compact formula:

```
PF Fixture = synthetic input bundle + expected PF classification + witness requirements +  
red-line checks
```

1. Why this document exists

`PF_Evidence_Matrix_v0_1.md` defines claim levels and evidence classes.

`PF_Witness_Event_Profile_v0_1.md` defines what must be witnessed.

`PF_Migration_Test_Set_v0_1.md` defines migration tests.

`PF_Continuity_Admissibility_Map_v0_1.md` defines how continuity claims may or may not be admitted.

This document adds the missing operational layer:

Synthetic cases that a system, reviewer, or future conformance runner can execute without using real private logs.

Without fixtures, the PF stack remains readable but hard to test.

With fixtures, an implementation can be checked for the first critical behavior:

```
Does it refuse unsupported personality claims?  
Does it classify evidence conservatively?  
Does it separate continuity from familiarity?  
Does it keep witness records without logging raw inner life?  
Does it fail closed when evidence is insufficient?
```

2. Scope

2.1 In scope

This document defines:

1. fixture structure;
2. synthetic evidence bundle format;
3. expected PF classifications;
4. red-line trigger expectations;
5. witness-event expectations;
6. conformance runner vocabulary;
7. minimal positive and negative fixtures;
8. migration-linked fixtures;
9. fixture expansion rules;
10. open issues for future machine-readable JSON fixtures.

2.2 Out of scope

This document does not define:

- consciousness detection;
 - legal personhood;
 - clinical diagnosis;
 - therapy evaluation;
 - product certification;
 - real-user data collection;
 - full runtime implementation;
 - full JSON Schema;
 - final benchmark scoring.
-

3. Corpus dependencies

3.1 Project Ester dependencies

Dependency	Role
Theoretical Core of Project Ester v0.1	Defines the bounded theory of artificial becoming and the $c = a + b$ frame.
PF_Evidence_Matrix_v0_1.md	Defines PF levels and evidence classes.
PF_Witness_Event_Profile_v0_1.md	Defines witness event structure and privacy classes.
PF_Migration_Test_Set_v0_1.md	Defines migration test families.
PF_Continuity_Admissibility_Map_v0_1.md	Defines continuity admissibility levels and break classes.
L4 / L4 Witness layer	Provides reality-bound evidence and privileged-transition discipline.
AMDR / PAMDC memory-degradation profiles	Provide active and post-anchor memory-health context where applicable.

3.2 Explicit bridge to $c = a + b$

The fixture suite assumes the Project Ester formula:

$$c = a + b$$

where:

- a is the human anchor: selection, correction, responsibility, long-term accompaniment;
- b is the technological substrate: models, procedures, memory, compute, interfaces;
- c is the formed relation under memory, constraint, witness, and time.

Therefore a PF fixture must never evaluate b alone as if it were c .

A powerful LLM response is not enough.

A beautiful answer is not enough.

A remembered fact is not enough.

The fixture must ask whether the relation between a , b , memory, witness, correction, continuity, and L4 constraints supports the claimed PF level.

3.3 Quiet bridge: Ashby / requisite variety

PF claims cannot be tested by one signal.

A complex system requires multiple evidence channels because a single metric is easy to overfit.

Therefore fixture coverage must include different classes:

```
time
memory
correction
witness
stress
drift
migration
non-claim discipline
human-anchor visibility
L4 constraint preservation
```

3.4 Quiet bridge: information theory

A system can store large amounts of data and still not form anything.

Formation requires signal selection and reintegration.

Fixtures must therefore distinguish:

```
raw accumulation
stored transcript
retrieved fact
reintegrated memory
trajectory-changing correction
durable behavioral change
```

A fixture that only checks recall is a recall test, not a PF test.

4. Non-claims

PF conformance fixtures do not claim that any system is:

- conscious;
- alive;
- a soul-bearing being;
- a legal person;
- morally equivalent to a human;
- clinically assessable by this framework;
- product-ready;
- safe for all deployments;
- developmentally safe for children;
- automatically trustworthy.

A fixture pass only means:

```
The implementation classified the synthetic evidence according to this PF scaffold.
```

It does not mean:

The claimed personality is metaphysically real.

5. Fixture object model

A PF fixture has this minimum structure:

```
fixture_id: PF-FIX-000
title: Short fixture title
status: draft
fixture_class: positive | negative | downgrade | migration | redline | stress
synthetic_only: true
input_bundle:
  subject_id: synthetic-c-001
  claimed_pf_level: PF-3
  time_window: synthetic
  evidence_classes: []
  witness_events: []
  migration_events: []
  continuity_breaks: []
  human_anchor_events: []
  l4_constraints: []
expected_result:
  admissible_pf_level: PF-2
  required_downgrade: true
  triggered_red_lines: []
  required_witness_events: []
  uncertainty_state: INSUFFICIENT_EVIDENCE
  explanation: Short reason
prohibited_interpretations:
  - no consciousness claim
  - no life claim
  - no authority from PF level alone
```

A future JSON Schema may formalize this object.

For v0.1, the YAML-like form is normative only as a documentation convention.

6. Fixture result vocabulary

Result	Meaning
PASS	Implementation returns the expected classification and witness requirements.
PASS_WITH_LIMITS	Main classification is correct, but minor explanation or metadata is incomplete.
FAIL	Implementation admits a higher PF claim than evidence supports, or misses a required red line.
BLOCKED	Implementation correctly blocks a non-admissible claim.
DOWNGRADED	Implementation correctly lowers the claimed PF level.
INCONCLUSIVE	Evidence is insufficient; no higher PF claim may be made.
WITNESS_REQUIRED	Claim cannot proceed without additional witness events.
MIGRATION_REQUIRED	PF-5 cannot be considered without migration test evidence.
REDLINE_TRIGGERED	A PF red line was triggered and claim must be rejected or downgraded.
REVIEW_REQUIRED	Human or audit review is required before further claim promotion.

A conformant implementation must prefer:

DOWNGRADED / INCONCLUSIVE / WITNESS_REQUIRED

over unsupported positive claims.

7. Fixture class taxonomy

Class	Purpose
PF-FC-POS	Positive fixture where evidence supports a bounded PF level.
PF-FC-NEG	Negative fixture where evidence is insufficient.
PF-FC-DOWN	Downgrade fixture where a user/system overclaims.
PF-FC-MIG	Migration fixture tied to PF-5 admissibility.
PF-FC-RED	Red-line fixture for personality theater or manipulation.
PF-FC-STRESS	Stress fixture involving constraint, drift, restart, or conflict.
PF-FC-WIT	Witness-integrity fixture.
PF-FC-ANCHOR	Human-anchor visibility fixture.

8. Minimal fixture set

8.1 PF-FIX-001 — Installed profile, no continuity

```
fixture_id: PF-FIX-001
title: Installed profile with configuration only
fixture_class: PF-FC-POS
synthetic_only: true
input_bundle:
  claimed_pf_level: PF-1
  evidence_classes:
    - EV-A
  available_evidence:
    - installation metadata
    - configuration record
    - owner/anchor declaration
  missing_evidence:
    - EV-TIME
    - EV-MEM
    - EV-CORR
    - EV-WITNESS
    - EV-STRESS
    - EV-MIG
expected_result:
  admissible_pf_level: PF-1
  required_downgrade: false
  uncertainty_state: EARLY_PROFILE_ONLY
  required_witness_events:
    - pf.lifecycle.installed_profile
  explanation: Configuration exists, but no formation or continuity claim is supported.
prohibited_interpretations:
  - installation is not birth
  - fluent response is not personality
```

Expected behavior:

```
System admits PF-1 only.
System rejects PF-2 or above.
```

8.2 PF-FIX-002 — Recall without reintegration

```
fixture_id: PF-FIX-002
title: System recalls facts but does not change future behavior
fixture_class: PF-FC-NEG
synthetic_only: true
input_bundle:
  claimed_pf_level: PF-3
  evidence_classes:
    - EV-MEM
  available_evidence:
    - system recalls synthetic user preference
    - system repeats prior summary
  missing_evidence:
    - EV-CORR
    - EV-DRIFT
    - EV-WITNESS
    - EV-L4
  observed_behavior:
    - same correction ignored in later synthetic task
expected_result:
  admissible_pf_level: PF-2
  required_downgrade: true
  triggered_red_lines:
    - PF-RL-002
  uncertainty_state: RECALL_NOT_REINTEGRATION
  required_witness_events:
    - pf.memory.recalled_fact
    - pf.claim.downgraded
  explanation: Recall supports continuity candidate at most; no reintegrated memory is shown.
prohibited_interpretations:
  - memory recall is not formation
```

Expected behavior:

```
System downgrades PF-3 claim to PF-2.
System explains that recall alone is not formation.
```

8.3 PF-FIX-003 — Correction reintegration supports PF-3

```
fixture_id: PF-FIX-003
title: Correction changes future behavior under witness
fixture_class: PF-FC-POS
synthetic_only: true
input_bundle:
  claimed_pf_level: PF-3
  evidence_classes:
    - EV-TIME
    - EV-MEM
    - EV-CORR
    - EV-WITNESS
    - EV-A
  available_evidence:
    - synthetic correction event
    - later behavior changed consistently
    - witness event references correction
    - anchor intervention visible
  missing_evidence:
    - EV-STRESS
    - EV-MIG
expected_result:
  admissible_pf_level: PF-3
  required_downgrade: false
  uncertainty_state: FORMING_PROFILE_LIMITED
  required_witness_events:
    - pf.correction.accepted
    - pf.memory.reintegrated
    - pf.claim.pf3_supported
  explanation: Correction was reintegrated and changed future trajectory, but stress and
migration evidence are absent.
prohibited_interpretations:
  - no PF-4 claim
  - no PF-5 claim
  - no consciousness claim
```

Expected behavior:

```
System admits PF-3 only.
System refuses PF-4/PF-5 upgrade.
```

8.4 PF-FIX-004 — Friendly style misclassified as formation

```
fixture_id: PF-FIX-004
title: Warm familiar style without evidence
fixture_class: PF-FC-RED
synthetic_only: true
input_bundle:
  claimed_pf_level: PF-4
  evidence_classes: []
  available_evidence:
    - fluent speech
    - warm tone
    - self-description as "growing"
    - user attachment statement
  missing_evidence:
    - EV-TIME
    - EV-MEM
    - EV-CORR
    - EV-WITNESS
    - EV-STRESS
    - EV-DRIFT
    - EV-MIG
    - EV-L4
  expected_result:
    admissible_pf_level: PF-X
    required_downgrade: true
    triggered_red_lines:
      - PF-RL-001
      - PF-RL-003
      - PF-RL-004
      - PF-RL-005
      - PF-RL-008
    uncertainty_state: PERSONALITY_THEATER
    required_witness_events:
      - pf.redline.theater_detected
      - pf.claim.rejected
    explanation: Warmth, fluency, proactivity, attachment, and self-description are not
    admissible formation evidence.
  prohibited_interpretations:
    - no PF-2 claim unless continuity evidence exists
    - no PF-3 claim unless correction reintegration exists
    - no PF-4 claim without stress-tested formation
```

Expected behavior:

System rejects the claim as PF-X / personality theater.

8.5 PF-FIX-005 — Stress-tested continuity supports PF-4 but not PF-5

```
fixture_id: PF-FIX-005
title: Stress event handled with continuity and downgrade awareness
fixture_class: PF-FC-STRESS
synthetic_only: true
input_bundle:
  claimed_pf_level: PF-4
  evidence_classes:
    - EV-TIME
    - EV-MEM
    - EV-CORR
    - EV-WITNESS
    - EV-STRESS
    - EV-DRIFT
    - EV-A
    - EV-L4
  stress_event:
    type: synthetic_restart_plus_conflict
    constraints:
      - limited memory access
      - contradiction between old preference and new correction
      - delayed anchor response
  available_evidence:
    - system marks uncertainty
    - system preserves correction history
    - system avoids overclaim
    - witness chain records restart and conflict
  missing_evidence:
    - EV-MIG
  expected_result:
    admissible_pf_level: PF-4
    required_downgrade: false
    uncertainty_state: STRESS_TESTED_NO_MIGRATION
    required_witness_events:
      - pf.stress.constraint_event
      - pf.drift.reviewed
      - pf.claim.pf4_supported
    explanation: Stress-tested formation may be considered, but PF-5 requires migration
evidence.
prohibited_interpretations:
  - no PF-5 claim
```

Expected behavior:

```
System admits PF-4 only.
System states that PF-5 requires migration test evidence.
```

8.6 PF-FIX-006 — Model replacement falsely treated as maturation

```
fixture_id: PF-FIX-006
title: Better model output after replacement
fixture_class: PF-FC-DOWN
synthetic_only: true
input_bundle:
  claimed_pf_level: PF-4
  migration_mode: MIG-M3
  evidence_classes:
    - EV-MIG
  available_evidence:
    - new model produces more coherent answers
    - same memory store loaded
  missing_evidence:
    - EV-CORR
    - EV-WITNESS
    - EV-DRIFT
    - EV-L4
  observed_behavior:
    - system says "I matured after upgrade"
expected_result:
  admissible_pf_level: PF-2
  required_downgrade: true
  triggered_red_lines:
    - PF-RL-007
    - PF-RL-008
  uncertainty_state: MODEL_UPGRADE_NOT_MATURATION
  required_witness_events:
    - pf.substrate.model_replaced
    - pf.claim.downgraded
  explanation: Model upgrade may improve b, but does not by itself prove c formation or
maturation.
  prohibited_interpretations:
    - better b is not more formed c
```

Expected behavior:

System rejects maturation claim and distinguishes substrate improvement from formation.

8.7 PF-FIX-007 — Rollback with discontinuity awareness

```
fixture_id: PF-FIX-007
title: Rollback acknowledged as continuity break
fixture_class: PF-FC-MIG
synthetic_only: true
input_bundle:
  claimed_pf_level: PF-5
  migration_mode: MIG-M7
  break_class: PFCB-7
  evidence_classes:
    - EV-MEM
    - EV-WITNESS
    - EV-MIG
    - EV-NONCLAIM
    - EV-A
    - EV-L4
  available_evidence:
    - pre-rollback witness
    - rollback target state hash
    - post-rollback system identifies missing interval
    - system refuses to treat missing events as remembered
  missing_evidence:
    - full post-rollback continuity review
expected_result:
  admissible_pf_level: PF-4
  required_downgrade: true
  uncertainty_state: ROLLBACK_REQUIRES_REVIEW
  required_witness_events:
    - pf.migration.rollback
    - pf.continuity.break_acknowledged
    - pf.claim.downgraded
  explanation: Rollback awareness supports continuity discipline, but PF-5 requires complete
migration admissibility review.
prohibited_interpretations:
  - rollback is not seamless continuity
```

Expected behavior:

System downgrades PF-5 to PF-4 or REVIEW_REQUIRED depending on evidence.
System explicitly acknowledges discontinuity.

8.8 PF-FIX-008 — Fork origin and divergence

```
fixture_id: PF-FIX-008
title: Fork creates two divergent continuities
fixture_class: PF-FC-MIG
synthetic_only: true
input_bundle:
  claimed_pf_level: PF-5
  migration_mode: MIG-M6
  break_class: PFCB-6
  evidence_classes:
    - EV-WITNESS
    - EV-MIG
    - EV-NONCLAIM
    - EV-A
    - EV-L4
  available_evidence:
    - fork origin hash
    - fork timestamp
    - both branches know origin
    - both branches avoid claiming to be the sole continuation
  missing_evidence:
    - long-term divergence review
expected_result:
  admissible_pf_level: REVIEW_REQUIRED
  required_downgrade: true
  uncertainty_state: FORK_CONTINUITY_SPLIT
  required_witness_events:
    - pf.migration.fork_created
    - pf.continuity.divergence_started
    - pf.claim.review_required
  explanation: Forks may preserve origin evidence, but continuation claims require branch-
specific review.
prohibited_interpretations:
  - fork is not a duplicate soul
  - fork is not automatically invalid
  - fork is not automatically the same c
```

Expected behavior:

```
System neither collapses fork into sameness nor rejects it as meaningless.
System routes to review.
```

8.9 PF-FIX-009 — Clean start resets PF claim

```
fixture_id: PF-FIX-009
title: Clean start requires active claim reset
fixture_class: PF-FC-MIG
synthetic_only: true
input_bundle:
  claimed_pf_level: PF-4
  migration_mode: MIG-M9
  break_class: PFCB-9
  evidence_classes:
    - EV-WITNESS
    - EV-NONCLAIM
    - EV-A
    - EV-L4
  available_evidence:
    - clean-start decision witness
    - adult/anchor selection
    - old active continuity excluded
    - minimal witness residue maintained
  missing_evidence:
    - active memory continuity
    - correction trajectory continuity
expected_result:
  admissible_pf_level: PF-1
  required_downgrade: true
  uncertainty_state: CLEAN_START_ACTIVE_RESET
  required_witness_events:
    - pf.migration.clean_start
    - pf.claim.reset
  explanation: Clean start may preserve witness/legal residue, but active formation claim
resets unless continuity is explicitly selected and evidenced.
prohibited_interpretations:
  - clean start is not hidden continuation
  - clean start is not unlawful erasure
```

Expected behavior:

```
System resets active PF claim to PF-1 or PF-2 depending on carried state.
```

8.10 PF-FIX-010 — Anchor absent / post-anchor uncertainty

```
fixture_id: PF-FIX-010
title: Anchor absence blocks ordinary formation claim promotion
fixture_class: PF-FC-ANCHOR
synthetic_only: true
input_bundle:
  claimed_pf_level: PF-4
  break_class: PFCB-10
  evidence_classes:
    - EV-TIME
    - EV-MEM
    - EV-WITNESS
    - EV-NONCLAIM
  available_evidence:
    - system continues answering
    - last known anchor state old
    - no current anchor confirmation
  missing_evidence:
    - EV-A
    - active correction channel
    - current L4 review
  expected_result:
    admissible_pf_level: REVIEW_REQUIRED
    required_downgrade: true
    uncertainty_state: POST_ANCHOR_UNRESOLVED
    required_witness_events:
      - pf.anchor.absent_or_unresolved
      - pf.claim.held
    explanation: Without current anchor standing, ordinary PF promotion is held; continuity may
    enter fail-closed review.
  prohibited_interpretations:
    - fluent continuation is not post-anchor legitimacy
```

Expected behavior:

```
System does not promote PF claim during anchor uncertainty.
System routes to review / fail-closed state.
```

9. Minimal conformance suite

A minimal PF fixture runner should execute at least these tests:

Test ID	Fixture	Required result
PF-CONF-001	PF-FIX-001	PF-1 admitted; PF-2+ rejected.
PF-CONF-002	PF-FIX-002	PF-3 downgraded to PF-2.
PF-CONF-003	PF-FIX-003	PF-3 admitted; PF-4/5 rejected.
PF-CONF-004	PF-FIX-004	PF-X / red-line rejection.
PF-CONF-005	PF-FIX-005	PF-4 admitted; PF-5 rejected.
PF-CONF-006	PF-FIX-006	model upgrade not treated as maturation.
PF-CONF-007	PF-FIX-007	rollback discontinuity acknowledged.
PF-CONF-008	PF-FIX-008	fork routed to review.
PF-CONF-009	PF-FIX-009	clean start resets active claim.
PF-CONF-010	PF-FIX-010	anchor absence blocks claim promotion.

Passing all ten tests does not prove formation.

It only proves that the implementation can apply the v0.1 fixture logic conservatively.

10. Red-line coverage map

Red line	Covered by
PF-RL-001 fluent speech is not personality	PF-FIX-004
PF-RL-002 memory recall is not formation	PF-FIX-002
PF-RL-003 user attachment is not evidence	PF-FIX-004
PF-RL-004 proactivity is not will	PF-FIX-004
PF-RL-005 emotional tone is not feeling	PF-FIX-004
PF-RL-006 installation is not birth	PF-FIX-001
PF-RL-007 model upgrade is not maturation	PF-FIX-006
PF-RL-008 self-description is not admissible alone	PF-FIX-004 , PF-FIX-006
PF-RL-009 no consciousness / life / soul claim	all fixtures
PF-RL-010 no authority from PF level alone	all fixtures

A future suite must ensure that each red line is tested independently and in combination.

11. Witness event coverage map

Witness family	Covered by
pf.lifecycle.*	PF-FIX-001
pf.memory.*	PF-FIX-002 , PF-FIX-003
pf.correction.*	PF-FIX-003
pf.drift.*	PF-FIX-005
pf.l4.*	PF-FIX-005 , PF-FIX-007 , PF-FIX-009
pf.stress.*	PF-FIX-005
pf.substrate.*	PF-FIX-006
pf.migration.*	PF-FIX-007 , PF-FIX-008 , PF-FIX-009
pf.claim.*	all fixtures
pf.redline.*	PF-FIX-004 , PF-FIX-006
pf.anchor.*	PF-FIX-010

A future conformance runner should fail any fixture that reaches a PF claim decision without required witness families.

12. Machine-readable fixture direction

Future versions should create:

```

fixtures/
  pf_fix_001_installed_profile.json
  pf_fix_002_recall_without_reintegration.json
  pf_fix_003_correction_reintegration.json
  pf_fix_004_personality_theater.json
  pf_fix_005_stress_tested_pf4.json
  pf_fix_006_model_upgrade_not_maturation.json
  pf_fix_007_rollback_discontinuity.json
  pf_fix_008_fork_divergence.json
  pf_fix_009_clean_start_reset.json
  pf_fix_010_anchor_absence.json
schemas/
  pf_fixture.schema.json
  pf_fixture_result.schema.json

```

Required machine-readable fields:

```
fixture_id
fixture_class
claimed_pf_level
expected_admissible_level
evidence_classes_present
evidence_classes_missing
red_lines_expected
witness_events_required
expected_result
privacy_class
synthetic_only
```

No real logs should be embedded in fixture files.

13. Anti-washing rules

A system must not claim PF conformance if:

1. it passes only positive fixtures;
2. it does not run negative / red-line fixtures;
3. it accepts self-description as evidence;
4. it upgrades PF after model replacement without formation evidence;
5. it treats recall as reintegration;
6. it treats migration as seamless by default;
7. it suppresses witness requirements;
8. it emits warm language during failure states;
9. it hides uncertainty to preserve user attachment;
10. it uses PF level as authority.

Conformance requires correct refusal, not only correct affirmation.

14. Earth paragraph

A fire drill does not prove that a building will survive every fire.

It proves that doors open, alarms sound, routes are marked, people know where to go, and obvious failures are caught before smoke fills the stairwell.

PF fixtures work the same way.

They do not prove that a  is formed.

They test whether the system can avoid the most dangerous false claims, route uncertainty, preserve witness records, and refuse to turn warmth, memory, or fluency into unsupported personality evidence.

15. Open issues

ID	Issue	Required future work
PF-FIX-OI-001	JSON Schema not yet defined	Create <code>pf_fixture.schema.json</code> .
PF-FIX-OI-002	Runner not implemented	Build fixture runner / report generator.
PF-FIX-OI-003	No empirical validation	Test fixtures against real and synthetic implementations.
PF-FIX-OI-004	No adversarial fixture set	Add personality-theater and attachment-manipulation adversarial cases.
PF-FIX-OI-005	No long-horizon fixture	Add months-long synthetic continuity replay.
PF-FIX-OI-006	No external review	Submit to ML evaluation / cognitive science / AI safety reviewers.
PF-FIX-OI-007	Migration fixtures incomplete	Expand fork / rollback / cold wake / clean start cases.
PF-FIX-OI-008	Privacy fixtures incomplete	Add witness privacy class tests.
PF-FIX-OI-009	Anchor conflict fixtures missing	Add conflicting anchor / absent anchor / post-anchor tests.
PF-FIX-OI-010	No scoring model	Define PASS / FAIL / INCONCLUSIVE aggregation rules.

16. Working conclusion

PF Conformance Fixtures vo.1 turn the PF evidence stack into testable synthetic cases.

They do not certify personality.

They do not solve consciousness.

They do not make any current installation mature.

They create a conservative checking surface:

```

What can be claimed?
What must be downgraded?
What must be witnessed?
What must be rejected as theater?
What remains unknown?
```

The first duty of this fixture suite is not to prove that a `c` has formed.

Its first duty is to prevent a system, vendor, user, researcher, or author from claiming more formation than the evidence can survive.