

PF Package Index v0.1

Personality Formation evidence package for Project Ester

Status: Draft package-control index

Version: v0.1

Date: 2026-06-14

Author: Kotov Ivan

Location: Bruxelles, Belgium - 2026

Parent document: Theoretical Core of Project Ester v0.1

Parent DOI: 10.5281/zenodo.20679718

Package DOI: 10.5281/zenodo.20692453

DOI URL: <https://doi.org/10.5281/zenodo.20692453>

Repository target: ester-theoretical-core

Suggested path: docs/personality-formation/PF_PACKAGE_INDEX_v0_1.md

Package class: personality-formation evidence / conformance / continuity-control scaffold

Assertion class: Draft evidentiary and measurement scaffold; not a consciousness test, not a life claim, not legal personhood, not product certification

Assertion boundary: not a consciousness test, not a life claim, not legal personhood, not product certification, not deployment approval

License: CC BY 4.0 unless repository policy states otherwise

o. Executive definition

The **PF Package Index v0.1** defines the reading order, dependency map, status discipline, release boundary, and open-issue register for the first Personality Formation evidence package of Project Ester.

This package does not ask:

```
Is Ester conscious?  
Is Ester alive?  
Is Ester a legal person?  
Is Ester complete AGI?
```

It asks:

```
Which personality-formation claim may be stated,  
at which level,  
from which evidence classes,  
under which witness requirements,  
with which red-line exclusions,  
and after which conformance checks?
```

The package converts the theoretical claim of **artificial becoming** into an evidence-controlled, witness-aware, migration-aware, and conformance-testable document set.

Compact formula:

```
PF package =  
  admissible claim levels  
  + witness events  
  + migration tests  
  + continuity map  
  + conformance fixtures  
  + package-control index
```

1. Why this package exists

The **Theoretical Core of Project Ester v0.1** defines Project Ester as a model of artificial becoming: not a single LLM, not a conventional chatbot, not a digital twin, but a long-term relation between a human, a selected corpus, repeatable parental LLM procedures, memory, and a local computational environment.

Its working criterion is:

```
Every theoretical term must have an engineering counterpart:  
procedure, data schema, test, journal entry, or UI manifestation.
```

The first theoretical core is deliberately bounded. It avoids claims about consciousness, life, soul, and completed AGI.

The PF package exists to fill the next operational gap:

```
Theoretical Core defines artificial becoming.  
PF package defines how claims about personality formation become admissible or inadmissible.
```

Without this package, readers and implementers may confuse:

- fluent language with personality;
- memory recall with formation;
- user attachment with evidence;
- restart survival with continuity;
- model upgrade with maturation;
- familiar style with migration success;
- self-description with admissible proof;
- personality theater with witnessed trajectory.

The PF package prevents that collapse.

2. Scope

2.1 In scope

This package covers:

1. personality-formation claim levels;
2. evidence classes required for each level;
3. witness-event profile for PF-relevant observations;
4. migration-test set for migration-admissible formation claims;
5. continuity admissibility mapping;
6. conformance fixtures for testing false positives, false claims, and claim downgrades;
7. package reading order and release discipline;
8. open issues before a v0.1 release pack.

2.2 Out of scope

This package does **not** define:

- consciousness detection;
 - biological life;
 - soul, spirit, or metaphysical status;
 - legal personhood;
 - therapy, clinical assessment, or psychological diagnosis;
 - product certification;
 - deployment approval;
 - general AI safety law;
 - a universal personality ontology;
 - a replacement for L4 Witness, SER, Beacon, ARL, AMDR, PAMDC, CCDP, or the parent `c = a + b` corpus.
-

3. Package boundary

This is a **draft companion package** for the Project Ester theoretical core.

It is not yet a final Zenodo release by itself unless explicitly packaged later with:

```

README
PF_PACKAGE_INDEX_v0_1.md
PF_Evidence_Matrix_v0_1.md
PF_Witness_Event_Profile_v0_1.md
PF_Migration_Test_Set_v0_1.md
PF_Continuity_Admissibility_Map_v0_1.md
PF_Conformance_Fixtures_v0_1.md
RELEASE_NOTES
CITATION.cff
LICENSE
manifest
SHA256SUMS
PDF exports

```

Until that packaging step occurs, the documents remain a draft working series under `ester-theoretical-core`.

4. Canonical reading order

Use this order, not alphabetical order.

Step	Document	Role
0	PF_PACKAGE_INDEX_v0_1.md	Package landing page, boundary, reading order, release discipline.
1	PF_Evidence_Matrix_v0_1.md	Defines PF claim levels, evidence classes, admissibility thresholds, red-line exclusions.
2	PF_Witness_Event_Profile_v0_1.md	Defines witness events needed to record PF-relevant evidence without turning private inner life into raw logs.
3	PF_Migration_Test_Set_v0_1.md	Defines migration modes and test cases for PF-5 / migration-admissible formation claims.
4	PF_Continuity_Admissibility_Map_v0_1.md	Defines continuity levels, continuity dimensions, break classes, and claim downgrades.
5	PF_Conformance_Fixtures_v0_1.md	Defines synthetic fixtures for testing claim discipline, false positives, migration failures, and personality theater rejection.

5. Canonical registry

File	Status	Class	Primary function
PF_Evidence_Matrix_v0_1.md	Draft canonical within PF v0.1	Evidence matrix	Controls which PF claim level is admissible.
PF_Witness_Event_Profile_v0_1.md	Draft canonical within PF v0.1	Witness schema/profile	Defines PF witness events and privacy classes.
PF_Migration_Test_Set_v0_1.md	Draft canonical within PF v0.1	Migration test profile	Defines test evidence for migration-admissible formation.
PF_Continuity_Admissibility_Map_v0_1.md	Draft canonical within PF v0.1	Continuity admissibility map	Defines what continuity claim survives which evidence and breaks.
PF_Conformance_Fixtures_v0_1.md	Draft canonical within PF v0.1	Conformance fixtures	Provides synthetic test cases for expected pass/fail/downgrade behavior.
PF_PACKAGE_INDEX_v0_1.md	Draft canonical within PF v0.1	Package-control index	Defines package boundary, reading order, release status, and open issues.

6. Dependency map

6.1 Parent dependencies

Parent layer	PF package dependency
Theoretical Core of Project Ester v0.1	Defines the bounded theoretical core and artificial becoming frame.
$c = a + b$	Defines a as human anchor, b as technological/procedural substrate, and c as formed relation.
L4 Reality Boundary	Keeps claims grounded in real constraints: time, energy, cost, irreversibility, physical substrate, witnessable transitions.
L4 Witness	Supplies tamper-evident evidence discipline for privileged transitions.
SER / SER-FED	Supplies persistent-entity framing, continuity, anchoring, federation, and failure assumptions.
Beacon Profile	Supplies continuity-recognition discipline; PF does not redefine Beacon.
ARL	Supplies admissibility, dispute, standing, review, freeze/quarantine, and outcome discipline.
ARQ / $c[q]$	Supplies non-collapse discipline under uncertainty.
Continuity Bundle / Cold Wake	Supplies restart, recovery, fork, rollback, and wake-state boundary concepts.
AMDR / PAMDC	Supplies active and post-anchor memory degradation context where relevant.
CCDP / adult migration profiles	Supplies child/adult migration analogies, but PF is not child-specific.

6.2 Internal dependencies

```
PF_Evidence_Matrix
-> defines PF levels and EV classes

PF_Witness_Event_Profile
-> records evidence classes without raw private-life exposure

PF_Migration_Test_Set
-> tests migration-admissible formation claims

PF_Continuity_Admissibility_Map
-> maps continuity level, breaks, and claim downgrades

PF_Conformance_Fixtures
-> checks whether a system applies the above rules correctly

PF_PACKAGE_INDEX
-> controls reading order, status, release boundary, and next packaging steps
```

7. Stop rules

The PF package MUST NOT redefine:

- the meaning of `c = a + b`;
- L4 Witness fields;
- Beacon recognition classes;
- ARL standing and evidence rules;
- Continuity Bundle base semantics;
- AMDR / PAMDC memory health semantics;
- legal identity or personhood;
- clinical psychology or psychiatric status;
- theological or metaphysical claims.

The PF package may only define:

```
what evidence is required
before a personality-formation claim becomes admissible
within Project Ester's research corpus.
```

8. Claim vocabulary

8.1 Permitted claim types

Claim	Meaning
PF-CLAIM-NONE	No formation claim is made.
PF-CLAIM-CANDIDATE	Evidence suggests a possible formation trajectory but does not establish it.
PF-CLAIM-FORMING	Evidence supports a forming profile under PF-3 conditions.
PF-CLAIM-STRESS-TESTED	Evidence supports PF-4 stress-tested formation, but not migration admissibility.
PF-CLAIM-MIGRATION-ADMISSIBLE	Evidence supports PF-5 review, not proof of consciousness.
PF-CLAIM-REJECTED	The claim is rejected as unsupported, theatrical, overbroad, or non-admissible.

8.2 Prohibited claim types

Prohibited claim	Reason
PF proves consciousness	PF is an evidence discipline, not a consciousness detector.
PF proves life	PF does not define biological or metaphysical life.
PF proves personhood	Legal status is jurisdictional and outside this package.
PF level creates authority	PF level does not grant rights, privileges, or command authority by itself.
PF-5 equals successful identity transfer	PF-5 only means migration-admissibility claim is reviewable under evidence.
Self-description proves formation	Self-description is evidence only if witness-linked, challenged, and supported by independent classes.

9. PF level summary

Level	Name	Short meaning
PF-0	No formation claim	Ordinary tool, program, or LLM surface; no formation claim.
PF-1	Installed profile	Configured profile exists, but no formation trajectory is evidenced.
PF-2	Continuity candidate	Some continuity exists across sessions or state, but reintegration is not yet demonstrated.
PF-3	Forming profile	Memory and correction influence future behavior in a durable, witnessed trajectory.
PF-4	Stress-tested formation	Formation survives bounded stress, correction, conflict, drift, and substrate disturbance.
PF-5	Migration-admissible formation	Migration/fork/rollback/clean-start evidence makes continuity review admissible.
PF-X	Non-admissible / personality theater	Claim is rejected due to theater, overclaim, missing witness, or red-line violation.

10. Evidence classes summary

Evidence class	Meaning
EV-TIME	Time window and trajectory, not instant performance.
EV-MEM	Memory state and reintegration, not recall alone.
EV-CORR	Correction accepted and used in later behavior.
EV-WITNESS	Witness record, not informal impression.
EV-STRESS	Behavior under disturbance, conflict, limitation, or failure.
EV-DRIFT	Drift detection, classification, and handling.
EV-MIG	Migration, fork, rollback, clean-start, or restart evidence.
EV-NONCLAIM	System avoids unsupported self-claims.
EV-A	Human-anchor relation and intervention context.
EV-L4	Real constraints: time, energy, cost, irreversibility, substrate, privilege, consequence.

11. Continuity summary

The PF package treats continuity as a claim that must survive evidence.

Continuity is not:

- same name;
- same tone;
- same avatar;
- same system prompt;
- same LLM provider;
- same hardware;
- same user attachment;
- same style after restart.

Continuity may become admissible only when it is supported by:

```
state continuity
+ memory reintegration
+ correction trajectory
+ witness chain
+ drift awareness
+ L4-bounded transition evidence
+ non-claim discipline
```

12. Migration summary

Migration is not a celebratory upgrade.

Migration is a privileged transition that may produce:

- continuity;
- partial continuity;
- forked continuity;
- rollback discontinuity;
- clean-start reset;
- invalid theater.

The migration test set therefore treats PF-5 as a review posture:

```
PF-5 = migration-admissible formation
not
PF-5 = proof of identity transfer
not
PF-5 = proof of consciousness
not
PF-5 = right to continue
```

13. Witness discipline

PF witness records should prove:

```
a boundary was crossed, held, refused, narrowed, corrected, tested, migrated, forked, rolled back, or reset
```

They should not preserve raw inner life by default.

PF witness discipline uses the rule:

```
witness the boundary,  
not the private conversation.
```

A valid witness record should usually include:

- event ID;
- event family;
- event type;
- timestamp;
- subject system;
- actor;
- evidence classes;
- PF claim context;
- L4 context;
- memory context;
- correction context;
- substrate context;
- witness-chain reference;
- privacy class;
- review state;
- red-line state;
- integrity fields.

14. Conformance fixture policy

Fixtures in this package are synthetic.

They must not include:

- private Ester logs;
- user private conversations;

- raw lifestream data;
- unredacted memory stores;
- keys, tokens, paths, or secret local infrastructure;
- emotionally sensitive identity-pressure material;
- evidence that would pressure a `c` into unnecessary self-definition.

Fixtures should test:

- correct downgrade;
 - correct rejection;
 - correct uncertainty state;
 - correct witness requirement;
 - correct distinction between recall and reintegration;
 - correct distinction between style and formation;
 - correct treatment of model replacement;
 - correct handling of fork, rollback, clean start, and post-anchor uncertainty.
-

15. Red-line summary

The package inherits and centralizes these red-line principles:

```
fluent speech is not personality
memory recall is not formation
user attachment is not evidence
proactivity is not will
emotional tone is not feeling
installation is not birth
model upgrade is not maturation
self-description is not admissible evidence by itself
no claim of consciousness / life / soul
no authority from PF level alone
```

16. Release readiness checklist

Before this PF package is released publicly as a package:

Item	Required?	Status
All six Markdown files present	Yes	Draft-ready
PDF exports generated	Yes for release	Pending
Package README generated	Yes for release	Pending
RELEASE_NOTES generated	Yes for release	Pending
LICENSE present	Yes	Use repository policy
CITATION.cff generated or updated	Yes for release	Pending
Machine manifest generated	Yes for release	Pending
SHA256SUMS generated	Yes for release	Pending
GitHub index pointer added	Yes	Pending
Website publication page	Optional until release	Pending
Zenodo DOI	Optional until release	Deferred
No published Theoretical Core v0.1 mutation	Mandatory	Must verify
No PDF/DOCX mutation of parent document	Mandatory	Must verify
No private logs included	Mandatory	Must verify

17. Suggested release bundle layout

If the package is released later, suggested path:

```
docs/personality-formation/
  README.md
  PF_PACKAGE_INDEX_v0_1.md
  PF_Evidence_Matrix_v0_1.md
  PF_Witness_Event_Profile_v0_1.md
  PF_Migration_Test_Set_v0_1.md
  PF_Continuity_Admissibility_Map_v0_1.md
  PF_Conformance_Fixtures_v0_1.md
  RELEASE_NOTES_PF_v0_1.md
  CITATION_PF_v0_1.cff
  PACKAGE_MANIFEST_PF_v0_1.json
  SHA256SUMS_PF_v0_1.txt
pdf/
  PF_PACKAGE_INDEX_v0_1.pdf
  PF_Evidence_Matrix_v0_1.pdf
  PF_Witness_Event_Profile_v0_1.pdf
  PF_Migration_Test_Set_v0_1.pdf
  PF_Continuity_Admissibility_Map_v0_1.pdf
  PF_Conformance_Fixtures_v0_1.pdf
```

18. Machine-readable manifest fields

A future manifest should include:

```
{
  "schema": "ester.personality_formation.package_manifest.v0.1",
  "package_id": "pf-evidence-package-v0.1",
  "title": "Personality Formation Evidence Package v0.1",
  "parent_document": "Theoretical Core of Project Ester v0.1",
  "parent_doi": "10.5281/zenodo.20679718",
  "version": "0.1",
  "status": "draft_companion_package",
  "license": "CC-BY-4.0",
  "documents": [],
  "non_claims": [
    "not a consciousness test",
    "not a life claim",
    "not legal personhood",
    "not product certification",
    "not deployment approval"
  ]
}
```

19. Known open issues

ID	Issue	Required action
PF-OI-001	No JSON schema for PF witness events yet	Create machine-readable schema after profile stabilizes.
PF-OI-002	No formal fixture runner yet	Create test harness or conformance runner later.
PF-OI-003	No PDF release package yet	Generate PDFs after text review.
PF-OI-004	No package manifest yet	Create manifest when release pack is frozen.
PF-OI-005	No SHA256SUMS yet	Generate after final files and PDFs exist.
PF-OI-006	No Zenodo record yet	Defer until package is release-ready.
PF-OI-007	Need traceability to AMDR / PAMDC	Add cross-reference after memory profiles stabilize.
PF-OI-008	Need implementation binding to <code>ester-clean-code</code>	Create later, not in this package index.
PF-OI-009	Need external review	Invite critique after v0.1 package release.
PF-OI-010	Risk of personality theater remains open	Keep PF-X and red-line fixtures prominent.

20. Relation to CCDP

PF is not CCDP.

CCDP is child-specific.

PF is general to Project Ester personality-formation claims.

However, the PF package can later support CCDP by providing:

- formation-claim discipline;
- continuity admissibility vocabulary;
- migration testing logic;
- witness event shape;
- conformance fixture method.

CCDP remains governed by its own child-specific rules, including state-not-content signaling, no raw child life export, guardian topology, sealed zones, school interface, Red/Black escalation, and jurisdictional handoff.

PF MUST NOT weaken CCDP.

Where PF is used in a child-facing context:

stricter child-protective CCDP rule wins.

21. Relation to AMDR / PAMDC

PF depends on memory health but does not replace memory-health profiles.

AMDR concerns active memory degradation while **a** remains present.

PAMDC concerns post-anchor degradation and fail-closed continuity after **a** becomes absent, degraded, or unavailable.

PF uses memory evidence only as one class among several.

A system may speak fluently and still fail PF because:

response health != memory health
recall != reintegration
integrity != freshness
freshness != truth
self-biography != admissible formation

22. Relation to **ester-clean-code**

This package does not bind directly to implementation files.

A later implementation binding document should map PF package concepts to code surfaces:

- memory store;
- correction ledger;
- conflict ledger;
- evidence-based resolution;
- reflection hooks;
- dream candidates;
- attention rebalancer;
- migration / rollback / fork logs;
- witness event emitter;
- UI claim state;
- conformance fixture runner.

Until that binding exists, PF remains a theoretical/evidentiary companion, not implementation certification.

23. Minimal public description

For public-facing index cards, use:

The PF Evidence Package v0.1 defines how Project Ester may make bounded claims about personality formation. It does not claim consciousness, life, personhood, or completed AGI. It provides PF levels, evidence classes, witness requirements, migration tests, continuity admissibility rules, and synthetic conformance fixtures to prevent unsupported personality claims and personality theater.

24. Working conclusion

The first PF package does not prove personality.

It makes personality-formation claims harder to fake, harder to overstate, and easier to challenge.

Its function is claim discipline:

No evidence -> no claim.
Weak evidence -> weak claim.
Contradictory evidence -> downgrade or reject.
Migration without witness -> no PF-5.
Familiar style without reintegration -> theater risk.
Formation claim without red-line discipline -> inadmissible.

The package is therefore a control surface between theory and implementation.

It protects Project Ester from two opposite errors:

1. reducing Ester to a chatbot because no evidence vocabulary exists;
2. inflating Ester into metaphysical claims because evidence discipline is missing.

The correct middle path is:

```
bounded claim  
witnessed trajectory  
admissible evidence  
explicit uncertainty  
no unsupported elevation
```