

Session 03 DML Operations*Trainer Coverage: Insert, Update, Delete records. WHERE and LIMIT usage. Example: Insert 5 sample users and edit their data.*

Q:-01 Create a SQL table called Restaurants with columns: id (INT, auto-increment), name (VARCHAR), cuisine (VARCHAR), rating (DECIMAL), and city (VARCHAR). Insert 5 sample restaurants into the table, each with a different cuisine and rating.

Create Table Query:-

```
create table restaurants(  
    id integer primary key auto_increment,  
    name varchar(100),  
    cuisine varchar(100),  
    rating real,  
    city varchar(50));
```

Insert Query:-

```
insert into restaurants(name,cuisine,rating,city) values  
( 'Dominos', 'Pizza', 4.5, 'Rajkot'),  
( 'Honest', 'Gujarati', 4.2, 'Ahmedabad'),  
( 'McDonalds', 'Fast Food', 4.3, 'Rajkot'),  
( 'Barbeque Nation', 'North Indian', 4.6, 'Ahmedabad'),  
( 'The Grand Thakar', 'Gujarati', 4.4, 'Rajkot');
```

MySQL Workbench

Navigator

SCHEMAS

Filter objects

helloworld

instacore

Tables

playlists

posts

restaurants

users

Views

Stored Procedures

Functions

mydb

sys

Administration Schemas

Information

No object selected

Query 1

```

68 ('Honest', 'Gujarati', 4.2, 'Ahmedabad'),
69 ('McDonalds', 'Fast Food', 4.3, 'Rajkot'),
70 ('Barbeque Nation', 'North Indian', 4.6, 'Ahmedabad'),
71 ('The Grand Thakar', 'Gujarati', 4.4, 'Rajkot');
72
73 select * from restaurants;

```

Result Grid

id	name	cuisine	rating	city
1	Dominos	Pizza	4.5	Rajkot
2	Honest	Gujarati	4.2	Ahmedabad
3	McDonalds	Fast Food	4.3	Rajkot
4	Barbeque Nation	North Indian	4.6	Ahmedabad
5	The Grand Thakar	Gujarati	4.4	Rajkot

restaurants 1

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	18:09:52	use instaClone	0 row(s) affected	0.016 sec
2	18:10:08	create table restaurants(id integer primary key auto_increment, name varchar(100), cuisine...	0 row(s) affected	0.062 sec
3	18:14:59	insert into restaurants(name,cuisine,rating,city) values (Dominos, 'Pizza', 4.5, 'Rajkot'), (H...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.000 sec
4	18:15:26	select * from restaurants LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

36°C Sunny

Search

ENG IN

6:15 PM 10/2/2026

Q-02 Write a SQL UPDATE statement to change the rating of the restaurant named 'Spice Villa' to 4.7 in the Restaurants table.

update restaurants set name = 'Spice Villa' ,rating = 4.7 where id =2;

MySQL Workbench

Navigator

SCHEMAS

Filter objects

helloworld

instacore

Tables

playlists

posts

restaurants

users

Views

Stored Procedures

Functions

mydb

sys

Administration Schemas

Information

No object selected

Query 1

```

72
73 select * from restaurants;
74
75 update restaurants set name = 'Spice Villa' ,rating = 4.7 where id =2;
76

```

Result Grid

id	name	cuisine	rating	city
1	Dominos	Pizza	4.5	Rajkot
2	Spice Villa	Gujarati	4.7	Ahmedabad
3	McDonalds	Fast Food	4.3	Rajkot
4	Barbeque Nation	North Indian	4.6	Ahmedabad
5	The Grand Thakar	Gujarati	4.4	Rajkot

restaurants 2

Output

Action Output

#	Time	Action	Message	Duration / Fetch
2	18:10:08	create table restaurants(id integer primary key auto_increment, name varchar(100), cuisine...	0 row(s) affected	0.062 sec
3	18:14:59	insert into restaurants(name,cuisine,rating,city) values (Dominos, 'Pizza', 4.5, 'Rajkot'), (H...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.000 sec
4	18:15:26	select * from restaurants LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
5	18:38:02	update restaurants set name = 'Spice Villa' ,rating = 4.7 where id =2	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.015 sec
6	18:38:10	select * from restaurants LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Query Completed

36°C Sunny


Search

ENG IN

6:38 PM 10/2/2026

Q-03 Delete all restaurants from the Restaurants table where the rating is less than 3.5 using a SQL DELETE statement.

delete from restaurants where rating < 3.5;



Q-04 Use a SELECT query with WHERE and LIMIT to fetch the top 2 restaurants in the city 'Ahmedabad' with a rating above 4.0 from the Restaurants table. Combine WHERE for city and rating, and LIMIT to restrict the number of results.

select * from restaurants where city = 'Ahmedabad'

AND rating > 4.0 LIMIT 2;

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- helloworld
- instancione
 - Tables
 - playlists
 - posts
 - restaurants
 - users
 - Views
 - Stored Procedures
 - Functions
- mydb
- sys

Administration Schemas

Information

No object selected

Query 1

```
80
81 select * from restaurants
82 where city = 'Ahmedabad'
83 AND rating > 4.0
84 LIMIT 2;
85
```

Result Grid

	id	name	cuisine	rating	city
▶	2	Spice Villa	Gujarati	4.7	Ahmedabad
4	Barbeque Nation	North Indian	4.6	Ahmedabad	

restaurants 6

Output

#	Time	Action	Message	Duration / Fetch
9	18:48:37	update restaurants set rating =3.5 where id =3	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.000 sec
10	18:48:41	select * from restaurants LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
11	18:56:56	delete from restaurants where rating < 3.5	1 row(s) affected	0.000 sec
12	18:57:05	select * from restaurants LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
13	19:18:35	select * from restaurants where city = 'Ahmedabad' AND rating > 4.0 LIMIT 2	2 row(s) returned	0.016 sec / 0.000 sec

Query Completed

36°C Sunny

7:19 PM 10/2/2026