

Mini Project – “Expense Tracker DB” Description: Design the backend for a Personal Expense Tracker App. Create users, transactions, and categories tables. Write SQL scripts for CRUD operations. Add a stored procedure for monthly summary generation. Trainer Deliverables: Students should submit .sql file with queries. Test queries via MySQL Workbench live.

Question1: Create a MySQL table called playlists to store Spotify-style music playlists, with columns: playlist_id (primary key), user_id (foreign key), name (varchar), and created_at (datetime). Write the CREATE TABLE statement.

Ans:

```
USE mydb;
```

```
CREATE TABLE Users (
```

```
  user_id INT PRIMARY KEY
```

```
);
```

```
CREATE TABLE playlists (
```

```
  playlist_id INT PRIMARY KEY,
```

```
  user_id INT,
```

```
    name VARCHAR(100),
```

```
  created_at DATETIME,
```

```
    FOREIGN KEY (user_id) REFERENCES Users(user_id)
```

```
);
```

Question2: Insert three sample records into the playlists table: one for a user with a 'Workout Mix', one with a 'Chill Vibes', and one with a 'Top Hits' playlist. Use realistic data for each field.

Ans:

```
INSERT INTO Users (user_id)
```

```
VALUES
```

(1),(2),(3);

INSERT INTO playlists (playlist_id, user_id, name, created_at)


VALUES

(1, 1, 'Workout Mix', '2026-10-14 14:22:15'),

(2, 2, 'Chill Vibes', '2026-10-18 09:45:30'),

(3, 3, 'Top Hits', '2026-10-23 18:12:40');

select * from playlists;



	playlist_id	user_id	name	created_at
▶	1	1	Workout Mix	2026-10-14 14:22:15
	2	2	Chill Vibes	2026-10-18 09:45:30
	3	3	Top Hits	2026-10-23 18:12:40
*	NULL	NULL	NULL	NULL

Question3: Write an SQL UPDATE statement to rename the 'Chill Vibes' playlist to 'Evening Chill' for a specific user_id.

Ans:

UPDATE playlists


SET name = 'Evening Chill'

WHERE name = 'Chill Vibes'

AND user_id = 2;

SELECT * FROM playlists

WHERE user_id = 2;



	playlist_id	user_id	name	created_at
▶	2	2	Evening Chill	2026-10-23 20:02:23
*	NULL	NULL	NULL	NULL

Question4: Write a DELETE statement to remove a playlist named 'Workout Mix' for a given user_id from the playlists table.

Hint: Make sure your WHERE clause targets only the intended row.


Ans:

DELETE FROM playlists

WHERE name = 'Workout Mix'

AND user_id = 1;

SELECT * FROM playlists;



	playlist_id	user_id	name	created_at
▶	2	2	Evening Chill	2026-10-23 20:02:23
	3	3	Top Hits	2026-10-23 18:12:40
✱	NULL	NULL	NULL	NULL

Question5: Create a stored procedure named GetMonthlyPlaylistCount that takes a user_id and a month (as an integer) as input, and returns the total number of playlists the user created in that month.

Hint: Use the MONTH() function in your WHERE clause.

Ans:

DELIMITER //

```
CREATE PROCEDURE GetMonthlyPlaylistCount(  
    IN p_user_id INT,  
    IN p_month INT  
)
```

BEGIN

SELECT COUNT(*) AS total_playlists

FROM playlists


WHERE user_id = p_user_id

AND MONTH(created_at) = p_month;

END //

DELIMITER ;

CALL GetMonthlyPlaylistCount(2, 10);



The screenshot shows a database interface with a 'Result Grid' tab. The grid has one column labeled 'total_playlists' and one row with the value '1'. There is a 'Filter Row' button to the right of the grid.

	total_playlists
▶	1