

Task 8 – Sales Tracker in Google Sheets

Retail Sales Tracking and Automated Time-Based Summaries | Veda Technologies – Data Analytics Internship

1. Project Overview

This project focuses on creating a simple and reusable sales tracker using Google Sheets. A retail transaction dataset was organized into raw data and summary sections, with formulas used to automatically calculate daily, weekly, and monthly sales totals.

2. Objective

The objective was to organize transaction data, apply data validation, create automatic sales calculations using date-based formulas, verify results manually, and present the information in a clear summary format.

3. Tools Used

Tool / Feature	Purpose
Google Sheets	Data organization, formulas, summary and visualization
SUMIFS	Daily, weekly and monthly sales calculations
Data Validation	Reducing incorrect or inconsistent entries
Date Functions	Creating weekly and monthly date ranges
Charts	Visualizing sales performance over time

4. Dataset

The Retail Sales dataset contains transaction-level information with the following fields: Transaction ID, Date, Customer ID, Gender, Age, Product Category, Quantity, Price per Unit, and Total Amount. The Total Amount field is used as the sales value for the tracker.

5. Spreadsheet Structure

Raw_Data: Contains the original transaction-level records and is kept separate from calculations.

Summary: Contains key metrics, daily sales, weekly sales, monthly sales, verification and visualization.

6. Key Performance Indicators

KPI	Calculation
Total Sales	Sum of Total Amount
Total Transactions	Count of Transaction ID values
Average Transaction Value	Average of Total Amount

7. Daily, Weekly and Monthly Sales

Daily sales are calculated by matching each date against the Date column and summing Total Amount values. Weekly sales use Monday as the beginning of the week and apply date-range criteria. Monthly sales use date ranges for each month. SUMIFS and date functions make these summaries dynamic when new records are added.

8. Data Validation

Data validation is applied to appropriate fields to reduce inconsistent entries. Dropdown validation can be used for Gender and Product Category, while numeric validation can be applied to Quantity, Price per Unit and Total Amount.

9. Manual Verification

Selected dates are manually checked by adding the individual Total Amount values for transactions occurring on those dates and comparing the result with the formula-generated Daily Sales value. Matching results confirm that the automated calculation is working correctly.

10. Visualization

A simple daily sales chart can be included in the Summary sheet, using Date on the horizontal axis and Total Sales on the vertical axis. This provides a quick visual view of sales performance over time.

11. Workflow

1. Preserve the original retail transaction data.
2. Organize the data in Raw_Data.
3. Apply data validation.
4. Create KPI calculations.
5. Calculate daily sales using SUMIFS.
6. Calculate weekly sales using date-range SUMIFS.
7. Calculate monthly sales using date-range SUMIFS.
8. Perform manual verification.
9. Create a sales-performance visualization.
10. Test that a new transaction updates the summary.

12. Key Learning

This task provided practical experience using Google Sheets for data analysis. It strengthened understanding of SUMIFS, date-based aggregation, data validation, spreadsheet organization, manual verification and basic visualization. The main learning was how raw transaction data can be transformed into an automatically updating sales summary.

13. Conclusion

The Sales Tracker provides a structured way to monitor retail sales performance using Google Sheets. Separating raw data from calculations and using dynamic formulas allows new transactions to be added while automatically refreshing daily, weekly and monthly summaries.

Organization: Veda Technologies

Program: Data Analytics Internship

Task: Task 8 – Sales Tracker in Google Sheets

Dataset: Retail Sales