

Waste from Confirm or Suspected CJD Patient			
Infectivity category	Tissues, secretions, and excretions	Waste from Suspected CJD case	Waste from Confirm CJD case
High infectivity	Brain, Spinal cord Eye CSF	Manage used, disposable PPE and all other patient care items which were contaminated with High infectivity (Tissues, excretions, and excretions) as Hazardous Medical Waste and dispose in the yellow bag for incineration.*	Manage used, disposable PPE and all other patient care items which were contaminated with High infectivity (Tissues, excretions, and excretions) as Hazardous Medical Waste and dispose in the yellow bag for incineration.*
Low infectivity	Kidney Liver Lung Lymph nodes/spleen Placenta	Manage used, disposable PPE and all other patient care items which were contaminated with Low infectivity (Tissues, excretions, and excretions) as Hazardous Medical Waste and dispose in the yellow bag for incineration.*	Manage used, disposable PPE and all other patient care items which were contaminated with Low infectivity (Tissues, excretions, and excretions) as Hazardous Medical Waste and dispose in the yellow bag for incineration.*
No detectable infectivity	Adipose Adrenal glands Gingival tissue Heart muscle Intestine Peripheral nerve Prostate Skeletal muscle Testis Thyroid gland Blood Tears Nasal mucous Saliva Sweat Serous exudate Milk Semen Urine Faeces	All wastes which were contaminated with No detectable infectivity (Tissues, excretions, and excretions) should be disposed in black bag (general wastes); except dressings from infected or surgical wounds, and the items heavily soiled with blood or other body fluids .	All wastes which were contaminated with No detectable infectivity (Tissues, excretions, and excretions) should be disposed in black bag (general wastes); except dressings from infected or surgical wounds, and the items heavily soiled with blood or other body fluids.

