

- FMS.3.5 The committee uses the resulting information for corrective and preventive actions, planning, and budgeting of long-term upgrading and replacement.

#### **FMS.4 The hospital is in compliance with applicable laws and regulations.**

- FMS.4.1 The hospital has a valid Saudi Civil Defense license.
- FMS.4.2 The hospital has a valid Saudi Civil Defense report and action plan as applicable.
- FMS.4.3 Hospital leaders ensure compliance with applicable building and environmental protection standards, laws, and regulations (e.g., MOMRA's hospital building requirements, Saudi building code, discharges to drainage systems, safe disposal of waste).

#### **FMS.5 The hospital ensures safety and security of staff and patients during construction, renovation, or demolition projects.**

- FMS.5.1 The hospital implements a policy for safety and security of patients, staff and visitors during construction, renovation, or demolition that includes:
- FMS.5.1.1 Safety and security instructions.
  - FMS.5.1.2 Education of contractors.
  - FMS.5.1.3 Proper isolation of construction and renovation sites.
  - FMS.5.1.4 How to eliminate the risks of fire and spread of dust.
  - FMS.5.1.5 Penalties incurred on contractors for violating the policy.
  - FMS.5.1.6 Safety rounds on construction/renovation sites by facility management and safety and infection control staff.
- FMS.5.2 A work permit is signed by the construction team and posted in the construction, renovation, or demolition sites.

#### **FMS.6 Warning and directive signs are posted inside the hospital as appropriate.**

- FMS.6.1 There are warning signs posted as appropriate in the hospital and include:
- FMS.6.1.1 Signs for the radioactive materials including warning signs for pregnant women.
  - FMS.6.1.2 Signs for wet floors during cleaning.
  - FMS.6.1.3 No smoking signs.
  - FMS.6.1.4 Signs and warning lights for x-ray room(s).
  - FMS.6.1.5 Signs to restrict cellular phones in sensitive areas as appropriate, e.g. MRI or critical care units.
- FMS.6.2 There are directive signs posted as appropriate in the hospital and include:
- FMS.6.2.1 Signs indicating the hospital name and main entrances/exits.
  - FMS.6.2.2 Directional signs.
  - FMS.6.2.3 Signs to direct staff and patients to the different services in the hospital.
  - FMS.6.2.4 Fire exit signs.
  - FMS.6.2.5 Signs to identify floor level at staircases and in front of elevators.
  - FMS.6.2.6 Signs to instruct staff, patients, and visitors in restricted areas.
  - FMS.6.2.7 MRI patient safety measures and steel restriction signs.
  - FMS.6.2.8 Signs for populations with special needs.