
Also, areas where pediatric populations are expected to be served (waiting rooms, hospital lounge, playground and kindergartens) need to be assessed for any risks and these risks need to be eliminated.

FMS.8 Safety measures and equipment are applied where needed in the hospital to ensure safety of patients and staff.

FMS.8.1 The patients' bathrooms and showers are provided with the following safety measures:

- FMS.8.1.1 Non-slipping floors' surfaces.
- FMS.8.1.2 Bars to support patients.
- FMS.8.1.3 Bell or a system to call for help.
- FMS.8.1.4 Lock system that allows opening from outside.

FMS.8.2 The kitchen has safety equipment that include:

- FMS.8.2.1 Eye wash stations.
- FMS.8.2.2 Fire blankets.
- FMS.8.2.3 First aid kit.
- FMS.8.2.4 Fire Extinguishers.
- FMS.8.2.5 Emergency shut off valve for liquid propane gas.
- FMS.8.2.6 Emergency shower.

FMS.8.3 The laundry has safety equipment that include:

- FMS.8.3.1 Eye wash stations.
- FMS.8.3.2 Fire blankets.
- FMS.8.3.3 First aid kit.
- FMS.8.3.4 Fire Extinguishers.
- FMS.8.3.5 Emergency shower.

FMS.8.4 The Laboratory has safety equipment that include:

- FMS.8.4.1 Eye wash stations.
 - FMS.8.4.2 Fire blankets.
 - FMS.8.4.3 First aid kit.
 - FMS.8.4.4 Fire extinguishers.
 - FMS.8.4.5 Emergency shower.
 - FMS.8.4.6 Fire resistant safety cabinets for laboratory chemicals.
-