Aim:

Write a program to sort (Ascending order) the given elements using merge sort technique.

At the time of execution, the program should print the message on the console as:

```
Enter array size :
```

For example, if the user gives the **input** as:

```
Enter array size : 5
```

Next, the program should print the following message on the console as:

```
Enter 5 elements :
```

if the user gives the input as:

```
Enter 5 elements : 34 67 12 45 22
```

then the program should print the result as:

```
Before sorting the elements are : 34 67 12 45 22 After sorting the elements are : 12 22 34 45 67
```

Note: Do use the **printf()** function with a **newline** character (\\n).

Source Code:

```
MergeSortMain.c
```

```
#include <stdio.h>
#include "MergeSortFunctions.c"
void main() {
    int arr[15], i, n;
    printf("Enter array size : ");
    scanf("%d", &n);
    printf("Enter %d elements : ", n);
    for (i = 0; i < n; i++) {
        scanf("%d", &arr[i]);
    }
    printf("Before sorting the elements are : ");
    display(arr, n);
    splitAndMerge(arr, 0, n - 1);
    printf("After sorting the elements are : ");
    display(arr, n);
}</pre>
```

```
MergeSortFunctions.c
```

```
void display(int arr[15], int n){
  int i,b[15];
  for(i=0;i<n;i++)
  {</pre>
```

```
printf("%d ",arr[i]);
   }
   printf("\n");
}
void merge(int arr[15],int low,int mid, int high) {
   int b[15];
   int i=low,j=mid+1,k=low;
   while(i<=mid&&j<=high)</pre>
      if(arr[i]<=arr[j])</pre>
          b[k]=arr[i];
          i++;
          k++;
      }
      else
       {
          b[k]=arr[j];
          j++;
          k++;
      }
while(i<=mid)</pre>
   b[k]=arr[i];
   k++;
   i++;
}
while(j<=high)</pre>
   b[k]=arr[j];
   k++;
   j++;
}
for(i=low;i<=high;i++)</pre>
   arr[i]=b[i];
}
}
void splitAndMerge(int arr[15], int low, int high) {
   int i, mid;
   if(low<high)</pre>
      mid=(low+high)/2;
       splitAndMerge(arr,low,mid);
       splitAndMerge(arr,mid+1,high);
      merge(arr,low,mid,high);
   }
   }
```

Execution Results - All test cases have succeeded!

```
Test Case - 1
User Output
Enter array size :
```

Enter 5 elements : 34 67 12 45 22 Before sorting the elements are : 34 67 12 45 22 After sorting the elements are : 12 22 34 45 67

Test Case - 2
User Output
Enter array size : 8
Enter 8 elements : 77 55 22 44 99 33 11 66
Before sorting the elements are : 77 55 22 44 99 33 11 66
After sorting the elements are : 11 22 33 44 55 66 77 99

Test Case - 3
User Output
Enter array size : 5
Enter 5 elements : -32 -45 -67 -46 -14
Before sorting the elements are : -32 -45 -67 -46 -14
After sorting the elements are : -67 -46 -45 -32 -14