Phase 8 bilingual export

검증용 문서입니다. 원문 수치는 12 milliseconds, 37 megabytes입니다.

Section 1 · 검증 항목

AT-201 used a binary heap and completed in **12 milliseconds**. 메모리 사용량은 **37 megabytes**입니다. This is invented acceptance content, not a production measurement.

Section 2 · 검증 항목

AT-201 used a binary heap and completed in **12 milliseconds**. 메모리 사용량은 **37 megabytes**입니다. This is invented acceptance content, not a production measurement.

Section 3 · 검증 항목

AT-201 used a binary heap and completed in **12 milliseconds**. 메모리 사용량은 **37 megabytes**입니다. This is invented acceptance content, not a production measurement.

Section 4 · 검증 항목

AT-201 used a binary heap and completed in **12 milliseconds**. 메모리 사용량은 **37 megabytes**입니다. This is invented acceptance content, not a production measurement.

Section 5 · 검증 항목

AT-201 used a binary heap and completed in **12 milliseconds**. 메모리 사용량은 **37 megabytes**입니다. This is invented acceptance content, not a production measurement.

Section 6 · 검증 항목

AT-201 used a binary heap and completed in **12 milliseconds**. 메모리 사용량은 **37 megabytes**입니다. This is invented acceptance content, not a production measurement.

Section 7 · 검증 항목

AT-201 used a binary heap and completed in **12 milliseconds**. 메모리 사용량은 **37 megabytes**입니다. This is invented acceptance content, not a production measurement.

Section 8 · 검증 항목

AT-201 used a binary heap and completed in **12 milliseconds**. 메모리 사용량은 **37 megabytes**입니다. This is invented acceptance content, not a production measurement.

Section 9 · 검증 항목

AT-201 used a binary heap and completed in **12 milliseconds**. 메모리 사용량은 **37 megabytes**입니다. This is invented acceptance content, not a production measurement.

Section 10 · 검증 항목

AT-201 used a binary heap and completed in **12 milliseconds**. 메모리 사용량은 **37 megabytes**입니다. This is invented acceptance content, not a production measurement.

Section 11 · 검증 항목

AT-201 used a binary heap and completed in **12 milliseconds**. 메모리 사용량은 **37 megabytes**입니다. This is invented acceptance content, not a production measurement.

Section 12 · 검증 항목

AT-201 used a binary heap and completed in **12 milliseconds**. 메모리 사용량은 **37 megabytes**입니다. This is invented acceptance content, not a production measurement.

Section 13 · 검증 항목

AT-201 used a binary heap and completed in **12 milliseconds**. 메모리 사용량은 **37 megabytes**입니다. This is invented acceptance content, not a production measurement.

Section 14 · 검증 항목

AT-201 used a binary heap and completed in **12 milliseconds**. 메모리 사용량은 **37 megabytes**입니다. This is invented acceptance content, not a production measurement.

Section 15 · 검증 항목

AT-201 used a binary heap and completed in **12 milliseconds**. 메모리 사용량은 **37 megabytes**입니다. This is invented acceptance content, not a production measurement.

Section 16 · 검증 항목

AT-201 used a binary heap and completed in **12 milliseconds**. 메모리 사용량은 **37**

megabytes입니다. This is invented acceptance content, not a production measurement.

Section 17 · 검증 항목

AT-201 used a binary heap and completed in **12 milliseconds**. 메모리 사용량은 **37 megabytes**입니다. This is invented acceptance content, not a production measurement.

Section 18 · 검증 항목

AT-201 used a binary heap and completed in **12 milliseconds**. 메모리 사용량은 **37 megabytes**입니다. This is invented acceptance content, not a production measurement.

Section 19 · 검증 항목

AT-201 used a binary heap and completed in **12 milliseconds**. 메모리 사용량은 **37 megabytes**입니다. This is invented acceptance content, not a production measurement.

Section 20 · 검증 항목

AT-201 used a binary heap and completed in **12 milliseconds**. 메모리 사용량은 **37 megabytes**입니다. This is invented acceptance content, not a production measurement.

Original passage

> AT-201 uses a binary heap. The measured runtime is 12 milliseconds.

Unsaved Phase8 marker · 미저장 검증 문장.