AD 2. AERODROMES

VIAH AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VIAH - ALIGARH AIRPORT, ALIGARH

VIAH AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	Aerodrome reference point coordinates and its site	275141N 0780849E 293.04 DEG / 561 M from physical extremity of RWY 29	
2	Direction and distance of aerodrome reference point from the centre of the city or town which the aerodrome serves	8.2 KM from Aligarh bus stand	
3	Aerodrome elevation and reference temperature	602 FT / 41.3 DEG C	
4	Magnetic variation, date of information and annual change	0.50 DEG E (2010) /0.033 DEG E	
5	Name of aerodrome operator, address, telephone, telefax, e-mail address, AFS address, website (if available)	Airports Authority of India O/o Airport Director, Aligarh Airport (U.P.)-202002,	
		Telephone:	9412527059
		Fax:	
		AFS:	
		Email:	apdaligarh@aai.aero
6	Types of traffic permitted (IFR/VFR)	VFR	
7	Remarks	Geoid Model: EGM-08	

VIAH AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	MON-FRI 0400-1230 UTC (0930-1800 IST) SAT, SUN & HOL: NIL
2	Custom and immigration	Not Applicable
3	Health and sanitation	During AD Hours
4	AIS briefing office	As ATS
5	ATS reporting office (ARO)	As ATS
6	MET Briefing office	As ATS
7	Air Traffic Service	Refer NOTAM
8	Fuelling	As ATS
9	Handling	As ATS
10	Security	Provided by SSF
11	De-icing	Not Available
12	Remarks	1. Services are available on request basis with 24 hrs prior coordination with Airport Director. 2. Non-schedule flight to obtain positive clearance prior to their departure for Aligarh Airport

VIAH AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	Not Available
2	Fuel and Oil types	ATF
3	Fuelling facilities and capacity	BPCL: 02 Bowsers each 15KL capacity

4	De-icing facilities	Not Available
5	Hangar space for visiting aircraft	Not Available
6	Repair facilities for visiting aircraft	Not Available
7	Remarks	NIL

VIAH AD 2.5 PASSENGER FACILITIES

1	Hotel(s) at or in the vicinity of aerodrome	Available
2	Restaurant(s) at or in the vicinity of aerodrome	Available
3	Transportation possibilities	Public and private transport available
4	Medical Facilities	First aid in the terminal building and basic facilities at PHC hospital. For serious and critical cases at district hospitals at Aligarh city, about 9.5 KM from airport
5	Bank and post office at or in the vicinity of aerodrome	Banks: Available Post office: Available
6	Tourist office	Not Available
7	Remarks	NIL

VIAH AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	Aerodrome category for fire fighting	CAT IV During ATC Watch Hours
2	Rescue equipment	01 CFT & 01 Ambulance
3	Capability for removal of disabled aircraft	1. The Critical aircraft for the airport is B1900D. 2. Primary responsibility for removal of disabled aircraft rests with concerned airline. 3. The airlines may contact 'Aerodrome coordinator for Disabled Aircraft Removal operations' for co-coordinating with the agencies having Disabled Aircraft Recovery Kit. 4. Contact Details of Aerodrome Coordinator for Disabled Aircraft Removal operation: Airport Director, Aligarh Airport, Contact Nos.- +91-9412527059 Email id. apdaligarh@aai.aero
4	Remarks	NIL

VIAH AD 2.7 SEASONAL AVAILABILITY CLEARING

1	Type(s) of clearing equipment	NIL
2	Clearance priorities	NIL
3	Remarks	NIL

VIAH AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Designation, surface and strength of aprons	Refer Aircraft Parking/Docking Chart
2	Designation, width, surface and strength of taxiways	Refer Aircraft Parking/Docking Chart
3	Location and elevation of altimeter checkpoints	275135.810N 0780856.039E at RWY Holding Position on TWY A Elevation - 600.394 FT
4	Location of VOR checkpoints	275134.60N 0780859.29E, ELEV 600FT

5	Position of INS checkpoints	Not available
6	Remarks	NIL

VIAH AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand identification signs, taxiway guidelines and visual docking/parking guidance system at aircraft stands	Taxiing guidance signs at all intersections with TXY and RWY and at all holding position, guidelines at apron available. Taxiing guidance provided on R/T also.
2	Runway and taxiway markings and lights	RWY Markings - Designation, THR, TDZ, Centerline, Aiming Point, Side Strip, Turn Pad RWY Lights - Not available TWY Marking - Centerline, Holding Positions, TXY Side Strip Marking TWY Lights- Not available
3	Stop bars (if any)	NIL
4	Remarks	NIL

VIAH AD 2.10 AERODROME OBSTACLES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
In circling area and at AD	SIGN	275134.6N 0780859.8E	605 FT	NIL	Sign Board
In circling area and at AD	OTHER	275148.0N 0780816.2E	624 FT	NIL	Security Hut
In circling area and at AD	OTHER	275153.1N 0780813.2E	624 FT	NIL	Security Hut
In circling area and at AD	OTHER	275131.4N 0780909.2E	609 FT	NIL	Cooling Pit
In circling area and at AD	OTHER	275130.2N 0780911.9E	620 FT	NIL	Security Hut
In circling area and at AD	OTHER	275140.6N 0780852.0E	622 FT	NIL	Security Hut
In circling area and at AD	POLE	275144.6N 0780838.5E	622 FT	NIL	WDI
In circling area and at AD	OTHER	275141.3N 0780837.0E	621 FT	NIL	Security Hut

VIAH AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Name of the associated meteorological office	AMO ALIGARH
2	Hours of service and, where applicable, the designation of the responsible meteorological office outside these hours	During watch hours
3	Office responsible for preparation of TAFs and periods of validity and interval of issuance of the forecasts	AMO Lucknow 9Hrs
4	Availability of the trend forecast for the aerodrome and interval of issuance	Available as per requirement during watch hours
5	Information on how briefing and/or consultation is provided	By Email/ Telephone
6	Types of flight documentation supplied and language(s) used in flight documentation	METAR, ENGLISH
7	Charts and other information displayed or available for briefing or consultation	NIL
8	Supplementary equipment available for providing information on meteorological conditions, e.g. weather radar and receiver for satellite images;	Weather radar data and Satellite images available on IMD website
9	The air traffic services unit(s) provided with meteorological information	Aligarh ATC & CNS
10	Additional information, e.g. concerning any limitation of service.	NIL

VIAH AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations	TRUE Bearings	Dimensions of RWY (M)	Strength of pavement (PCN) and associated data) and surface of runway and associated stopways	Geographical coordinates for threshold and runway end
1	2	3	4	5
11	109.95 DEG	1488 x 23 M	9/F/B/Y/T Asphalt	THR: 275149.76N 0780817.07E RWY END: 275133.27N 0780908.19E
29	289.95 DEG	1488 x 23 M	9/F/B/Y/T Asphalt	THR: 275133.27N 0780908.19E RWY END: 275149.76N 0780817.07E

THR elevation and highest elevation of TDZ of precision APP RWY	Slope of runway and associated stopway	Dimensions of stopway (M)	Dimensions of clearway (M)	Dimensions of strips (M)
6	7	8	9	10
THR: 602.0FT TDZ: 602.0FT	1.25%	NIL	NIL	1608 x 80 M
THR: 600.0FT TDZ: 601.0FT	1.25%	NIL	NIL	1608 x 80 M

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	12	13	14
N/A	N/A	NIL	Geoid Model: EGM-08
N/A	N/A	NIL	Geoid Model: EGM-08

VIAH AD 2.13 DECLARED DISTANCES

RWY Designator	Take-off run available TORA (M)	Take-off distance available TODA (M)	Accelerate distance available ASDA (M)	Landing distance available LDA (M)	Remarks (including runway entry or start point where alternative reduced declared distances have been declared)
1	2	3	4	5	6
11	1488	1488	1488	1488	NIL
29	1488	1488	1488	1488	NIL

VIAH AD 2.14 APPROACH AND RUNWAY LIGHTING

Runway Designator	Type, length and intensity of approach lighting system	Runway threshold lights, colour and wing bars	Type of visual slope indicator system	Length of runway touchdown zone lights
1	2	3	4	5
11	NIL	NIL	PAPI	NIL
29	NIL	NIL	PAPI	NIL

Length, spacing, colour and intensity of runway centre line lights	Length, spacing, colour and intensity of runway edge lights	Colour of runway end lights and wing bars	Length and colour of stopway lights	Remarks
6	7	8	9	10
	NIL	NIL	NIL	PAPI LOCATED ON LEFT SIDE OF RUNWAY
	NIL	NIL	NIL	PAPI LOCATED ON RIGHT SIDE OF RUNWAY

VIAH AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	Location, characteristics and hours of operation of aerodrome beacon/identification beacon (if any)	ABN	Available
		IBN	Not Available
2	Location and lighting (if any) of anemometer/ landing direction indicator;	LDI	Available
		Anemometer	Not Available
3	Taxiway edge and taxiway centre line lights;	Edge	Not Available
		Centre Line	Not Available

4	Secondary power supply including switch-over time;	2 DG set 500 KVA and 125 KVA, 20 seconds
5	Remarks	NIL

VIAH AD 2.16 HELICOPTER LANDING AREA

1	Geographical coordinates of the geometric centre of touchdown and lift-off (TLOF) or of each threshold of final approach and take-off (FATO) area	Not Established
2	TLOF and/or FATO area elevation:	Not Established
3	TLOF and FATO area dimensions to the nearest metre or foot, surface type, bearing strength and marking;	Not Established
4	True bearings of FATO;	Not Established
5	Declared distances available	Not Established
6	Approach and FATO lighting;	Not Established
7	Remarks	NIL

VIAH AD 2.17 AIR TRAFFIC SERVICE AIRSPACE

1	Airspace designation, geographical coordinates and lateral limits	CTR: Circular area centered on 275141N 0780849E within a 10NM radius.
2	Vertical limits	3500 FT AMSL
3	Airspace classification	D
4	Call sign and language(s) of the air traffic services unit providing service;	ALIGARH TOWER, English
5	Transition altitude	5000 FT
6	Hours of applicability	HO
7	Remarks	1. CTR available only during published watch hrs. 2. Airspace classified as Class D 3. Beyond watch hours airspace Classification is Class G. 4.Aligarh Approach Control Unit is combined with Aligarh Aerodrome Control Tower. 5.Beyond VIAH ATC watch local FLY INPR by FLY TRG organisations(FTO) in VIAH CTR. All OPR EXER CTN while transiting through VIAH CTR

VIAH AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service Designation	Call sign	Channel(s)	SATVOICE Number(s), if available
1	2	3	4
APP	ALIGARH TOWER	123.050 MHZ	
APP	ALIGARH TOWER	123.200 MHZ	
TWR	ALIGARH TOWER	123.050 MHZ	
TWR	ALIGARH TOWER	123.200 MHZ	

Logon address, as appropriate	Hours of operation	Remarks
5	6	7
	HO	Functions of Approach Control Service provided by Aerodrome Control Tower
	HO	Functions of Approach Control Service provided by Aerodrome Control Tower
	HO	BACKUP
	HO	NIL

VIAH AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aids, magnetic variation and type of supported operation for ILS/ MLS, basic GNSS, SBAS and GBAS, and for VOR/ILS/MLS station used for technical lineup of the aid	Identification	Frequency(ies), Channel number(s), Service provider, and reference path identifier(s) (RPI), as appropriate	Hours of operation, as appropriate;
1	2	3	4

Geographical coordinates of the position of the transmitting antenna	Elevation of transmitting antenna of DME/ elevation of GBAS reference point	Service volume radius from the GBAS reference point	Remarks
5	6	7	8

VIAH AD 2.20 LOCAL AERODROME REGULATIONS

NIL

VIAH AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

VIAH AD 2.22 FLIGHT PROCEDURES

NIL

VIAH AD 2.23 ADDITIONAL INFORMATION

NIL

VIAH AD 2.24 CHARTS RELATED TO AN AERODROME

1. Aerodrome Chart (23 January 2025)
2. Aircraft Parking/Docking Chart (23 January 2025)
3. Aerodrome Obstacle Chart - Type A (Obstacle Limitations) RWY 11(23 January 2025)
4. Aerodrome Obstacle Chart - Type A (Obstacle Limitations) RWY 29(23 January 2025)
5. Aerodrome Obstacle Type B chart(23 January 2025)

VIAH AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

Procedure	Procedure Minima	VSS Penetration
1	2	3