AD 2. AERODROMES

VEAP AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VEAP - MAA MAHAMAYA AIRPORT, AMBIKAPUR

VEAP AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	Aerodrome reference point coordinates and its site	225936N 0831134E 159 DEG / 857 M from Physical Beginning of RWY 34	
2	Direction and distance of aerodrome reference point from the centre of the city or town which the aerodrome serves	162.26 DEG at a distance 17Km (Aerial)/ 23.5 Km (By road) from Ambikapur Railway Station.	
3	Aerodrome elevation and reference temperature	1941 FT / 40.0 DEG C	
4	Magnetic variation, date of information and annual change	0.50 DEG W (2010) /0.0166 DEG E	
5	Name of aerodrome operator, address, telephone, telefax, e-mail address, AFS address, website (if available)	Government of Chhattisgarh Mr. Vilas Bhoskar District Collector/ District Magistrate, PO Ambikapur Dist – Surguja Chhattisgarh – 497001,	
		Telephone:	07774 – 220701 07774 – 263004
		Fax:	
		AFS:	NIL
		Email:	apd-ambikapur@cg.gov.in
6	Types of traffic permitted (IFR/VFR)	VFR	
7	Remarks	Geoid Model: EGM 08	

VEAP AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	0600 – 1045 UTC (1130 – 1615 IST) Except Sat, Sun & Holidays
2	Custom and immigration	NIL
3	Health and sanitation	NIL
4	AIS briefing office	As ATS
5	ATS reporting office (ARO)	As ATS
6	MET Briefing office	As ATS
7	Air Traffic Service	As Per Current NOTAM
8	Fuelling	BPCL
9	Handling	AS PER CONTRACT
10	Security	H24 by State Police (C.G.)
11	De-icing	NIL
12	Remarks	NIL

VEAP AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	NIL
2	Fuel and Oil types	JET A1

3	Fuelling facilities and capacity	35x1 HORIZONTAL TANK 9x1, 11x1 KL REFUELLER
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	NIL
6	Repair facilities for visiting aircraft	NIL
7	Remarks	NIL

VEAP AD 2.5 PASSENGER FACILITIES

1	Hotel(s) at or in the vicinity of aerodrome	Available In the city
2	Restaurant(s) at or in the vicinity of aerodrome	Available In the city
3	Transportation possibilities	Available
4	Medical Facilities	Available In the city
5	Bank and post office at or in the vicinity of aerodrome	Banks: Available In the city Post office: Available In the city
6	Tourist office	Available In the city
7	Remarks	Nil

VEAP AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	Aerodrome category for fire fighting	Within ATS HR: CAT-5
2	Rescue equipment	Contractor Firm- Riddhi Constructions Person In charge -Executive Engineer, (B & R) PWD Equipment& Personnel – 7987519568 A. Lifting cranes: 80 Ton- 1 No. B. Hydra: 17 ton-2 no. 16 ton-2 no. 15 ton-2 no. 14 ton-1 no. C. JCB: 1 D. Roller: 1
3	Capability for removal of disabled aircraft	1. The Critical aircraft for the airport is ATR72-600. 2. Primary responsibility for removal of disabled aircraft rests with concerned airline. 3. The airlines may contact ‘Aerodrome coordinator for Disabled Aircraft Removal operations’ for co-coordinating with the agencies having Disabled Aircraft Recovery Kit. 4. Contact Details of Aerodrome Coordinator for Disabled Aircraft Removal operation: Airport Director, Ambikapur Airport, Contact Nos.- +917774-220701 Email id. Apd-ambikapur@cg.gov.in
4	Remarks	Nil

VEAP AD 2.7 SEASONAL AVAILABILITY CLEARING

1	Type(s) of clearing equipment	Nil
2	Clearance priorities	Nil
3	Remarks	Nil

VEAP AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Designation, surface and strength of aprons	Designator: Main Apron Surface: Concrete Strength: PCN 39/R/B/W/T
2	Designation, width, surface and strength of taxiways	Designator: A Width: 15 M Surface: Concrete Strength: PCN 39/R/B/W/T Designator: B Width: 15 M Surface: Concrete Strength: PCN 39/R/B/W/T
3	Location and elevation of altimeter checkpoints	Location: Aircraft Stand no 1 (Elevation-1933 FT) Location: Aircraft Stand no 2 (Elevation-1933 FT)
4	Location of VOR checkpoints	
5	Position of INS checkpoints	
6	Remarks	Geoid Model: EGM 08

VEAP AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand identification signs, taxiway guidelines and visual docking/parking guidance system at aircraft stands	Apron Markings Are Available. Taxing Guidance Provided On R/T
2	Runway and taxiway markings and lights	RWY Markings: Threshold, Designator, Aiming Point, Centreline, Touch Down Zone, and Runway Edge. Lights: NA TWY Markings: Edge, Centreline, Runway holding. Lights: NA
3	Stop bars (if any)	NA
4	Remarks	Nil

VEAP AD 2.10 AERODROME OBSTACLES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM08)	Marking/LGT	Remarks
34/APCH 16/TKOF	FENCE	225902.3N 0831148.2E	1956 FT	NIL	Wall Fencing
34/APCH 16/TKOF	OTHER	225902.0N 0831148.3E	1964 FT	NIL	Wall Fencing
34/APCH 16/TKOF	OTHER	225902.2N 0831151.5E	1961 FT	NIL	Wall Fencing
34/APCH 16/TKOF	OTHER	225901.3N 0831152.0E	1964 FT	NIL	Wall Fencing
34/APCH 16/TKOF	TREE	225834.4N 0831205.7E	2069 FT	NIL	Tree
34/APCH 16/TKOF	TREE	225759.2N 0831212.8E	2091 FT	NIL	Tree

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM08)	Marking/LGT	Remarks
34/APCH 16/TKOF	TREE	225758.2N 0831209.4E	2093 FT	NIL	Tree
34/APCH 16/TKOF	TREE	225746.0N 0831214.9E	2215 FT	NIL	Tree on Hill
34/APCH 16/TKOF	TREE	225747.2N 0831219.4E	2270 FT	NIL	Tree on Hill
34/APCH 16/TKOF	TREE	225746.9N 0831226.3E	2315 FT	NIL	Tree on Hill
In circling area and at AD	TREE	225538.6N 0830541.2E	2630 FT	NIL	Tree on Natural Highpoint
In circling area and at AD	TREE	225654.1N 0830638.8E	2498 FT	NIL	Tree on Natural Highpoint
In circling area and at AD	TREE	225647.4N 0830706.4E	2438 FT	NIL	Tree on Natural Highpoint
In circling area and at AD	TREE	225635.2N 0830756.6E	2673 FT	NIL	Tree on Natural Highpoint
In circling area and at AD	TREE	225632.2N 0830814.3E	2780 FT	NIL	Tree on Natural Highpoint
In circling area and at AD	TREE	225613.4N 0830825.3E	2822 FT	NIL	Tree on Natural Highpoint
In circling area and at AD	TREE	225549.8N 0830826.7E	2890 FT	NIL	Tree on Natural Highpoint
In circling area and at AD	TREE	225535.5N 0830834.2E	2837 FT	NIL	Tree on Natural Highpoint
In circling area and at AD	TREE	225505.6N 0830825.0E	2857 FT	NIL	Tree on Natural Highpoint
In circling area and at AD	TREE	225401.8N 0830758.5E	2952 FT	NIL	Tree on Natural Highpoint
In circling area and at AD	TREE	225342.5N 0830838.2E	3129 FT	NIL	Tree on Natural Highpoint
In circling area and at AD	TREE	225300.0N 0830830.2E	2914 FT	NIL	Tree on Natural Highpoint
In circling area and at AD	TREE	225344.2N 0830913.2E	2692 FT	NIL	Tree on Natural Highpoint
In circling area and at AD	TREE	225230.2N 0831122.5E	3119 FT	NIL	Tree on Natural Highpoint
In circling area and at AD	TREE	225324.9N 0831142.3E	3107 FT	NIL	Tree on Natural Highpoint
In circling area and at AD	TREE	225358.0N 0831203.1E	2748 FT	NIL	Tree on Natural Highpoint
In circling area and at AD	TREE	225148.2N 0831251.7E	3485 FT	NIL	Tree on Natural Highpoint
In circling area and at AD	TREE	225202.9N 0831258.2E	3524 FT	NIL	Tree on Natural Highpoint
In circling area and at AD	TREE	225235.6N 0831312.9E	3462 FT	NIL	Tree on Natural Highpoint
In circling area and at AD	TREE	225241.7N 0831328.1E	3798 FT	NIL	Tree on Natural Highpoint
In circling area and at AD	TREE	225256.0N 0831344.1E	3803 FT	NIL	Tree on Natural Highpoint
In circling area and at AD	TREE	225343.6N 0831315.7E	3316 FT	NIL	Tree on Natural Highpoint

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM08)	Marking/LGT	Remarks
In circling area and at AD	TREE	225344.2N 0831341.6E	3418 FT	NIL	Tree on Natural Highpoint
In circling area and at AD	TREE	225408.0N 0831349.0E	3414 FT	NIL	Tree on Natural Highpoint
In circling area and at AD	TREE	225435.1N 0831401.7E	3081 FT	NIL	Tree on Natural Highpoint
In circling area and at AD	TREE	225445.1N 0831410.9E	2948 FT	NIL	Tree on Natural Highpoint
In circling area and at AD	TREE	225522.1N 0831429.6E	2819 FT	NIL	Tree on Natural Highpoint
In circling area and at AD	TREE	225449.0N 0831351.7E	2758 FT	NIL	Tree on Natural Highpoint
In circling area and at AD	TREE	225444.3N 0831342.2E	2791 FT	NIL	Tree on Natural Highpoint
In circling area and at AD	TREE	225430.7N 0831312.8E	3032 FT	NIL	Tree on Natural Highpoint
In circling area and at AD	TREE	225444.8N 0831308.2E	2796 FT	NIL	Tree on Natural Highpoint
In circling area and at AD	TREE	225449.1N 0831252.3E	2812 FT	NIL	Tree on Natural Highpoint
In circling area and at AD	TREE	225456.8N 0831240.5E	2822 FT	NIL	Tree on Natural Highpoint
In circling area and at AD	TREE	225508.8N 0831244.0E	2736 FT	NIL	Tree on Natural Highpoint
In circling area and at AD	TREE	225518.1N 0831310.8E	2643 FT	NIL	Tree on Natural Highpoint
In circling area and at AD	TREE	225358.0N 0831203.1E	2748 FT	NIL	Tree on Natural Highpoint
In circling area and at AD	TREE	225525.3N 0831233.8E	2875 FT	NIL	Tree on Natural Highpoint
In circling area and at AD	TREE	225532.4N 0831245.9E	2778 FT	NIL	Tree on Natural Highpoint
In circling area and at AD	TREE	225559.9N 0831258.1E	2523 FT	NIL	Tree on Natural Highpoint
In circling area and at AD	TREE	225617.0N 0831354.7E	2598 FT	NIL	Tree on Natural Highpoint
In circling area and at AD	TREE	225620.2N 0831225.1E	2519 FT	NIL	Tree on Natural Highpoint
In circling area and at AD	TREE	225707.9N 0831147.2E	2274 FT	NIL	Tree on Natural Highpoint
In circling area and at AD	OTHER	225957.3N 0831129.5E	1921 FT	NIL	PAPI/MARKED
In circling area and at AD	OTHER	225957.4N 0831129.7E	1921 FT	NIL	PAPI/MARKED
In circling area and at AD	OTHER	225957.5N 0831130.0E	1921 FT	NIL	PAPI/MARKED
In circling area and at AD	OTHER	225957.6N 0831130.3E	1921 FT	NIL	PAPI/MARKED
In circling area and at AD	OTHER	225933.1N 0831134.7E	1942 FT	LGTD	ATAS Antenna/ MARKED
In circling area and at AD	OTHER	225916.8N 0831143.2E	1936 FT	NIL	PAPI/MARKED

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM08)	Marking/LGT	Remarks
In circling area and at AD	OTHER	225916.9N 0831143.5E	1936 FT	NIL	PAPI/MARKED
In circling area and at AD	OTHER	225917.0N 0831143.8E	1936 FT	NIL	PAPI/MARKED
In circling area and at AD	OTHER	225917.1N 0831144.1E	1936 FT	NIL	PAPI/MARKED
In circling area and at AD	OTHER	225917.7N 0831146.0E	1938 FT	NIL	Sign Board
In circling area and at AD	OTHER	225915.1N 0831148.8E	1938 FT	NIL	Sign Board
In circling area and at AD	OTHER	225913.1N 0831147.9E	1941 FT	NIL	Sign Board
In circling area and at AD	TREE	225815.8N 0831224.9E	2091 FT	NIL	Tree
In circling area and at AD	TREE	225754.0N 0831208.4E	2092 FT	NIL	Tree
In circling area and at AD	TREE	225748.7N 0831200.1E	2110 FT	NIL	Tree
In circling area and at AD	TREE	225744.2N 0831156.8E	2108 FT	NIL	Tree
In circling area and at AD	TREE	225744.4N 0831159.0E	2105 FT	NIL	Tree
In circling area and at AD	OTHER	225744.3N 0831204.7E	2122 FT	LGTD	Cellphone Mast/ Marked
In circling area and at AD	TREE	225745.9N 0831210.3E	2209 FT	NIL	Tree on Hill
In circling area and at AD	TREE	225750.3N 0831237.0E	2552 FT	NIL	Tree on Hill
In circling area and at AD	TREE	225753.4N 0831246.7E	2565 FT	NIL	Tree on Hill
In circling area and at AD	TREE	225754.1N 0831256.3E	2568 FT	NIL	Tree on Hill
In circling area and at AD	TREE	225755.4N 0831316.3E	2309 FT	NIL	Tree on Hill

VEAP AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Name of the associated meteorological office	Aerodrome Meteorological Station Ambikapur
2	Hours of service and, where applicable, the designation of the responsible meteorological office outside these hours	City Met Office, Ambikapur 24 Hours
3	Office responsible for preparation of TAFs and periods of validity and interval of issuance of the forecasts	Available During Notified Watch Hours
4	Availability of the trend forecast for the aerodrome and interval of issuance	Available
5	Information on how briefing and/or consultation is provided	Available
6	Types of flight documentation supplied and language(s) used in flight documentation	Hindi And English
7	Charts and other information displayed or available for briefing or consultation	Not Available
8	Supplementary equipment available for providing information on meteorological conditions, e.g. weather radar and receiver for satellite images;	Satellite Image
9	The air traffic services unit(s) provided with meteorological information	VEAP TWR
10	Additional information, e.g. concerning any limitation of service.	Nil

VEAP AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations	TRUE Bearings	Dimensions of RWY (M)	Strength of pavement (PCN) and associated data) and surface of runway and associated stopways	Geographical coordinates for threshold and runway end
1	2	3	4	5
16	158.81 DEG	1800 x 30 M	34/F/B/W/T Asphalt	THR: 230003.76N 0831125.64E RWY END: 225909.20N 0831148.48E
34	338.81 DEG	1800 x 30 M	34/F/B/W/T Asphalt	THR: 225909.20N 0831148.48E RWY END: 230003.76N 0831125.64E

THR elevation and highest elevation of TDZ of precision APP RWY	Slope of runway and associated stopway	Dimensions of stopway (M)	Dimensions of clearway (M)	Dimensions of strips (M)
6	7	8	9	10
THR: 1918.0FT TDZ:	0.34%	NIL	NIL	1920 x 150 M
THR: 1941.0FT TDZ:	0.34%	NIL	NIL	1920 x 150 M

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	**12**	**13**	**14**
160M x 60M	NIL	NIL	1. Transverse: 1.33% 2. Geoid Model: EGM 08
90M x 60M	NIL	NIL	1. Transverse: 1.33% 2. Geoid Model: EGM 08

VEAP AD 2.13 DECLARED DISTANCES

RWY Designator	Take-off run available TORA (M)	Take-off distance available TODA (M)	Accelerate distance available ASDA (M)	Landing distance available LDA (M)	Remarks (including runway entry or start point where alternative reduced declared distances have been declared)
1	**2**	**3**	**4**	**5**	**6**
16	NIL	NIL	NIL	1800	Unidirectional landing
34	1800	1800	1800	NIL	Unidirectional Take off

VEAP AD 2.14 APPROACH AND RUNWAY LIGHTING

Runway Designator	Type, length and intensity of approach lighting system	Runway threshold lights, colour and wing bars	Type of visual slope indicator system	Length of runway touchdown zone lights
1	**2**	**3**	**4**	**5**
16	NIL	NIL	PAPI LEFT/3.00 DEG MEHT (10.05M)	NIL
34	NIL	NIL	NIL	NIL

Length, spacing, colour and intensity of runway centre line lights	Length, spacing, colour and intensity of runway edge lights	Colour of runway end lights and wing bars	Length and colour of stopway lights	Remarks
6	**7**	**8**	**9**	**10**
NIL	NIL	NIL	NIL	NIL
NIL	NIL	NIL	NIL	NIL

VEAP AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	Location, characteristics and hours of operation of aerodrome beacon/identification beacon (if any)	ABN	Top of ATC Tower LAT/LONG: 225909.819N 0831155.392E 28-30 flashes per minute Alternate White & Green As per ATC Watch Hours
		IBN	NIL
2	Location and lighting (if any) of anemometer/ landing direction indicator;	LDI	NIL
		Anemometer	NIL
3	Taxiway edge and taxiway centre line lights;	Edge	NIL
		Centre Line	NIL
4	Secondary power supply including switch-over time;	Available 15 seconds	
5	Remarks	Nil	

VEAP AD 2.16 HELICOPTER LANDING AREA

1	Geographical coordinates of the geometric centre of touchdown and lift-off (TLOF) or of each threshold of final approach and take-off (FATO) area	Not established
2	TLOF and/or FATO area elevation:	Not established
3	TLOF and FATO area dimensions to the nearest metre or foot, surface type, bearing strength and marking;	Not established
4	True bearings of FATO;	Not established
5	Declared distances available	Not established
6	Approach and FATO lighting;	Not established
7	Remarks	NIL

VEAP AD 2.17 AIR TRAFFIC SERVICE AIRSPACE

1	Airspace designation, geographical coordinates and lateral limits	CTR: Circular area centered on 225936N 0831134E within a 25NM radius.
2	Vertical limits	FL 75
3	Airspace classification	D
4	Call sign and language(s) of the air traffic services unit providing service;	AMBIKAPUR TOWER, English
5	Transition altitude	7000 FT
6	Hours of applicability	HO
7	Remarks	1. CTR available only during published watch hrs. 2. Airspace classified as Class ‘D’ 3. Beyond Watch hrs airspace Classification is Class G 4.Ambikapur Approach Control Unit is combined with Ambikapur Aerodrome Control Tower

VEAP AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service Designation	Call sign	Channel(s)	SATVOICE Number(s), if available
1	2	3	4
APP	Ambikapur Tower	118.200 MHZ	
APP	Ambikapur Tower	118.325 MHZ	
TWR	AMBIKAPUR TOWER	118.200 MHZ	
TWR	AMBIKAPUR TOWER	118.325 MHZ	

Logon address, as appropriate	Hours of operation	Remarks
5	6	7
	HO	1.Main Frequency 2.Functions of Approach Control Service provided by Aerodrome Control Tower.
	HO	1.Back up frequency 2.Functions of Approach Control Service provided by Aerodrome Control Tower.
	HO	MAIN
	HO	BACK UP

VEAP AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aids, magnetic variation and type of supported operation for ILS/ MLS, basic GNSS, SBAS and GBAS, and for VOR/ILS/MLS station used for technical lineup of the aid	Identification	Frequency(ies), Channel number(s), Service provider, and reference path identifier(s) (RPI), as appropriate	Hours of operation, as appropriate;
1	2	3	4

Geographical coordinates of the position of the transmitting antenna	Elevation of transmitting antenna of DME/ elevation of GBAS reference point	Service volume radius from the GBAS reference point	Remarks
5	6	7	8

VEAP AD 2.20 LOCAL AERODROME REGULATIONS

NIL

VEAP AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

VEAP AD 2.22 FLIGHT PROCEDURES

NIL

VEAP AD 2.23 ADDITIONAL INFORMATION

NIL

VEAP AD 2.24 CHARTS RELATED TO AN AERODROME

1. Aerodrome Chart
2. Aircraft Parking Docking Chart
3. Aerodrome Obstacle Chart – Type A (Operating Limitations) RWY 16
4. Aerodrome Obstacle Chart – Type A (Operating Limitations) RWY 34
5. Aerodrome Obstacle Chart – Type B
6. Table 1 - Aerodrome Obstacle Chart – Type B
7. Table 2 - Aerodrome Obstacle Chart – Type B
8. Table 3 - Aerodrome Obstacle Chart – Type B

VEAP AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

Procedure	Procedure Minima	VSS Penetration
1	2	3