AD 2. AERODROMES

VAAU AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VAAU - AURANGABAD AIRPORT, AURANGABAD

VAAU AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	Aerodrome reference point coordinates and its site	195152N 0752351E 276.95 DEG / 1211 M FROM PHYSICAL BEGINNING OF RWY 27	
2	Direction and distance of aerodrome reference point from the centre of the city or town which the aerodrome serves	084 DEG/11KM from Railway station	
3	Aerodrome elevation and reference temperature	1917 FT / 40.6 DEG C	
4	Magnetic variation, date of information and annual change	0.67 DEG W (2010) /0.0333 DEG E	
5	Name of aerodrome operator, address, telephone, telefax, e-mail address, AFS address, website (if available)	Airports Authority of India, Aurangabad Airport, Aurangabad - 431007	
		Telephone:	(91) 2402477850 (91) 2402477821
		Fax:	(91) 240 2477848
		AFS:	VAAUYDYX
		Email:	apd_vaau@aai.aero, vaau.ats@aai.aero
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	Elevation in EGM 08	

VAAU AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	MON-FRI 0400-1230 UTC (0930-1800 IST) SAT, SUN+ HOL: NIL
2	Custom and immigration	Available as per requirement
3	Health and sanitation	First Aid medical room is available
4	AIS briefing office	As ATS
5	ATS reporting office (ARO)	As ATS
6	MET Briefing office	As ATS
7	Air Traffic Service	Consult NOTAM for current ATS HR.
8	Fuelling	As ATS
9	Handling	NIL
10	Security	As ATS
11	De-icing	NIL
12	Remarks	1. Outside of ATS Hours service are available O/R with 24HR PN to AD 2. The ATS approved hourly RWY TFC handling capacity is as follows: Max number of ARR and DEP -12 (the minimum spacing between two successive arrivals shall be more than five min) Max number of arrivals only - 06 Max number of departures only - 10

VAAU AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	Domestic Cargo Handling Available
2	Fuel and Oil types	JET A1 ATF/NIL
3	Fuelling facilities and capacity	Reliance and IOCL are providing refueling as per requirements. IOCL: Total Bowser capacity of JET A1 is 21KL, 1 Bowser of 16KL and 1 Bowser of 11 KL. Reliance: Total Bowser capacity 39KL, 2 Bowser of 6KL, 1 Bowser of 11 KL and 1 Bowser of 16 KL
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	NIL
6	Repair facilities for visiting aircraft	NIL
7	Remarks	Contact number for details of fuel: IOCL: +91 240 2485417, 9699051580, 8983251114, uttamraogs@indianoil.in Reliance: +91 7073466958, aurangabad.afs@ril.com

VAAU AD 2.5 PASSENGER FACILITIES

1	Hotel(s) at or in the vicinity of aerodrome	In the city
2	Restaurant(s) at or in the vicinity of aerodrome	At AD and in the city
3	Transportation possibilities	Car hire from AD.
4	Medical Facilities	MI Room at Terminal Building. Hospital in the city
5	Bank and post office at or in the vicinity of aerodrome	Banks: SBI Post office: Available
6	Tourist office	MTDC Counter at Arrival. & In the city
7	Remarks	NIL

VAAU AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	Aerodrome category for fire fighting	Within ATS HR: CAT-7
2	Rescue equipment	Available as per category.
3	Capability for removal of disabled aircraft	1. The critical aircraft for the airport is A321. 2. Primary responsibility for removal of disabled aircraft rests with the concerned airline. 3. The airlines may contact 'Aerodrome Coordinator for Disabled Aircraft Removal Operations' for coordinating with the agencies having Disabled Aircraft Recovery Kit. 4. Contact Details of Aerodrome Coordinator for Disabled Aircraft Removal Operations: Aerodrome Coordinator: Airport Director, Aurangabad Airport Contact no.: 0240 2477821 Email ID: apd_vaau@aai.aero
4	Remarks	

VAAU AD 2.7 SEASONAL AVAILABILITY CLEARING

1	Type(s) of clearing equipment	NIL
2	Clearance priorities	NIL
3	Remarks	NIL

VAAU AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Designation, surface and strength of aprons	Refer Aircraft Parking Docking Chart
2	Designation, width, surface and strength of taxiways	Refer Aircraft Parking Docking Chart
3	Location and elevation of altimeter checkpoints	Location: New Apron Elevation: 1916 FT
4	Location of VOR checkpoints	On TWY "A" 195150.07012N 0752341.708161E Elevation: 1911 FT (EGM 08)
5	Position of INS checkpoints	NIL
6	Remarks	1. TWY Lengths: TWY A: 276M TWY B: 190M TWY C: 193M LINK TWY: 20 M 2. Taxi Holding Point Coordinates: TWY A: 195149.96633N 0752341.71024E TWY B: 195149.93676N 0752350.45615E TWY C: 195144.08874N 0752350.56127E 3. RWY & TWY A Intersection coordinates: 195146.89085N 0752341.77070E 4. RWY & TWY B, C Intersection coordinates: 195146.97407N 0752350.50416E 5. Elevation in EGM 08

VAAU AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand identification signs, taxiway guidelines and visual docking/parking guidance system at aircraft stands	Taxiing guidance provided on R/T, Signage-boards and Taxi guidelines marking available, Visual docking guidance system for Bay no. 1 & 2 available
2	Runway and taxiway markings and lights	RWY Markings Designation, THR, TDZ, Centreline, Edge, End RWY Lights: RWY Edge, THR, Turnpad, End TWY Marking: Centreline, Holding Positions TWY Lights: Edge
3	Stop bars (if any)	NIL
4	Remarks	NIL

VAAU AD 2.10 AERODROME OBSTACLES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
27/TKOF 09/APCH	BUILDING	195154.7N 0752219.9E	1984 FT	NO	Temple
27/TKOF 09/APCH	TREE	195145.5N 0752220.8E	1988 FT	NO	Group of Tree
27/TKOF 09/APCH	TREE	195140.8N 0752238.0E	1968 FT	NO	Group of Tree
27/TKOF 09/APCH	OTHER	195139.5N 0752237.2E	1957 FT	NO	Mobile Rail Traffic (Rail Track Elev. 589.0 M. + Traffic Ht. 7.6 M.)
27/TKOF 09/APCH	OTHER	195142.6N 0752244.1E	1938 FT	NO	Mobile Road Traffic (Road Elev. 585.7 M. + Traffic Ht. 5.0 M.)
27/TKOF 09/APCH	POLE	195141.7N 0752251.7E	1930 FT	NO	Light Post
27/TKOF 09/APCH	OTHER	195141.7N 0752249.1E	1930 FT	LGTD	Obstacle Light on Light Post
27/TKOF 09/APCH	POLE	195141.7N 0752248.4E	1930 FT	NO	Light Post
27/TKOF 09/APCH	BUILDING	195150.6N 0752228.5E	1971 FT	NO	Pipe on Building
27/TKOF 09/APCH	BUILDING	195150.4N 0752228.0E	1972 FT	NO	Water Tank on Building
27/TKOF 09/APCH	OTHER	195153.2N 0752213.0E	1995 FT	NO	Flood Light Mast
27/TKOF 09/APCH	OTHER	195156.6N 0752138.0E	2070 FT	NO	Cell Phone Mast on Building
27/TKOF 09/APCH	OTHER	195157.7N 0752144.6E	2061 FT	NO	Cell Phone Mast on Building
27/TKOF 09/APCH	OTHER	195159.1N 0752145.4E	2065 FT	NO	Cell Phone Mast on Building
27/TKOF 09/APCH	BUILDING	195148.6N 0752242.5E	1940 FT	NO	Lightning Arrester on Localizer Hut (Hut - 589.4 M)
27/TKOF 09/APCH	BUILDING	195143.7N 0752229.1E	1967 FT	NO	Building
27/TKOF 09/APCH	OTHER	195146.4N 0752253.0E	1919 FT	LGTD	Approach Light
27/TKOF 09/APCH	OTHER	195141.8N 0752252.2E	1930 FT	LGTD	Obstacle Light on Light Post
27/TKOF 09/APCH	POLE	195141.7N 0752248.1E	1930 FT	NO	Light Post
27/TKOF 09/APCH	BUILDING	195141.5N 0752245.0E	1940 FT	NO	Watch Tower No.4
27/TKOF 09/APCH	BUILDING	195152.2N 0752241.9E	1944 FT	NO	Watch Tower No.3
27/TKOF 09/APCH	BUILDING	195143.2N 0752240.9E	1946 FT	NO	Building

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
27/TKOF 09/APCH	POLE	195142.9N 0752240.5E	1950 FT	NO	Electric Pole
27/TKOF 09/APCH	BUILDING	195144.8N 0752240.1E	1944 FT	NO	Pipe on Building
27/TKOF 09/APCH	BUILDING	195142.0N 0752239.8E	1946 FT	NO	Building
27/TKOF 09/APCH	POLE	195143.6N 0752238.9E	1945 FT	NO	Electric Pole
27/TKOF 09/APCH	BUILDING	195141.9N 0752238.6E	1951 FT	NO	Building
27/TKOF 09/APCH	POLE	195152.6N 0752238.3E	1945 FT	NO	Light Post
27/TKOF 09/APCH	BUILDING	195150.0N 0752236.3E	1954 FT	NO	Building
27/TKOF 09/APCH	POLE	195153.1N 0752233.2E	1959 FT	NO	Electric Pole
27/TKOF 09/APCH	BUILDING	195149.1N 0752232.6E	1962 FT	NO	Water Tank on Building
27/TKOF 09/APCH	BUILDING	195148.9N 0752232.3E	1957 FT	NO	Building
27/TKOF 09/APCH	POLE	195153.1N 0752230.6E	1960 FT	NO	Electric Pole
27/TKOF 09/APCH	BUILDING	195149.9N 0752230.2E	1963 FT	NO	Water Tank on Building
27/TKOF 09/APCH	BUILDING	195148.7N 0752229.9E	1969 FT	LGTD	Obstacle Light on Building
27/TKOF 09/APCH	BUILDING	195150.4N 0752227.2E	1971 FT	NO	Building
27/TKOF 09/APCH	BUILDING	195143.2N 0752225.5E	1975 FT	NO	Building
27/TKOF 09/APCH	BUILDING	195141.3N 0752218.0E	1985 FT	NO	Water Tank on Building
27/TKOF 09/APCH	TREE	195147.3N 0752216.8E	1992 FT	NO	Tree
27/TKOF 09/APCH	TREE	195150.1N 0752212.9E	1998 FT	NO	Tree
27/TKOF 09/APCH	BUILDING	195141.1N 0752212.4E	1997 FT	NO	Water Tank on Building
27/TKOF 09/APCH	TREE	195143.0N 0752204.7E	2012 FT	NO	Tree
27/TKOF 09/APCH	BUILDING	195154.4N 0752201.1E	2021 FT	NO	Building
27/TKOF 09/APCH	OTHER	195159.1N 0752144.8E	2065 FT	NO	Cell Phone Mast on Building
27/TKOF 09/APCH	OTHER	195152.4N 0752242.2E	1943 FT	NO	Mobile Road Traffic (Road Elev. 587.2 M. + Traffic Ht. 5.0 M.)
27/TKOF 09/APCH	TREE	195140.3N 0752241.8E	1957 FT	NO	Group of Tree
27/TKOF 09/APCH	POLE	195140.2N 0752240.7E	1948 FT	NO	Light Post

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
27/TKOF 09/APCH	BUILDING	195142.1N 0752240.6E	1948 FT	NO	Building
27/TKOF 09/APCH	BUILDING	195142.9N 0752240.4E	1945 FT	NO	Building
27/TKOF 09/APCH	POLE	195140.8N 0752239.5E	1948 FT	NO	Light Post
27/TKOF 09/APCH	BUILDING	195141.3N 0752239.4E	1950 FT	NO	Temple
27/TKOF 09/APCH	BUILDING	195141.7N 0752239.2E	1949 FT	NO	Building
27/TKOF 09/APCH	POLE	195140.4N 0752238.2E	1948 FT	NO	Light Post
27/TKOF 09/APCH	BUILDING	195148.0N 0752222.7E	1977 FT	NO	Building
27/TKOF 09/APCH	BUILDING	195148.9N 0752222.5E	1977 FT	NO	Water Tank on Building
27/TKOF 09/APCH	BUILDING	195152.4N 0752222.2E	1980 FT	NO	Water Tank on Building
27/TKOF 09/APCH	BUILDING	195151.1N 0752221.8E	1986 FT	NO	Water Tank on Building
27/TKOF 09/APCH	BUILDING	195148.8N 0752221.6E	1982 FT	NO	Water Tank on Building
27/TKOF 09/APCH	BUILDING	195152.5N 0752221.1E	1987 FT	NO	Water Tank on Building
27/TKOF 09/APCH	BUILDING	195149.7N 0752220.2E	1985 FT	NO	Water Tank on Building
27/TKOF 09/APCH	BUILDING	195149.7N 0752218.6E	1983 FT	NO	Water Tank on Building
27/TKOF 09/APCH	BUILDING	195152.1N 0752218.3E	1988 FT	NO	Building
27/TKOF 09/APCH	BUILDING	195147.9N 0752218.0E	1985 FT	NO	Building
27/TKOF 09/APCH	OTHER	195149.9N 0752203.9E	2014 FT	NO	Cell Phone Mast on Building
27/TKOF 09/APCH	OTHER	195134.1N 0752143.2E	2064 FT	NO	Cell Phone Mast on Building
27/TKOF 09/APCH	OTHER	195146.3N 0752242.3E	1939 FT	NO	Mobile Road Traffic (Road Elev. 585.9 M. + Traffic Ht. 5.0 M.)
27/TKOF 09/APCH	POLE	195139.9N 0752232.8E	1958 FT	NO	Railway Electric Pole
27/TKOF 09/APCH	ANTENNA	195152.3N 0752241.9E	1944 FT	NO	Antenna
27/TKOF 09/APCH	BUILDING	195150.5N 0752235.2E	1959 FT	NO	Building
27/TKOF 09/APCH	BUILDING	195148.7N 0752229.8E	1969 FT	NO	Building
27/TKOF 09/APCH	BUILDING	195143.8N 0752225.8E	1971 FT	NO	Water Tank on Building
27/TKOF 09/APCH	FENCE	195141.3N 0752247.1E	1932 FT	NO	Airport Boundary Wall With Fencing On Top

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
27/APCH 09/TKOF	TREE	195142.4N 0752447.6E	1920 FT	NO	Group of Tree
27/APCH 09/TKOF	TREE	195142.9N 0752454.2E	1931 FT	NO	Tree
27/APCH 09/TKOF	TREE	195151.2N 0752456.0E	1934 FT	NO	Tree
27/APCH 09/TKOF	TREE	195144.7N 0752502.3E	1954 FT	NO	Tree
27/APCH 09/TKOF	TREE	195146.2N 0752446.8E	1913 FT	NO	Tree
27/APCH 09/TKOF	TREE	195155.5N 0752502.6E	1955 FT	NO	Tree
27/APCH 09/TKOF	TREE	195152.0N 0752445.7E	1915 FT	NO	Group of Tree
27/APCH 09/TKOF	TREE	195151.1N 0752500.4E	1936 FT	NO	Tree
In circling area and at AD	TREE	195155.7N 0752220.1E	2016 FT	NO	Tree
In circling area and at AD	TREE	195135.4N 0752217.6E	2021 FT	NO	Tree
In circling area and at AD	TREE	195154.2N 0752311.2E	1986 FT	NO	Tree
In circling area and at AD	TREE	195138.0N 0752253.3E	1980 FT	NO	Tree
In circling area and at AD	OTHER	195141.7N 0752254.8E	1938 FT	NO	Mobile Road Traffic (Road Elev. 585.6 M. + Traffic Ht. 5.0 M.)
In circling area and at AD	FENCE	195141.4N 0752251.9E	1932 FT	NO	Airport Boundary Wall With Fencing On Top
In circling area and at AD	TREE	195153.5N 0752234.7E	1990 FT	NO	Tree
In circling area and at AD	TREE	195154.4N 0752241.4E	1991 FT	NO	Tree
In circling area and at AD	TREE	195154.9N 0752252.4E	1989 FT	NO	Tree
In circling area and at AD	POLE	195153.4N 0752254.0E	1954 FT	NO	Electric Pole
In circling area and at AD	TREE	195155.2N 0752305.0E	1976 FT	NO	Group of Tree
In circling area and at AD	POLE	195141.8N 0752252.7E	1930 FT	NO	Light Post
In circling area and at AD	POLE	195152.7N 0752242.2E	1946 FT	NO	Light Post
In circling area and at AD	POLE	195152.7N 0752243.3E	1960 FT	NO	Light Post
In circling area and at AD	OTHER	195159.1N 0752218.4E	2038 FT	NO	Cell Phone Mast on Building
In circling area and at AD	TREE	195153.2N 0752308.1E	1960 FT	NO	Group of Tree
In circling area and at AD	TREE	195139.7N 0752304.4E	1976 FT	NO	Group of Tree

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
In circling area and at AD	TREE	195152.6N 0752300.9E	1958 FT	NO	Tree
In circling area and at AD	TREE	195138.9N 0752258.5E	1976 FT	NO	Tree
In circling area and at AD	FENCE	195141.4N 0752254.7E	1932 FT	NO	Airport Boundary Wall With Fencing On Top
In circling area and at AD	OTHER	195153.0N 0752254.3E	1949 FT	NO	Flag on Temple
In circling area and at AD	POLE	195141.8N 0752254.3E	1930 FT	NO	Light Post
In circling area and at AD	OTHER	195141.6N 0752253.0E	1939 FT	NO	Mobile Road Traffic (Road Elev. 585.9 M. + Traffic Ht. 5.0 M.)
In circling area and at AD	POLE	195153.2N 0752252.4E	1960 FT	NO	Light Post
In circling area and at AD	POLE	195153.4N 0752250.7E	1953 FT	NO	Electric Pole
In circling area and at AD	POLE	195152.7N 0752250.4E	1959 FT	NO	Light Post
In circling area and at AD	BUILDING	195153.8N 0752250.0E	1960 FT	NO	Water Tank on Building
In circling area and at AD	POLE	195152.7N 0752247.3E	1958 FT	NO	Light Post
In circling area and at AD	POLE	195152.0N 0752245.9E	1931 FT	NO	Light Post
In circling area and at AD	BUILDING	195155.3N 0752226.5E	1981 FT	NO	Building
In circling area and at AD	BUILDING	195137.0N 0752221.2E	1980 FT	NO	Water Tank on Building
In circling area and at AD	POLE	195141.8N 0752258.9E	1927 FT	NO	Light Post
In circling area and at AD	POLE	195152.5N 0752251.6E	1941 FT	NO	Pole
In circling area and at AD	OTHER	195141.6N 0752251.4E	1939 FT	NO	Mobile Road Traffic (Road Elev. 586.0 M. + Traffic Ht. 5.0 M.)
In circling area and at AD	TREE	195154.0N 0752248.0E	1979 FT	NO	Tree
In circling area and at AD	BUILDING	195154.4N 0752245.8E	1969 FT	NO	Building
In circling area and at AD	OTHER	195139.1N 0752244.4E	1956 FT	NO	Mobile Rail Traffic (Rail Track Elev. 588.7 M. + Traffic Ht. 7.6 M.)
In circling area and at AD	POLE	195140.1N 0752243.7E	1946 FT	NO	Light Post
In circling area and at AD	OTHER	195139.1N 0752243.5E	1956 FT	NO	Mobile Rail Traffic (Rail Track Elev. 588.8 M. + Traffic Ht. 7.6 M.)

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
In circling area and at AD	POLE	195140.2N 0752242.8E	1946 FT	NO	Light Post
In circling area and at AD	OTHER	195152.6N 0752242.5E	1943 FT	NO	Mobile Road Traffic (Road Elev. 587.3 M. + Traffic Ht. 5 M.)
In circling area and at AD	OTHER	195139.3N 0752240.6E	1957 FT	NO	Mobile Rail Traffic (Rail Track Elev. 589.0 M. + Traffic Ht. 7.6 M.)
In circling area and at AD	POLE	195152.7N 0752245.3E	1961 FT	NO	Light Post
In circling area and at AD	POLE	195152.3N 0752301.3E	1939 FT	NO	CCTV Pole
In circling area and at AD	POLE	195141.8N 0752255.8E	1929 FT	NO	Light Post
In circling area and at AD	FENCE	195141.4N 0752249.7E	1931 FT	NO	Airport Boundary Wall With Fencing On Top
In circling area and at AD	BUILDING	195226.7N 0752206.6E	2066 FT	NO	Building (Hotel Grand Kailash)
In circling area and at AD	OTHER	195215.4N 0752142.9E	2084 FT	NO	Mast
In circling area and at AD	BUILDING	195233.4N 0752139.4E	2083 FT	NO	Building
In circling area and at AD	OTHER	195208.6N 0752129.5E	2083 FT	NO	Mast
In circling area and at AD	BUILDING	195231.1N 0752116.3E	2071 FT	NO	Building
In circling area and at AD	ANTENNA	195233.9N 0752140.1E	2087 FT	NO	Antenna on Building
In circling area and at AD	OTHER	195217.7N 0752207.0E	2082 FT	NO	Cell Phone Mast
In circling area and at AD	OTHER	195143.3N 0752425.4E	1905 FT	NO	GP Monitor Antenna
In circling area and at AD	OTHER	195143.3N 0752423.3E	1945 FT	NO	GP Main Antenna
In circling area and at AD	BUILDING	195143.2N 0752422.9E	1904 FT	NO	GP Hut
In circling area and at AD	OTHER	195143.0N 0752423.3E	1908 FT	NO	GP DME Antenna
In circling area and at AD	TREE	195154.6N 0752439.0E	1947 FT	NO	Group of Tree
In circling area and at AD	TREE	195141.5N 0752432.1E	1923 FT	NO	Group of Tree
In circling area and at AD	TREE	195140.9N 0752436.4E	1947 FT	NO	Group of Tree
In circling area and at AD	TREE	195152.4N 0752431.4E	1919 FT	NO	Group of Tree
In circling area and at AD	BUILDING	195152.6N 0752428.9E	1909 FT	NO	Building
In circling area and at AD	TREE	195152.6N 0752427.6E	1926 FT	NO	Tree

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
In circling area and at AD	TREE	195155.2N 0752433.5E	1942 FT	NO	Tree
In circling area and at AD	TREE	195141.0N 0752441.0E	1942 FT	NO	Group of Tree
In circling area and at AD	POLE	195152.3N 0752427.5E	1903 FT	NO	Light Post
In circling area and at AD	BUILDING	195152.5N 0752433.9E	1907 FT	NO	Building
In circling area and at AD	POLE	195152.2N 0752434.3E	1897 FT	NO	Electric Pole
In circling area and at AD	OTHER	195140.3N 0752419.3E	1934 FT	NO	Lightening Arrester Near DVOR
In circling area and at AD	BUILDING	195151.9N 0752329.8E	1937 FT	NO	Building
In circling area and at AD	BUILDING	195152.2N 0752330.8E	1945 FT	NO	Building
In circling area and at AD	BUILDING	195153.7N 0752331.0E	1948 FT	NO	Building
In circling area and at AD	OTHER	195157.5N 0752352.6E	1999 FT	NO	Flood Light Mast
In circling area and at AD	BUILDING	195141.9N 0752328.0E	1918 FT	NO	WATCH TOWER NO.5
In circling area and at AD	BUILDING	195141.7N 0752316.0E	1921 FT	NO	WATCH TOWER
In circling area and at AD	OTHER	195151.9N 0752351.7E	1934 FT	NO	Windsock
In circling area and at AD	TREE	195139.1N 0752409.2E	1957 FT	NO	Group Of Tree
In circling area and at AD	FENCE	195151.7N 0752331.5E	1925 FT	NO	Airport Boundary Wall With Fencing On Top
In circling area and at AD	BUILDING	195152.9N 0752331.3E	1940 FT	NO	Building
In circling area and at AD	BUILDING	195152.5N 0752325.7E	1932 FT	NO	Watch Tower
In circling area and at AD	POLE	195142.0N 0752315.2E	1917 FT	NO	Light Post
In circling area and at AD	TREE	195140.0N 0752316.1E	1965 FT	NO	Group Of Trees
In circling area and at AD	TREE	195140.7N 0752326.1E	1938 FT	NO	Group Of Trees
In circling area and at AD	BUILDING	195153.0N 0752326.9E	1939 FT	NO	Temple
In circling area and at AD	BUILDING	195152.0N 0752327.0E	1937 FT	NO	Building
In circling area and at AD	TREE	195152.2N 0752328.0E	1952 FT	NO	Group Of Trees
In circling area and at AD	OTHER	195141.7N 0752315.6E	1924 FT	NO	Gate
In circling area and at AD	POLE	195152.5N 0752325.8E	1943 FT	NO	CCTV Pole

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
In circling area and at AD	BUILDING	195151.8N 0752330.2E	1942 FT	NO	Building
In circling area and at AD	POLE	195152.3N 0752330.5E	1946 FT	NO	Pipe
In circling area and at AD	BUILDING	195151.7N 0752332.3E	1927 FT	NO	Security Hut
In circling area and at AD	BUILDING	195152.6N 0752331.6E	1942 FT	NO	Building
In circling area and at AD	OTHER	195108.7N 0752129.4E	2154 FT	NO	Cell Phone Mast
In circling area and at AD	BUILDING	195242.8N 0752218.3E	2082 FT	NO	Building
In circling area and at AD	BUILDING	195259.8N 0752237.3E	2071 FT	NO	Building
In circling area and at AD	OTHER	195320.7N 0752204.3E	2101 FT	NO	Cell Phone Mast
In circling area and at AD	BUILDING	195246.1N 0752140.6E	2089 FT	NO	Over Head Water Tank
In circling area and at AD	BUILDING	195246.7N 0752139.2E	2086 FT	NO	Over Head Water Tank
In circling area and at AD	BUILDING	195240.6N 0752118.1E	2105 FT	NO	Building
In circling area and at AD	OTHER	195234.6N 0752113.4E	2093 FT	NO	Cell Phone Mast on Building
In circling area and at AD	OTHER	194957.7N 0752150.1E	2191 FT	NO	Cell Phone Mast
In circling area and at AD	BUILDING	195023.0N 0752140.1E	2092 FT	NO	Building
In circling area and at AD	ANTENNA	195244.9N 0752218.6E	2091 FT	NO	Antenna on Building
In circling area and at AD	BUILDING	195235.7N 0752216.4E	2078 FT	NO	Building
In circling area and at AD	ANTENNA	195235.8N 0752217.5E	2075 FT	NO	Antenna on Building
In circling area and at AD	BUILDING	195242.2N 0752220.8E	2085 FT	NO	Building
In circling area and at AD	OTHER	194905.7N 0752248.6E	2591 FT	NO	Hazard Beacon Flag Top
In circling area and at AD	TREE	194930.2N 0752341.0E	2214 FT	NO	Tree on Hill Top
In circling area and at AD	OTHER	195404.4N 0752106.3E	2311 FT	NO	TV Tower
In circling area and at AD	TREE	194931.7N 0751846.9E	2668 FT	NO	Tree on Hill Top
In circling area and at AD	TREE	194906.5N 0751818.0E	2765 FT	NO	Tree on Hill Top
In circling area and at AD	OTHER	194835.3N 0751812.8E	2745 FT	NO	Hill Top
In circling area and at AD	OTHER	194744.6N 0751851.3E	2558 FT	NO	Hill Top
In circling area and at AD	OTHER	194805.4N 0751955.7E	2568 FT	NO	Hill Top

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
In circling area and at AD	OTHER	194659.6N 0752047.1E	2525 FT	NO	Hill Top
In circling area and at AD	OTHER	194600.4N 0752138.7E	2594 FT	NO	Hill Top
In circling area and at AD	OTHER	194625.0N 0752228.1E	2541 FT	NO	Hill Top
In circling area and at AD	OTHER	194642.3N 0752338.1E	2545 FT	NO	Hill Top
In circling area and at AD	OTHER	194647.7N 0752435.7E	2551 FT	NO	Hill Top
In circling area and at AD	OTHER	194746.2N 0752236.5E	2482 FT	NO	Hill Top
In circling area and at AD	TREE	194840.9N 0752145.4E	2758 FT	NO	Tree on Hill Top
In circling area and at AD	OTHER	195543.9N 0751633.6E	2689 FT	NO	Hill Top
In circling area and at AD	OTHER	195522.0N 0751700.2E	2728 FT	NO	Hill Top
In circling area and at AD	OTHER	195501.8N 0751820.4E	2666 FT	NO	Flag Pole on Hill Top
In circling area and at AD	OTHER	195516.6N 0751851.9E	2522 FT	NO	Hill Top
In circling area and at AD	OTHER	195529.5N 0752640.3E	2571 FT	NO	Hill Top
In circling area and at AD	OTHER	195557.3N 0752715.8E	2942 FT	NO	Hill Top
In circling area and at AD	OTHER	195518.8N 0752737.5E	2636 FT	NO	Hill Top
In circling area and at AD	OTHER	195458.5N 0752815.3E	2571 FT	NO	Hill Top
In circling area and at AD	OTHER	195523.3N 0752844.1E	2607 FT	NO	Hill Top
In circling area and at AD	OTHER	195613.6N 0752928.4E	2446 FT	NO	Hill Top
In circling area and at AD	OTHER	195601.7N 0753028.5E	2423 FT	NO	Hill Top
In circling area and at AD	OTHER	195337.5N 0753017.6E	2434 FT	NO	Mast on Hill Top
In circling area and at AD	OTHER	195743.0N 0752613.0E	3328 FT	NO	MET Mast on Hill Top
In circling area and at AD	TREE	195734.0N 0752251.8E	2621 FT	NO	Tree on Hill Top
In circling area and at AD	TREE	194643.9N 0752427.2E	2560 FT	NO	Tree on Hill Top
In circling area and at AD	OTHER	195107.6N 0752237.6E	2066 FT	NO	CELLPHONE MAST

VAAU AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Name of the associated meteorological office	Aurangabad
2	Hours of service and, where applicable, the designation of the responsible meteorological office outside these hours	H24
3	Office responsible for preparation of TAFs and periods of validity and interval of issuance of the forecasts	Mumbai 9HR
4	Availability of the trend forecast for the aerodrome and interval of issuance	NIL
5	Information on how briefing and/or consultation is provided	NIL
6	Types of flight documentation supplied and language(s) used in flight documentation	Tabular Form (English)
7	Charts and other information displayed or available for briefing or consultation	NIL
8	Supplementary equipment available for providing information on meteorological conditions, e.g. weather radar and receiver for satellite images;	NIL
9	The air traffic services unit(s) provided with meteorological information	VAAU Aurangabad ATC and ACS
10	Additional information, e.g. concerning any limitation of service.	Wind Direction Indicator lighted

VAAU AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations	TRUE Bearings	Dimensions of RWY (M)	Strength of pavement (PCN) and associated data) and surface of runway and associated stopways	Geographical coordinates for threshold and runway end
1	2	3	4	5
09	89.42 DEG	2839 x 45 M	84/F/B/W/T Macadam	THR: 195146.44N 0752255.03E RWY END: 195147.37N 0752432.59E
27	269.42 DEG	2839 x 45 M	84/F/B/W/T Macadam	THR: 195147.37N 0752432.59E RWY END: 195146.44N 0752255.03E

THR elevation and highest elevation of TDZ of precision APP RWY	Slope of runway and associated stopway	Dimensions of stopway (M)	Dimensions of clearway (M)	Dimensions of strips (M)
6	7	8	9	10
THR: 1917.0FT TDZ: 1917.0FT	-0.30%	NIL	NIL	2959 x 280 M
THR: 1886.0FT TDZ: 1907.0FT	0.30%	NIL	NIL	2959 x 280 M

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	12	13	14
90M x 90M			1. Surface:From Beginning of RWY 27 upto 1830M Macadam. Rest Concrete. 2. PCN: From beginning of RWY 27 to 700M: 104/F/B/W/T 700M to 1830M: 84/F/B/W/T 1830M to 2286M: 68/R/B/W/T 2286M to 2839M: 71/R/B/W/T 3. Vertical datum: EGM08
90M x 90M			1. Surface:From Beginning of RWY 27 upto 1830M Macadam. Rest Concrete. 2. PCN: From beginning of RWY 27 to 700M: 104/F/B/W/T 700M to 1830M: 84/F/B/W/T 1830M to 2286M: 68/R/B/W/T 2286M to 2839M: 71/R/B/W/T 3. Vertical datum: EGM08

VAAU AD 2.13 DECLARED DISTANCES

RWY Designator	Take-off run available TORA (M)	Take-off distance available TODA (M)	Accelerate distance available ASDA (M)	Landing distance available LDA (M)	Remarks (including runway entry or start point where alternative reduced declared distances have been declared)
1	2	3	4	5	6
09	2839	2839	2839	2839	
27	2839	2839	2839	2839	

VAAU AD 2.14 APPROACH AND RUNWAY LIGHTING

Runway Designator	Type, length and intensity of approach lighting system	Runway threshold lights, colour and wing bars	Type of visual slope indicator system	Length of runway touchdown zone lights
1	2	3	4	5
09	SALS 420 M LIH	Green	PAPI LEFT/3.00 DEG	NIL
27	CAT I 460 M ABRIDGED LIH	Green	PAPI LEFT/3.00 DEG	NIL

Length, spacing, colour and intensity of runway centre line lights	Length, spacing, colour and intensity of runway edge lights	Colour of runway end lights and wing bars	Length and colour of stopway lights	Remarks
6	7	8	9	10
	2839 M 60 M White LIH	Red	NIL	Wing bar not available
	2839 M 60 M White LIH	Red	NIL	Wing bar not available

VAAU AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	Location, characteristics and hours of operation of aerodrome beacon/identification beacon (if any)	ABN	At Tower Building, FLG W&G EV2SEC As ATS HR
		IBN	NIL
2	Location and lighting (if any) of anemometer/ landing direction indicator;	LDI	30M North of ARP, Not Lighted.
		Anemometer	At TWR building, Not Lighted.
3	Taxiway edge and taxiway centre line lights;	Edge	Lighted
		Centre Line	Not LIGHTED
4	Secondary power supply including switch-over time;	Secondary power supply to all lights at AD. Switch-over time: 15 Sec.	
5	Remarks	NIL	

VAAU AD 2.16 HELICOPTER LANDING AREA

1	Geographical coordinates of the geometric centre of touchdown and lift-off (TLOF) or of each threshold of final approach and take-off (FATO) area	Not Established
2	TLOF and/or FATO area elevation:	Not Established
3	TLOF and FATO area dimensions to the nearest metre or foot, surface type, bearing strength and marking;	Not Established
4	True bearings of FATO;	Not Established
5	Declared distances available	Not Established
6	Approach and FATO lighting;	Not Established
7	Remarks	Not Established

VAAU AD 2.17 AIR TRAFFIC SERVICE AIRSPACE

1	Airspace designation, geographical coordinates and lateral limits	CTR: Circular area centered on 195152N 0752351E within a 10NM radius.
2	Vertical limits	FL 75
3	Airspace classification	D
4	Call sign and language(s) of the air traffic services unit providing service;	Aurangabad TWR, English
5	Transition altitude	5000 FT
6	Hours of applicability	HO
7	Remarks	Aurangabad Approach Control Unit is combined with Aurangabad Aerodrome Control Tower.

VAAU AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service Designation	Call sign	Channel(s)	SATVOICE Number(s), if available
1	2	3	4
APP	Aurangabad Tower	122.300 MHZ	
TWR	Aurangabad TWR	118.350 MHZ	
TWR	Aurangabad TWR	122.300 MHZ	
ATIS	Aurangabad Information	127.000 MHZ	
ALRS	Emergency Frequency	121.500 MHZ	

Logon address, as appropriate	Hours of operation	Remarks
5	6	7
	As ATS	Functions of Approach Control Service provided by Aerodrome Control Tower.
	As ATS	Backup FREQ.
	As ATS	NIL
	As ATS	NIL
	As ATS	NIL

VAAU AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aids, magnetic variation and type of supported operation for ILS/ MLS, basic GNSS, SBAS and GBAS, and for VOR/ILS/MLS station used for technical lineup of the aid	Identification	Frequency(ies), Channel number(s), Service provider, and reference path identifier(s) (RPI), as appropriate	Hours of operation, as appropriate;
1	2	3	4
LOC 27 CAT I	IAUR	110.100 MHz	AS ATS
GP 27		334.400 MHz	AS ATS
DME ILS 27	IAUR	CH38X	As ATS
DVOR/DME	AAU	116.300 MHz CH110X	H24

Geographical coordinates of the position of the transmitting antenna	Elevation of transmitting antenna of DME/ elevation of GBAS reference point	Service volume radius from the GBAS reference point	Remarks
5	6	7	8
195146.3N 0752243.0E			
195143.2N 0752423.3E			GP Angle 3 Degree
195143.0N 0752423.2E	1908 FT		i. Collocated with GP27 ii. Vertical Datum: EGM 08
195139.2N 0752421.8E	1926 FT		(I) Gravity Model: EGM-08 (II) DME Colocated with DVOR.

VAAU AD 2.20 LOCAL AERODROME REGULATIONS

• No Aircraft shall take lock turn/ pivotal turn on the Runway to avoid pavement damage.

VAAU AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

VAAU AD 2.22 FLIGHT PROCEDURES

NIL

VAAU AD 2.23 ADDITIONAL INFORMATION

1. BTN 2330-0059 UTC and 1100-1200 UTC daily subject to technical work large hydrogen filled meteorological uncontrolled balloon shall be launched daily in all weather conditions.

   i. Color of balloon: White

   ii. Weight of balloon: 875 gm.

   iii. Weight of balloon after filling hydrogen gas and attaching Radio sound instrument / Thermistor / Hygrister / baroswitch water activated battery with TX all fixed in a plastic box 1200 gm.

   iv. Balloon launching site: 195149N 0752355E

   v. Rate of ascent of balloon: 18 to 24 Km/Hrs.

   vi. Rate of descent of balloon variable subject to gravitational force

   vii. Site of impact / recovery area Surrounding 200 Km.

   viii. Balloon tracking: Nil

   ix. Purpose of launching Upper air Wx observation.

   x. Size of balloon without instrument: 65-70 cm of diameter

   xi. Size of balloon with instrument (instrument is attached with balloon by a 12 M long thread): 65 to 70 cm of Diameter.

2. Following Intersection Take Off Run Available (TORA):

RWY	FROM TWY INTERSECTION	TORA (M)
RWY 09	TWY A	1478
RWY 09	TWY B	1226
RWY 27	TWY A	1361
RWY 27	TWY B	1613

3. Runway Turn Pad, capable of handling B777-300 ER type of aircraft, provided at both ends of Runway 09/27 for Special Operations with prior permission.

VAAU AD 2.24 CHARTS RELATED TO AN AERODROME

1. Aerodrome Chart
2. Aircraft Parking Docking Chart
3. Aerodrome Obstacle Chart Type-A (Operating Limitations) RWY 09
4. Aerodrome Obstacle Chart Type-A (Operating Limitations) RWY 27
5. Aerodrome Obstacle Chart Type - B
6. VOR Procedure RWY 27(27 NOV 2025)
7. RNP Y Procedure RWY 09 (17 April 2025)
8. Coding Table - RNP Y Procedure RWY 09 (17 April 2025)
9. RNP Y Procedure RWY 27 (17 April 2025)
10. Coding Table - RNP Y Procedure RWY 27 (17 April 2025)
11. ILS or LOC Procedure RWY 27 (17 April 2025)

VAAU AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

Procedure	Procedure Minima	VSS Penetration
1	2	3