AD 2. AERODROMES

VEAH AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VEAH - AZAMGARH AIRPORT, AZAMGARH

VEAH AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	Aerodrome reference point coordinates and its site	260926N 0830650E 136.83 DEG/ 583 M from physical extremity of RWY 14	
2	Direction and distance of aerodrome reference point from the centre of the city or town which the aerodrome serves	17 KM Northwest from Azamgarh Railway Station	
3	Aerodrome elevation and reference temperature	261 FT / 41.7 DEG C	
4	Magnetic variation, date of information and annual change	0.00 DEG (2024) /0.0167 DEG E	
5	Name of aerodrome operator, address, telephone, telefax, e-mail address, AFS address, website (if available)	Airports Authority of India Azamgarh Airport Manduri (Uttar Pradesh), Manduri (Uttar Pradesh) - PIN - 276141	
		Telephone:	(91) 5466-297001 (91) 5466-297007
		Fax:	(91) 5466-227012
		AFS:	
		Email:	apdazamgarh@aai.aero
6	Types of traffic permitted (IFR/VFR)	VFR	
7	Remarks	i) Geoid Model: EGM-08 ii) Aerodrome Reference Code: 2B iii) Non-scheduled aircraft operators are required to file their slot request at least 48 hours prior on apdazamgarh@aai.aero for clearance. iv) All non-scheduled/General Aviation movements will be subject to positive approval from Airport Director.	

VEAH AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	0400 - 1230 UTC Daily Except Saturday, Sunday and Holidays
2	Custom and immigration	Not Applicable
3	Health and sanitation	During AD Hours
4	AIS briefing office	As ATSAs ATS
5	ATS reporting office (ARO)	As ATS
6	MET Briefing office	As ATS
7	Air Traffic Service	As per NOTAM
8	Fuelling	As ATS
9	Handling	As ATS
10	Security	As ATS
11	De-icing	No

12	Remarks	i) Non-Sked flights to obtain positive Clearance prior to departure due shortage of parking stands. ii) The ATS approved hourly Runway Traffic Handling Capacity is as follows: a) For RWY 14 • Maximum number of arrival and departure: 06 Airports Authority of India AIP Supplement 163/2024 Page 3 of 15 • Maximum number of arrivals only: 05 • Maximum number of departures only: 10 b) For RWY 32 • Maximum number of arrival and departure: 07 • Maximum number of arrivals only: 06 • Maximum number of departures only: 07 iii) All helicopters and aircraft operators from uncontrolled airfields within Varanasi TMA shall file FPL or online FPL on portal https://www.onlinefpl.in and obtain ADC and FIC No. from VECC FIC and ATC clearance from Varanasi ACC. iv) During watch hours of Azamgarh, obtain prior ATC clearance before departure from Azamgarh if departing from airfield within 05 NM of Azamgarh on TEL No. +91-5466-297007 and after departure contact Azamgarh Tower on VHF 118.55 MHZ.

VEAH AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	NIL
2	Fuel and Oil types	ATF BPCL JET FUEL
3	Fuelling facilities and capacity	01 Bouser, 15KL
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	NIL
6	Repair facilities for visiting aircraft	NIL
7	Remarks	NON SKD aircraft should ensure the availability of tow bar on board or with their ground handling agent.

VEAH AD 2.5 PASSENGER FACILITIES

1	Hotel(s) at or in the vicinity of aerodrome	In the city and near the AD
2	Restaurant(s) at or in the vicinity of aerodrome	In the city and near the AD
3	Transportation possibilities	Taxi, car hire & UPSRTC buses from near the AD and city.
4	Medical Facilities	First AID at AD. Doctor on call, Hospitals in the city.
5	Bank and post office at or in the vicinity of aerodrome	Banks: Available In the city Post office: Available In the city
6	Tourist office	Available In the city
7	Remarks	NIL

VEAH AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	Aerodrome category for fire fighting	Within ATS HR: CAT-4 Within ATS HR

2	Rescue equipment	Available as per category
3	Capability for removal of disabled aircraft	1. The critical aircraft for the Airport is B1900. 2. Primary responsibility for removal of disabled aircraft rests with the airline. 3. The airlines may contact "Aerodrome Coordinator for Disabled Aircraft Removal Operations' for coordinating with the agencies having Disabled Aircraft Recovery kit. 4. Contact details of Aerodrome Coordinator for Disabled Aircraft Removal Operations: Airport Director, Azamgarh Airport Email: apdazamgarh@aai.aero Telephone: +91-5466-297001/70463519
4	Remarks	NIL

VEAH AD 2.7 SEASONAL AVAILABILITY CLEARING

1	Type(s) of clearing equipment	NIL
2	Clearance priorities	NIL
3	Remarks	NIL

VEAH AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Designation, surface and strength of aprons	Refer Aircraft Parking/Docking Chart
2	Designation, width, surface and strength of taxiways	Refer Aircraft Parking/Docking Chart
3	Location and elevation of altimeter checkpoints	At Aircraft Stand 01 and 02, 261 FT
4	Location of VOR checkpoints	Not Available
5	Position of INS checkpoints	Not Available
6	Remarks	Isolated Aircraft Parking Position: Turn pad at RWY 32 beginning is declared as an isolation bay. In case of any contingency, aircraft shall park facing east on RWY 32 side turn pad.

VEAH AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand identification signs, taxiway guidelines and visual docking/parking guidance system at aircraft stands	Stand ID marking provided on ground. Taxiing guidance provided on R/T. Standard marking at Apron, mandatory information and location signs provided. Manoeuvring guidelines at Apron
2	Runway and taxiway markings and lights	RWY Markings Designation, THR, TDZ, Centerline, Aiming Point, Side Strip, Turn Pad RWY Lights Not Applicable TWY Marking Centerline, Holding Positions, TXY Side StripMarking TWY Lights Not Applicable
3	Stop bars (if any)	NIL

4	Remarks	NIL

VEAH AD 2.10 AERODROME OBSTACLES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
32/TKOF 14/APCH	FENCE	260943.4N 0830634.6E	268 FT	NIL	Boundary Wall with Fence
32/TKOF 14/APCH	FENCE	260942.3N 0830633.5E	268 FT	NIL	Boundary Wall with Fence
32/TKOF 14/APCH	FENCE	260941.3N 0830632.5E	268 FT	NIL	Boundary Wall with Fence
32/TKOF 14/APCH	TREE	260949.6N 0830625.1E	310 FT	NIL	Tree
32/TKOF 14/APCH	TREE	260953.1N 0830620.2E	337 FT	NIL	Tree
In circling area and at AD	BUILDING	260939.6N 0830633.9E	278 FT	NIL	Security Hut
In circling area and at AD	OTHER	260925.9N 0830655.7E	280 FT	NIL	Wind Direction Indicator

VEAH AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Name of the associated meteorological office	AMS Azamgarh
2	Hours of service and, where applicable, the designation of the responsible meteorological office outside these hours	As ATS
3	Office responsible for preparation of TAFs and periods of validity and interval of issuance of the forecasts	Lucknow 9 HOURS and 24 HOURS
4	Availability of the trend forecast for the aerodrome and interval of issuance	METAR and Special reports with Trend of 30 Min
5	Information on how briefing and/or consultation is provided	Provided with en-route forecast
6	Types of flight documentation supplied and language(s) used in flight documentation	Tabular in English
7	Charts and other information displayed or available for briefing or consultation	NIL
8	Supplementary equipment available for providing information on meteorological conditions, e.g. weather radar and receiver for satellite images;	Satellite display workstation. DCWIS at RWY 14 TDZ. The following Met instrument are available with TMO: Parameters are AVBL. (Note-Sensor Barometer is embedded with DCWIS)
9	The air traffic services unit(s) provided with meteorological information	AZAMGARH MET
10	Additional information, e.g. concerning any limitation of service.	Advance notice of 24 HRS required

VEAH AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations	TRUE Bearings	Dimensions of RWY (M)	Strength of pavement (PCN) and associated data) and surface of runway and associated stopways	Geographical coordinates for threshold and runway end
1	2	3	4	5
14	132.93 DEG	1499 x 23 M	11/F/C/X/T Asphalt	THR: 260939.76N 0830636.56E RWY END: 260906.93N 0830715.67E
32	312.93 DEG	1499 x 23 M	11/F/C/X/T Asphalt	THR: 260906.93N 0830715.67E RWY END: 260940.11N 0830636.14E

THR elevation and highest elevation of TDZ of precision APP RWY	Slope of runway and associated stopway	Dimensions of stopway (M)	Dimensions of clearway (M)	Dimensions of strips (M)
6	7	8	9	10
THR: 261.0FT TDZ: 261.0FT	0.07%	NIL	NIL	1619 x 80 M

THR elevation and highest elevation of TDZ of precision APP RWY	Slope of runway and associated stopway	Dimensions of stopway (M)	Dimensions of clearway (M)	Dimensions of strips (M)
6	7	8	9	10
THR: 257.0FT TDZ: 258.0FT	0.07%	NIL	NIL	1619 x 80 M

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	12	13	14
N/A	N/A	NIL	Geoid Model: EGM-08
N/A	N/A	NIL	Geoid Model: EGM-08

VEAH AD 2.13 DECLARED DISTANCES

RWY Designator	Take-off run available TORA (M)	Take-off distance available TODA (M)	Accelerate distance available ASDA (M)	Landing distance available LDA (M)	Remarks (including runway entry or start point where alternative reduced declared distances have been declared)
1	2	3	4	5	6
14	1499	1499	1499	1483	THR DISPLACED BY 16M
32	1499	1499	1499	1499	NIL

VEAH AD 2.14 APPROACH AND RUNWAY LIGHTING

Runway Designator	Type, length and intensity of approach lighting system	Runway threshold lights, colour and wing bars	Type of visual slope indicator system	Length of runway touchdown zone lights
1	2	3	4	5
14	NIL	NIL	PAPI LEFT/3.00 DEG MEHT (39.86FT)	NIL
32	NIL	NIL	PAPI LEFT/3.00 DEG MEHT (40.68FT)	NIL

Length, spacing, colour and intensity of runway centre line lights	Length, spacing, colour and intensity of runway edge lights	Colour of runway end lights and wing bars	Length and colour of stopway lights	Remarks
6	7	8	9	10
	NIL	NIL	NIL	NIL
	NIL	NIL	NIL	NIL

VEAH AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	Location, characteristics and hours of operation of aerodrome beacon/identification beacon (if any)	ABN	Available at ATC building flashing white & green every 2 sec.
		IBN	NIL
2	Location and lighting (if any) of anemometer/ landing direction indicator;	LDI	Available near mid of RWY and located at northeast side of runway
		Anemometer	Not Available
3	Taxiway edge and taxiway centre line lights;	Edge	NIL
		Centre Line	NIL
4	Secondary power supply including switch-over time;	Secondary power supply to all lighting at AD. Switch-over time :15 SEC.	
5	Remarks	NIL	

VEAH AD 2.16 HELICOPTER LANDING AREA

1	Geographical coordinates of the geometric centre of touchdown and lift-off (TLOF) or of each threshold of final approach and take-off (FATO) area	Not Established
2	TLOF and/or FATO area elevation:	Not Established
3	TLOF and FATO area dimensions to the nearest metre or foot, surface type, bearing strength and marking;	Not Established
4	True bearings of FATO;	Not Established
5	Declared distances available	Not Established
6	Approach and FATO lighting;	Not Established
7	Remarks	Not Established

VEAH AD 2.17 AIR TRAFFIC SERVICE AIRSPACE

1	Airspace designation, geographical coordinates and lateral limits	ATZ: Circular area centered on 260926N 0830650E within a 5NM radius.
2	Vertical limits	2000 FT AMSL
3	Airspace classification	D
4	Call sign and language(s) of the air traffic services unit providing service;	Azamgarh Tower, English
5	Transition altitude	4000 FT
6	Hours of applicability	HO
7	Remarks	i) Available only during published operational hours. ii) Beyond operational hours, the airspace Classification is Class G

VEAH AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service Designation	Call sign	Channel(s)	SATVOICE Number(s), if available
1	2	3	4
TWR	Azamgarh Tower	118.550 MHZ	
TWR	Azamgarh Tower	122.050 MHZ	

Logon address, as appropriate	Hours of operation	Remarks
5	6	7
	HO	Main
	HO	Backup

VEAH AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aids, magnetic variation and type of supported operation for ILS/ MLS, basic GNSS, SBAS and GBAS, and for VOR/ILS/MLS station used for technical lineup of the aid	Identification	Frequency(ies), Channel number(s), Service provider, and reference path identifier(s) (RPI), as appropriate	Hours of operation, as appropriate;
1	2	3	4

Geographical coordinates of the position of the transmitting antenna	Elevation of transmitting antenna of DME/ elevation of GBAS reference point	Service volume radius from the GBAS reference point	Remarks
5	6	7	8

VEAH AD 2.20 LOCAL AERODROME REGULATIONS

NIL

VEAH AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

VEAH AD 2.22 FLIGHT PROCEDURES

NIL

VEAH AD 2.23 ADDITIONAL INFORMATION

NIL

VEAH AD 2.24 CHARTS RELATED TO AN AERODROME

1. Aerodrome Chart
2. Aircraft Parking/Docking Chart
3. Aerodrome Obstacle Chart - Type A (Obstacle Limitations) RWY 14
4. Aerodrome Obstacle Chart - Type A (Obstacle Limitations) RWY 32
5. Aerodrome Obstacle Chart - Type B

VEAH AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

Procedure	Procedure Minima	VSS Penetration
1	2	3