AD 2. AERODROMES

VOBG AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VOBG - HAL AIRPORT BENGALURU

VOBG AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	Aerodrome reference point coordinates and its site	125708N 0773952E MAG. BRG. 72.82 DEG/1194 M from physical beginning of RWY 09	
2	Direction and distance of aerodrome reference point from the center of the city or town which the aerodrome serves	6.3 Nm (11.6 Km) south east of Bengaluru City	
3	Aerodrome elevation and reference temperature	2915 FT / 33.9 DEG C	
4	Magnetic variation, date of information and annual change	1.83 DEG W (1995) /0.033 DEG E	
5	Name of aerodrome operator, address, telephone, telefax, e-mail address, AFS address, website (if available)	Hindustan Aeronautics Limited (HAL) Chief Manager (AO), ATS In Charge, HAL Airport Gate No. 30, Airport Services Centre HAL (BC), VIMANAPURA Post Bengaluru - 560017,	
		Telephone:	+91 80 22322650 (Office 1) +91 80 22315083 (Office 2)
		Fax:	(91) 80 22313032
		AFS:	VOBGZPZX VOBGZTZX, VOBGAIDC, VOBGYDYX
		Email:	aerodrome.asc@hal-india.co.in
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	1. Aerodrome available for General Aviation. 2. Arrival / Departure may be delayed, as test flying operation is accorded priority. 3. Gravity Model: EGM-08	

VOBG AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	MON - SAT: 0130 - 0930 UTC (0700-1500 IST)
2	Custom and immigration	NIL
3	Health and sanitation	Available on prior notice
4	AIS briefing office	H24
5	ATS reporting office (ARO)	H24
6	MET Briefing office	H24
7	Air Traffic Service	H24
8	Fuelling	IOC: MON-SAT: 0030-1530 UTC SUN: 0330-1130 UTC BPCL: 0030-1630 UTC All days
9	Handling	H24 Available on prior notice to HAL-Air India Joint Working Group.
10	Security	H24

11	De-icing	NIL
12	Remarks	1. Prior permission to be obtained from ATS In Charge for Non-Scheduled flights, Military flights to carry out local flying

VOBG AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	NIL	
2	Fuel and Oil types	JET A1 (with IOC/BPCL)	
3	Fuelling facilities and capacity	IOC: 16 KL x 3 = 48 KL, 11 KL x 3 = 33 KL, 900 KL Bulk Storage BPCL: 15 KL x 1 = 15KL, 16 KL x 1 = 16KL 250 KL Bulk Storage	
4	De-icing facilities	NIL	
5	Hangar space for visiting aircraft	Nil	
6	Repair facilities for visiting aircraft	NIL	
7	Remarks	HAL - Air India joint working group provide ground handling on prior notice.	
		HAL - AI JWG Office	+91-80-22323214 +91-80-22317829 Fax: +91-80-22317041 +91 80 22327014 (Tele-Fax)
		IOC Operational Room (Except Sundays and holidays)	91-80-25220944 +91 9480886305 FAX: +91 80 25227096
		BPCL Operational Room (All Days)	+91-8884885358 +91 80-25220095

VOBG AD 2.5 PASSENGER FACILITIES

1	Hotel(s) at or in the vicinity of aerodrome	In the City within 3 KM from Airport
2	Restaurant(s) at or in the vicinity of aerodrome	In the city within 1KM from the AD
3	Transportation possibilities	Taxis, Coaches and Public Buses
4	Medical Facilities	Multi-Specialty Hospitals Within 5KM from AD
5	Bank and post office at or in the vicinity of aerodrome	Banks: 0300-1100 (0830-1630 IST) Within 1Km from the AD Post office: Within 500 Meter
6	Tourist office	NIL
7	Remarks	NIL

VOBG AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	Aerodrome category for fire fighting	Within ATS HR: CAT-7 (H24) Upgradable to CAT-9 on prior coordination
2	Rescue equipment	Available as per category

3	Capability for removal of disabled aircraft	1. The critical aircraft for VOBG is Code C. 2. Primary responsibility for removal of disabled aircraft rests with the concerned operator. 3. The operator may contact 'Aerodrome coordinator for Disabled Aircraft Removal Operations' for coordinating with the agencies having Disabled Aircraft Recovery Kit. 4. Contact details of Aerodrome Coordinator for Disabled Aircraft Removal Operations: Aerodrome Coordinator: ATS In-charge, Ph no: 9242126281 Email: aerodrome.asc@hal-india.co.in
4	Remarks	NIL

VOBG AD 2.7 SEASONAL AVAILABILITY CLEARING

1	Type(s) of clearing equipment	NIL
2	Clearance priorities	NIL
3	Remarks	Airport available in all seasons

VOBG AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Designation, surface and strength of aprons	Designator: Apron 1 Surface: Concrete Strength: PCN 65/R/B/W/U Designator: Apron 2 Surface: Concrete Strength: PCN 76/R/A/W/T PCR: 640/R/A/W/T Designator: Apron 3 Designator: Apron 4 Surface: Concrete Strength: PCN 52/R/B/W/U Designator: Apron 5 Surface: Concrete Strength: PCN 59/R/B/W/U Designator: Apron 6 Surface: Concrete Strength: PCN 52/R/B/W/U

2	Designation, width, surface and strength of taxiways	Designator: E1 Width: 23 M Surface: Asphalt Strength: Designator: E2 Width: 23 M Surface: Asphalt Strength: Designator: M Width: 33 M Surface: Asphalt Strength: Designator: W1 Width: 23 M Surface: Asphalt Strength: Designator: W2 Width: 23 M Surface: Asphalt Strength:
3	Location and elevation of altimeter checkpoints	Refer Section VOBG 2.23
4	Location of VOR checkpoints	Location Latitude Longitude Elevation E1 125704.91N 0774020.22E 2914 FT E2 125709.26N 0774102.55E 2896 FT W1 125700.75N 0773932.92E 2884 FT W2 125659.19N 0773914.62E 2880 FT
5	Position of INS checkpoints	NIL
6	Remarks	Apron - 1: Total 14 bays for fixed wing and 5 bays for helicopter 1. Maximum permissible wingspan of aircraft in Fixed wing bays: a) Bay 1-10 maximum wing span 18 Meter. b) Bay 11-13 maximum aircraft wingspan 29 Meter. c) Bay 14 maximum aircraft wingspan 32 Meter (facing West) 2. Helicopter Bay 1-5 maximum permissible Rotor Diameter is 18 Meter. Apron - 2: Reserved Apron - 3: Not Available Apron - 4: 4 bays, Bay 1 wingspan . 30 Meter, for Bay 2,3 & 4 wingspan . 36 Meter Apron - 5: 5 bays for A320 / B737 or similar Aircraft Apron - 6: 4 bays for A320 / B737 or similar Aircraft APRON 2-- PCR: 640/R/A/W/T E1--PCR 1760/F/A/X/T E2--PCR 1760/F/A/X/T M--PCR 1950/F/A/X/T W1--PCR 1760/F/A/X/T W2--PCR 1760/F/A/X/T

VOBG AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand identification signs, taxiway guidelines and visual docking/parking guidance system at aircraft stands	1. Taxiing guidance provided on RTF. 2. Taxiing guidance signs are provided on all TWY intersections and straight sections. 3. Marshalling guidance available.

2	Runway and taxiway markings and lights	RWY Markings: Designation, THR, TDZ, Aiming Point Centerline, Edge.Turn pad. RWY Lighting: Edge, THR/End. TWY Markings: Center Line, Holding Position .Intermediate Holding position, Runway vacated, Edge TWY Lighting: Edge
3	Stop bars (if any)	NIL
4	Remarks	NIL

VOBG AD 2.10 AERODROME OBSTACLES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/TKOF 09/APCH	TREE	125652.1N 0773912.3E	2912 FT	NIL	Group of Trees
27/TKOF 09/APCH	TREE	125650.9N 0773912.1E	2934 FT	NIL	Group of Trees
27/TKOF 09/APCH	BUILDING	125652.4N 0773912.1E	2889 FT	NIL	Sintex Tank on Building (Building Top: 879.6 M)
27/TKOF 09/APCH	OTHER	125658.3N 0773911.8E	2898 FT	NIL	WDI
27/TKOF 09/APCH	POLE	125652.2N 0773911.7E	2894 FT	NIL	Light Pole
27/TKOF 09/APCH	POLE	125652.1N 0773910.7E	2893 FT	NIL	Light Pole
27/TKOF 09/APCH	TREE	125651.2N 0773910.6E	2922 FT	NIL	Group of Trees
27/TKOF 09/APCH	TREE	125657.4N 0773910.5E	2893 FT	NIL	Group of Trees
27/TKOF 09/APCH	BUILDING	125657.2N 0773910.3E	2886 FT	NIL	Temple
27/TKOF 09/APCH	POLE	125652.1N 0773909.7E	2893 FT	NIL	Light Pole
27/TKOF 09/APCH	POLE	125652.1N 0773908.7E	2893 FT	NIL	Light Pole
27/TKOF 09/APCH	TREE	125651.4N 0773908.5E	2908 FT	NIL	Group of Trees
27/TKOF 09/APCH	TREE	125650.2N 0773907.2E	2914 FT	NIL	Group of Trees
27/TKOF 09/APCH	POLE	125652.0N 0773906.8E	2893 FT	NIL	Light Pole
27/TKOF 09/APCH	POLE	125650.9N 0773906.2E	2900 FT	NIL	Light Pole
27/TKOF 09/APCH	TREE	125650.1N 0773905.8E	2922 FT	NIL	Group of Trees
27/TKOF 09/APCH	POLE	125650.7N 0773904.7E	2901 FT	NIL	Light Pole
27/TKOF 09/APCH	TREE	125649.1N 0773904.6E	2929 FT	NIL	Group of Trees
27/TKOF 09/APCH	TREE	125649.7N 0773903.7E	2926 FT	NIL	Group of Trees
27/TKOF 09/APCH	TREE	125650.6N 0773902.9E	2908 FT	NIL	Group of Trees

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/TKOF 09/APCH	TREE	125649.0N 0773901.2E	2935 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	125650.0N 0773900.7E	2946 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	POLE	125700.2N 0773900.0E	2903 FT	NIL	LIGHT POLE
27/TKOF 09/APCH	TREE	125700.3N 0773859.9E	2927 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	125659.1N 0773859.2E	2936 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	OTHER	125700.1N 0773859.2E	2943 FT	NIL	FLOOD LIGHT MAST
27/TKOF 09/APCH	TREE	125649.8N 0773858.7E	2951 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	125657.8N 0773858.7E	2922 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	BUILDING	125650.9N 0773858.5E	2906 FT	NIL	SECURITY HUT
27/TKOF 09/APCH	OTHER	125657.3N 0773858.2E	2912 FT	NIL	STRUCTURE
27/TKOF 09/APCH	TREE	125650.7N 0773857.7E	2928 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	POLE	125657.9N 0773857.5E	2908 FT	NIL	LIGHT POLE
27/TKOF 09/APCH	TREE	125656.5N 0773857.2E	2938 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	125652.9N 0773857.1E	2927 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	OTHER	125659.3N 0773856.6E	2933 FT	NIL	FLOOD LIGHT MAST
27/TKOF 09/APCH	TREE	125654.0N 0773856.5E	2919 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	BUILDING	125649.0N 0773852.5E	2942 FT	NIL	building
27/TKOF 09/APCH	OTHER	125647.1N 0773851.4E	2969 FT	NIL	LIGHT ON BUILDING (BUILDING TOP=903.6 M.)
27/TKOF 09/APCH	OTHER	125647.2N 0773850.2E	2981 FT	NIL	LIGHT ON BUILDING (BUILDING TOP=905.3 M.)
27/TKOF 09/APCH	BUILDING	125646.2N 0773849.4E	2972 FT	NIL	SINTEX TANK ON BUILDING (BUILDING TOP=903.9 M.)
27/TKOF 09/APCH	POLE	125652.1N 0773848.3E	2945 FT	NIL	POLE
27/TKOF 09/APCH	POLE	125653.6N 0773847.1E	2944 FT	NIL	POLE
27/TKOF 09/APCH	TREE	125651.6N 0773846.6E	2974 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	125645.4N 0773845.5E	2966 FT	NIL	GROUP OF TREES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/TKOF 09/APCH	OTHER	125653.7N 0773845.1E	2943 FT	NIL	LIGHT ON BUILDING (BUILDING TOP=896.6 M.)
27/TKOF 09/APCH	POLE	125656.7N 0773844.8E	2943 FT	NIL	POLE
27/TKOF 09/APCH	POLE	125659.5N 0773843.1E	2963 FT	NIL	POLE
27/TKOF 09/APCH	TREE	125648.0N 0773842.6E	2976 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	POLE	125700.7N 0773842.5E	2982 FT	NIL	POLE
27/TKOF 09/APCH	ANTENNA	125657.1N 0773842.0E	2973 FT	NIL	ANTENNA ON BUILDING (BUILDING TOP=904.0 M.)
27/TKOF 09/APCH	TREE	125648.4N 0773840.9E	2967 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	ANTENNA	125654.1N 0773839.2E	2945 FT	NIL	ANTENNA ON BUILDING (BUILDING TOP=894.9 M.)
27/TKOF 09/APCH	BUILDING	125659.3N 0773838.7E	2986 FT	NIL	BUILDING
27/TKOF 09/APCH	TREE	125650.5N 0773838.5E	2956 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	BUILDING	125647.4N 0773838.3E	2947 FT	NIL	BUILDING
27/TKOF 09/APCH	TREE	125643.3N 0773837.5E	2993 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	125653.3N 0773835.3E	2980 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	TREE	125649.4N 0773835.2E	2979 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	BUILDING	125700.0N 0773835.1E	2968 FT	NIL	SINTEX TANK ON BUILDING (BUILDING TOP=903.9 M.)
27/TKOF 09/APCH	BUILDING	125657.4N 0773834.5E	2969 FT	NIL	BUILDING
27/TKOF 09/APCH	TREE	125655.4N 0773833.2E	2962 FT	NIL	GROUP OF TREES
27/TKOF 09/APCH	BUILDING	125654.2N 0773830.4E	2993 FT	NIL	BUILDING
27/TKOF 09/APCH	TREE	125659.7N 0773826.1E	2979 FT	NIL	GROUP OF TREES
27/APCH 09/TKOF	BUILDING	125703.1N 0774106.1E	2900 FT	NIL	HUT
27/APCH 09/TKOF	OTHER	125702.9N 0774106.7E	2916 FT	NIL	WDI
27/APCH 09/TKOF	OTHER	125711.6N 0774127.2E	2940 FT	NIL	LIGHT ON CHIMNEY (CHIMNEY TOP=894.6 M.)
27/APCH 09/TKOF	OTHER	125713.3N 0774137.5E	2960 FT	NIL	CELLPHONE MAST

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
27/APCH 09/TKOF	OTHER	125713.6N 0774137.9E	2973 FT	NIL	CELLPHONE MAST
27/APCH 09/TKOF	OTHER	125719.5N 0774149.4E	2986 FT	NIL	CELLPHONE MAST
27/APCH 09/TKOF	BUILDING	125721.8N 0774159.2E	3012 FT	NIL	BUILDING
27/APCH 09/TKOF	BUILDING	125726.9N 0774219.4E	3058 FT	NIL	BUILDING
27/APCH 09/TKOF	OTHER	125701.7N 0774303.1E	3069 FT	NIL	PYLON MAST
27/APCH 09/TKOF	ANTENNA	125722.8N 0774307.3E	3065 FT	NIL	ANTENNA ON BUILDING (BUILDING TOP= 932.5 M.)
In circling area and at AD	SIGN	125655.4N 0773928.7E	2887 FT	NIL	SIGN BOARD
In circling area and at AD	SIGN	125658.4N 0773928.4E	2887 FT	NIL	SIGN BOARD
In circling area and at AD	BUILDING	125654.1N 0773928.2E	2889 FT	NIL	HUT
In circling area and at AD	TREE	125650.2N 0773927.3E	2932 FT	NIL	GROUP OF TREES
In circling area and at AD	POLE	125653.6N 0773925.2E	2891 FT	NIL	CAMERA POLE
In circling area and at AD	POLE	125659.6N 0773924.5E	2890 FT	NIL	CAMERA POLE
In circling area and at AD	POLE	125702.5N 0773924.3E	2913 FT	NIL	CAMERA POLE
In circling area and at AD	BUILDING	125651.7N 0773921.7E	2902 FT	NIL	SECURITY HUT
In circling area and at AD	BUILDING	125653.3N 0773921.2E	2887 FT	NIL	HUT
In circling area and at AD	SIGN	125654.6N 0773919.7E	2883 FT	NIL	SIGN BOARD
In circling area and at AD	TREE	125650.6N 0773919.6E	2930 FT	NIL	GROUP OF TREES
In circling area and at AD	SIGN	125657.6N 0773919.5E	2883 FT	NIL	SIGN BOARD
In circling area and at AD	POLE	125659.1N 0773918.5E	2886 FT	NIL	CAMERA POLE
In circling area and at AD	TREE	125649.1N 0773917.7E	2933 FT	NIL	GROUP OF TREES
In circling area and at AD	POLE	125652.5N 0773917.0E	2895 FT	NIL	LIGHT POLE
In circling area and at AD	POLE	125652.4N 0773914.0E	2897 FT	NIL	LIGHT POLE
In circling area and at AD	BUILDING	125652.9N 0773913.2E	2884 FT	NIL	HUT
In circling area and at AD	BUILDING	125658.3N 0773913.1E	2885 FT	NIL	HUT
In circling area and at AD	OTHER	125652.3N 0773912.7E	2885 FT	NIL	LIGHT ON HUT (HUT TOP=879.0 M.)

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	POLE	125658.1N 0773912.6E	2885 FT	NIL	CAMERA POLE
In circling area and at AD	TREE	125703.2N 0773902.8E	2936 FT	NIL	GROUP OF TREES
In circling area and at AD	TREE	125701.4N 0773901.8E	2924 FT	NIL	GROUP OF TREES
In circling area and at AD	OTHER	125644.4N 0773849.4E	2970 FT	NIL	LIGHT ON BUILDING (BUILDING TOP=904.2 M.)
In circling area and at AD	ANTENNA	125703.9N 0773835.7E	3022 FT	NIL	ANTENNA ON BUILDING (BUILDING TOP=918.0 M.)
In circling area and at AD	BUILDING	125705.0N 0773833.3E	3019 FT	NIL	BUILDING
In circling area and at AD	OTHER	125706.0N 0773829.6E	3012 FT	NIL	CELLPHONE MAST ON BUILDING (BUILDING TOP=911.5 M.)
In circling area and at AD	OTHER	125751.2N 0773910.3E	3083 FT	NIL	WIND TURBINE STRUCTURE
In circling area and at AD	BUILDING	125556.7N 0773613.0E	3417 FT	NIL	BUILDING
In circling area and at AD	OTHER	125721.5N 0773759.0E	3090 FT	NIL	CELLPHONE MAST
In circling area and at AD	OTHER	125749.3N 0773736.2E	3110 FT	NIL	CELLPHONE MAST
In circling area and at AD	OTHER	125732.4N 0773734.2E	3070 FT	NIL	CELLPHONE MAST
In circling area and at AD	POLE	125707.0N 0774047.6E	2909 FT	NIL	CAMERA POLE
In circling area and at AD	SIGN	125705.5N 0774049.1E	2905 FT	NIL	SIGN BOARD
In circling area and at AD	ANTENNA	125706.5N 0774049.4E	2905 FT	NIL	OLD MET ANTENNA
In circling area and at AD	SIGN	125702.5N 0774049.4E	2904 FT	NIL	SIGN BOARD
In circling area and at AD	ANTENNA	125706.4N 0774049.5E	2905 FT	NIL	ANTENNA
In circling area and at AD	ANTENNA	125707.3N 0774049.5E	2933 FT	NIL	MET ANTENNA
In circling area and at AD	OTHER	125707.3N 0774049.7E	2920 FT	NIL	LIGHT MAST
In circling area and at AD	BUILDING	125701.3N 0774049.9E	2907 FT	NIL	HUT
In circling area and at AD	OTHER	125658.0N 0774050.6E	2940 FT	NIL	LIGHTINING ARRESTER
In circling area and at AD	OTHER	125651.7N 0774050.7E	3015 FT	NIL	CELLPHONE MAST
In circling area and at AD	POLE	125658.7N 0774050.8E	2920 FT	NIL	CAMERA POLE
In circling area and at AD	POLE	125701.2N 0774050.9E	2908 FT	NIL	CAMERA POLE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	OTHER	125657.9N 0774051.0E	2939 FT	NIL	LIGHTINING ARRESTER
In circling area and at AD	NAVAID	125657.5N 0774051.1E	2940 FT	NIL	DVOR HP DME ANTENNA LIGHTED TOP
In circling area and at AD	NAVAID	125657.9N 0774051.1E	2931 FT	NIL	DVOR MAIN ANTENNA TOP(CENTER)
In circling area and at AD	OTHER	125657.4N 0774051.2E	2940 FT	NIL	LIGHTINING ARRESTER
In circling area and at AD	OTHER	125658.2N 0774051.4E	2940 FT	NIL	LIGHTINING ARRESTER
In circling area and at AD	OTHER	125707.9N 0774052.4E	2907 FT	NIL	RVR CAMERA
In circling area and at AD	ANTENNA	125708.1N 0774053.4E	2934 FT	NIL	MET ANTENNA
In circling area and at AD	OTHER	125708.0N 0774053.4E	2907 FT	NIL	RVR CAMERA
In circling area and at AD	POLE	125707.5N 0774053.6E	2907 FT	NIL	CAMERA POLE
In circling area and at AD	OTHER	125700.2N 0774053.9E	2916 FT	NIL	LIGHT ON HUT (HUT TOP=888.1 M.)
In circling area and at AD	POLE	125700.2N 0774054.0E	2915 FT	NIL	CAMERA POLE
In circling area and at AD	NAVAID	125700.3N 0774054.2E	2921 FT	NIL	LC ROD ON GP DME ANTENNA (LIGHTED TOP= 889.9)
In circling area and at AD	NAVAID	125700.5N 0774054.2E	2949 FT	NIL	LC ROD ON GP MAIN ANTENNA (LIGHTED TOP=898.6)
In circling area and at AD	NAVAID	125700.7N 0774056.8E	2919 FT	NIL	GP MONITOR ANTENNA
In circling area and at AD	SIGN	125706.3N 0774058.4E	2902 FT	NIL	SIGN BOARD
In circling area and at AD	SIGN	125703.3N 0774058.7E	2901 FT	NIL	SIGN BOARD
In circling area and at AD	POLE	125708.0N 0774059.5E	2904 FT	NIL	CAMERA POLE
In circling area and at AD	SIGN	125708.1N 0774101.7E	2897 FT	NIL	SIGN BOARD
In circling area and at AD	SIGN	125708.3N 0774103.7E	2896 FT	NIL	SIGN BOARD
In circling area and at AD	BUILDING	125708.0N 0774104.2E	2902 FT	NIL	HUT
In circling area and at AD	BUILDING	125702.6N 0774104.6E	2902 FT	NIL	HUT
In circling area and at AD	OTHER	125704.1N 0774104.8E	2896 FT	NIL	ARRESTER BARRIER
In circling area and at AD	BUILDING	125702.7N 0774105.0E	2901 FT	NIL	HUT
In circling area and at AD	POLE	125703.1N 0774105.4E	2903 FT	NIL	CAMERA POLE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	ANTENNA	125659.3N 0774127.0E	2956 FT	NIL	ANTENNA ON BUILDING (BUILDING TOP=894.6 M.)
In circling area and at AD	OTHER	125719.4N 0774138.5E	2992 FT	NIL	CELLPHONE MAST
In circling area and at AD	ANTENNA	125655.6N 0774141.6E	3028 FT	NIL	ANTENNA ON BUILDING (BUILDING TOP=912.1 M.)
In circling area and at AD	OTHER	125546.6N 0774218.9E	3064 FT	NIL	PYLON MAST
In circling area and at AD	OTHER	125536.8N 0774227.7E	3077 FT	NIL	PYLON MAST
In circling area and at AD	OTHER	125532.7N 0774231.4E	3096 FT	NIL	PYLON MAST
In circling area and at AD	OTHER	125610.4N 0774239.9E	3091 FT	NIL	CRANE ON U/C BUILDING
In circling area and at AD	POLE	125653.2N 0773912.8E	2884 FT	NIL	CAMERA POLE
In circling area and at AD	POLE	125701.2N 0773942.3E	2904 FT	NIL	CAMERA POLE
In circling area and at AD	SIGN	125659.9N 0773946.2E	2903 FT	NIL	SIGN BOARD
In circling area and at AD	SIGN	125656.9N 0773946.5E	2903 FT	NIL	SIGN BOARD
In circling area and at AD	OTHER	125704.0N 0773952.6E	2924 FT	NIL	STRUCTURE
In circling area and at AD	POLE	125655.8N 0773953.7E	2925 FT	NIL	CAMERA POLE
In circling area and at AD	POLE	125702.2N 0773954.2E	2914 FT	NIL	CAMERA POLE
In circling area and at AD	OTHER	125711.4N 0773954.5E	3027 FT	NIL	FLOOD LIGHT MAST
In circling area and at AD	BUILDING	125654.2N 0773954.9E	2915 FT	NIL	HUT
In circling area and at AD	OTHER	125711.9N 0773957.7E	3031 FT	NIL	FLOOD LIGHT MAST
In circling area and at AD	SIGN	125701.0N 0773958.7E	2913 FT	NIL	SIGN BOARD
In circling area and at AD	SIGN	125658.0N 0773959.0E	2913 FT	NIL	SIGN BOARD
In circling area and at AD	BUILDING	125656.7N 0773959.3E	2915 FT	NIL	HUT
In circling area and at AD	POLE	125656.7N 0774000.0E	2918 FT	NIL	CAMERA POLE
In circling area and at AD	POLE	125702.7N 0774000.1E	2919 FT	NIL	CAMERA POLE
In circling area and at AD	OTHER	125705.6N 0774010.5E	2958 FT	NIL	WDI
In circling area and at AD	OTHER	125706.1N 0774004.1E	2950 FT	NIL	DRDO EQUIPMENT
In circling area and at AD	OTHER	125706.2N 0774004.4E	2946 FT	NIL	DRDO EQUIPMENT

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	POLE	125703.3N 0774006.0E	2923 FT	NIL	CAMERA POLE
In circling area and at AD	POLE	125706.9N 0774007.1E	2963 FT	NIL	POLE
In circling area and at AD	POLE	125657.3N 0774007.2E	2923 FT	NIL	CAMERA POLE
In circling area and at AD	OTHER	125655.2N 0774008.0E	2943 FT	NIL	BARRICADE
In circling area and at AD	OTHER	125648.5N 0774008.0E	3027 FT	NIL	LIGHTINING ARRESTER
In circling area and at AD	ANTENNA	125648.8N 0774008.0E	3033 FT	NIL	ANTENNA ON ATC (ATC TOP=915.6 M.)
In circling area and at AD	OTHER	125655.4N 0774008.3E	2921 FT	NIL	CONTROLLER
In circling area and at AD	SIGN	125701.9N 0774008.8E	2918 FT	NIL	SIGN BOARD
In circling area and at AD	SIGN	125658.9N 0774009.0E	2918 FT	NIL	SIGN BOARD
In circling area and at AD	BUILDING	125657.1N 0774011.5E	2921 FT	NIL	HUT
In circling area and at AD	POLE	125703.8N 0774012.0E	2924 FT	NIL	CAMERA POLE
In circling area and at AD	ANTENNA	125655.6N 0774012.3E	2955 FT	NIL	ANTENNA ON BUILDING (BUILDING TOP=893.8 M.)
In circling area and at AD	OTHER	125653.0N 0774014.1E	2989 FT	NIL	LIGHTINING ARRESTER
In circling area and at AD	NAVAID	125652.9N 0774014.3E	2984 FT	NIL	RADAR
In circling area and at AD	OTHER	125652.9N 0774014.4E	2989 FT	NIL	LIGHTINING ARRESTER
In circling area and at AD	POLE	125657.9N 0774015.0E	2921 FT	NIL	CAMERA POLE
In circling area and at AD	POLE	125704.3N 0774017.9E	2921 FT	NIL	CAMERA POLE
In circling area and at AD	SIGN	125702.6N 0774018.5E	2914 FT	NIL	SIGN BOARD
In circling area and at AD	SIGN	125702.8N 0774018.9E	2916 FT	NIL	SIGN BOARD
In circling area and at AD	SIGN	125659.8N 0774019.2E	2916 FT	NIL	SIGN BOARD
In circling area and at AD	SIGN	125704.5N 0774021.3E	2914 FT	NIL	SIGN BOARD
In circling area and at AD	POLE	125704.9N 0774023.7E	2918 FT	NIL	CAMERA POLE
In circling area and at AD	SIGN	125703.7N 0774028.9E	2912 FT	NIL	SIGN BOARD
In circling area and at AD	SIGN	125700.7N 0774029.2E	2911 FT	NIL	SIGN BOARD
In circling area and at AD	POLE	125705.3N 0774029.8E	2917 FT	NIL	CAMERA POLE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	BUILDING	125654.0N 0774032.8E	2986 FT	NIL	BUILDING
In circling area and at AD	TREE	125654.4N 0774033.1E	2968 FT	NIL	GROUP OF TREES
In circling area and at AD	BUILDING	125652.9N 0774035.2E	2984 FT	NIL	BUILDING
In circling area and at AD	POLE	125705.9N 0774035.7E	2914 FT	NIL	CAMERA POLE
In circling area and at AD	POLE	125659.9N 0774036.6E	2914 FT	NIL	CAMERA POLE
In circling area and at AD	BUILDING	125700.0N 0774038.2E	2909 FT	NIL	HUT
In circling area and at AD	SIGN	125704.6N 0774039.0E	2908 FT	NIL	SIGN BOARD
In circling area and at AD	OTHER	125657.6N 0774039.0E	2920 FT	NIL	OLD DVOR
In circling area and at AD	SIGN	125701.6N 0774039.2E	2908 FT	NIL	SIGN BOARD
In circling area and at AD	ANTENNA	125657.5N 0774039.4E	2926 FT	NIL	OLD MONITOR ANTENNA
In circling area and at AD	TREE	125653.4N 0774039.6E	2989 FT	NIL	GROUP OF TREES
In circling area and at AD	POLE	125706.4N 0774041.7E	2912 FT	NIL	CAMERA POLE
In circling area and at AD	POLE	125700.5N 0774043.8E	2911 FT	NIL	CAMERA POLE
In circling area and at AD	ANTENNA	125706.1N 0774044.4E	2911 FT	NIL	OLD MET ANTENNA
In circling area and at AD	POLE	125706.0N 0774045.4E	2909 FT	NIL	POLE
In circling area and at AD	POLE	125701.7N 0774045.6E	2909 FT	NIL	CAMERA POLE
In circling area and at AD	NAVAID	125657.9N 0774047.8E	2938 FT	NIL	LC ROD ON DVOR MONITOR ANTENNA (LIGHTED TOP = 894.7)
In circling area and at AD	BUILDING	125908.8N 0773515.3E	3432 FT	NIL	BUILDING
In circling area and at AD	OTHER	130029.8N 0773532.3E	3528 FT	NIL	TV TOWER
In circling area and at AD	OTHER	125900.8N 0773534.5E	3420 FT	NIL	MAST
In circling area and at AD	BUILDING	125822.5N 0773549.2E	3426 FT	NIL	BUILDING
In circling area and at AD	ANTENNA	125233.3N 0773552.6E	3529 FT	NIL	ANTENNA ON MANTRI PINALKE BUILDING (BUILDING TOP=1072.6 M.)
In circling area and at AD	ANTENNA	125826.7N 0773635.3E	3319 FT	NIL	ANTENNA ON BUILDING (BUILDING TOP=1001.8 M.)

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	OTHER	125823.4N 0773649.5E	3255 FT	NIL	CELLPHONE MAST ON BUILDING (BUILDING TOP=971.6 M.)
In circling area and at AD	BUILDING	125816.3N 0773705.9E	3219 FT	NIL	BUILDING
In circling area and at AD	BUILDING	125817.0N 0773707.0E	3265 FT	NIL	BUILDING
In circling area and at AD	ANTENNA	125830.8N 0773714.9E	3243 FT	NIL	ANTENNA ON BUILDING (BUILDING TOP=1001.8 M.)
In circling area and at AD	OTHER	125048.2N 0773721.0E	3410 FT	NIL	PYLON MAST
In circling area and at AD	OTHER	125808.4N 0773851.0E	3095 FT	NIL	CELLPHONE MAST
In circling area and at AD	OTHER	125806.0N 0773944.1E	3080 FT	NIL	CELLPHONE MAST
In circling area and at AD	OTHER	125809.5N 0773946.7E	3119 FT	NIL	PYLON MAST
In circling area and at AD	OTHER	125811.4N 0773949.4E	3130 FT	NIL	PYLON MAST
In circling area and at AD	OTHER	125818.1N 0773959.8E	3127 FT	NIL	PYLON MAST
In circling area and at AD	BUILDING	125759.1N 0774008.1E	3118 FT	NIL	BUILDING
In circling area and at AD	BUILDING	125446.5N 0774051.4E	3118 FT	NIL	BUILDING
In circling area and at AD	BUILDING	125848.3N 0774144.4E	3121 FT	NIL	BUILDING
In circling area and at AD	BUILDING	125833.6N 0774156.9E	3198 FT	NIL	BUILDING
In circling area and at AD	BUILDING	125834.5N 0774219.3E	3147 FT	NIL	BUILDING
In circling area and at AD	BUILDING	125825.1N 0774237.2E	3148 FT	NIL	BUILDING
In circling area and at AD	OTHER	125821.8N 0774239.1E	3118 FT	NIL	CELLPHONE MAST ON BUILDING (BUILDING TOP=949.1 M.)
In circling area and at AD	OTHER	125526.9N 0774239.0E	3135 FT	NIL	PYLON MAST
In circling area and at AD	ANTENNA	125818.1N 0774246.1E	3090 FT	NIL	ANTENNA ON BUILDING (BUILDING TOP=934.6 M.)
In circling area and at AD	ANTENNA	125818.0N 0774249.4E	3090 FT	NIL	ANTENNA ON BUILDING (BUILDING TOP=934.8 M.)
In circling area and at AD	ANTENNA	125802.1N 0774253.9E	3065 FT	NIL	ANTENNA ON BUILDING (BUILDING TOP=934.8 M.)

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	ANTENNA	125812.8N 0774254.4E	3088 FT	NIL	ANTENNA ON BUILDING (BUILDING TOP=936.7 M.)
In circling area and at AD	ANTENNA	125814.8N 0774256.6E	3071 FT	NIL	ANTENNA ON BUILDING (BUILDING TOP=932.0 M.)
In circling area and at AD	ANTENNA	125806.0N 0774257.3E	3089 FT	NIL	ANTENNA ON BUILDING (BUILDING TOP=939.4 M.)
In circling area and at AD	OTHER	125807.8N 0774257.4E	3084 FT	NIL	LIGHT ON BUILDING (BUILDING TOP=937.9 M.)
In circling area and at AD	STACK	125813.0N 0774257.5E	3084 FT	NIL	CHIMNEY
In circling area and at AD	OTHER	125835.3N 0774301.5E	3153 FT	NIL	PYLON MAST
In circling area and at AD	OTHER	125757.3N 0774301.4E	3079 FT	NIL	CELLPHONE MAST
In circling area and at AD	OTHER	125833.4N 0774302.3E	3146 FT	NIL	PYLON MAST

VOBG AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Name of the associated meteorological office	AMS - HAL
2	Hours of service and, where applicable, the designation of the responsible meteorological office outside these hours	H24
3	Office responsible for preparation of TAFs and periods of validity and interval of issuance of the forecasts	Meteorological office at KIAL Airport 9 & 30 Hrs
4	Availability of the trend forecast for the aerodrome and interval of issuance	Half Hourly
5	Information on how briefing and/or consultation is provided	Online
6	Types of flight documentation supplied and language(s) used in flight documentation	NIL
7	Charts and other information displayed or available for briefing or consultation	METAR
8	Supplementary equipment available for providing information on meteorological conditions, e.g. weather radar and receiver for satellite images;	Instrument RVR for RWY 27 TDZ available Digital Current Weather Instrument System (DCWIS)
9	The air traffic services unit(s) provided with meteorological information	HAL ATS Reporting Office
10	Additional information, e.g. concerning any limitation of service.	Ph: +91-80-25220960, +91-80-22322658 Fax-+91-80-25228387

VOBG AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations	TRUE Bearings	Dimensions of RWY (M)	Strength of pavement (PCN) and associated data) and surface of runway and associated stopways	Geographical coordinates for threshold and runway end
1	2	3	4	5
09	84.86 DEG	3306 x 61 M	Asphalt	THR: 125655.63N 0773914.31E RWY END: 125705.26N 0774103.55E
27	264.86 DEG	3306 x 61 M	Asphalt	THR: 125705.26N 0774103.55E RWY END: 125655.63N 0773914.31E

THR elevation and highest elevation of TDZ of precision APP RWY	Slope of runway and associated stopway	Dimensions of stopway (M)	Dimensions of clearway (M)	Dimensions of strips (M)
6	7	8	9	10
THR: 2877.0FT TDZ: 2897.0FT	0.70%	NIL	NILNIL	3426 x 280 M
THR: 2896.0FT TDZ: 2907.0FT	0.40%		NILNIL	3426 x 280 M

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	12	13	14
240M x 122M	Aircraft Arrester Barrier System is intended only for military flights. Location: 40 Meters beyond Runway end	Eastern side of Airport	I. AABS Operating procedure: a) Barrier is raised only for fighter ops. b) Barrier when raised at the end of active RWY has height of approximately 12 feet. c) The Barrier net is flushed with the ground when in lowered position. d) Barrier is remotely controlled from TWR. Pilots to exercise caution while landing and takeoff. II. Caution has to be exercised for a steep drop in the terrain after RESA for RWY 09. III. Width of Runway strip is 280 M of which graded portion is as mentioned below: a) 90 M north of runway centerline b) 75 M south of runway centerline IV. RWY PCR 2180/F/AX/T

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	12	13	14
240M x 122M	Aircraft Arrester Barrier System is intended for military flights. Location: 40 Meters beyond Runway end	Western side of Runway	I. AABS Operating procedure: a) Barrier is raised only for fighter ops. b) Barrier when raised at the end of active RWY has height of approximately 12 feet. c) The Barrier net is flushed with the ground when in lowered position. d) Barrier is remotely controlled from TWR. Pilots to exercise caution while landing and takeoff. II. Caution has to be exercised for a steep drop in the terrain after RESA for RWY 09. III. Width of Runway strip is 280 M of which graded portion is as mentioned below: a) 90 M north of runway centerline 75 M south of runway centerline IV. RWY PCR 2180/F/AX/T

VOBG AD 2.13 DECLARED DISTANCES

RWY Designator	Take-off run available TORA (M)	Take-off distance available TODA (M)	Accelerate distance available ASDA (M)	Landing distance available LDA (M)	Remarks (including runway entry or start point where alternative reduced declared distances have been declared)
1	2	3	4	5	6
09	3306	3306	3306	3306	1. Heavy aircraft to line-up 150M ahead of runway threshold to protect aircraft arrester barrier, accordingly, declared distances for Heavy aircraft are: i. TORA: 3156 M ii. TODA: 3156 M iii. ASDA: 3156M iv. LDA : 3306 M 2. TORA/TODA/ASDA RWY 09 from TWY W1: 2700 M
27	3306	3306	3306	3306	1. Heavy Aircraft to line-up 150 M ahead of runway threshold to protect aircraft arrester barrier,accordingly, declared distances for a heavy aircraft are: i) TORA: 3156 M ii) TODA: 3156 M iii) ASDA: 3156 M iv) LDA: 3306 M 2. TORA/TODA/ASDA RWY 27 from TWY E1: 1900 M

VOBG AD 2.14 APPROACH AND RUNWAY LIGHTING

Runway Designator	Type, length and intensity of approach lighting system	Runway threshold lights, colour and wing bars	Type of visual slope indicator system	Length of runway touchdown zone lights
1	2	3	4	5
09	SALS 420 M LIH	Green	PAPI LEFT/3.00 DEG	NIL
27	SALS 300 M LIH	Green	PAPI LEFT/3.00 DEG	NIL

Length, spacing, colour and intensity of runway centre line lights	Length, spacing, colour and intensity of runway edge lights	Colour of runway end lights and wing bars	Length and colour of stopway lights	Remarks
6	7	8	9	10
	3306 M 60 M White LIH	Red		NIL
	3306 M 60 M White LIH	Red		NIL

VOBG AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	Location, characteristics and hours of operation of aerodrome beacon/identification beacon (if any)	ABN	NIL
		IBN	Nil
2	Location and lighting (if any) of anemometer/ landing direction indicator;	LDI	Appx. 560 M North of Control Tower unlighted
		Anemometer	Near Touchdown Zone -RWY 27
3	Taxiway edge and taxiway centre line lights;	Edge	All TWY except W2 (Reflectors AVBL for W2).
		Centre Line	NIL
4	Secondary power supply including switch-over time;	Secondary power supply to all lighting at AD, switchover time less than 15 Seconds	
5	Remarks	UPS available to essential installations.	

VOBG AD 2.16 HELICOPTER LANDING AREA

1	Geographical coordinates of the geometric centre of touchdown and lift-off (TLOF) or of each threshold of final approach and take-off (FATO) area	Bravo Helipad: 12° 57' 13.55" N 077°40'49.55" E
2	TLOF and/or FATO area elevation:	890.1 Meter / 2923 Feet
3	TLOF and FATO area dimensions to the nearest metre or foot, surface type, bearing strength and marking;	Dimensions: 25 Meter x 25 Meter, Surface: Concrete, Strength: to be determined, Markings: White "H"
4	True bearings of FATO;	GEO- 085 DEG / 265 DEG
5	Declared distances available	NIL
6	Approach and FATO lighting;	NIL
7	Remarks	1)Bravo Helipad is only for Test and training of VFR helicopters with specific ATC clearance. 2)ATC may permit VFR helicopters to land on Taxiways subject to traffic and parking area planned. 3)Helipad Bravo - Max Rotor Diameter - up to 22 m

VOBG AD 2.17 AIR TRAFFIC SERVICE AIRSPACE

1	Airspace designation, geographical coordinates and lateral limits	CTR: Not Established
2	Vertical limits	
3	Airspace classification	
4	Call sign and language(s) of the air traffic services unit providing service;	HAL TOWER / HAL RADAR / APPROACH, English
5	Transition altitude	7000 FT
6	Hours of applicability	
7	Remarks	Restricted Airspaces viz, VOR 181A/VOR 181B/VOR 185 are controlled by HAL (Bengaluru) ATC.

VOBG AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service Designation	Call sign	Channel(s)	SATVOICE Number(s), if available	Logon address, as appropriate	Hours of operation	Remarks
1	2	3	4	5	6	7
PAR	HAL PRECISION	119.500 MHZ			0230-1530 UTC	Primary Frequency
PAR	HAL PRECISION	125.825 MHZ			0230-1530 UTC	Stand by frequency
APP	HAL RADAR / APPROACH	127.700 MHZ			H24	NIL
TWR	HAL TOWER	123.500 MHZ			H24	NIL
ATIS	HAL INFORMATION	128.250 MHZ			H24	NIL
RADAR	HAL RADAR	122.700 MHZ			H24	Stand by frequency
RADAR	HAL RADAR	127.700 MHZ			H24	Primary Freq.
SMC	HAL GROUND	121.950 MHZ			0230 - 1530 UTC	Only when GND is active

VOBG AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aids, magnetic variation and type of supported operation for ILS/ MLS, basic GNSS, SBAS and GBAS, and for VOR/ILS/MLS station used for technical lineup of the aid	Identification	Frequency(ies), Channel number(s), Service provider, and reference path identifier(s) (RPI), as appropriate	Hours of operation, as appropriate;
1	2	3	4
LOC 27 CAT I	IBLR	110.500 MHz	H24
GP 27		329.600 MHz	H24
DME ILS 27	IBLR	CH42X	H24
DVOR/DME	BBG	115.500 MHz CH102X	H24

Geographical coordinates of the position of the transmitting antenna	Elevation of transmitting antenna of DME/ elevation of GBAS reference point	Service volume radius from the GBAS reference point	Remarks
5	6	7	8
125654.6N 0773903.2E			
125700.5N 0774054.2E			
125700.3N 0774054.1E	2920 FT		ILS DME Collocated With GP
125657.9N 0774051.1E	2940 FT		

VOBG AD 2.20 LOCAL AERODROME REGULATIONS

1)YELAHANKA (VOYK) Military Airbase exists at close proximity, North of HAL Airport with similar runway orientation, where Military Flying activities are conducted. Helicopters operating North sector of HAL to remain within VO(R) 181(C).
2)Arrival /Departure may be delayed, as Test Flying operation is accorded priority.
3)Prior permission to be obtained from ATS-in Charge for non-scheduled flights and Military flights for carrying out local flying.
4)Circuit Pattern for fixed wing:
a) Runway - 27, Left Hand.
b) Runway - 09, Right Hand.

5)Circuit Altitude:
a)Fixed wing: Not below 1000 Feet AGL.
b)Helicopter: 700 Feet AGL.

VOBG AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

VOBG AD 2.22 FLIGHT PROCEDURES

1.Precision Approach Radar (PAR) procedure:

S.No	Particular	Runway 09	Runway 27
1.	Threshold elevation	2877 Feet	2896 Feet
2.	Inbound track (Magnetic)	087°	267°
3.	Intermediate Approach Altitude	4600 Feet	4600 Feet
4.	IF range from touch down	10NM	10NM
5.	Glide angle	3 DEG (5.3%)	3 DEG (5.3%)
6.	Termination point dist. from touch Down	1NM	1NM
7.	OCA	3200 Feet	3200 Feet
8.	Missed approach procedure: a)a) RWY 09- Climb straight ahead to 6000 Feet then turn RIGHT to join VOR (BBG 115.5) holding at 6000 Feet or as directed by ATC. b)b) RWY 27- Climb straight ahead to 6000 Feet then turn LEFT to join VOR (BBG 115.5) holding at 6000 Feet or as directed by ATC.		
9.	Remarks: Applicable only for Military		

VOBG AD 2.23 ADDITIONAL INFORMATION

i) Operators of Medium / Heavy aircraft to ensure availability of Tow Bar.
ii) All arriving/departing aircraft to exercise caution for helicopter operations north of runway and over Bravo Helipad which is 250 M North of RWY 09/27.
iii) Heavy aircraft to line up 150 M ahead of Threshold to protect aircraft arrester barriers at both ends of Runway.
iv) Arrivals/Departures to expect delay daily between 0000 UTC to 0200 UTC due to excessive bird activity over the airfield.
v) Arrivals/departures to avoid operations during 30 minutes before and 1 hour after sunset due to excessive bat activity over the Aerodrome. (Refer NOTAM for timing).
vi) Helicopters may be permitted to land on taxiway, abeam any Apron.
vii) Caution to be exercised for a steep drop in the terrain after RESA for RWY 09.
viii) Prior permission for night halt parking shall be obtained from ATS-in Charge.
ix) Six aprons are available at HAL Co-ordinates. For details refer Aircraft Parking/Docking Chart.

VOBG AD 2.24 CHARTS RELATED TO AN AERODROME

1.Aerodrome Chart (01 OCT 2026)
2.Aircraft Parking/Docking Chart (01 OCT 2026)
3.Aerodrome Obstacle Cart Type- A (Operating Limitations) RWY 09 (01 OCT 2026)
4.Aerodrome Obstacle Cart Type- A (Operating Limitations) RWY 27 (01 OCT 2026)
5.Aerodrome Obstacles Chart Type B (01 OCT 2026)
6.Instrument Approach Chart – ILS Z OR LOC RWY 27 (01 OCT 2026)
7.Instrument Approach Chart – ILS Y OR LOC RWY 27 (01 OCT 2026)
8.Instrument Approach Chart – VOR RWY 09 (01 OCT 2026)
9.Instrument Approach Chart – VOR RWY 27 (01 OCT 2026)
10.Instrument Approach Chart – RNP Y RWY 09 (01 OCT 2026)
11.Instrument Approach Chart- Coding Table - RNP Y RWY 09 (01 OCT 2026)
12.Instrument Approach Chart – RNP Y RWY 27 (01 OCT 2026)
13.Instrument Approach Chart – Coding Table - RNP Y RWY 27 (01 OCT 2026)
14.Instrument Approach Chart – RNP X RWY 09 CAT H (01 OCT 2026)
15.Instrument Approach Chart – Coding Table - RNP X RWY 09 CAT H (01 OCT 2026)
16.Instrument Approach Chart – RNP X RWY 27 CAT H (01 OCT 2026)
17.Instrument Approach Chart – Coding Table - RNP X RWY 27 CAT H (01 OCT 2026)
18.ATC Surveillance Minimum Altitude Chart. (01 OCT 2026)

VOBG AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

Procedure	Procedure Minima	VSS Penetration
1	2	3