AD 2. AERODROMES

VEBU AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VEBU - BILASPUR AIRPORT, BILASPUR

VEBU AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	Aerodrome reference point coordinates and its site	215939N 0820655E 103.15 DEG/588M from physical extremity of RWY 17.	
2	Direction and distance of aerodrome reference point from the centre of the city or town which the aerodrome serves	15 KM East of Railway Station.	
3	Aerodrome elevation and reference temperature	906 FT / 42.4 DEG C	
4	Magnetic variation, date of information and annual change	0.50 DEG W (2010) /0.0166 DEG E	
5	Name of aerodrome operator, address, telephone, telefax, e-mail address, AFS address, website (if available)	Directorate of Civil Aviation Government of Chhattisgarh, Raipur, Chhattisgarh,	
		Telephone:	(91) 7752-291575
		Fax:	(91) 7752 291575
		AFS:	
		Email:	apdbilaspur@gmail.com
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	3C IFR Vertical Reference System: EGM08	

VEBU AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	0930 to 1800 IST (0400-1230 UTC) Daily except Saturday, Sunday and Holidays
2	Custom and immigration	NIL
3	Health and sanitation	During AD Hr
4	AIS briefing office	AS ATS
5	ATS reporting office (ARO)	AS ATS
6	MET Briefing office	AS ATS
7	Air Traffic Service	Refer NOTAM
8	Fuelling	AS ATS
9	Handling	AS ATS
10	Security	H24
11	De-icing	NIL
12	Remarks	NIL

VEBU AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	NIL
2	Fuel and Oil types	Aviation turbine fuel (IOCL)
3	Fuelling facilities and capacity	Storage capacity of 35 KL and 2x11 KL with bouser (Total- 57 KL)
4	De-icing facilities	NIL

5	Hangar space for visiting aircraft	NIL
6	Repair facilities for visiting aircraft	NIL
7	Remarks	NIL

VEBU AD 2.5 PASSENGER FACILITIES

1	Hotel(s) at or in the vicinity of aerodrome	Available in the vicinity. Budget and premium hotels available in the city
2	Restaurant(s) at or in the vicinity of aerodrome	Food Concessioners available
3	Transportation possibilities	Auto and Taxi
4	Medical Facilities	MI Room available
5	Bank and post office at or in the vicinity of aerodrome	Banks: Available in the vicinity Post office: Available in the vicinity
6	Tourist office	Available in the City
7	Remarks	NIL

VEBU AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	Aerodrome category for fire fighting	Within ATS HR: CAT-5
2	Rescue equipment	Available as per Cat – V
3	Capability for removal of disabled aircraft	1. The critical aircraft for the airport is AT72-600 2. Primary responsibility for removal of disabled aircraft rests with the concerned airline. 3. The airlines may contact 'Aerodrome Coordinator for Disabled Aircraft Removal Operations' for coordinating with the agencies having Disabled Aircraft Recovery Kit. 4. Contact Details of Aerodrome Coordinator for Disabled Aircraft Removal Operations: Aerodrome coordinator: Airport Director, Bilasa Devi Kevat Airport, Chakerbhata, Bilaspur Email: apdbilaspur@gmail.com Contact No: +91-9440420256,+91-9399083530
4	Remarks	NIL

VEBU AD 2.7 SEASONAL AVAILABILITY CLEARING

1	Type(s) of clearing equipment	Not available
2	Clearance priorities	Not available
3	Remarks	NIL

VEBU AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Designation, surface and strength of aprons	Refer Aircraft Parking/Docking Chart
2	Designation, width, surface and strength of taxiways	Refer Aircraft Parking/Docking Chart
3	Location and elevation of altimeter checkpoints	Not Available
4	Location of VOR checkpoints	Available at TWY A
5	Position of INS checkpoints	Not Available
6	Remarks	NIL

VEBU AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand identification signs, taxiway guidelines and visual docking/parking guidance system at aircraft stands	Taxing guidance provided on RTF. Guideline at Apron.
2	Runway and taxiway markings and lights	RWY Markings: Threshold, TDZ, Centerline, Aiming Point, Side Strip, Turn Pad, Designation Marking, Runway End, RWY Edge Lights: Runway Edge Lights Runway END lights TWY Marking: Centerline marking, Edge Marking, RWY Holding Position Lights: Edge Lights
3	Stop bars (if any)	NIL
4	Remarks	NIL

VEBU AD 2.10 AERODROME OBSTACLES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM08)	Marking/LGT	Remarks
35/APCH 17/TKOF	OTHER	215854.1N 0820650.3E	888 FT	LGTD	Airport Fencing
35/APCH 17/TKOF	OTHER	215850.2N 0820647.5E	897 FT	NO	Mobile road traffic(ROAD ELEV. = 268.4M + 5M mobile traffic)
35/APCH 17/TKOF	OTHER	215849.6N 0820642.0E	896 FT	NO	Mobile road traffic(ROAD ELEV. = 268.2M + 5M mobile traffic)
35/TKOF 17/APCH	OTHER	215947.0N 0820634.3E	928 FT	NO	Mobile road traffic (ROAD ELEV. = 277.8M + 5M mobile traffic)
35/TKOF 17/APCH	OTHER	215947.1N 0820631.9E	919 FT	LGTD	Airport Fencing
35/TKOF 17/APCH	OTHER	215947.5N 0820634.2E	919 FT	LGTD	Airport Fencing
35/TKOF 17/APCH	OTHER	215947.6N 0820634.7E	919 FT	LGTD	Airport Fencing
35/TKOF 17/APCH	OTHER	215947.7N 0820635.2E	920 FT	LGTD	Airport Fencing
35/TKOF 17/APCH	OTHER	215948.0N 0820636.3E	920 FT	LGTD	Airport Fencing
35/TKOF 17/APCH	POLE	215955.2N 0820628.9E	944 FT	NO	Rail OHE Pole
35/TKOF 17/APCH	OTHER	215944.8N 0820629.9E	916 FT	LGTD	Airport Fencing

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM08)	Marking/LGT	Remarks
35/TKOF 17/APCH	POLE	215947.7N 0820638.5E	925 FT	NO	Light Pole
35/TKOF 17/APCH	OTHER	215946.0N 0820629.2E	917 FT	LGTD	Airport Fencing
35/TKOF 17/APCH	OTHER	215947.5N 0820637.2E	929 FT	NO	Mobile road traffic(ROAD ELEV. = 278.3M + 5M mobile traffic)
35/TKOF 17/APCH	OTHER	215943.7N 0820629.9E	927 FT	NO	Mobile road traffic(ROAD ELEV. = 276.6M + 5M mobile traffic)
35/TKOF 17/APCH	OTHER	215946.1N 0820629.2E	936 FT	LGTD	Antenna on Watch Tower
35/TKOF 17/APCH	OTHER	215946.2N 0820629.3E	928 FT	LGTD	Watch Tower
35/TKOF 17/APCH	OTHER	215948.3N 0820639.5E	921 FT	NO	Airport Fencing
35/TKOF 17/APCH	OTHER	215946.9N 0820631.1E	919 FT	LGTD	Airport Fencing
35/TKOF 17/APCH	OTHER	215947.4N 0820633.7E	919 FT	LGTD	Airport Fencing
35/TKOF 17/APCH	OTHER	215948.1N 0820637.1E	921 FT	LGTD	Airport Fencing
35/TKOF 17/APCH	OTHER	215948.4N 0820638.5E	921 FT	NO	Airport Fencing
35/TKOF 17/APCH	POLE	215949.2N 0820637.9E	937 FT	NO	Electric Pole
35/TKOF 17/APCH	POLE	215947.6N 0820629.3E	934 FT	NO	Electric Pole
35/TKOF 17/APCH	POLE	215953.3N 0820628.0E	940 FT	NO	Rail OHE Pole
35/TKOF 17/APCH	POLE	215954.3N 0820628.8E	935 FT	NO	Signal Post
35/TKOF 17/APCH	OTHER	215951.8N 0820626.7E	944 FT	NO	Mobile Rail Traffic (Rail Elev.=280.0m +7.6m Rail Traffic)
35/TKOF 17/APCH	POLE	215956.8N 0820630.2E	944 FT	NO	Rail OHE Pole
35/TKOF 17/APCH	OTHER	215957.9N 0820631.8E	945 FT	NO	Mobile Rail Traffic (Rail Elev.=280.5m +7.6m Rail Traffic)
35/TKOF 17/APCH	POLE	215958.5N 0820632.4E	945 FT	NO	Rail OHE Pole
35/TKOF 17/APCH	POLE	215958.4N 0820631.6E	946 FT	NO	Rail OHE Pole
35/TKOF 17/APCH	POLE	220000.0N 0820632.9E	946 FT	NO	Rail OHE Pole
35/TKOF 17/APCH	POLE	220000.4N 0820634.0E	946 FT	NO	Rail OHE Pole
35/TKOF 17/APCH	OTHER	220000.5N 0820633.8E	947 FT	NO	Mobile Rail Traffic (Rail Elev.=281.2m +7.6m Rail Traffic)
35/TKOF 17/APCH	POLE	220002.2N 0820635.5E	947 FT	NO	Rail OHE Pole

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM08)	Marking/LGT	Remarks
35/TKOF 17/APCH	POLE	220004.0N 0820636.6E	948 FT	NO	Rail OHE Pole
35/TKOF 17/APCH	OTHER	220021.3N 0820618.8E	996 FT	LGTD	Over Head Water Tank
35/TKOF 17/APCH	OTHER	220022.0N 0820620.0E	999 FT	LGTD	Over Head Water Tank
In circling area and at AD	OTHER	215923.3N 0820641.6E	924 FT	LGTD	WDI
In circling area and at AD	BUILDING	220000.5N 0820640.0E	955 FT	NO	Building
In circling area and at AD	OTHER	215855.7N 0820650.1E	891 FT	NO	Airport Fencing
In circling area and at AD	POLE	215855.3N 0820649.7E	892 FT	NO	Light Pole
In circling area and at AD	OTHER	215856.4N 0820651.0E	896 FT	NO	Mobile Road Traffic (Road Elev.=268m +5m Mobile Traffic)
In circling area and at AD	TREE	215859.2N 0820648.6E	897 FT	NO	Group of Trees
In circling area and at AD	TREE	215857.5N 0820649.4E	897 FT	NO	Group of Trees
In circling area and at AD	OTHER	215923.0N 0820643.2E	918 FT	LGTD	Met Instrument
In circling area and at AD	TREE	215856.8N 0820649.5E	901 FT	NO	Group of Trees
In circling area and at AD	OTHER	220600.7N 0821108.4E	1416 FT	NO	Doordarshan Tower

VEBU AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Name of the associated meteorological office	AMS Bilaspur
2	Hours of service and, where applicable, the designation of the responsible meteorological office outside these hours	As ATS, Current weather observation will be recorded during off hours of Airport operation.
3	Office responsible for preparation of TAFs and periods of validity and interval of issuance of the forecasts	TBN
4	Availability of the trend forecast for the aerodrome and interval of issuance	Trend Available
5	Information on how briefing and/or consultation is provided	TBN
6	Types of flight documentation supplied and language(s) used in flight documentation	TBN
7	Charts and other information displayed or available for briefing or consultation	TBN
8	Supplementary equipment available for providing information on meteorological conditions, e.g. weather radar and receiver for satellite images;	TBN
9	The air traffic services unit(s) provided with meteorological information	Bilaspur ATS
10	Additional information, e.g. concerning any limitation of service.	NIL

VEBU AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations	TRUE Bearings	Dimensions of RWY (M)	Strength of pavement (PCN) and associated data) and surface of runway and associated stopways	Geographical coordinates for threshold and runway end
1	2	3	4	5
17	167.81 DEG	1439 x 30 M	42/F/A/W/T Asphalt	THR: 215942.02N 0820635.46E RWY END: 215856.28N 0820646.05E
35	347.81 DEG	1439 x 30 M	42/F/A/W/T Asphalt	THR: 215856.28N 0820646.05E RWY END: 215943.64N 0820635.08E

THR elevation and highest elevation of TDZ of precision APP RWY	Slope of runway and associated stopway	Dimensions of stopway (M)	Dimensions of clearway (M)	Dimensions of strips (M)
6	7	8	9	10
THR: 906.0FT TDZ: 906.0FT	0.47%	NIL	NIL	1559 x 280 M
THR: 884.0FT TDZ: 894.0FT	-0.49%	NIL	NIL	1559 x 280 M

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	12	13	14
240M x 60M		YES	Vertical Reference System: EGM08
90M x 60M		YES	Vertical Reference System: EGM08

VEBU AD 2.13 DECLARED DISTANCES

RWY Designator	Take-off run available TORA (M)	Take-off distance available TODA (M)	Accelerate distance available ASDA (M)	Landing distance available LDA (M)	Remarks (including runway entry or start point where alternative reduced declared distances have been declared)
1	2	3	4	5	6
17	1439	1439	1439	1439	IFR flights are permitted to land on RWY 35 and take-off from RWY 17 only
35	1439	1439	1439	1439	IFR flights are permitted to land on RWY 35 and take-off from RWY 17 only

VEBU AD 2.14 APPROACH AND RUNWAY LIGHTING

Runway Designator	Type, length and intensity of approach lighting system	Runway threshold lights, colour and wing bars	Type of visual slope indicator system	Length of runway touchdown zone lights
1	2	3	4	5
17	NIL	NIL	PAPI LEFT/3.00 DEG	
35	SALS LIH	Green Wing Bars not available	PAPI LEFT/3.00 DEG	

Length, spacing, colour and intensity of runway centre line lights	Length, spacing, colour and intensity of runway edge lights	Colour of runway end lights and wing bars	Length and colour of stopway lights	Remarks
6	7	8	9	10
	1439 M 59 M White LIH	Red		NIL
	1439 M 59 M White LIH	Red		NIL

VEBU AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	Location, characteristics and hours of operation of aerodrome beacon/identification beacon (if any)	ABN	At ATC Tower FLASHES W&G; 20-30 RPM; As ATS HR
		IBN	NIL
2	Location and lighting (if any) of anemometer/ landing direction indicator;	LDI	Abeam TWY A; Illuminated.
		Anemometer	At the Met observatory
3	Taxiway edge and taxiway centre line lights;	Edge	Available
		Centre Line	Not Available
4	Secondary power supply including switch-over time;	Available within 15 seconds	
5	Remarks	NIL	

VEBU AD 2.16 HELICOPTER LANDING AREA

1	Geographical coordinates of the geometric centre of touchdown and lift-off (TLOF) or of each threshold of final approach and take-off (FATO) area	Not established
2	TLOF and/or FATO area elevation:	---
3	TLOF and FATO area dimensions to the nearest metre or foot, surface type, bearing strength and marking;	---
4	True bearings of FATO;	---
5	Declared distances available	---
6	Approach and FATO lighting;	---
7	Remarks	---

VEBU AD 2.17 AIR TRAFFIC SERVICE AIRSPACE

1	Airspace designation, geographical coordinates and lateral limits	CTR: Circular area centered on 215939N 0820655E within a 20NM radius.
2	Vertical limits	FL 65
3	Airspace classification	D
4	Call sign and language(s) of the air traffic services unit providing service;	Bilaspur Tower, English
5	Transition altitude	5000 FT
6	Hours of applicability	HO
7	Remarks	1. CTR available only during published watch hrs. 2. Beyond hours of operations airspace classification is Class G. 3.Bilaspur Approach Control Unit is combined with Bilaspur Aerodrome Control Tower.

VEBU AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service Designation	Call sign	Channel(s)	SATVOICE Number(s), if available
1	2	3	4
APP	Bilaspur Tower	118.075 MHZ	
APP	Bilaspur Tower	118.625 MHZ	
TWR	Bilaspur Tower	118.075 MHZ	
TWR	Bilaspur Tower	118.625 MHZ	

Logon address, as appropriate	Hours of operation	Remarks
5	6	7
	AS ATS	1. Main Freq 2. Functions of Approach Control Service provided by Aerodrome Control Tower.
	AS ATS	1. Backup Freq 2. Functions of Approach Control Service provided by Aerodrome Control Tower.
	AS ATS	NIL
	AS ATS	STANDBY FREQ.

VEBU AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aids, magnetic variation and type of supported operation for ILS/ MLS, basic GNSS, SBAS and GBAS, and for VOR/ILS/MLS station used for technical lineup of the aid	Identification	Frequency(ies), Channel number(s), Service provider, and reference path identifier(s) (RPI), as appropriate	Hours of operation, as appropriate;
1	2	3	4
DVOR/DME	BLS	114.900 MHz CH96X	HO

Geographical coordinates of the position of the transmitting antenna	Elevation of transmitting antenna of DME/ elevation of GBAS reference point	Service volume radius from the GBAS reference point	Remarks
5	6	7	8
215912.6N 0820633.5E	932 FT		DMEcolocatedwithDVOR. EGM 08

VEBU AD 2.20 LOCAL AERODROME REGULATIONS

NIL

VEBU AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

VEBU AD 2.22 FLIGHT PROCEDURES

NIL

VEBU AD 2.23 ADDITIONAL INFORMATION

NIL

VEBU AD 2.24 CHARTS RELATED TO AN AERODROME

1. Aerodrome Chart(01 OCT 2026)
2. Aircraft Parking Docking Chart (14 May 2026)
3. Aerodrome Obstacle Chart – (Operating Limitations) Type A RWY 17 (01 OCT 2026)
4. Aerodrome Obstacle Chart – (Operating Limitations) Type A RWY 35 (01 OCT 2026)
5. Aerodrome Obstacle Chart Type B (14 May 2026)
6. Instrument Approach Chart - RNP Procedure RWY 35 (6 AUG 2026)
7. Coding Table - RNP Procedure RWY 35 (17 April 2025)

VEBU AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

Procedure	Procedure Minima	VSS Penetration
1	**2**	**3**