AD 2. AERODROMES

VECT AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VECT - CHITRAKOOT AIRPORT, CHITRAKOOT

VECT AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	Aerodrome reference point coordinates and its site	250929N 0805527E 222.86 DEG/ 983 M from physical extremity of RWY 06	
2	Direction and distance of aerodrome reference point from the center of the city or town which the aerodrome serves	6 km South-Southeast of Chitrakoot Dham Karwi Railway station.	
3	Aerodrome elevation and reference temperature	983 FT / 37.7 DEG C	
4	Magnetic variation, date of information and annual change	0.25 DEG W (2010) /0.01667 DEG E	
5	Name of aerodrome operator, address, telephone, telefax, e-mail address, AFS address, website (if available)	Airports Authority of India Chitrakoot Dham Karwi, Sidhhpur, Devangna Hills, Chitrakoot (Uttar Pradesh),	
		Telephone:	+91-5198-298726
		Fax:	
		AFS:	
		Email:	apdchitrakoot@aai.aero
6	Types of traffic permitted (IFR/VFR)	VFR	
7	Remarks	Geoid Model: EGM08	

VECT AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	MON – FRI: 0400 to 1230 UTC (0930-1800 IST) SAT, SUN, HOL: NIL
2	Custom and immigration	Not Applicable
3	Health and sanitation	As ATS
4	AIS briefing office	As ATS
5	ATS reporting office (ARO)	AS ATS
6	MET Briefing office	As ATS
7	Air Traffic Service	Refer NOTAM
8	Fuelling	As ATS
9	Handling	As ATS
10	Security	H24
11	De-icing	Not applicable
12	Remarks	NIL

VECT AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	NIL
2	Fuel and Oil types	JET A1 available on demand
3	Fuelling facilities and capacity	01 Bowsers 15KL
4	De-icing facilities	NIL

5	Hangar space for visiting aircraft	NIL
6	Repair facilities for visiting aircraft	NIL
7	Remarks	Mooring Facility- Nil

VECT AD 2.5 PASSENGER FACILITIES

1	Hotel(s) at or in the vicinity of aerodrome	Available in the City
2	Restaurant(s) at or in the vicinity of aerodrome	Available in the City
3	Transportation possibilities	Taxi Available
4	Medical Facilities	First Aid in the terminal building and District Hospital located in City about 06 kms from the airport.
5	Bank and post office at or in the vicinity of aerodrome	Banks: Available in the City Post office: Available in the City
6	Tourist office	Available in the City
7	Remarks	NIL

VECT AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	Aerodrome category for fire fighting	Within ATS HR: CAT-4
2	Rescue equipment	Available
3	Capability for removal of disabled aircraft	1. The Critical aircraft for the airport is B1900D. 2. Primary responsibility for removal of disabled aircraft rests with concerned airline. 3. The airlines may contact 'Aerodrome coordinator for Disabled Aircraft Removal operations' for co-coordinating with the agencies having Disabled Aircraft Recovery Kit. 4. Contact Details of Aerodrome Coordinator for Disabled Aircraft Removal operation: Airport Director Chitrakoot Airport, Contact No.- +91-5198-298726 Email id. apdchitrakoot@aai.aero
4	Remarks	NIL

VECT AD 2.7 SEASONAL AVAILABILITY CLEARING

1	Type(s) of clearing equipment	NIL
2	Clearance priorities	NIL
3	Remarks	NIL

VECT AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Designation, surface and strength of aprons	Refer Aircraft Parking/ Docking Chart
2	Designation, width, surface and strength of taxiways	Refer Aircraft Parking/ Docking Chart
3	Location and elevation of altimeter checkpoints	NIL
4	Location of VOR checkpoints	NIL
5	Position of INS checkpoints	NIL
6	Remarks	NIL

VECT AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand identification signs, taxiway guidelines and visual docking/parking guidance system at aircraft stands	Taxing guidance signs at all intersections with TWY and RWY and at all holding position, Guidelines at apron. Taxiing guidance provided on R/T also.
2	Runway and taxiway markings and lights	RWY Markings: Runway designator, Threshold markings, Aiming point, Centre line, touchdown zone, runway side strip markings, turn pad markings Lights:NIL TWY Markings: Taxiway side strip markings, centreline markings, RWY holding position markings Lights: NIL
3	Stop bars (if any)	NIL
4	Remarks	PAPI lights are available at both ends.

VECT AD 2.10 AERODROME OBSTACLES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
24/TKOF 06/APCH	TREE	250950.9N 0805545.2E	1006 FT	NIL	Group of Trees
24/APCH 06/APCH	TREE	251022.0N 0805636.6E	994 FT	NIL	Group of Trees
24/APCH 06/TKOF	TREE	251021.9N 0805636.0E	995 FT	NIL	Group of Trees
In circling area and at AD	TREE	251002.2N 0805610.5E	1009 FT	NIL	Tree
In circling area and at AD	TREE	251000.7N 0805608.3E	1002 FT	NIL	Tree
In circling area and at AD	TREE	251000.0N 0805607.2E	1001 FT	NIL	Tree
In circling area and at AD	TREE	250959.6N 0805606.2E	999 FT	NIL	Tree
In circling area and at AD	TREE	250958.9N 0805557.7E	995 FT	NIL	Group of Trees
In circling area and at AD	TREE	250958.8N 0805558.2E	991 FT	NIL	Group of Trees
In circling area and at AD	TREE	251000.8N 0805601.2E	990 FT	NIL	Tree
In circling area and at AD	TREE	251001.1N 0805601.7E	990 FT	NIL	Tree
In circling area and at AD	TREE	250957.0N 0805553.7E	999 FT	NIL	Group of Trees
In circling area and at AD	FENCE	250951.0N 0805552.2E	987 FT	NIL	Airport Boundary Wall with Fencing on Top
In circling area and at AD	TREE	251004.9N 0805615.0E	1007 FT	NIL	Group of Trees

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	TREE	251005.5N 0805615.9E	1002 FT	NIL	Group of Trees
In circling area and at AD	TREE	251010.6N 0805615.5E	1003 FT	NIL	Group of Trees
In circling area and at AD	TREE	251006.4N 0805617.1E	1001 FT	NIL	Group of Trees
In circling area and at AD	TREE	251007.1N 0805618.4E	1001 FT	NIL	Group of Trees
In circling area and at AD	TREE	251008.0N 0805620.1E	1003 FT	NIL	Tree
In circling area and at AD	TREE	251008.1N 0805620.0E	1002 FT	NIL	Tree
In circling area and at AD	TREE	251008.9N 0805621.2E	1002 FT	NIL	Tree
In circling area and at AD	POLE	250951.0N 0805544.9E	999 FT	NIL	Electric Pole
In circling area and at AD	TREE	250954.5N 0805550.1E	999 FT	NIL	Tree
In circling area and at AD	TREE	250956.1N 0805552.0E	1005 FT	NIL	Group of Trees
In circling area and at AD	TREE	251002.2N 0805610.4E	1010 FT	NIL	Tree
In circling area and at AD	TREE	251002.9N 0805604.2E	991 FT	NIL	Tree
In circling area and at AD	TREE	251004.9N 0805614.9E	1008 FT	NIL	Group of Trees
In circling area and at AD	OTHER	251005.9N 0805609.5E	1002 FT	LGTD	WDI
In circling area and at AD	OTHER	251006.1N 0805608.8E	1004 FT	NIL	Machine Top
In circling area and at AD	TREE	251011.9N 0805617.3E	1007 FT	NIL	Tree
In circling area and at AD	OTHER	251021.8N 0805634.3E	996 FT	NIL	Security Hut

VECT AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Name of the associated meteorological office	Chitrakoot (CLASS-3)
2	Hours of service and, where applicable, the designation of the responsible meteorological office outside these hours	During watch hours.
3	Office responsible for preparation of TAFs and periods of validity and interval of issuance of the forecasts	Lucknow, 9 hrs
4	Availability of the trend forecast for the aerodrome and interval of issuance	NIL
5	Information on how briefing and/or consultation is provided	NIL
6	Types of flight documentation supplied and language(s) used in flight documentation	Tabular from English
7	Charts and other information displayed or available for briefing or consultation	NIL

8	Supplementary equipment available for providing information on meteorological conditions, e.g. weather radar and receiver for satellite images;	Telephone
9	The air traffic services unit(s) provided with meteorological information	Chitrakoot ATC and ACS
10	Additional information, e.g. concerning any limitation of service.	Documentation provided as requested

VECT AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations	TRUE Bearings	Dimensions of RWY (M)	Strength of pavement (PCN) and associated data) and surface of runway and associated stopways	Geographical coordinates for threshold and runway end
1	2	3	4	5
06	55.61 DEG	1398 x 23 M	17/F/B/X/T Asphalt	THR: 250953.26N 0805552.07E RWY END: 251018.15N 0805632.05E
24	235.61 DEG	1398 x 23 M	17/F/B/X/T Asphalt	THR: 251017.16N 0805630.46E RWY END: 250952.49N 0805550.84E

THR elevation and highest elevation of TDZ of precision APP RWY	Slope of runway and associated stopway	Dimensions of stopway (M)	Dimensions of clearway (M)	Dimensions of strips (M)
6	7	8	9	10
THR: 978.0FT TDZ: 981.0FT	0.19%	NIL	NIL	1518 x 80 M
THR: 979.0FT TDZ: 982.0FT	0.22%	NIL	NIL	1518 x 80 M

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	12	13	14
30M x 46M	NIL	NIL	Vertical Datum: EGM 08
30M x 46M	NIL	NIL	Vertical Datum: EGM 08

VECT AD 2.13 DECLARED DISTANCES

RWY Designator	Take-off run available TORA (M)	Take-off distance available TODA (M)	Accelerate distance available ASDA (M)	Landing distance available LDA (M)	Remarks (including runway entry or start point where alternative reduced declared distances have been declared)
1	2	3	4	5	6
06	1398	1398	1398	1356	THR displaced by 42 M.
24	1398	1398	1398	1344	THR displaced by 54 M

VECT AD 2.14 APPROACH AND RUNWAY LIGHTING

Runway Designator	Type, length and intensity of approach lighting system	Runway threshold lights, colour and wing bars	Type of visual slope indicator system	Length of runway touchdown zone lights
1	2	3	4	5
06	NIL	NIL	PAPI MEHT (12.20M)	NIL
24	NIL	NIL	PAPI MEHT (12.20M)	NIL

Length, spacing, colour and intensity of runway centre line lights	Length, spacing, colour and intensity of runway edge lights	Colour of runway end lights and wing bars	Length and colour of stopway lights	Remarks
6	7	8	9	10
NIL	NIL	NIL	NIL	PAPI/LEFT
NIL	NIL	NIL	NIL	PAPI/LEFT

VECT AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	Location, characteristics and hours of operation of aerodrome beacon/identification beacon (if any)	ABN	Installed on top of ATC Tower. Green and White flashes
		IBN	Available
2	Location and lighting (if any) of anemometer/ landing direction indicator;	LDI	Available
		Anemometer	Not Available
3	Taxiway edge and taxiway centre line lights;	Edge	Not Available
		Centre Line	Not Available
4	Secondary power supply including switch-over time;	Sub-station –I: 2 DG Sets of 250KVA each (Working), switch-over time- 15 Sec	
5	Remarks	NIL	

VECT AD 2.16 HELICOPTER LANDING AREA

1	Geographical coordinates of the geometric centre of touchdown and lift-off (TLOF) or of each threshold of final approach and take-off (FATO) area	Not Established
2	TLOF and/or FATO area elevation:	Not Established
3	TLOF and FATO area dimensions to the nearest metre or foot, surface type, bearing strength and marking;	Not Established
4	True bearings of FATO;	Not Established
5	Declared distances available	Not Established
6	Approach and FATO lighting;	Not Established
7	Remarks	NIL

VECT AD 2.17 AIR TRAFFIC SERVICE AIRSPACE

1	Airspace designation, geographical coordinates and lateral limits	CTR: Circular area centered on 250929N 0805527E within a 10NM radius.
2	Vertical limits	FL 55
3	Airspace classification	D
4	Call sign and language(s) of the air traffic services unit providing service;	Chitrakoot TWR, English
5	Transition altitude	4000 FT
6	Hours of applicability	HO
7	Remarks	1. CTR available only during notified operational hours of Chitrakoot. 2. Beyond operational hours the airspace classification is Class G. 3.Chitrakoot Approach Control Unit is combined with Chitrakoot Aerodrome Control Tower..

VECT AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service Designation	Call sign	Channel(s)	SATVOICE Number(s), if available
1	**2**	**3**	**4**
APP	Chitrakoot Tower	118.500 MHZ	
APP	Chitrakoot Tower	122.250 MHZ	
TWR	Chitrakoot TWR	118.500 MHZ	
TWR	Chitrakoot TWR	122.250 MHZ	

Logon address, as appropriate	Hours of operation	Remarks
5	**6**	**7**
	HO	1. Main Freq 2.Functions of Approach Control Service provided by Aerodrome Control Tower
	HO	1. Backup Freq 2. Functions of Approach Control Service provided by Aerodrome Control Tower

Logon address, as appropriate	Hours of operation	Remarks
	HO	1. Main Frequency
	HO	1. Backup Frequency

VECT AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aids, magnetic variation and type of supported operation for ILS/ MLS, basic GNSS, SBAS and GBAS, and for VOR/ILS/MLS station used for technical lineup of the aid	Identification	Frequency(ies), Channel number(s), Service provider, and reference path identifier(s) (RPI), as appropriate	Hours of operation, as appropriate;
1	2	3	4

Geographical coordinates of the position of the transmitting antenna	Elevation of transmitting antenna of DME/ elevation of GBAS reference point	Service volume radius from the GBAS reference point	Remarks
5	6	7	8

VECT AD 2.20 LOCAL AERODROME REGULATIONS

NIL

VECT AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

VECT AD 2.22 FLIGHT PROCEDURES

NIL

VECT AD 2.23 ADDITIONAL INFORMATION

NIL

VECT AD 2.24 CHARTS RELATED TO AN AERODROME

1. Aerodrome Chart (27 November 2025)
2. Aircraft Parking/Docking Chart (27 November 2025)
3. Aerodrome Obstacle Chart Type A (Operating Limitations) RWY 06 (27 November 2025)
4. Aerodrome Obstacle Chart Type A (Operating Limitations) RWY 24 (27 November 2025)
5. Aerodrome Obstacle Chart Type B (27 November 2025)

VECT AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

Procedure	Procedure Minima	VSS Penetration
1	2	3