AD 2. AERODROMES

VECO AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VECO - COOCH-BEHAR AIRPORT, COOCH-BEHAR

VECO AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	Aerodrome reference point coordinates and its site	261947N 0892802E MAG. BRG. 53.27 DEG / 455 M From Physical Extremity of RWY 04	
2	Direction and distance of aerodrome reference point from the centre of the city or town which the aerodrome serves	2.65 KM South of New Cooch Behar Railway Station	
3	Aerodrome elevation and reference temperature	141 FT / 33.0 DEG C	
4	Magnetic variation, date of information and annual change	0.25 DEG W (2010) /0.00	
5	Name of aerodrome operator, address, telephone, telefax, e-mail address, AFS address, website (if available)	Airports Authority of India, O/o The Airport Director, Airports Authority of India, Cooch Behar Airport, West Bengal (India), PIN-736101.,	
		Telephone:	03582-222518
		Fax:	03582-222518
		AFS:	VECOYDYX
		Email:	apdcoochbehar@aai.aero coochbehar.aai@gmail.com
6	Types of traffic permitted (IFR/VFR)	VFR	
7	Remarks	Elevation in EGM 08	

VECO AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	MON - FRI: 0400-1230 (0930-1800IST) SAT, SUN+ HOL : Nil
2	Custom and immigration	NIL
3	Health and sanitation	AS ATS
4	AIS briefing office	AS ATS
5	ATS reporting office (ARO)	AS ATS
6	MET Briefing office	AS ATS
7	Air Traffic Service	(Refer NOTAM for Current Watch Hours)
8	Fuelling	AVBL
9	Handling	NOT AVBL
10	Security	H24
11	De-icing	Not Applicable
12	Remarks	1. ATS approved hourly RWY traffic handling capacity is as follows: MAX number of ARR and DEP (PER HR)- 04 MAX number of ARR only- 02 MAX number of DEP only- 02 2. 24 hour prior information required for watch hours other than the notified watch hour.

VECO AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	NIL
2	Fuel and Oil types	JET A1
3	Fuelling facilities and capacity	MOBILE BOWSER AND 17 KL
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	NIL
6	Repair facilities for visiting aircraft	NIL
7	Remarks	NIL

VECO AD 2.5 PASSENGER FACILITIES

1	Hotel(s) at or in the vicinity of aerodrome	In the City & near the AD.
2	Restaurant(s) at or in the vicinity of aerodrome	In the City & near the AD.
3	Transportation possibilities	Hire Taxi on call from the aerodrome.
4	Medical Facilities	First Aid at Airport. Hospitals in city.
5	Bank and post office at or in the vicinity of aerodrome	Banks: /ATM: In the City. Post office: In the City.
6	Tourist office	In the City
7	Remarks	NIL

VECO AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	Aerodrome category for fire fighting	Within ATS HR: CAT-4 AES is provided by the West Bengal Fire and Emergency Services
2	Rescue equipment	Available as per AES Category.
3	Capability for removal of disabled aircraft	1. The critical aircraft for the airport is : BE-1900 D 2. Primary responsibility for removal of disabled aircraft rests with the concerned airline. 3. The airlines may contact 'Aerodrome Coordinator for Disabled Aircraft Removal Operations' for coordinating with the agencies having Disabled Aircraft Recovery Kit. 4. Contact Details of Aerodrome Coordinator for Disabled Aircraft Removal Operations: Detail of Aerodrome coordinator : Airport Director Contact No. : 03582-222518/9800143666 Email: apdcoochbehar @aai.aero
4	Remarks	NIL

VECO AD 2.7 SEASONAL AVAILABILITY CLEARING

1	Type(s) of clearing equipment	NIL
2	Clearance priorities	NIL
3	Remarks	NIL

VECO AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Designation, surface and strength of aprons	Designator: APRON 1[79 x 61 M] Surface: Macadam Strength: PCN 15/F/C/W/T
2	Designation, width, surface and strength of taxiways	Designator: TWY A Width: 18 M Surface: Macadam Strength: PCN 15/F/C/W/T
3	Location and elevation of altimeter checkpoints	Altimeter Check Point is located in the apron, on Stand Number-1. Elevation: 42.775 M (AMSL)
4	Location of VOR checkpoints	NIL
5	Position of INS checkpoints	NIL
6	Remarks	NIL

VECO AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand identification signs, taxiway guidelines and visual docking/parking guidance system at aircraft stands	ACFT Stand Identification Sign available. Taxiway guidance marking available.
2	Runway and taxiway markings and lights	RWY: Markings: Designation, Centreline, Threshold, Touch Down Zone, Side Strip, Aiming Point, Turn Pad Lights: Threshold light, edge light, turn pad light, runway end light TWY: Markings: Centreline, edge, TWY Holding Position Lights: Edge Lights
3	Stop bars (if any)	NIL
4	Remarks	NIL

VECO AD 2.10 AERODROME OBSTACLES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
22/TKOF 04/APCH	BUILDING	261935.8N 0892742.7E	162 FT	NIL	PUMP HOUSE
22/TKOF 04/APCH	BUILDING	261935.5N 0892741.7E	156 FT	NIL	HOUSE
22/TKOF 04/APCH	BUILDING	261934.1N 0892740.4E	184 FT	NIL	TEMPLE
22/TKOF 04/APCH	OTHER	261934.1N 0892740.4E	169 FT	NIL	MOBILE RAIL TRAFFIC (TRACK ELEV. 44.0 M. + TRAFFIC HT. 7.6 M.)
04/APCH	OTHER	261932.6N 0892747.2E	159 FT	NIL	MOBILE ROAD TRAFFIC (ROAD ELEV. 43.5 M. + TRAFFIC HT. 5 M.)
22/TKOF 04/APCH	OTHER	261933.1N 0892743.1E	160 FT	NIL	HOARDING
22/TKOF 04/APCH	TREE	261932.9N 0892742.9E	185 FT	NIL	TREE
22/TKOF 04/APCH	BUILDING	261930.5N 0892739.4E	173 FT	NIL	BUILDING
22/TKOF 04/APCH	TREE	261933.0N 0892740.7E	198 FT	NIL	TREE
22/TKOF 04/APCH	TREE	261933.2N 0892737.9E	221 FT	NIL	TREE
22/TKOF 04/APCH	ANTENNA	261932.1N 0892739.2E	181 FT	NIL	ANTENNA TOP ON BUILDING (BUILDING TOP - 52.7M)
22/TKOF 04/APCH	BUILDING	261932.2N 0892742.6E	176 FT	NIL	BUILDING TOP
22/TKOF 04/APCH	TREE	261931.6N 0892743.7E	200 FT	NIL	TREE
22/TKOF 04/APCH	BUILDING	261931.9N 0892741.4E	174 FT	NIL	BUILDING
22/TKOF 04/APCH	BUILDING	261936.4N 0892742.5E	154 FT	NIL	BUILDING
22/TKOF 04/APCH	OTHER	261935.2N 0892740.7E	159 FT	NIL	MOBILE ROAD TRAFFIC (ROAD ELEV. 43.5 M. + TRAFFIC HT. 5 M.)
22/TKOF 04/APCH	BUILDING	261932.4N 0892740.3E	174 FT	NIL	HOUSE
22/TKOF 04/APCH	POLE	261933.8N 0892739.2E	165 FT	NIL	ELECTRIC POLE
22/TKOF 04/APCH	TREE	261929.7N 0892743.1E	220 FT	NIL	GROUP OF TREE
22/TKOF 04/APCH	WALL	261937.1N 0892743.5E	150 FT	NIL	AIRPORT BOUNDARY WALL WITH F/T

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
22/TKOF 04/APCH	TREE	261932.1N 0892746.7E	204 FT	NIL	GROUP OF TREE
22/TKOF 04/APCH	TREE	261930.8N 0892745.4E	214 FT	NIL	GROUP OF TREE
22/TKOF 04/APCH	BUILDING	261932.0N 0892742.1E	175 FT	NIL	HOUSE
22/TKOF 04/APCH	BUILDING	261933.4N 0892740.7E	163 FT	NIL	HOUSE
22/TKOF 04/APCH	OTHER	261933.0N 0892738.3E	184 FT	NIL	RLY BARRIER
22/TKOF 04/APCH	OTHER	261932.8N 0892737.3E	191 FT	NIL	FLOOD LIGHT MAST
22/TKOF 04/APCH	POLE	261931.7N 0892736.5E	175 FT	NIL	ELECTRIC POLE
22/TKOF 04/APCH	TREE	261930.1N 0892736.1E	205 FT	NIL	TREE
22/TKOF 04/APCH	BUILDING	261930.0N 0892738.0E	176 FT	NIL	HOUSE
22/TKOF 04/APCH	OTHER	261937.2N 0892743.6E	156 FT	NIL	MOBILE ROAD TRAFFIC (ROAD ELEV. 42.5 M. + TRAFFIC HT. 5 M.)
22/TKOF 04/APCH	OTHER	261936.9N 0892743.1E	156 FT	NIL	MOBILE ROAD TRAFFIC (ROAD ELEV. 42.7 M. + TRAFFIC HT. 5 M.)
22/TKOF 04/APCH	TREE	261924.9N 0892728.5E	241 FT	NIL	GROUP OF TREE
22/TKOF 04/APCH	TREE	261927.6N 0892742.0E	202 FT	NIL	GROUP OF TREE
22/TKOF 04/APCH	BUILDING	261927.3N 0892742.6E	174 FT	NIL	HOUSE
22/TKOF 04/APCH	BUILDING	261929.3N 0892743.0E	174 FT	NIL	HOUSE
22/TKOF 04/APCH	ANTENNA	261929.8N 0892741.3E	199 FT	NIL	ANTENNA TOP ON BUILDING (BUILDING TOP - 52.2M)
22/TKOF 04/APCH	TREE	261930.8N 0892740.9E	205 FT	NIL	GROUP OF TREE
22/TKOF 04/APCH	TANK	261930.5N 0892742.8E	177 FT	NIL	SINTEX TANK ON HOUSE
22/TKOF 04/APCH	OTHER	261930.3N 0892744.3E	190 FT	NIL	ROD ON BUILDING
22/TKOF 04/APCH	POLE	261932.3N 0892745.9E	161 FT	NIL	LIGHT POLE
22/APCH 04/TKOF	TREE	262014.2N 0892822.2E	184 FT	NIL	GROUP OF TREE
22/APCH 04/TKOF	TREE	262008.1N 0892826.9E	198 FT	NIL	GROUP OF TREE
In circling area and at AD	TREE	261939.6N 0892743.4E	198 FT	NIL	TREE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
In circling area and at AD	BUILDING	261937.0N 0892743.0E	156 FT	NIL	TEMPLE
In circling area and at AD	ANTENNA	261930.5N 0892746.8E	185 FT	NIL	ANTENNA TOP ON BUNGLOW (DFO)
In circling area and at AD	POLE	261939.7N 0892745.4E	159 FT	NIL	TELEPHONE POLE
In circling area and at AD	BUILDING	261934.5N 0892739.0E	172 FT	NIL	SCHOOL BUILDING
In circling area and at AD	POLE	261935.5N 0892740.9E	166 FT	NIL	ELECTRIC POLE
In circling area and at AD	TREE	261942.8N 0892748.6E	193 FT	NIL	TREE ASHOK
In circling area and at AD	POLE	261942.7N 0892748.3E	164 FT	NIL	ELECTRIC POLE
In circling area and at AD	BUILDING	261940.8N 0892747.4E	154 FT	NIL	HOUSE
In circling area and at AD	POLE	261940.7N 0892747.0E	162 FT	NIL	LIGHT POLE
In circling area and at AD	OTHER	261941.1N 0892747.0E	177 FT	NIL	RLY BARRIER
In circling area and at AD	POLE	261935.2N 0892740.2E	165 FT	NIL	TELEPHONE POLE
In circling area and at AD	POLE	261932.7N 0892736.7E	179 FT	NIL	ELECTRIC POLE
In circling area and at AD	TREE	261948.3N 0892751.3E	242 FT	NIL	GROUP OF TREE
In circling area and at AD	TREE	261947.0N 0892748.4E	231 FT	NIL	GROUP OF TREE
In circling area and at AD	POLE	261943.5N 0892750.1E	164 FT	NIL	LIGHT POLE
In circling area and at AD	OTHER	261941.4N 0892746.9E	188 FT	NIL	MAST
In circling area and at AD	POLE	261938.4N 0892744.2E	161 FT	NIL	LIGHT POLE
In circling area and at AD	OTHER	261937.4N 0892742.7E	165 FT	NIL	MOBILE RAIL TRAFFIC (TRACK ELEV. 42.7 M. + TRAFFIC HT. 7.6 M.)
In circling area and at AD	BUILDING	261937.6N 0892742.3E	181 FT	NIL	HOUSE
In circling area and at AD	TREE	261937.1N 0892741.3E	216 FT	NIL	GROUP OF TREE
In circling area and at AD	OTHER	261917.4N 0892701.0E	298 FT	NIL	ROD TOP ON MAST (POLICE)
In circling area and at AD	OTHER	261832.5N 0892711.0E	312 FT	LGTD	MAST
In circling area and at AD	OTHER	261909.3N 0892627.2E	417 FT	LGTD	MAST
In circling area and at AD	OTHER	261850.8N 0892745.9E	309 FT	NIL	CELLPHONE MAST

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
In circling area and at AD	TREE	262006.0N 0892827.1E	211 FT	NIL	GROUP OF TREE
In circling area and at AD	WALL	262003.9N 0892813.4E	147 FT	NIL	BOUNDARY WALL TOP
In circling area and at AD	TREE	262012.1N 0892819.8E	183 FT	NIL	GROUP OF TREE
In circling area and at AD	OTHER	262024.3N 0892921.0E	317 FT	NIL	CELLPHONE MAST
In circling area and at AD	TREE	261943.8N 0892804.9E	232 FT	NIL	GROUP OF TREE
In circling area and at AD	OTHER	262112.5N 0892806.1E	321 FT	LGTD	MAST RLY LGT
In circling area and at AD	OTHER	262026.5N 0892652.5E	344 FT	LGTD	ROD TOP ON MAST (VODAFONE)
In circling area and at AD	OTHER	262022.3N 0892652.5E	313 FT	LGTD	ROD TOP ON MAST (AIRTEL)
In circling area and at AD	OTHER	261957.4N 0892640.8E	430 FT	LGTD	ROD TOP ON MAST (BSNL)
In circling area and at AD	OTHER	261946.2N 0892627.0E	413 FT	LGTD	ROD TOP ON MAST (P & T)
In circling area and at AD	OTHER	261909.3N 0892627.2E	417 FT	LGTD	MAST
In circling area and at AD	OTHER	262024.9N 0892647.1E	312 FT	LGTD	MAST
In circling area and at AD	OTHER	261832.5N 0892711.0E	312 FT	LGTD	MAST
In circling area and at AD	OTHER	262024.3N 0892921.0E	317 FT	LGTD	CELLPHONE MAST
In circling area and at AD	OTHER	262117.1N 0892759.2E	323 FT	LGTD	MAST
In circling area and at AD	OTHER	262128.5N 0892743.4E	343 FT	NIL	PYLON MAST
In circling area and at AD	OTHER	262135.2N 0892748.2E	345 FT	NIL	PYLON MAST
In circling area and at AD	OTHER	262148.8N 0892832.0E	323 FT	NIL	PYLON MAST
In circling area and at AD	OTHER	262151.9N 0892835.9E	322 FT	NIL	PYLON MAST
In circling area and at AD	OTHER	261839.8N 0892922.4E	319 FT	NIL	PYLON MAST
In circling area and at AD	OTHER	224033.2N 0882653.8E	53 FT	NIL	L/C Rod

VECO AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Name of the associated meteorological office	Airport Meteorological Station
2	Hours of service and, where applicable, the designation of the responsible meteorological office outside these hours	During notified watch hour, IMD Cooch Behar
3	Office responsible for preparation of TAFs and periods of validity and interval of issuance of the forecasts	COOCH BEHAR AMS 30 Minutes
4	Availability of the trend forecast for the aerodrome and interval of issuance	NIL
5	Information on how briefing and/or consultation is provided	Self-briefing displayAS ATS
6	Types of flight documentation supplied and language(s) used in flight documentation	English
7	Charts and other information displayed or available for briefing or consultation	NIL
8	Supplementary equipment available for providing information on meteorological conditions, e.g. weather radar and receiver for satellite images;	Barometer / DIWE / Thermometer / Anemometer / Wind Vane
9	The air traffic services unit(s) provided with meteorological information	COOCHBEHAR ATC & ACS
10	Additional information, e.g. concerning any limitation of service.	Forecast not Available.

VECO AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations	TRUE Bearings	Dimensions of RWY (M)	Strength of pavement (PCN) and associated data) and surface of runway and associated stopways	Geographical coordinates for threshold and runway end
1	2	3	4	5
04	44.49 DEG	1069 x 30 M	12/F/C/W/T Macadam	THR: 261937.87N 0892748.51E RWY END: 262002.66N 0892815.53E
22	224.49 DEG	1069 x 30 M	12/F/C/W/T Macadam	THR: 262002.66N 0892815.53E RWY END: 261937.87N 0892748.51E

THR elevation and highest elevation of TDZ of precision APP RWY	Slope of runway and associated stopway	Dimensions of stopway (M)	Dimensions of clearway (M)	Dimensions of strips (M)
6	7	8	9	10
THR: 141.0FT TDZ: 141.0FT	0.03%			1189 x 80 M
THR: 141.0FT TDZ: 141.0FT	-0.03%			1189 x 80 M

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	12	13	14
90M x 60M			All Elevations in EGM08.
90M x 60M			All Elevations in EGM08

VECO AD 2.13 DECLARED DISTANCES

RWY Designator	Take-off run available TORA (M)	Take-off distance available TODA (M)	Accelerate distance available ASDA (M)	Landing distance available LDA (M)	Remarks (including runway entry or start point where alternative reduced declared distances have been declared)
1	2	3	4	5	6
04	1069	1069	1069	NIL	Used for departures only
22	NIL	NIL	NIL	1069	Used for arrivals only

VECO AD 2.14 APPROACH AND RUNWAY LIGHTING

Runway Designator	Type, length and intensity of approach lighting system	Runway threshold lights, colour and wing bars	Type of visual slope indicator system	Length of runway touchdown zone lights
1	2	3	4	5
04		Green	PAPI /0.00 DEG	
22		Green	PAPI LEFT/3.00 DEG MEHT (10.00M)	

Length, spacing, colour and intensity of runway centre line lights	Length, spacing, colour and intensity of runway edge lights	Colour of runway end lights and wing bars	Length and colour of stopway lights	Remarks
6	7	8	9	10
	1069 M 60 M VARIABLE WHITE LIH	Red		Wing bars not available
	1069 M 60 M VARIABLE WHITE LIH	Red		Wing bars not available

VECO AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	Location, characteristics and hours of operation of aerodrome beacon/identification beacon (if any)	ABN	AT TWR BLDG, FLG W&G Every 2 SEC AS ATS
		IBN	NIL
2	Location and lighting (if any) of anemometer/ landing direction indicator;	LDI	250M ESE OF ARP, LIGHTED
		Anemometer	AT TWR BLDG, UNLIGHTED
3	Taxiway edge and taxiway centre line lights;	Edge	AVBL ON TWY “A”
		Centre Line	NIL
4	Secondary power supply including switch-over time;	SECONDARY POWER SUPPLY TO ALL LIGHTING AT AD. SWITCH OVER TIME 15 SEC	
5	Remarks	APRON FLOOD LIGHTS NOT AVBL	

VECO AD 2.16 HELICOPTER LANDING AREA

1	Geographical coordinates of the geometric centre of touchdown and lift-off (TLOF) or of each threshold of final approach and take-off (FATO) area	Not Established
2	TLOF and/or FATO area elevation:	NIL
3	TLOF and FATO area dimensions to the nearest metre or foot, surface type, bearing strength and marking;	NIL
4	True bearings of FATO;	NIL
5	Declared distances available	NIL
6	Approach and FATO lighting;	NIL
7	Remarks	NIL

VECO AD 2.17 AIR TRAFFIC SERVICE AIRSPACE

1	Airspace designation, geographical coordinates and lateral limits	ATZ: Circular area centered on 261951N 0892805E within a 5NM radius.
2	Vertical limits	5000 FT AMSL
3	Airspace classification	D
4	Call sign and language(s) of the air traffic services unit providing service;	Cooch Behar Tower, English

5	Transition altitude	8000 FT
6	Hours of applicability	HO
7	Remarks	NIL

VECO AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service Designation	Call sign	Channel(s)	SATVOICE Number(s), if available
1	**2**	**3**	**4**
TWR	Cooch Behar Tower	118.150 MHZ	
TWR	Cooch Behar Tower	124.325 MHZ	

Logon address, as appropriate	Hours of operation	Remarks
5	**6**	**7**
	AS ATS	NIL
	HO	BACKUP FREQ

VECO AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aids, magnetic variation and type of supported operation for ILS/ MLS, basic GNSS, SBAS and GBAS, and for VOR/ILS/MLS station used for technical lineup of the aid	Identification	Frequency(ies), Channel number(s), Service provider, and reference path identifier(s) (RPI), as appropriate	Hours of operation, as appropriate;
1	**2**	**3**	**4**
NDB	CO	302 kHz	As ATS

Geographical coordinates of the position of the transmitting antenna	Elevation of transmitting antenna of DME/ elevation of GBAS reference point	Service volume radius from the GBAS reference point	Remarks
5	6	7	8
261953.2N 0892820.8E			

VECO AD 2.20 LOCAL AERODROME REGULATIONS

• No Aircraft shall take lock turn/ pivotal turn on the Runway to avoid pavement damage.

VECO AD 2.21 NOISE ABATEMENT PROCEDURES

VECO AD 2.22 FLIGHT PROCEDURES

1. For landing RWY 22 and for take-off RWY 04 is used for Helicopters and Code B aircraft during day time and under Visual Meteorological Conditions (VMC).
2. Dumbbell RWY 22 is used as Isolation Bay.
3. The arriving aircraft will descend to 3000 feet with Hasimara ATC. The departures will climb to 2000 feet and to further climb in coordination with Hasimara ATC

VECO AD 2.23 ADDITIONAL INFORMATION

Bird activity observed around airfield. Pilot to exercise caution While landing/Take off

VECO AD 2.24 CHARTS RELATED TO AN AERODROME

1. Aerodrome Chart
2. Aircraft Parking/Docking Chart
3. Aerodrome Obstacle Chart – Type A (Operating Limitations) RWY 04-22

VECO AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

Procedure	Procedure Minima	VSS Penetration
1	2	3