AD 2. AERODROMES

VIDT AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VIDT - DATIA AIRPORT, DATIA

VIDT AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	Aerodrome reference point coordinates and its site	253925N 0783034E MAG BRG 212.35 DEG/849M from physical extremity of RWY 21	
2	Direction and distance of aerodrome reference point from the centre of the city or town which the aerodrome serves	Aerodrome is located 4.8 KM North-East of Datia Railway Station	
3	Aerodrome elevation and reference temperature	777 FT / 41.0 DEG C	
4	Magnetic variation, date of information and annual change	0.00 DEG (2010) /0.033 DEG E	
5	Name of aerodrome operator, address, telephone, telefax, e-mail address, AFS address, website (if available)	Airport Director, Airports Authority of India, Datia Airport, DATIA (Madhya Pradesh) 475661,	
		Telephone:	+91 9695962161
		Fax:	Not Available
		AFS:	
		Email:	apddatia@aai.aero
6	Types of traffic permitted (IFR/VFR)	VFR	
7	Remarks	AD Reference Code: 3C Geoid Model: EGM08	

VIDT AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	MON-FRI: 0400-1230 UTC (0930-1800 IST) SAT, SUN & HOL: NIL
2	Custom and immigration	Not Applicable
3	Health and sanitation	During AD Hours
4	AIS briefing office	As ATS
5	ATS reporting office (ARO)	As ATS
6	MET Briefing office	As ATS
7	Air Traffic Service	As per NOTAM
8	Fuelling	As ATS
9	Handling	As ATS
10	Security	Provided by state police
11	De-icing	Not applicable
12	Remarks	NIL

VIDT AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	No exclusive facilities. Cargo to be handled by the concerned operator
2	Fuel and Oil types	A ATF

3	Fuelling facilities and capacity	To be provided by BPCL
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	NIL
6	Repair facilities for visiting aircraft	On Apron (On Request)
7	Remarks	NIL

VIDT AD 2.5 PASSENGER FACILITIES

1	Hotel(s) at or in the vicinity of aerodrome	Available in city within 5 Kms.
2	Restaurant(s) at or in the vicinity of aerodrome	Available in city within 5 Kms
3	Transportation possibilities	Hired Taxi
4	Medical Facilities	First Aid in the terminal building and basic facilities at PHC Hospital located within 5 KM.For serious & critical cases District Hospital located in Datia City about 10 KM from the airport
5	Bank and post office at or in the vicinity of aerodrome	Banks: Within 5KM from Datia Airport
6	Tourist office	Available in city (M.P. Tourism)
7	Remarks	NIL

VIDT AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	Aerodrome category for fire fighting	Within ATS HR: CAT-5 Within ATS HR, CAT V
2	Rescue equipment	CFT - 01 and Ambulance - 01
3	Capability for removal of disabled aircraft	1. The critical aircraft for the airport is ATR72. 2. Primary responsibility for removal of disabled aircraft rests with the concerned airline. 3. The airlines may contact 'Airport Director for Disabled Aircraft Removal Operations' for coordinating with the agencies having Disabled Aircraft Recovery Kit. 4. Contact details of Aerodrome Coordinator for Disabled Aircraft Removal Operations: Airport Director, Datia Airport Email: apddatia@aai.aero Telephone: +91- 9695962161
4	Remarks	NIL

VIDT AD 2.7 SEASONAL AVAILABILITY CLEARING

1	Type(s) of clearing equipment	NIL
2	Clearance priorities	NIL
3	Remarks	NIL

VIDT AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Designation, surface and strength of aprons	Refer Aircraft Parking/Docking Chart
2	Designation, width, surface and strength of taxiways	Refer Aircraft Parking/Docking Chart
3	Location and elevation of altimeter checkpoints	On Apron, 778 FT
4	Location of VOR checkpoints	NIL

5	Position of INS checkpoints	NIL
6	Remarks	NIL

VIDT AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand identification signs, taxiway guidelines and visual docking/parking guidance system at aircraft stands	Taxing guidance signs at intersection with TWY and RWY and at holding position, Gridlines at apron. Taxiing guidance provided on R/T also
2	Runway and taxiway markings and lights	RWY Markings: Designation, THR, Centreline, RWY Side Strip,Aiming Point, TDZ, Turnpad Markings Lights: NIL TWY Markings :Centre line, Side Strip, Runway holding positions at TWY A. Lights: NIL
3	Stop bars (if any)	NIL
4	Remarks	NIL

VIDT AD 2.10 AERODROME OBSTACLES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
21/TKOF 03/APCH	POLE	253853.9N 0783006.7E	811 FT	NIL	Light Pole
21/TKOF 03/APCH	TREE	253851.9N 0783008.8E	809 FT	NIL	Group of Trees
21/APCH 03/TKOF	POLE	253952.9N 0783052.1E	777 FT	NIL	Electric Pole
21/APCH 03/TKOF	TREE	253954.3N 0783051.8E	781 FT	NIL	Group of Trees
21/APCH 03/TKOF	TREE	253948.9N 0783046.8E	774 FT	NIL	Group of Trees
In circling area and at AD	TREE	253929.3N 0783032.6E	777 FT	NIL	Group of Trees
In circling area and at AD	TREE	253923.6N 0783028.7E	774 FT	NIL	Group of Trees
In circling area and at AD	TREE	253920.4N 0783026.4E	779 FT	NIL	Group of Trees
In circling area and at AD	TREE	253931.6N 0783037.7E	786 FT	NIL	Group of Trees
In circling area and at AD	TREE	253922.8N 0783032.6E	827 FT	NIL	Group of Trees
In circling area and at AD	OTHER	253925.0N 0782855.3E	933 FT	NIL	Cell Phone Mast

VIDT AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Name of the associated meteorological office	AMO, DATIA
2	Hours of service and, where applicable, the designation of the responsible meteorological office outside these hours	As per ATS watch Hours
3	Office responsible for preparation of TAFs and periods of validity and interval of issuance of the forecasts	IMD, Bhopal Interval 3 Hours
4	Availability of the trend forecast for the aerodrome and interval of issuance	Available When required
5	Information on how briefing and/or consultation is provided	Available on request
6	Types of flight documentation supplied and language(s) used in flight documentation	METAR, SPECI Language: English
7	Charts and other information displayed or available for briefing or consultation	Available on request
8	Supplementary equipment available for providing information on meteorological conditions, e.g. weather radar and receiver for satellite images;	Not available
9	The air traffic services unit(s) provided with meteorological information	Datia TWR
10	Additional information, e.g. concerning any limitation of service.	NIL

VIDT AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations	TRUE Bearings	Dimensions of RWY (M)	Strength of pavement (PCN) and associated data) and surface of runway and associated stopways	Geographical coordinates for threshold and runway end
1	2	3	4	5
03	32.60 DEG	1810 x 30 M	18/F/C/W/T Asphalt	THR: 253859.72N 0783013.07E RWY END: 253949.26N 0783048.07E
21	212.60 DEG	1810 x 30 M	18/F/C/W/T Asphalt	THR: 253949.28N 0783048.07E RWY END: 253859.73N 0783013.07E

THR elevation and highest elevation of TDZ of precision APP RWY	Slope of runway and associated stopway	Dimensions of stopway (M)	Dimensions of clearway (M)	Dimensions of strips (M)
6	7	8	9	10
THR: 776.9FT TDZ:	-0.28%	NIL	NIL	1930 x 150 M
THR: 760.1FT TDZ:	0.28%	NIL	NIL	1930 x 150 M

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	12	13	14
90M x 60M	NA	NIL	Vertical Datum: EGM08
90M x 60M	NA	NIL	Vertical Datum: EGM08

VIDT AD 2.13 DECLARED DISTANCES

RWY Designator	Take-off run available TORA (M)	Take-off distance available TODA (M)	Accelerate distance available ASDA (M)	Landing distance available LDA (M)	Remarks (including runway entry or start point where alternative reduced declared distances have been declared)
1	2	3	4	5	6
03	1810	1810	1810	1810	NIL
21	1690	1690	1690	1810	NIL

VIDT AD 2.14 APPROACH AND RUNWAY LIGHTING

Runway Designator	Type, length and intensity of approach lighting system	Runway threshold lights, colour and wing bars	Type of visual slope indicator system	Length of runway touchdown zone lights
1	2	3	4	5
03	NA	NA	PAPI LEFT/3.00 DEG	
21	NA	NIL	PAPI LEFT/3.00 DEG	

Length, spacing, colour and intensity of runway centre line lights	Length, spacing, colour and intensity of runway edge lights	Colour of runway end lights and wing bars	Length and colour of stopway lights	Remarks
6	7	8	9	10
		NIL		NIL
		NIL		NIL

VIDT AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	Location, characteristics and hours of operation of aerodrome beacon/identification beacon (if any)	ABN	24 Flashes per Minute Colour: White & Green Colour: White & Green
		IBN	Not Available
2	Location and lighting (if any) of anemometer/ landing direction indicator;	LDI	Available at East of Apron. Lighted
		Anemometer	Available.

3	Taxiway edge and taxiway centre line lights;	Edge	Not Available
		Centre Line	NA
4	Secondary power supply including switch-over time;	2 Nos. DG set each of 200 KVA available. Switch over time is less than 15 Seconds	
5	Remarks	NIL	

VIDT AD 2.16 HELICOPTER LANDING AREA

1	Geographical coordinates of the geometric centre of touchdown and lift-off (TLOF) or of each threshold of final approach and take-off (FATO) area	Not Established
2	TLOF and/or FATO area elevation:	Not Established
3	TLOF and FATO area dimensions to the nearest metre or foot, surface type, bearing strength and marking;	Not Established
4	True bearings of FATO;	Not Established
5	Declared distances available	Not Established
6	Approach and FATO lighting;	Not Established
7	Remarks	NIL

VIDT AD 2.17 AIR TRAFFIC SERVICE AIRSPACE

1	Airspace designation, geographical coordinates and lateral limits	CTR: Circular area centered on 253925N 0783034E within a 5NM radius.
2	Vertical limits	3000 FT AMSL
3	Airspace classification	D
4	Call sign and language(s) of the air traffic services unit providing service;	Datia Tower, English
5	Transition altitude	4000 FT
6	Hours of applicability	HO
7	Remarks	ATZ

VIDT AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service Designation	Call sign	Channel(s)	SATVOICE Number(s), if available
1	**2**	**3**	**4**
TWR	Datia Tower	119.225 MHZ	
TWR	Datia Tower	119.950 MHZ	

Logon address, as appropriate	Hours of operation	Remarks
5	**6**	**7**
	HO	• Back up • Functions of Tower combined with Approach
	HO	• Main • Functions of Tower combined with Approach

VIDT AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aids, magnetic variation and type of supported operation for ILS/ MLS, basic GNSS, SBAS and GBAS, and for VOR/ILS/MLS station used for technical lineup of the aid	Identification	Frequency(ies), Channel number(s), Service provider, and reference path identifier(s) (RPI), as appropriate	Hours of operation, as appropriate;
1	2	3	4

Geographical coordinates of the position of the transmitting antenna	Elevation of transmitting antenna of DME/ elevation of GBAS reference point	Service volume radius from the GBAS reference point	Remarks
5	6	7	8

VIDT AD 2.20 LOCAL AERODROME REGULATIONS

NIL

VIDT AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

VIDT AD 2.22 FLIGHT PROCEDURES

NIL

VIDT AD 2.23 ADDITIONAL INFORMATION

NIL

VIDT AD 2.24 CHARTS RELATED TO AN AERODROME

1. Aerodrome Chart (07 August 2025)
2. Aircraft Parking/Docking Chart(07 August 2025)
3. Aerodrome Obstacle Chart Type A (Operating Limitations) RWY 03 (07 August 2025)
4. Aerodrome Obstacle Chart Type A (Operating Limitations) RWY 21 (07 August 2025)
5. Aerodrome Obstacle Chart - Type B (07 August 2025)

VIDT AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

Procedure	Procedure Minima	VSS Penetration
1	2	3