# AD 2. AERODROMES

## VEMR AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VEMR - DIMAPUR AIRPORT, DIMAPUR

## VEMR AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

| | | | |
|---|---|---|---|
| 1 | Aerodrome reference point coordinates and its site | 255300N 0934617E<br>MAG. BRG. 296.00 DEG / 1145 M from physical Extremity of RWY 30. | |
| 2 | Direction and distance of aerodrome reference point from the center of the city or town which the aerodrome serves | 130 DEG 5KM From Dimapur Railway Station. | |
| 3 | Aerodrome elevation and reference temperature | 493 FT / 32.0 DEG C | |
| 4 | Magnetic variation, date of information and annual change | 0.50 DEG W (2010) /0.017 DEG W | |
| 5 | Name of aerodrome operator, address, telephone, telefax, e-mail address, AFS address, website (if available) | Airports Authority of India,<br>Dimapur Airport,<br>Dimapur - 797115 | |
| | | Telephone: | (91) 3862243157 |
| | | Fax: | (91) 3862243157 |
| | | AFS: | VEMRYDYX |
| | | Email: | atc_dimapur@AAI.AERO |
| 6 | Types of traffic permitted (IFR/VFR) | IFR/VFR | |
| 7 | Remarks | Vertical Datum: EGM 08 | |

## VEMR AD 2.3 OPERATIONAL HOURS

| | | | |
|---|---|---|---|
| 1 | Aerodrome Operator | MON-FRI: 0400-1230 UTC ( 0930-1800 IST )<br>SAT, SUN+HOL: NIL | |
| 2 | Custom and immigration | NIL | |
| 3 | Health and sanitation | Available | |
| 4 | AIS briefing office | As ATS | |
| 5 | ATS reporting office (ARO) | As ATS | |
| 6 | MET Briefing office | NIL | |
| 7 | Air Traffic Service | Consult current NOTAM for ATS HR | |
| 8 | Fuelling | As ATS | |
| 9 | Handling | NIL | |
| 10 | Security | H24 | |
| 11 | De-icing | NIL | |
| 12 | Remarks | Beyond of ATS hours, Services Available O/R with 24 HR PN to AD, Night landing facility avbl on need basis. | |
| | | ATS approved hourly runway traffic handling capacity | Maximum number of arrival and departure - 13<br>Maximum number of arrival only – 06<br>Maximum number of departure only – 08 |

## VEMR AD 2.4 HANDLING SERVICES AND FACILITIES

| | | |
|---|---|---|
| 1 | Cargo-handling facilities | With Operators |
| 2 | Fuel and Oil types | JET A1<br>ATF |

| | | |
|---|---|---|
| 3 | Fuelling facilities and capacity | 4 Bousers 11Kls,11.5Kls,16Kls&16Kls each Capacity 54Kls |
| 4 | De-icing facilities | NIL |
| 5 | Hangar space for visiting aircraft | Nil |
| 6 | Repair facilities for visiting aircraft | Nil |
| 7 | Remarks | NIL |

**VEMR AD 2.5 PASSENGER FACILITIES**

| | | |
|---|---|---|
| 1 | Hotel(s) at or in the vicinity of aerodrome | In the city. |
| 2 | Restaurant(s) at or in the vicinity of aerodrome | Restaurants in the city, Snack Bar at Aerodrome. |
| 3 | Transportation possibilities | Auto Rickshaw available during operatinal hours |
| 4 | Medical Facilities | First Aid at AD. Hospitals in the city. |
| 5 | Bank and post office at or in the vicinity of aerodrome | Banks: NIL<br>Post office: NIL |
| 6 | Tourist office | Avbl |
| 7 | Remarks | NIL |

**VEMR AD 2.6 RESCUE AND FIRE FIGHTING SERVICES**

| | | |
|---|---|---|
| 1 | Aerodrome category for fire fighting | Within ATS HR: CAT-7 |
| 2 | Rescue equipment | Available as per category |
| 3 | Capability for removal of disabled aircraft | 1. Critical aircraft for the Airport is A320<br>2. Primary responsibility for removal of disabled aircraft rests with concerned airline<br>3. Airlines may contact 'Aerodrome Coordinator for disabled Aircraft removal operations' for coordinating with the agencies having Disabled aircraft recovery kit.<br>4. Contact Details of Aerodrome Coordinator for Disabled Aircraft removal operations :<br>Aerodrome Coordinator -Airport Director<br>Contact No.: 9436211515, (O) 03862 - 243157<br>Email : apd_dimapur@aai.aero |
| 4 | Remarks | NIL |

**VEMR AD 2.7 SEASONAL AVAILABILITY CLEARING**

| | | |
|---|---|---|
| 1 | Type(s) of clearing equipment | NIL |
| 2 | Clearance priorities | NIL |
| 3 | Remarks | NIL |

**VEMR AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA**

| | | |
|---|---|---|
| 1 | Designation, surface and strength of aprons | Refer Aircraft Parking/ Docking Chart. |
| 2 | Designation, width, surface and strength of taxiways | Refer Aircraft Parking/ Docking Chart. |
| 3 | Location and elevation of altimeter checkpoints | Location : Apron<br>Elevation : 479FT |
| 4 | Location of VOR checkpoints | On TWY A, TWY B and TWY C<br><br>Refer Aircraft Parking/Docking Chart. |
| 5 | Position of INS checkpoints | NIL |

| | | |
|---|---|---|
| 6 | Remarks | 1. **Coordinates and Elevation of RWY Holding Position**<br>**TWY** **Coordinates** **Elevation (FT)**<br>TWY A 255251.72N 0934632.15E 483<br>TWY B 255254.339N 0934626.714E 484<br>TWY C 235305.924N 0934602.723E 480<br>2. Coordinates of RWY and Taxi Intersection<br>**TWY** **Coordinates** **Elevation (FT)**<br>TWY A 255254.38N 0934633.72E 482<br>TWY B 255257.04N 0934628.21E 481<br>TWY C 255308.64N 0934604.21E 477<br>3. Helipad: 255258.261N 0934610.743E/ELEV:476FT<br>4. Gravity Model: EGM 08 |

## VEMR AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

| | | |
|---|---|---|
| 1 | Use of aircraft stand identification signs, taxiway guidelines and visual docking/parking guidance system at aircraft stands | Taxiing Guidance Signs at all intersections with TWY and RWY. Guidelines at Apron. |
| 2 | Runway and taxiway markings and lights | RWY Markings: Designation, THR, TDZ, Centreline, Holding Position At TWY/RWY Intersections.<br>RWY Guard lights: AVBL at TWY A, B, C<br>RWY Lights: THR, Edge And RWY End.<br>TWY Markings: Centreline, Holding Position At TWY/RWY Intersections<br>TWY Lights: Edge. |
| 3 | Stop bars (if any) | NIL |
| 4 | Remarks | |

## VEMR AD 2.10 AERODROME OBSTACLES

| In Approach/Take-off/Circling Area and at AD | | | | | |
|---|---|---|---|---|---|
| **1** | **2** | **3** | **4** | **5** | **6** |
| RWY/Area affected | Obstacle type | Coordinates | Elevation (EGM-08) | Marking/LGT | Remarks |
| 30/TKOF 12/APCH | ANTENNA | 255420.4N 0934411.6E | 689 FT | NO | Antenna on Cell Phone Mast |
| 30/TKOF 12/APCH | BUILDING | 255321.2N 0934527.6E | 510 FT | NO | Building |
| 30/TKOF 12/APCH | BUILDING | 255332.1N 0934529.0E | 524 FT | NO | Building |
| 30/TKOF 12/APCH | BUILDING | 255320.7N 0934524.5E | 522 FT | NO | Building |
| 30/TKOF 12/APCH | BUILDING | 255324.2N 0934540.2E | 503 FT | NO | Building |

| In Approach/Take-off/Circling Area and at AD | | | | | |
|---|---|---|---|---|---|
| **1** | **2** | **3** | **4** | **5** | **6** |
| RWY/Area affected | Obstacle type | Coordinates | Elevation (EGM-08) | Marking/LGT | Remarks |
| 30/TKOF 12/APCH | BUILDING | 255329.0N 0934535.3E | 525 FT | NO | Building |
| 30/TKOF 12/APCH | OTHER | 255420.4N 0934411.6E | 683 FT | NO | Cell Phone Mast |
| 30/TKOF 12/APCH | BUILDING | 255321.9N 0934520.5E | 552 FT | NO | Church |
| 30/TKOF 12/APCH | TREE | 255329.3N 0934500.3E | 570 FT | NO | Group of Tree |
| 30/TKOF 12/APCH | TREE | 255327.4N 0934504.9E | 562 FT | NO | Group of Tree |
| 30/TKOF 12/APCH | TREE | 255326.2N 0934536.7E | 510 FT | NO | Group of Tree |
| 30/TKOF 12/APCH | TREE | 255327.3N 0934537.8E | 519 FT | NO | Group of Tree |
| 30/TKOF 12/APCH | TREE | 255321.9N 0934522.9E | 538 FT | NO | Group of Tree |
| 30/TKOF 12/APCH | TREE | 255323.9N 0934541.1E | 525 FT | NO | Group of Tree |
| 30/TKOF 12/APCH | BUILDING | 255337.6N 0934522.6E | 533 FT | NO | Hoarding on Building |
| 30/TKOF 12/APCH | BUILDING | 255323.4N 0934520.6E | 513 FT | NO | Pipe on Building |
| 30/TKOF 12/APCH | WALL | 255324.7N 0934530.4E | 494 FT | NO | Airport Boundary Wall |
| 30/TKOF 12/APCH | BUILDING | 255325.7N 0934529.6E | 500 FT | NO | Building |
| 30/TKOF 12/APCH | BUILDING | 255324.7N 0934528.6E | 505 FT | NO | Building |
| 30/TKOF 12/APCH | BUILDING | 255326.2N 0934524.6E | 514 FT | NO | Building |
| 30/TKOF 12/APCH | BUILDING | 255328.5N 0934524.3E | 519 FT | NO | Building |
| 30/TKOF 12/APCH | BUILDING | 255327.7N 0934528.9E | 510 FT | NO | Building |
| 30/TKOF 12/APCH | BUILDING | 255325.6N 0934523.3E | 518 FT | NO | Building |
| 30/TKOF 12/APCH | BUILDING | 255324.2N 0934521.5E | 520 FT | NO | Building |
| 30/TKOF 12/APCH | BUILDING | 255325.5N 0934530.7E | 507 FT | NO | Building |
| 30/TKOF 12/APCH | BUILDING | 255333.3N 0934524.7E | 525 FT | NO | Building |
| 30/TKOF 12/APCH | BUILDING | 255329.8N 0934524.4E | 523 FT | NO | Building |
| 30/TKOF 12/APCH | BUILDING | 255328.4N 0934531.1E | 511 FT | NO | Building |
| 30/TKOF 12/APCH | BUILDING | 255322.9N 0934524.6E | 523 FT | NO | Building |
| 30/TKOF 12/APCH | BUILDING | 255323.9N 0934539.0E | 505 FT | NO | Building |
| 30/TKOF 12/APCH | OTHER | 255357.0N 0934406.7E | 690 FT | NO | Cell Phone Mast |

| In Approach/Take-off/Circling Area and at AD | | | | | |
|---|---|---|---|---|---|
| **1** | **2** | **3** | **4** | **5** | **6** |
| RWY/Area affected | Obstacle type | Coordinates | Elevation (EGM-08) | Marking/LGT | Remarks |
| 30/TKOF 12/APCH | OTHER | 255343.3N 0934441.9E | 617 FT | NO | Cell Phone Mast |
| 30/TKOF 12/APCH | OTHER | 255341.5N 0934459.6E | 614 FT | NO | Cell Phone Mast |
| 30/TKOF 12/APCH | POLE | 255327.3N 0934527.7E | 505 FT | NO | Electric Pole |
| 30/TKOF 12/APCH | POLE | 255328.5N 0934527.4E | 507 FT | NO | Electric Pole |
| 30/TKOF 12/APCH | POLE | 255325.5N 0934526.3E | 510 FT | NO | Electric Pole |
| 30/TKOF 12/APCH | POLE | 255326.0N 0934526.1E | 512 FT | NO | Electric Pole |
| 30/TKOF 12/APCH | POLE | 255326.1N 0934523.6E | 518 FT | NO | Electric Pole |
| 30/TKOF 12/APCH | POLE | 255325.8N 0934525.0E | 519 FT | NO | Electric Pole |
| 30/TKOF 12/APCH | POLE | 255330.9N 0934526.1E | 529 FT | NO | Electric Pole |
| 30/TKOF 12/APCH | POLE | 255329.6N 0934526.8E | 529 FT | NO | Electric Pole |
| 30/TKOF 12/APCH | POLE | 255327.7N 0934515.9E | 534 FT | NO | Flag Pole on Building |
| 30/TKOF 12/APCH | GATE | 255326.3N 0934527.9E | 507 FT | NO | Gate Corner |
| 30/TKOF 12/APCH | TREE | 255334.4N 0934505.8E | 548 FT | NO | Group of Tree |
| 30/TKOF 12/APCH | TREE | 255329.9N 0934530.0E | 512 FT | NO | Group of Tree |
| 30/TKOF 12/APCH | TREE | 255327.0N 0934531.1E | 515 FT | NO | Group of Tree |
| 30/TKOF 12/APCH | TREE | 255328.7N 0934530.8E | 517 FT | NO | Group of Tree |
| 30/TKOF 12/APCH | TREE | 255326.3N 0934525.7E | 529 FT | NO | Group of Tree |
| 30/TKOF 12/APCH | TREE | 255327.2N 0934524.3E | 532 FT | NO | Group of Tree |
| 30/TKOF 12/APCH | TREE | 255325.6N 0934524.3E | 531 FT | NO | Group of Tree |
| 30/TKOF 12/APCH | TREE | 255326.4N 0934536.0E | 515 FT | NO | Group of Tree |
| 30/TKOF 12/APCH | TREE | 255325.0N 0934529.9E | 524 FT | NO | Group of Tree |
| 30/TKOF 12/APCH | TREE | 255326.1N 0934531.3E | 522 FT | NO | Group of Tree |
| 30/TKOF 12/APCH | TREE | 255327.7N 0934524.9E | 535 FT | NO | Group of Tree |
| 30/TKOF 12/APCH | TREE | 255329.8N 0934526.4E | 536 FT | NO | Group of Tree |
| 30/TKOF 12/APCH | TREE | 255328.6N 0934525.5E | 556 FT | NO | Group of Tree |
| 30/TKOF 12/APCH | TREE | 255330.1N 0934524.7E | 560 FT | NO | Group of Tree |

| In Approach/Take-off/Circling Area and at AD | | | | | |
|---|---|---|---|---|---|
| **1** | **2** | **3** | **4** | **5** | **6** |
| RWY/Area affected | Obstacle type | Coordinates | Elevation (EGM-08) | Marking/LGT | Remarks |
| 30/TKOF 12/APCH | BUILDING | 255323.1N 0934528.4E | 502 FT | NO | IOCL Building |
| 30/TKOF 12/APCH | POLE | 255323.8N 0934528.9E | 504 FT | NO | Light Post |
| 30/TKOF 12/APCH | POLE | 255328.8N 0934527.5E | 517 FT | NO | Light Post |
| 30/TKOF 12/APCH | OTHER | 255323.6N 0934530.1E | 503 FT | NO | Mobile Road Traffic (Road Elev. 148.2M + Traffic Ht. 5M) |
| 30/TKOF 12/APCH | SIGN | 255323.8N 0934529.3E | 503 FT | NO | Petrol Pump Board |
| 30/TKOF 12/APCH | OTHER | 255343.4N 0934502.3E | 572 FT | NO | Pylon Mast |
| 30/TKOF 12/APCH | OTHER | 255330.3N 0934503.2E | 586 FT | NO | Pylon Mast |
| 30/TKOF 12/APCH | BUILDING | 255324.5N 0934530.7E | 502 FT | NO | Security Hut |
| 30/TKOF 12/APCH | BUILDING | 255331.5N 0934527.3E | 524 FT | NO | Water Tank on Building |
| 30/APCH 12/TKOF | BUILDING | 255237.2N 0934657.9E | 505 FT | NO | Building |
| 30/APCH 12/TKOF | POLE | 255237.8N 0934656.7E | 512 FT | NO | Electric Pole |
| 30/APCH 12/TKOF | TREE | 255243.1N 0934711.5E | 553 FT | NO | Group of Tree |
| 30/APCH 12/TKOF | OTHER | 255019.4N 0935423.6E | 2782 FT | NO | Hill |
| 30/APCH 12/TKOF | WALL | 255240.2N 0934658.2E | 501 FT | NO | Airport Boundary Wall |
| 30/APCH 12/TKOF | FENCE | 255241.2N 0934658.7E | 501 FT | NO | Airport Boundary Wall With Fencing On Top |
| 30/APCH 12/TKOF | BUILDING | 255237.8N 0934703.0E | 510 FT | NO | Building |
| 30/APCH 12/TKOF | BUILDING | 255238.2N 0934704.1E | 524 FT | NO | Building |
| 30/APCH 12/TKOF | OTHER | 255214.9N 0934819.3E | 649 FT | NO | Cell Phone Mast |
| 30/APCH 12/TKOF | OTHER | 255208.1N 0934759.9E | 634 FT | NO | Cell Phone Mast |
| 30/APCH 12/TKOF | TREE | 255241.9N 0934703.0E | 510 FT | NO | Group of Tree |
| 30/APCH 12/TKOF | TREE | 255240.0N 0934703.6E | 514 FT | NO | Group of Tree |
| 30/APCH 12/TKOF | TREE | 255241.1N 0934658.7E | 511 FT | NO | Group of Tree |
| 30/APCH 12/TKOF | TREE | 255239.4N 0934706.3E | 526 FT | NO | Group of Tree |
| 30/APCH 12/TKOF | TREE | 255240.3N 0934713.7E | 541 FT | NO | Group of Tree |
| 30/APCH 12/TKOF | TREE | 255236.5N 0934702.4E | 540 FT | NO | Group of Tree |

| In Approach/Take-off/Circling Area and at AD | | | | | |
|---|---|---|---|---|---|
| **1** | **2** | **3** | **4** | **5** | **6** |
| RWY/Area affected | Obstacle type | Coordinates | Elevation (EGM-08) | Marking/LGT | Remarks |
| 30/APCH 12/TKOF | TREE | 255244.6N 0934701.7E | 531 FT | NO | Group of Tree |
| 30/APCH 12/TKOF | TREE | 255239.9N 0934658.5E | 532 FT | NO | Group of Tree |
| 30/APCH 12/TKOF | TREE | 255238.9N 0934659.4E | 538 FT | NO | Group of Tree |
| 30/APCH 12/TKOF | TREE | 255239.5N 0934658.0E | 538 FT | NO | Group of Tree |
| 30/APCH 12/TKOF | OTHER | 255002.7N 0935247.6E | 2463 FT | NO | Hill |
| 30/APCH 12/TKOF | OTHER | 254940.3N 0935337.6E | 2526 FT | NO | Hill |
| 30/APCH 12/TKOF | ANTENNA | 255240.0N 0934657.3E | 519 FT | NO | Lightning Arrester on Localizer Hut |
| 30/APCH 12/TKOF | OTHER | 255242.4N 0934658.5E | 501 FT | NO | Localizer Antenna Centre |
| 30/APCH 12/TKOF | OTHER | 255243.3N 0934656.7E | 498 FT | NO | Localizer Monitor Antenna |
| 30/APCH 12/TKOF | OTHER | 255242.0N 0934659.4E | 507 FT | NO | Mobile Road Traffic (Road Elev.149.6 M +Traffic Ht.5 M) |
| 30/APCH 12/TKOF | OTHER | 255241.1N 0934654.6E | 508 FT | NO | Mobile Road Traffic (Road Elev.149.8 M +Traffic Ht.5 M) |
| 30/APCH 12/TKOF | BUILDING | 255239.4N 0934657.5E | 501 FT | NO | Security Hut |
| 30/APCH 12/TKOF | BUILDING | 255243.3N 0934702.0E | 503 FT | NO | Shed |
| 30/APCH 12/TKOF | BUILDING | 255240.1N 0934700.3E | 505 FT | NO | Shed on Building |
| 30/APCH 12/TKOF | BUILDING | 255238.3N 0934703.3E | 514 FT | NO | U/C Building |
| In circling area and at AD | WALL | 255246.2N 0934656.8E | 502 FT | NO | Airport Boundary Wall |
| In circling area and at AD | FENCE | 255317.7N 0934533.5E | 492 FT | NO | Airport Boundary Wall With Fencing On Top |
| In circling area and at AD | FENCE | 255323.1N 0934541.1E | 486 FT | NO | Airport Boundary Wall With Fencing On Top |
| In circling area and at AD | ANTENNA | 255250.5N 0934621.2E | 558 FT | NO | Beacon on ATC |
| In circling area and at AD | BUILDING | 255253.8N 0934648.9E | 511 FT | NO | Building |
| In circling area and at AD | BUILDING | 255241.4N 0934718.1E | 535 FT | NO | Building |
| In circling area and at AD | BUILDING | 255328.3N 0934538.5E | 504 FT | NO | Building |
| In circling area and at AD | BUILDING | 255309.7N 0934543.6E | 527 FT | NO | Building |
| In circling area and at AD | BUILDING | 255315.6N 0934532.9E | 517 FT | NO | Building |

| In Approach/Take-off/Circling Area and at AD | | | | | |
|---|---|---|---|---|---|
| **1** | **2** | **3** | **4** | **5** | **6** |
| RWY/Area affected | Obstacle type | Coordinates | Elevation (EGM-08) | Marking/LGT | Remarks |
| In circling area and at AD | BUILDING | 255319.0N 0934523.7E | 531 FT | NO | Building |
| In circling area and at AD | BUILDING | 255239.5N 0934651.3E | 515 FT | NO | Building |
| In circling area and at AD | BUILDING | 255323.7N 0934548.6E | 514 FT | NO | Building |
| In circling area and at AD | BUILDING | 255237.8N 0934655.6E | 512 FT | NO | Building |
| In circling area and at AD | BUILDING | 255311.2N 0934541.3E | 528 FT | NO | Building |
| In circling area and at AD | BUILDING | 255303.4N 0934629.4E | 513 FT | NO | Building |
| In circling area and at AD | BUILDING | 255259.5N 0934636.6E | 510 FT | NO | Building |
| In circling area and at AD | BUILDING | 255240.4N 0934651.6E | 511 FT | NO | Building |
| In circling area and at AD | BUILDING | 255314.5N 0934536.4E | 523 FT | NO | Building |
| In circling area and at AD | BUILDING | 255314.5N 0934536.3E | 526 FT | NO | Building |
| In circling area and at AD | BUILDING | 255307.1N 0934549.3E | 542 FT | NO | Building |
| In circling area and at AD | BUILDING | 255317.8N 0934601.0E | 529 FT | NO | Building |
| In circling area and at AD | BUILDING | 255258.3N 0934636.7E | 508 FT | NO | Building |
| In circling area and at AD | BUILDING | 255306.5N 0934623.5E | 528 FT | NO | Building |
| In circling area and at AD | BUILDING | 255331.3N 0934532.1E | 526 FT | NO | Building |
| In circling area and at AD | BUILDING | 255309.7N 0934545.5E | 539 FT | NO | Building |
| In circling area and at AD | BUILDING | 255335.4N 0934526.0E | 543 FT | NO | Building |
| In circling area and at AD | BUILDING | 255321.0N 0934523.4E | 532 FT | NO | Building |
| In circling area and at AD | BUILDING | 255321.7N 0934548.9E | 515 FT | NO | Building |
| In circling area and at AD | BUILDING | 255314.8N 0934603.5E | 523 FT | NO | Building |
| In circling area and at AD | BUILDING | 255240.8N 0934653.5E | 497 FT | NO | Building |
| In circling area and at AD | BUILDING | 255240.9N 0934653.0E | 504 FT | NO | Building |
| In circling area and at AD | BUILDING | 255240.6N 0934652.5E | 509 FT | NO | Building |
| In circling area and at AD | BUILDING | 255240.1N 0934653.0E | 509 FT | NO | Building |
| In circling area and at AD | BUILDING | 255251.8N 0934648.3E | 509 FT | NO | Building |
| In circling area and at AD | BUILDING | 255316.6N 0934555.9E | 499 FT | NO | Building |

| In Approach/Take-off/Circling Area and at AD | | | | | |
|---|---|---|---|---|---|
| **1** | **2** | **3** | **4** | **5** | **6** |
| RWY/Area affected | Obstacle type | Coordinates | Elevation (EGM-08) | Marking/LGT | Remarks |
| In circling area and at AD | BUILDING | 255323.6N 0934543.2E | 499 FT | NO | Building |
| In circling area and at AD | BUILDING | 255320.5N 0934546.4E | 501 FT | NO | Building |
| In circling area and at AD | BUILDING | 255320.8N 0934546.9E | 502 FT | NO | Building |
| In circling area and at AD | BUILDING | 255259.7N 0934630.8E | 508 FT | NO | Building |
| In circling area and at AD | BUILDING | 255320.1N 0934548.0E | 503 FT | NO | Building |
| In circling area and at AD | BUILDING | 255313.4N 0934601.9E | 504 FT | NO | Building |
| In circling area and at AD | BUILDING | 255319.6N 0934548.7E | 504 FT | NO | Building |
| In circling area and at AD | BUILDING | 255314.5N 0934600.1E | 506 FT | NO | Building |
| In circling area and at AD | BUILDING | 255312.6N 0934603.4E | 507 FT | NO | Building |
| In circling area and at AD | BUILDING | 255314.1N 0934601.4E | 507 FT | NO | Building |
| In circling area and at AD | BUILDING | 255321.3N 0934547.8E | 508 FT | NO | Building |
| In circling area and at AD | BUILDING | 255317.6N 0934553.3E | 510 FT | NO | Building |
| In circling area and at AD | BUILDING | 255302.5N 0934627.0E | 516 FT | NO | Building |
| In circling area and at AD | OTHER | 255414.3N 0934456.9E | 642 FT | NO | Cell Phone Mast |
| In circling area and at AD | OTHER | 255244.6N 0934544.3E | 646 FT | NO | Cell Phone Mast |
| In circling area and at AD | OTHER | 255356.5N 0934501.0E | 647 FT | NO | Cell Phone Mast |
| In circling area and at AD | OTHER | 255247.5N 0934530.9E | 675 FT | NO | Cell Phone Mast |
| In circling area and at AD | OTHER | 255312.1N 0934524.9E | 657 FT | NO | Cell Phone Mast |
| In circling area and at AD | OTHER | 255312.2N 0934525.0E | 656 FT | NO | Cell Phone Mast |
| In circling area and at AD | BUILDING | 255303.3N 0934633.2E | 535 FT | NO | Church |
| In circling area and at AD | BUILDING | 255300.0N 0934635.5E | 527 FT | NO | Church |
| In circling area and at AD | OTHER | 255305.1N 0934558.8E | 503 FT | NO | Cooling Pit |
| In circling area and at AD | NAVAID | 255250.9N 0934655.4E | 530 FT | NO | DVOR DME |
| In circling area and at AD | ANTENNA | 255250.7N 0934655.3E | 534 FT | NO | DVOR Lightning Arrester |
| In circling area and at AD | NAVAID | 255251.3N 0934655.3E | 521 FT | NO | DVOR Main Antenna |
| In circling area and at AD | NAVAID | 255252.5N 0934650.0E | 527 FT | NO | DVOR Monitor Antenna |

| In Approach/Take-off/Circling Area and at AD | | | | | |
|---|---|---|---|---|---|
| **1** | **2** | **3** | **4** | **5** | **6** |
| RWY/Area affected | Obstacle type | Coordinates | Elevation (EGM-08) | Marking/LGT | Remarks |
| In circling area and at AD | OTHER | 255252.4N 0934629.9E | 490 FT | NO | Electric Panel |
| In circling area and at AD | POLE | 255311.2N 0934541.5E | 535 FT | NO | Electric Pole |
| In circling area and at AD | POLE | 255312.7N 0934539.7E | 532 FT | NO | Electric Pole |
| In circling area and at AD | POLE | 255312.0N 0934541.7E | 533 FT | NO | Electric Pole |
| In circling area and at AD | POLE | 255313.8N 0934538.0E | 543 FT | NO | Electric Pole |
| In circling area and at AD | POLE | 255247.1N 0934657.0E | 516 FT | NO | Electric Pole |
| In circling area and at AD | POLE | 255322.8N 0934544.7E | 500 FT | NO | Electric Pole |
| In circling area and at AD | POLE | 255322.3N 0934545.8E | 502 FT | NO | Electric Pole |
| In circling area and at AD | POLE | 255323.3N 0934543.4E | 505 FT | NO | Electric Pole |
| In circling area and at AD | POLE | 255321.7N 0934546.5E | 507 FT | NO | Electric Pole |
| In circling area and at AD | POLE | 255304.1N 0934621.7E | 515 FT | NO | Electric Pole |
| In circling area and at AD | POLE | 255321.2N 0934547.2E | 513 FT | NO | Electric Pole |
| In circling area and at AD | OTHER | 255249.6N 0934625.0E | 535 FT | NO | Flood Light Mast |
| In circling area and at AD | OTHER | 255250.4N 0934623.3E | 537 FT | NO | Flood Light Mast |
| In circling area and at AD | GATE | 255323.0N 0934541.3E | 484 FT | NO | Gate |
| In circling area and at AD | OTHER | 255308.3N 0934555.2E | 496 FT | NO | GP DME |
| In circling area and at AD | BUILDING | 255308.5N 0934555.5E | 489 FT | NO | GP Hut |
| In circling area and at AD | OTHER | 255308.5N 0934555.3E | 528 FT | NO | GP Main Antenna |
| In circling area and at AD | OTHER | 255309.4N 0934553.4E | 492 FT | NO | GP Monitor Antenna |
| In circling area and at AD | TREE | 255244.6N 0934711.7E | 539 FT | NO | Group of Tree |
| In circling area and at AD | TREE | 255252.4N 0934607.7E | 602 FT | NO | Group of Tree |
| In circling area and at AD | TREE | 255253.3N 0934653.5E | 539 FT | NO | Group of Tree |
| In circling area and at AD | TREE | 255337.9N 0934529.6E | 573 FT | NO | Group of Tree |
| In circling area and at AD | TREE | 255234.9N 0934655.7E | 547 FT | NO | Group of Tree |
| In circling area and at AD | TREE | 255325.0N 0934548.3E | 529 FT | NO | Group of Tree |
| In circling area and at AD | TREE | 255258.4N 0934602.2E | 564 FT | NO | Group of Tree |

| In Approach/Take-off/Circling Area and at AD | | | | | |
|---|---|---|---|---|---|
| **1** | **2** | **3** | **4** | **5** | **6** |
| RWY/Area affected | Obstacle type | Coordinates | Elevation (EGM-08) | Marking/LGT | Remarks |
| In circling area and at AD | TREE | 255325.4N 0934546.4E | 523 FT | NO | Group of Tree |
| In circling area and at AD | TREE | 255251.8N 0934613.7E | 586 FT | NO | Group of Tree |
| In circling area and at AD | TREE | 255237.7N 0934654.4E | 535 FT | NO | Group of Tree |
| In circling area and at AD | TREE | 255328.0N 0934538.9E | 522 FT | NO | Group of Tree |
| In circling area and at AD | TREE | 255323.8N 0934547.8E | 525 FT | NO | Group of Tree |
| In circling area and at AD | TREE | 255237.7N 0934655.9E | 529 FT | NO | Group of Tree |
| In circling area and at AD | TREE | 255245.3N 0934635.0E | 554 FT | NO | Group of Tree |
| In circling area and at AD | TREE | 255318.0N 0934527.3E | 546 FT | NO | Group of Tree |
| In circling area and at AD | TREE | 255255.3N 0934609.8E | 579 FT | NO | Group of Tree |
| In circling area and at AD | TREE | 255318.3N 0934526.1E | 553 FT | NO | Group of Tree |
| In circling area and at AD | TREE | 255253.3N 0934649.3E | 541 FT | NO | Group of Tree |
| In circling area and at AD | TREE | 255318.5N 0934525.0E | 561 FT | NO | Group of Tree |
| In circling area and at AD | TREE | 255321.7N 0934548.8E | 522 FT | NO | Group of Tree |
| In circling area and at AD | TREE | 255312.7N 0934538.1E | 559 FT | NO | Group of Tree |
| In circling area and at AD | TREE | 255333.4N 0934529.1E | 550 FT | NO | Group of Tree |
| In circling area and at AD | TREE | 255310.9N 0934542.1E | 560 FT | NO | Group of Tree |
| In circling area and at AD | TREE | 255331.1N 0934533.2E | 548 FT | NO | Group of Tree |
| In circling area and at AD | TREE | 255306.9N 0934541.3E | 620 FT | NO | Group of Tree |
| In circling area and at AD | TREE | 255324.4N 0934543.9E | 533 FT | NO | Group of Tree |
| In circling area and at AD | TREE | 255314.4N 0934537.2E | 552 FT | NO | Group of Tree |
| In circling area and at AD | TREE | 255328.2N 0934537.2E | 548 FT | NO | Group of Tree |
| In circling area and at AD | TREE | 255311.9N 0934543.7E | 552 FT | NO | Group of Tree |
| In circling area and at AD | TREE | 255259.1N 0934635.2E | 547 FT | NO | Group of Tree |
| In circling area and at AD | TREE | 255310.1N 0934539.8E | 607 FT | NO | Group of Tree |
| In circling area and at AD | TREE | 255306.7N 0934552.3E | 577 FT | NO | Group of Tree |
| In circling area and at AD | TREE | 255308.2N 0934548.3E | 590 FT | NO | Group of Tree |

| In Approach/Take-off/Circling Area and at AD | | | | | |
|---|---|---|---|---|---|
| **1** | **2** | **3** | **4** | **5** | **6** |
| RWY/Area affected | Obstacle type | Coordinates | Elevation (EGM-08) | Marking/LGT | Remarks |
| In circling area and at AD | TREE | 255313.2N 0934538.2E | 590 FT | NO | Group of Tree |
| In circling area and at AD | TREE | 255303.4N 0934557.5E | 608 FT | NO | Group of Tree |
| In circling area and at AD | TREE | 255305.3N 0934553.0E | 613 FT | NO | Group of Tree |
| In circling area and at AD | TREE | 255308.6N 0934547.5E | 627 FT | NO | Group of Tree |
| In circling area and at AD | TREE | 255241.3N 0934652.6E | 528 FT | NO | Group of Tree |
| In circling area and at AD | TREE | 255323.7N 0934543.1E | 515 FT | NO | Group of Tree |
| In circling area and at AD | TREE | 255309.9N 0934610.5E | 519 FT | NO | Group of Tree |
| In circling area and at AD | TREE | 255317.4N 0934554.3E | 518 FT | NO | Group of Tree |
| In circling area and at AD | TREE | 255258.1N 0934634.0E | 529 FT | NO | Group of Tree |
| In circling area and at AD | TREE | 255314.1N 0934601.6E | 524 FT | NO | Group of Tree |
| In circling area and at AD | TREE | 255314.1N 0934600.5E | 526 FT | NO | Group of Tree |
| In circling area and at AD | TREE | 255319.7N 0934548.4E | 528 FT | NO | Group of Tree |
| In circling area and at AD | TREE | 255256.8N 0934638.1E | 536 FT | NO | Group of Tree |
| In circling area and at AD | TREE | 255309.0N 0934612.2E | 535 FT | NO | Group of Tree |
| In circling area and at AD | TREE | 255317.3N 0934556.6E | 537 FT | NO | Group of Tree |
| In circling area and at AD | TREE | 255315.8N 0934558.0E | 538 FT | NO | Group of Tree |
| In circling area and at AD | TREE | 255321.1N 0934549.0E | 541 FT | NO | Group of Tree |
| In circling area and at AD | TREE | 255303.8N 0934624.2E | 547 FT | NO | Group of Tree |
| In circling area and at AD | TREE | 255317.7N 0934555.8E | 544 FT | NO | Group of Tree |
| In circling area and at AD | TREE | 255251.6N 0934647.9E | 557 FT | NO | Group of Tree |
| In circling area and at AD | TREE | 255259.8N 0934631.0E | 554 FT | NO | Group of Tree |
| In circling area and at AD | TREE | 255258.9N 0934634.6E | 563 FT | NO | Group of Tree |
| In circling area and at AD | BUILDING | 255258.5N 0934610.1E | 511 FT | NO | Hangar |
| In circling area and at AD | NATURAL HIGHPOINT | 254818.5N 0934955.7E | 2024 FT | NO | Hill |
| In circling area and at AD | NATURAL HIGHPOINT | 254718.2N 0934828.6E | 2128 FT | NO | Hill |
| In circling area and at AD | NATURAL HIGHPOINT | 254613.4N 0934630.4E | 2382 FT | NO | Hill |

| In Approach/Take-off/Circling Area and at AD | | | | | |
|---|---|---|---|---|---|
| **1** | **2** | **3** | **4** | **5** | **6** |
| RWY/Area affected | Obstacle type | Coordinates | Elevation (EGM-08) | Marking/LGT | Remarks |
| In circling area and at AD | NATURAL HIGHPOINT | 254857.3N 0935115.4E | 2437 FT | NO | Hill |
| In circling area and at AD | NATURAL HIGHPOINT | 254642.2N 0934707.6E | 2483 FT | NO | Hill |
| In circling area and at AD | ANTENNA | 255252.5N 0934649.9E | 532 FT | NO | Lightning Arrester |
| In circling area and at AD | ANTENNA | 255250.5N 0934621.2E | 569 FT | NO | Lightning Arrester on ATC Building |
| In circling area and at AD | ANTENNA | 255327.4N 0934502.4E | 555 FT | NO | Lightning Arrester on Building |
| In circling area and at AD | ANTENNA | 255308.3N 0934555.7E | 506 FT | NO | Lightning Arrester on GP Hut |
| In circling area and at AD | ANTENNA | 255308.2N 0934556.7E | 512 FT | NO | Lightning Arrester on MET Antenna |
| In circling area and at AD | OTHER | 255255.7N 0934557.2E | 666 FT | NO | Mast |
| In circling area and at AD | ANTENNA | 255308.2N 0934556.6E | 509 FT | NO | MET Antenna |
| In circling area and at AD | OTHER | 255318.0N 0934532.6E | 503 FT | NO | Mobile Road Traffic (Road Elev.148.4M + 5M) |
| In circling area and at AD | OTHER | 255323.5N 0934541.4E | 494 FT | NO | Mobile Road Traffic (Road Elev. 145.5M + Traffic Ht. 5M) |
| In circling area and at AD | OTHER | 255322.4N 0934540.9E | 494 FT | NO | Mobile Road Traffic (Road Elev. 145.5M + Traffic Ht. 5M) |
| In circling area and at AD | OTHER | 255245.6N 0934657.1E | 509 FT | NO | Mobile Road Traffic (Road Elev.149.9 M +Traffic Ht.5 M) |
| In circling area and at AD | NATURAL HIGHPOINT | 255307.8N 0934553.3E | 502 FT | NO | Natural Highpoint |
| In circling area and at AD | NATURAL HIGHPOINT | 255305.4N 0934558.5E | 504 FT | NO | Natural Highpoint |
| In circling area and at AD | NATURAL HIGHPOINT | 255255.0N 0934639.6E | 491 FT | NO | Natural Highpoint |
| In circling area and at AD | NATURAL HIGHPOINT | 255308.4N 0934611.4E | 488 FT | NO | Natural Highpoint |
| In circling area and at AD | NATURAL HIGHPOINT | 255254.7N 0934640.5E | 496 FT | NO | Natural Highpoint |
| In circling area and at AD | NATURAL HIGHPOINT | 255317.4N 0934553.4E | 491 FT | NO | Natural Highpoint |
| In circling area and at AD | NATURAL HIGHPOINT | 255311.9N 0934604.4E | 492 FT | NO | Natural Highpoint |
| In circling area and at AD | NAVAID | 255302.5N 0934605.4E | 513 FT | NO | NDB Antenna |
| In circling area and at AD | OTHER | 255254.2N 0934615.8E | 539 FT | NO | Obstacle Light on Fire Station |
| In circling area and at AD | BUILDING | 255251.0N 0934652.6E | 504 FT | NO | Old Hut |

| In Approach/Take-off/Circling Area and at AD | | | | | |
|---|---|---|---|---|---|
| **1** | **2** | **3** | **4** | **5** | **6** |
| RWY/Area affected | Obstacle type | Coordinates | Elevation (EGM-08) | Marking/LGT | Remarks |
| In circling area and at AD | POLE | 255302.6N 0934559.4E | 523 FT | NO | Pole |
| In circling area and at AD | BUILDING | 255308.1N 0934555.5E | 483 FT | NO | Pump House |
| In circling area and at AD | BUILDING | 255249.1N 0934656.9E | 515 FT | NO | Security Hut |
| In circling area and at AD | BUILDING | 255304.0N 0934559.2E | 520 FT | NO | Security Hut |
| In circling area and at AD | BUILDING | 255315.2N 0934537.2E | 515 FT | NO | Security Hut |
| In circling area and at AD | BUILDING | 255322.5N 0934542.0E | 489 FT | NO | Security Hut |
| In circling area and at AD | BUILDING | 255322.7N 0934541.9E | 497 FT | NO | Security Hut |
| In circling area and at AD | BUILDING | 255306.7N 0934615.2E | 508 FT | NO | Security Hut |
| In circling area and at AD | BUILDING | 255318.0N 0934551.6E | 512 FT | NO | Security Hut |
| In circling area and at AD | BUILDING | 255302.3N 0934606.1E | 511 FT | NO | Shed |
| In circling area and at AD | BUILDING | 255306.0N 0934618.1E | 512 FT | NO | Shed |
| In circling area and at AD | BUILDING | 255311.6N 0934543.9E | 526 FT | NO | Temple |
| In circling area and at AD | TREE | 255322.7N 0934541.8E | 499 FT | NO | Tree |
| In circling area and at AD | BUILDING | 255322.9N 0934545.6E | 488 FT | NO | U/C Building |
| In circling area and at AD | TANK | 255315.5N 0934559.4E | 519 FT | NO | Water Tank |
| In circling area and at AD | BUILDING | 255331.4N 0934532.2E | 532 FT | NO | Water Tank on Building |
| In circling area and at AD | BUILDING | 255320.8N 0934550.5E | 516 FT | NO | Water Tank on Building |
| In circling area and at AD | BUILDING | 255300.0N 0934630.1E | 512 FT | NO | Water Tank on Building |
| In circling area and at AD | BUILDING | 255310.0N 0934609.9E | 509 FT | NO | Water Tank on Building |
| In circling area and at AD | BUILDING | 255303.9N 0934622.5E | 515 FT | NO | Water Tank on Building |
| In circling area and at AD | BUILDING | 255308.8N 0934611.4E | 518 FT | NO | Water Tank on Building |
| In circling area and at AD | NAVAID | 255309.6N 0934556.6E | 499 FT | NO | Windsock |
| In circling area and at AD | NAVAID | 255256.3N 0934621.7E | 508 FT | NO | Windsock |

## VEMR AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

| | | |
|---|---|---|
| 1 | Name of the associated meteorological office | Dimapur |
| 2 | Hours of service and, where applicable, the designation of the responsible meteorological office outside these hours | NIL |

| | | |
|---|---|---|
| 3 | Office responsible for preparation of TAFs and periods of validity and interval of issuance of the forecasts | Guwahati<br>As requested |
| 4 | Availability of the trend forecast for the aerodrome and interval of issuance | NIL |
| 5 | Information on how briefing and/or consultation is provided | NIL |
| 6 | Types of flight documentation supplied and language(s) used in flight documentation | NIL |
| 7 | Charts and other information displayed or available for briefing or consultation | NIL |
| 8 | Supplementary equipment available for providing information on meteorological conditions, e.g. weather radar and receiver for satellite images; | DCWIS at TDZ RWY 12 |
| 9 | The air traffic services unit(s) provided with meteorological information | Dimapur ATC and ACS |
| 10 | Additional information, e.g. concerning any limitation of service. | Documents Provided as Requested. |

## VEMR AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

| Designations | TRUE Bearings | Dimensions of RWY (M) | Strength of pavement (PCN) and associated data) and surface of runway and associated stopways | Geographical coordinates for threshold and runway end |
|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 |
| 12 | 118.10 DEG | 2290 x 45 M | 61/F/C/W/T<br>Asphalt | THR:<br>255316.36N<br>0934548.21E<br>RWY END:<br>255244.54N<br>0934654.10E |
| 30 | 298.10 DEG | 2290 x 45 M | 61/F/C/W/T<br>Asphalt | THR:<br>255244.54N<br>0934654.10E<br>RWY END:<br>255319.59N<br>0934541.52E |

| THR elevation and highest elevation of TDZ of precision APP RWY | Slope of runway and associated stopway | Dimensions of stopway (M) | Dimensions of clearway (M) | Dimensions of strips (M) |
|---|---|---|---|---|
| 6 | 7 | 8 | 9 | 10 |
| THR: 475.0FT<br>TDZ: 477.0FT | 0.25% | NIL | NIL | 2410 x 150 M |
| THR: 493.0FT<br>TDZ: 493.0FT | -0.25% | NIL | NIL | 2410 x 150 M |

| Dimensions of runway end safety areas | Location and description of arresting system (if any) | Existence of an obstacle-free zone | Remarks. |
|---|---|---|---|
| 11 | 12 | 13 | 14 |
| 90M x 90M | | NIL | Elevations in EGM08 |
| 90M x 90M | | NIL | Elevations in EGM08 |

## VEMR AD 2.13 DECLARED DISTANCES

| RWY Designator | Take-off run available TORA (M) | Take-off distance available TODA (M) | Accelerate distance available ASDA (M) | Landing distance available LDA (M) | Remarks (including runway entry or start point where alternative reduced declared distances have been declared) |
|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 |
| 12 | 2290 | 2290 | 2290 | 2079 | Displacement 211M<br>1:50 SLOPE |
| 30 | 2290 | 2290 | 2290 | 2290 | 1:50 SLOPE |

## VEMR AD 2.14 APPROACH AND RUNWAY LIGHTING

| Runway Designator | Type, length and intensity of approach lighting system | Runway threshold lights, colour and wing bars | Type of visual slope indicator system | Length of runway touchdown zone lights |
|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 |
| **12** | SALS<br>420 M<br>LIH | Green | PAPI<br>LEFT/3.25 DEG | NIL |
| **30** | SALS<br>210 M<br>LIH | Green | PAPI<br>LEFT/3.00 DEG | NIL |

| Length, spacing, colour and intensity of runway centre line lights | Length, spacing, colour and intensity of runway edge lights | Colour of runway end lights and wing bars | Length and colour of stopway lights | Remarks |
|---|---|---|---|---|
| 6 | 7 | 8 | 9 | 10 |
| | 2290 M<br>60 M<br>White<br>LIH | Red | NIL | Cross bar at 300M and switch over time 15 sec |
| | 2290 M<br>60 M<br>White<br>LIH | Red | NIL | NIL |

## VEMR AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

| | | | |
|---|---|---|---|
| 1 | Location, characteristics and hours of operation of aerodrome beacon/identification beacon (if any) | ABN | At Tower Building with red and green flashes<br>As ATS HR |
| | | IBN | NIL |
| 2 | Location and lighting (if any) of anemometer/ landing direction indicator; | LDI | South of RWY & west of TWY A. |
| | | Anemometer | NIL |
| 3 | Taxiway edge and taxiway centre line lights; | Edge | All TWY |
| | | Centre Line | NIL |
| 4 | Secondary power supply including switch-over time; | Secondary Power supply to all lighting at AD. Switch-over time : 15 SEC. | |
| 5 | Remarks | NIL | |

## VEMR AD 2.16 HELICOPTER LANDING AREA

| | | |
|---|---|---|
| 1 | Geographical coordinates of the geometric centre of touchdown and lift-off (TLOF) or of each threshold of final approach and take-off (FATO) area | Not Established |
| 2 | TLOF and/or FATO area elevation: | Not Established |
| 3 | TLOF and FATO area dimensions to the nearest metre or foot, surface type, bearing strength and marking; | Not Established |
| 4 | True bearings of FATO; | Not Established |
| 5 | Declared distances available | Not Established |
| 6 | Approach and FATO lighting; | Not Established |
| 7 | Remarks | Not Established |

## VEMR AD 2.17 AIR TRAFFIC SERVICE AIRSPACE

| | | |
|---|---|---|
| 1 | Airspace designation, geographical coordinates and lateral limits | CTR: Circular area centered on 255251N 0934655E within a 10NM radius. |
| 2 | Vertical limits | FL 150 |
| 3 | Airspace classification | D |
| 4 | Call sign and language(s) of the air traffic services unit providing service; | DIMAPUR TOWER, English |
| 5 | Transition altitude | 11000 FT |
| 6 | Hours of applicability | HO |
| 7 | Remarks | Dimapur Approach Control Unit is combined with Dimapur Aerodrome Control Tower. |

## VEMR AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

| Service Designation | Call sign | Channel(s) | SATVOICE Number(s), if available |
|---|---|---|---|
| **1** | **2** | **3** | **4** |
| APP | Dimapur Tower | 118.450 MHZ | |
| APP | Dimapur Tower | 118.600 MHZ | |
| TWR | DIMAPUR TOWER | 118.450 MHZ | |
| TWR | DIMAPUR TOWER | 118.600 MHZ | |

| Logon address, as appropriate | Hours of operation | Remarks |
|---|---|---|
| **5** | **6** | **7** |
| | | 1. Main Frequency.<br>2. Functions of Approach Control Service provided by Aerodrome Control Tower. |
| | | 1. Backup<br>2. Functions of Approach Control Service provided by Aerodrome Control Tower. |
| | As ATS | Main Frequency |
| | | NIL |

## VEMR AD 2.19 RADIO NAVIGATION AND LANDING AIDS

| Type of aids, magnetic variation and type of supported operation for ILS/ MLS, basic GNSS, SBAS and GBAS, and for VOR/ILS/MLS station used for technical lineup of the aid | Identification | Frequency(ies), Channel number(s), Service provider, and reference path identifier(s) (RPI), as appropriate | Hours of operation, as appropriate; |
|---|---|---|---|
| 1 | 2 | 3 | 4 |
| LOC 12<br>CAT I | IDMP | 109.300 MHz | HO |
| GP 12 | | 332.000 MHz | HO |
| DME ILS 12 | IDMP | CH30X | HO |
| DVOR/DME | DMR | 114.500 MHz<br>CH92X | As ATS |

| Geographical coordinates of the position of the transmitting antenna | Elevation of transmitting antenna of DME/ elevation of GBAS reference point | Service volume radius from the GBAS reference point | Remarks |
|---|---|---|---|
| 5 | 6 | 7 | 8 |
| 255242.2N<br>0934659.0E | | | |
| 255308.5N<br>0934555.3E | | | 1. Glide ANGLE 3.25 DEG |
| 255308.4N<br>0934555.3E | 506 FT | | Elevation in EGM 08 |
| 255251.3N<br>0934655.3E | 530 FT | | Vertical Datum: EGM 08 |

## VEMR AD 2.20 LOCAL AERODROME REGULATIONS

• No Aircraft shall take lock turn/ pivotal turn on the Runway to avoid pavement damage. All ACFT to make turn only at end of RWY.

## VEMR AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

**VEMR AD 2.22 FLIGHT PROCEDURES**

**RADIO COMMUNICATION FAILURE PROCEDURES**

**1. INTRODUCTION**

Radio communication failure procedures are described in ICAO PANS ATM DOC 4444. Based on these provisions, following radio communication failure procedures are established to standardize the actions to be taken by the pilot of arriving and departing aircraft at Dimapur Airport.

**2. GENERAL**

2.1 All Transponder equipped aircraft experiencing Radio Communication Failure shall set transponder to Mode A/C code 7600 as soon as practicable. (Note: This requirement of setting transponder to Mode A/C code 7600 in no way imposes any restriction on the pilot's decision to set transponder to Mode A/C code 7500 or 7700, whenever required).

2.2 Immediately after the detection of RCF, the aircraft shall attempt to establish communications with the appropriate air traffic control unit using all other available means. In addition, the aircraft shall keep watch for any instructions that may be issued by visual signals.

2.3 The pilot shall make blind transmission to ATC of all necessary reports and actions taken by the aircraft, e.g. descent, turn, joining hold, leaving for approach, FAF etc., irrespective of whether partial/complete RCF has been experienced or not.

2.4 Aircraft experiencing radio communication failure shall be provided all required information necessary for the safe and efficient conduct of flight and landing clearance without expecting acknowledgment.

3. ASSIGNED RUNWAY AND ITS AVAILABILITY FOR RCF AIRCRAFT:

3.1 In case of an arriving aircraft experiencing RCF, when the Runway for landing has already been advised to and acknowledged by the aircraft by DIMAPUR ATC via VHF, such runway shall be considered as the assigned runway. If an arriving aircraft has not been advised and acknowledged any runway, Runway 12 shall be considered as an assigned runway for such arrival.

3.2 In case of departures from Dimapur airport is returning due to RCF, Runway 12 shall be considered as the assigned runway for landing, irrespective of the runway used for departure.

3.3 Runway lights and Approach lights shall be in the 'SWITCHED ON' position to indicate the availability of such Runway for aircraft experiencing RCF irrespective of visibility and

3.4 Day or Night. Runway and Approach lights in the 'SWITCHED OFF' position shall Indicate the non-availability of such Runway for aircraft experiencing RCF.

3.5 In case strong tailwind conditions are encountered during approach for the Runway as mentioned in para 3.1 and 3.2, the aircraft experiencing RCF will carry out a missed approach on the runway as mentioned in para 3.1 and 3.2 and after following the complete missed approach procedure as Published for such approach, aircraft will carry out the published approach procedure for the opposite runway.

4. PROCEDURE FOR ARRIVALS:

4.1 In case radio communication failure takes place after establishing the ILS/final approach track, aircraft may continue the

approach and land if visual or go around and carry out the missed approach and join the VOR (114.5) DMR holding procedure climbing to and maintaining as per published procedures.

4.2 Except when descent clearance has already been received from ATC DIMAPUR and acknowledged, the pilot shall continue on the ATS route maintaining filed flight plan level or level cleared and acknowledged by adjacent area control unit i.e. VEGT ACC/VETZ ATC.

4.3 In airspace where procedural separation is being applied, maintain the last assigned speed and level, or minimum flight altitude if higher, for a period of 20 minutes following the aircraft's failure to report its position over a compulsory reporting point and thereafter adjust level and speed in accordance with the filed flight plan.

4.4 After 20 minutes, commence descent to MHA in published hold over VOR (114.5) DMR at, or as close as possible to, the expected approach time (EAT) last received and acknowledged; or, if no expected approach time (EAT) has been received and acknowledged, at, or as close as possible to, the estimated time of arrival (ETA) over DMR VOR.

4.5 Leave "DMR" and carry out the published ILS/VOR Procedure for the runway as mentioned in para 3.1.

4.6 Land, if possible, within 30 minutes after the estimated time of arrival (ETA) or the last acknowledged expected approach time (EAT), whichever is later.

5. PROCEDURE FOR DEPARTURE:

5.1 Departing aircraft experiencing radio communication failure and intending to continue to its filed flight plan destination shall:

5.1.1 Continue ATS route as per filed flight plan, climbing to/maintaining cleared and acknowledged flight level, or minimum flight altitude if higher, for a period of 20 minutes following the aircraft's failure to report its position over compulsory reporting point and thereafter adjust level and speed in accordance with the filed flight plan to destination.

5.2 A departing aircraft, experiencing radio communication failure and intending to land back at Dimapur Airport, shall:

5.2.1 Maintain the last assigned level, or minimum flight altitude if higher, for a period of 10 minutes on the flight plan route or on offset radial as cleared in ATC clearance.

5.2.2 After 10 minutes turn towards DMR VOR via same flight plan route or radial as per departure clearance. On Reaching DMR VOR join hold as published.

5.2.3 If required to jettison fuel, then remain in the hold over DMR VOR after taking all precautions and holding altitude as per published chart to follow provisions mentioned in ICAO Doc 4444.

5.2.4 Commence descent in the hold to MHA of the published procedure. Leave "DMR" and carry out the published ILS/VOR Procedure for the runway as mentioned in para 3.2.

5.3 Procedures for VFR Traffic:

5.3.1 In case of a VFR flight experiencing RCF and does not intend to land at Dimapur:
It shall continue to fly in VMC, land at the nearest suitable aerodrome/ helipad, and report its arrival by the most expeditious means to the ATC, Dimapur.

5.3.2 In case of a VFR flight experiencing RCF and intending to land at Dimapur:

a) Proceed according to the current flight plan route in VMC and maintain the altitude/level last assigned and acknowledged.

b) Proceed towards DMR and at 20 miles NE or S of the field (avoiding Rangapahar Helipad) subject to arrival route/Runway, descent to 500 ft AGL.

c) Maintaining 500 ft AGL proceed and join 10NM arc DMR VOR (114.5) to establish 040R DMR to join the

left-hand traffic circuit for runway 12 or right-hand circuit for Runway 30 (if assigned and acknowledged).

d) Carry out a complete aerodrome traffic circuit and land on the last acknowledged Runway or the Runway as per para 3.1.

**VEMR AD 2.23 ADDITIONAL INFORMATION**

1. Taxiway B connecting Runway and Apron-II 'New Apron' commissioned with specifications given below:

i. Location: 5400FT from beginning Runway12 and 2100FT from beginning Runway30

ii. Length:115M,,

iii. Shoulder:7.5M

**VEMR AD 2.24 CHARTS RELATED TO AN AERODROME**

1. Aerodrome Chart (23 January 2025)

2. Aircraft Parking/Docking Chart (23 January 2025)

3.Aerodrome Obstacle Chart Type-A (Operating Limitations) RWY 12 (12 June 2025)

4.Aerodrome Obstacle Chart Type-A (Operating Limitations) RWY 30 (12 June 2025)

5. Aerodrome Obstacle Chart Type-B (12 June 2025)

6. VOR Visual Circling (CAT A, B & C)

7. Instrument Approach Chart - RNP Procedure RWY 12 (CAT A/B/C) (08 August 2024)

8. Tabular Description - RNP Procedure RWY 12 (08 August 2024)

9. ILS or LOC Procedure RWY 12(17 April 2025)

**VEMR AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION**

| Procedure | Procedure Minima | VSS Penetration |
|---|---|---|
| 1 | 2 | 3 |
| | | |