AD 2. AERODROMES

VEDG AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VEDG - DURGAPUR AIRPORT, DURGAPUR

VEDG AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	Aerodrome reference point coordinates and its site	233728N 0871433E Adjacent to RWY Edge, Eastern Side, 24.5M From RWY Centre Line. 1610M From Beginning of RWY 34.	
2	Direction and distance of aerodrome reference point from the centre of the city or town which the aerodrome serves	NW, 16KM from Durgapur Railway Station.	
3	Aerodrome elevation and reference temperature	301 FT / 43.0 DEG C	
4	Magnetic variation, date of information and annual change	0.37 DEG W (2010) /0.033 DEG E	
5	Name of aerodrome operator, address, telephone, telefax, e-mail address, AFS address, website (if available)	The Airport Director, Durgapur Airport, The Airport Director, Durgapur Airport, ATC Complex, SCB Building Village & P.O - Khandra, Distt- Bardhhaman – 713363 https://kniairport.com,	
		Telephone:	(91) 341 7180301
		Fax:	(91) 341 2663397
		AFS:	
		Email:	apd.dgp@bengalaero.com kailash.mandal@bengalaero.com
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	Aerodrome Category: 4C Vertical Datum: EGM08	

VEDG AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	MON-FRI 0400-1230 UTC (0930-1800 IST) SAT+SUN + Holidays: NIL
2	Custom and immigration	NIL
3	Health and sanitation	HO
4	AIS briefing office	HO
5	ATS reporting office (ARO)	HO
6	MET Briefing office	HO
7	Air Traffic Service	Consult current NOTAM
8	Fuelling	HO
9	Handling	HO
10	Security	HO
11	De-icing	NIL

12	Remarks	ATS approved hourly runway traffic handling capacity: • Maximum number of Arrival and Departure -6 • Maximum number of Arrival only - 4 • Maximum number of Departure only - 4

VEDG AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	Belly Cargo Operations through Cargo Terminal
2	Fuel and Oil types	JET A1
3	Fuelling facilities and capacity	BPCL-4 Refuellers (Capacity: 15 KL each). Discharge Capacity-Average 1000 LPM. Underground Tank capacity-90 KL (45KLx 2 Tank) equipped with ATG System. Discharge Capacity-50 KL Per HR Total capacity-150 KL
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	NIL
6	Repair facilities for visiting aircraft	Aircraft Line Maintenance in prior coordination with PROQMT.
7	Remarks	Ground Handling Service provided by J. P. Aviation. Contact Number: (91) 9832214764

VEDG AD 2.5 PASSENGER FACILITIES

1	Hotel(s) at or in the vicinity of aerodrome	Near Airport Approach Gate and In the city
2	Restaurant(s) at or in the vicinity of aerodrome	At AD and in the City
3	Transportation possibilities	Public Bus Service as per schedule flight operations & rental cab service at PTB.
4	Medical Facilities	First AID at AD and Hospital in the City
5	Bank and post office at or in the vicinity of aerodrome	Banks: ATM at AD. Post Office: 5KM From Airport
6	Tourist office	NIL
7	Remarks	NIL

VEDG AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	Aerodrome category for fire fighting	Within ATS HR: CAT-7
2	Rescue equipment	Available as per category
3	Capability for removal of disabled aircraft	1. The critical aircraft for the airport is B737-900/A321. 2. Primary responsibility for removal of disabled aircraft rests with the concerned airline. 3. The airlines may contact 'Aerodrome Coordinator for Disabled Aircraft Removal Operations' for coordinating with the agencies having Disabled Aircraft Recovery Kit. 4. Contact Details of Aerodrome Coordinator for Disabled Aircraft Removal Operations: Aerodrome coordinator – Main: Mr Ashok Kumar Chakraborty Email: ashok.chakraborty@bengalaero.com Contact No.: (91) 341 7180327 Alternate: Mr Ashok Tiwari Email: ashok.tiwari@bengalaero.com Contact No. (91) 341 7180325
4	Remarks	NIL

VEDG AD 2.7 SEASONAL AVAILABILITY CLEARING

1	Type(s) of clearing equipment	NIL
2	Clearance priorities	NIL

3	Remarks	AD available for all weather operations

VEDG AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Designation, surface and strength of aprons	Surface: Concrete(Rigid) and Asphalt Strength: Rigid: 105/R/B/W/T Asphalt: 51/F/A/W/T
2	Designation, width, surface and strength of taxiways	Designator: TWY A Width: 18 M Surface: Asphalt Strength: PCN 64/F/A/W/T Shoulders: 3.5M Designator: TWY B Width: 18 M Surface: Asphalt Strength: PCN 51/F/A/W/T Shoulders: 3.5M
3	Location and elevation of altimeter checkpoints	Location: Aircraft Stands on Apron Elevation: 277 FT
4	Location of VOR checkpoints	On taxiway A (R161/1.2NM)
5	Position of INS checkpoints	NIL
6	Remarks	1. Apron Dimension: 181.5M x 118.5M 2. Coordinates of RWY Holding Position TWY A: 233708.38019N 0871436.06936E 3. Coordinates of RWY Holding Position TWY B: 233729.66496N 0871426.85394E 4. Distance from TWY A to THR RWY 16: 1530M 5. Distance from TWY A to THR RWY 34: 1020M 6. Distance from RWY 16 extremity to Taxiway A: 1780M 7. Vertical Datum EGM08

VEDG AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand identification signs, taxiway guidelines and visual docking/parking guidance system at aircraft stands	Aircraft Stand ID Sign Marking- Available Signage- Aircraft Stand Identification Signages available at all Aircraft Stands TWY Guidelines – Available Visual Docking Guidance System- NIL
2	Runway and taxiway markings and lights	RWY Markings: RWY Designation, THR, TDZ, Centre line, Side Stripe, Aiming Point, TurnPad RWY Lighting:THR, Edge, End, Stop way, TurnPad TWY Markings: Centerline, Edge, Holding Position (for TWY A&B) TWY Lighting: Edge, RWY Guard lights
3	Stop bars (if any)	NIL
4	Remarks	Taxiing guidance provided on R/T

VEDG AD 2.10 AERODROME OBSTACLES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
34/TKOF 16/APCH	OTHER	234005.8N 0871339.4E	531 FT	NIL	Hill Top
34/TKOF 16/APCH	TREE	233956.3N 0871328.3E	557 FT	NIL	Tree on Hill
34/TKOF 16/APCH	OTHER	233949.5N 0871319.7E	565 FT	NIL	Hill Top
34/TKOF 16/APCH	OTHER	233941.3N 0871324.7E	495 FT	NIL	Cell phone Mast
34/TKOF 16/APCH	TREE	233909.9N 0871401.8E	442 FT	NIL	Group of Trees
34/TKOF 16/APCH	TREE	233903.3N 0871350.8E	444 FT	NIL	Group of Trees
34/TKOF 16/APCH	OTHER	233901.0N 0871343.2E	439 FT	NIL	Communication Antenna Top
34/TKOF 16/APCH	TANK	233900.7N 0871344.7E	446 FT	NIL	Overhead Water Tank Top: 134.47 M.
34/TKOF 16/APCH	OTHER	233859.1N 0871346.8E	438 FT	NIL	Building, Cell phone Mast Top: 132.44 M, Building Top: 116.32 M.
34/TKOF 16/APCH	TREE	233856.5N 0871344.9E	432 FT	NIL	Group of Trees
34/TKOF 16/APCH	OTHER	233853.3N 0871341.8E	435 FT	NIL	Coal Digging Machine
34/TKOF 16/APCH	TREE	233857.0N 0871349.3E	434 FT	NIL	Group of Trees
34/TKOF 16/APCH	TREE	233855.6N 0871353.1E	425 FT	NIL	Group of Trees
34/TKOF 16/APCH	OTHER	233854.9N 0871352.8E	421 FT	NIL	Coal Digging Machine
34/TKOF 16/APCH	TREE	233851.9N 0871355.2E	409 FT	NIL	Group of Trees
34/TKOF 16/APCH	TREE	233854.2N 0871355.0E	415 FT	NIL	Group of Trees
34/TKOF 16/APCH	TREE	233853.9N 0871357.9E	431 FT	NIL	Group of Trees
34/TKOF 16/APCH	TREE	233853.6N 0871400.7E	404 FT	NIL	Group of Trees
34/TKOF 16/APCH	TREE	233836.9N 0871412.1E	370 FT	NIL	Group of Trees
34/TKOF 16/APCH	TREE	233829.0N 0871355.4E	368 FT	NIL	Group of Trees
34/TKOF 16/APCH	TREE	233825.6N 0871357.1E	369 FT	NIL	Group of Trees
34/TKOF 16/APCH	TREE	233826.4N 0871400.0E	377 FT	NIL	Group of Trees
34/TKOF 16/APCH	TREE	233824.4N 0871358.2E	360 FT	NIL	Group of Trees
34/TKOF 16/APCH	TREE	233823.9N 0871400.2E	353 FT	NIL	Group of Trees

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
34/TKOF 16/APCH	NAVAID	233817.6N 0871402.4E	339 FT	NIL	DVOR DME
34/TKOF 16/APCH	NAVAID	233817.7N 0871402.5E	341 FT	NIL	DVOR, Lightning Arrester Top
34/TKOF 16/APCH	NAVAID	233818.1N 0871402.4E	340 FT	NIL	DVOR, Lightning Arrester Top
34/TKOF 16/APCH	NAVAID	233820.0N 0871405.9E	340 FT	LGTD	DVOR Monitor Antenna (Not Commissioned), Lightning Arrester Top: 103.53 M, Obstruction Light Top: 103.04 M, Antenna Top: 102.63 M.
34/TKOF 16/APCH	NAVAID	233817.9N 0871408.0E	336 FT	NIL	DVOR, Lightning Arrester Top (Not Commissioned)
34/TKOF 16/APCH	NAVAID	233817.8N 0871407.7E	335 FT	NIL	DVOR DME (Not Commissioned)
34/TKOF 16/APCH	NAVAID	233817.7N 0871406.8E	337 FT	NIL	DVOR, Lightning Arrester Top (Not Commissioned)
34/TKOF 16/APCH	NAVAID	233817.1N 0871407.4E	335 FT	NIL	DVOR, Lightning Arrester Top (Not Commissioned)
34/TKOF 16/APCH	TREE	233812.6N 0871406.9E	336 FT	NIL	Group of Trees
34/TKOF 16/APCH	TREE	233812.3N 0871407.6E	332 FT	NIL	Group of Trees
34/TKOF 16/APCH	TREE	233812.7N 0871408.1E	322 FT	NIL	Group of Trees
34/TKOF 16/APCH	OTHER	233815.0N 0871418.1E	321 FT	NIL	Mobile Road Traffic (Road Elev - 92.70 M + Mobile Traffic - 5M)
34/TKOF 16/APCH	OTHER	233807.7N 0871414.6E	308 FT	NIL	Approach Light
34/TKOF 16/APCH	OTHER	233807.7N 0871414.6E	308 FT	NIL	Approach Light
34/TKOF 16/APCH	OTHER	233806.8N 0871414.9E	307 FT	NIL	Approach Light
34/TKOF 16/APCH	OTHER	233806.8N 0871415.0E	308 FT	NIL	Approach Light
34/TKOF 16/APCH	OTHER	233805.8N 0871415.3E	307 FT	NIL	Approach Light
34/TKOF 16/APCH	OTHER	233805.9N 0871415.4E	307 FT	NIL	Approach Light
34/APCH 16/TKOF	OTHER	233637.1N 0871453.8E	284 FT	NIL	Approach Light
34/APCH 16/TKOF	OTHER	233632.9N 0871455.6E	295 FT	NIL	Lightning Arrester Top

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
34/APCH 16/TKOF	TREE	233627.4N 0871500.4E	311 FT	NIL	Tree
34/APCH 16/TKOF	TREE	233628.1N 0871503.3E	313 FT	NIL	Tree
34/APCH 16/TKOF	TREE	233628.1N 0871503.6E	317 FT	NIL	Tree
34/APCH 16/TKOF	OTHER	233629.0N 0871504.4E	306 FT	NIL	Watch Tower (U/C)
34/APCH 16/TKOF	OTHER	233629.4N 0871504.2E	306 FT	NIL	Mobile Road Traffic (Road Elev - 88.14 M + Mobile Traffic - 5M)
34/APCH 16/TKOF	TREE	233604.3N 0871503.3E	355 FT	NIL	Group of Trees
34/APCH 16/TKOF	OTHER	233541.1N 0871514.7E	403 FT	LGTD	H. T. Tower (Lighted)
34/APCH 16/TKOF	OTHER	233545.2N 0871525.9E	403 FT	LGTD	H. T. Tower (Lighted)
34/APCH 16/TKOF	OTHER	233115.0N 0871804.8E	995 FT	LGTD	Chimney (Lighted)
34/APCH 16/TKOF	OTHER	233109.7N 0871805.4E	991 FT	LGTD	Chimney (Lighted)
In circling area and at AD	TREE	233629.8N 0871504.8E	321 FT	NO	Group of Trees
In circling area and at AD	TREE	233627.5N 0871505.6E	327 FT	NO	Group of Trees
In circling area and at AD	TREE	233626.8N 0871507.5E	331 FT	NO	Group of Trees
In circling area and at AD	OTHER	233627.6N 0871509.9E	372 FT	LGTD	H. T. Tower (Lighted)
In circling area and at AD	OTHER	233626.8N 0871510.2E	370 FT	NIL	H. T. Tower
In circling area and at AD	OTHER	233626.0N 0871510.6E	372 FT	LGTD	H. T. Tower (Lighted)
In circling area and at AD	OTHER	233626.5N 0871512.7E	405 FT	LGTD	H. T. Tower (Lighted)
In circling area and at AD	OTHER	233654.0N 0871604.2E	477 FT	NIL	Cell phone Mast
In circling area and at AD	OTHER	233651.0N 0871713.5E	485 FT	NIL	Overhead Water Tank
In circling area and at AD	OTHER	233650.9N 0871715.2E	521 FT	NIL	Cell phone Mast
In circling area and at AD	OTHER	233650.5N 0871715.0E	521 FT	NIL	Cell phone Mast
In circling area and at AD	OTHER	233634.2N 0871711.7E	492 FT	NIL	H. T. Tower
In circling area and at AD	OTHER	233631.9N 0871703.6E	493 FT	NIL	H. T. Tower
In circling area and at AD	OTHER	233629.1N 0871654.0E	471 FT	NIL	H. T. Tower
In circling area and at AD	OTHER	233611.1N 0871520.6E	421 FT	LGTD	H. T. Tower (Lighted)
In circling area and at AD	OTHER	233606.1N 0871453.9E	395 FT	LGTD	H. T. Tower (Lighted)

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	OTHER	233615.1N 0871450.2E	382 FT	LGTD	H. T. Tower (Lighted)
In circling area and at AD	OTHER	233616.7N 0871449.4E	381 FT	LGTD	H. T. Tower (Lighted)
In circling area and at AD	OTHER	233534.2N 0871230.1E	612 FT	NO	IOCL Tower
In circling area and at AD	OTHER	233459.3N 0871227.5E	669 FT	LGTD	Cooling Tower Obstruction Light Top - 204.03 M, Tower Top - 203.07 M.
In circling area and at AD	OTHER	233443.3N 0871211.7E	1152 FT	NO	Chimney (Lighted)
In circling area and at AD	OTHER	233456.7N 0871233.1E	670 FT	LGTD	Cooling Tower, Obstruction Light Top - 204.29 M, Tower Top - 202.86 M.
In circling area and at AD	OTHER	233522.9N 0871643.9E	479 FT	NIL	Cell phone Mast
In circling area and at AD	TREE	233752.7N 0871428.4E	336 FT	NIL	Group of Trees
In circling area and at AD	TREE	233751.2N 0871429.1E	324 FT	NIL	Group of Trees
In circling area and at AD	TREE	233749.4N 0871430.1E	335 FT	NIL	Group of Trees
In circling area and at AD	NAVAID	233749.0N 0871427.2E	318 FT	LGTD	GP Monitor Antenna, Lightning Arrester Top - 96.92 M, Obstruction Light Top - 96.48 M, GP Monitor Antenna Top - 96.12 M.
In circling area and at AD	NAVAID	233746.5N 0871428.5E	307 FT	NIL	GP DME Antenna Top
In circling area and at AD	NAVAID	233746.4N 0871428.3E	343 FT	LGTD	GP Antenna, Lightning Arrester Top - 104.56 M Obstruction Light Top - 104.22 M, GP Antenna Top - 103.64 M.
In circling area and at AD	NAVAID	233746.2N 0871428.4E	301 FT	NIL	GP Hut Top - 91.78 M, Light Top - 91.78 M.
In circling area and at AD	OTHER	233745.4N 0871427.3E	317 FT	LGTD	Windsock, Obstruction Light Top - 96.49 M Windsock Top - 96.21 M.
In circling area and at AD	NAVAID	233745.6N 0871426.5E	295 FT	LGTD	PAPI
In circling area and at AD	NAVAID	233745.5N 0871426.2E	295 FT	LGTD	PAPI

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	NAVAID	233745.4N 0871425.9E	295 FT	LGTD	PAPI
In circling area and at AD	NAVAID	233745.3N 0871425.7E	295 FT	NIL	PAPI
In circling area and at AD	OTHER	233744.5N 0871420.5E	314 FT	NIL	DCWIS, Lightning Arrester Top - 95.67 M Wind Sensor - 95.07 M, Antenna Top - 94.08 M.
In circling area and at AD	OTHER	233744.4N 0871420.8E	299 FT	NIL	Transmissometer
In circling area and at AD	OTHER	233743.5N 0871421.2E	299 FT	LGTD	Transmissometer, Obstruction Light Top - 91.28 M, Transmissometer Top - 91.12 M
In circling area and at AD	TREE	233741.8N 0871433.2E	326 FT	NIL	Group Of Trees
In circling area and at AD	SIGN	233733.7N 0871427.8E	293 FT	NIL	Sign Board
In circling area and at AD	SIGN	233727.2N 0871430.7E	291 FT	NIL	Sign Board
In circling area and at AD	SIGN	233712.5N 0871436.9E	286 FT	NIL	Sign Board
In circling area and at AD	SIGN	233709.7N 0871437.3E	284 FT	NIL	Sign Board
In circling area and at AD	SIGN	233708.2N 0871438.0E	284 FT	NIL	Sign Board
In circling area and at AD	SIGN	233705.9N 0871439.9E	286 FT	NIL	Sign Board
In circling area and at AD	SIGN	233649.2N 0871445.5E	306 FT	LGTD	Windsock, Obstruction Light Top - 93.28 M, Windsock Top - 93.00 M.
In circling area and at AD	NAVAID	233648.1N 0871446.5E	283 FT	NIL	PAPI
In circling area and at AD	NAVAID	233648.2N 0871446.8E	283 FT	NIL	PAPI
In circling area and at AD	NAVAID	233648.3N 0871447.1E	283 FT	NIL	PAPI
In circling area and at AD	NAVAID	233648.4N 0871447.4E	283 FT	NIL	PAPI
In circling area and at AD	OTHER	233649.4N 0871452.6E	302 FT	NIL	DCWIS, Lightning Arrester Top - 92.08 M, Wind Sensor - 91.44 M, Antenna Top - 90.87 M.
In circling area and at AD	NAVAID	233818.1N 0871401.8E	341 FT	NIL	DVOR, Lightning Arrester Top
In circling area and at AD	NAVAID	233817.4N 0871401.9E	341 FT	NIL	DVOR, Lightning Arrester Top

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	NAVAID	233817.3N 0871402.3E	340 FT	NIL	DVOR, Lightning Arrester Top
In circling area and at AD	OTHER	233907.1N 0871426.1E	452 FT	NIL	Cell phone Mast
In circling area and at AD	OTHER	233900.5N 0871435.1E	503 FT	NIL	Cell phone Mast
In circling area and at AD	OTHER	233858.2N 0871440.4E	506 FT	NIL	Cell phone Mast
In circling area and at AD	OTHER	233849.4N 0871536.7E	463 FT	NIL	Cell phone Mast
In circling area and at AD	OTHER	233842.5N 0871434.7E	474 FT	NIL	Cell phone Mast
In circling area and at AD	OTHER	233841.2N 0871434.0E	479 FT	LGTD	Cell phone Mast (Lighted)
In circling area and at AD	OTHER	233836.8N 0871412.7E	368 FT	NIL	Group of Trees
In circling area and at AD	OTHER	233823.2N 0871357.9E	359 FT	NIL	Group of Trees
In circling area and at AD	OTHER	233818.4N 0871332.4E	459 FT	NIL	Cell phone Mast
In circling area and at AD	OTHER	233938.4N 0871405.4E	451 FT	NIL	Overhead Water Tank
In circling area and at AD	OTHER	234011.7N 0871350.5E	520 FT	NIL	Hill Top

VEDG AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Name of the associated meteorological office	AMO Kolkata
2	Hours of service and, where applicable, the designation of the responsible meteorological office outside these hours	9 HRS (HO, 1 Hour Prior to ATC Watch HRS)
3	Office responsible for preparation of TAFs and periods of validity and interval of issuance of the forecasts	AMO Kolkata
4	Availability of the trend forecast for the aerodrome and interval of issuance	Trend Trend forecast issued by AMS DURGAPUR with each METAR (MET REPORT)/ SPECIAL
5	Information on how briefing and/or consultation is provided	Online Briefing System (OLBS)
6	Types of flight documentation supplied and language(s) used in flight documentation	English
7	Charts and other information displayed or available for briefing or consultation	(1) WAFC Products: Data for upper wind & temperature for levels: 850 hPa, 700 hPa, 500 hPa, 300 hPa, 250 hPa, 200 hPa, 150 hPa SIG Wx charts for FL 100-250 & for FL 250-630. (2) National charts for consultation only. Surface charts, synoptic upper air charts for levels: 100, 150, 200, 250, 300, 400, 500, 600, 700, 850 hpa, prognostic upper air charts at constant pressure, prognostic significant weather chart, DWR products/satellite imagery
8	Supplementary equipment available for providing information on meteorological conditions, e.g. weather radar and receiver for satellite images;	RS/RW Ascent, Transmissometer, Radar & Satellite Picture.
9	The air traffic services unit(s) provided with meteorological information	Routine Met. Observation and Warning
10	Additional information, e.g. concerning any limitation of service.	NIL

VEDG AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations	TRUE Bearings	Dimensions of RWY (M)	Strength of pavement (PCN) and associated data) and surface of runway and associated stopways	Geographical coordinates for threshold and runway end
1	2	3	4	5
16	158.40 DEG	2800 x 45 M	59/F/A/W/T Asphalt	THR: 233755.87N 0871419.67E RWY END: 233638.90N 0871452.99E
34	338.40 DEG	2800 x 45 M	59/F/A/W/T Asphalt	THR: 233638.90N 0871452.99E RWY END: 233803.44N 0871416.40E

THR elevation and highest elevation of TDZ of precision APP RWY	Slope of runway and associated stopway	Dimensions of stopway (M)	Dimensions of clearway (M)	Dimensions of strips (M)
6	7	8	9	10
THR: 298.6FT TDZ: 296.7FT	0.33%	60 x 45 M	NIL	3040 x 280 M
THR: 282.9FT TDZ: 282.6FT	-0.33%	310 x 45 M	NIL	3040 x 280 M

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	12	13	14
240M x 90M		AVBL	1. Slope of the RWY for the last 1020m is 0%. 2. First 210M- Rigid 86/R/B/W/T Middle 2380M Asphalt 59/F/A/W/T Last 210M- Rigid 103/R/B/W/T
240M x 90M		NIL	1. Slope of the RWY for the first1020m is 0%. 2. First 210M- Rigid 103/R/B/W/T Middle 2380M Asphalt 59/F/A/W/T Last 210M Rigid 86/R/B/W/T

VEDG AD 2.13 DECLARED DISTANCES

RWY Designator	Take-off run available TORA (M)	Take-off distance available TODA (M)	Accelerate distance available ASDA (M)	Landing distance available LDA (M)	Remarks (including runway entry or start point where alternative reduced declared distances have been declared)
1	2	3	4	5	6
16	2800	2800	2860	2550	THR Displaced by 250M due obstacle in Approach Area
34	2550	2550	2860	2550	TORA/TODA/LDA reduced to 2550M due obstacles in Take-off climb Area

VEDG AD 2.14 APPROACH AND RUNWAY LIGHTING

Runway Designator	Type, length and intensity of approach lighting system	Runway threshold lights, colour and wing bars	Type of visual slope indicator system	Length of runway touchdown zone lights
1	2	3	4	5
16	CAT I 900 M LIH	Green	PAPI LEFT/3.00 DEG MEHT (53.33FT)	NIL
34	SALS 420 M LIH	Green	PAPI LEFT/3.00 DEG MEHT (53.33FT)	NIL

Length, spacing, colour and intensity of runway centre line lights	Length, spacing, colour and intensity of runway edge lights	Colour of runway end lights and wing bars	Length and colour of stopway lights	Remarks
6	7	8	9	10
	2550 M 59 M White, Yellow, Red LIH	Red	Red 60 M	NIL
	2550 M 59 M White, Yellow, Red LIH	Red	Red 310 M	NIL

VEDG AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	Location, characteristics and hours of operation of aerodrome beacon/identification beacon (if any)	ABN	At Tower Building, white and green, 24 flashes per minute HO
		IBN	NIL
2	Location and lighting (if any) of anemometer/ landing direction indicator;	LDI	West of RWY, 160M from RWY Centre line, 1448M from RWY 16 Extremity, opposite to ATC Tower. Lighted
		Anemometer	RWY 16: 324.45 M from DISP THR. 110 M from RWY Centre line. Marked/ Lighted RWY 34: 292.90M from THR, 110M from RWY Centre line. Marked/ Lighted
3	Taxiway edge and taxiway centre line lights;	Edge	Lighted
		Centre Line	NIL
4	Secondary power supply including switch-over time;	Available. Switch over time 14 Second. UPS supply available for AGL system	
5	Remarks	WDI RWY 16: East of RWY, 381M from DISP THR, 80M from RWY Centre line, Lighted WDI RWY 34: WEST of RWY, 372M from THR, 80M from RWY Centre line, Lighted	

VEDG AD 2.16 HELICOPTER LANDING AREA

1	Geographical coordinates of the geometric centre of touchdown and lift-off (TLOF) or of each threshold of final approach and take-off (FATO) area	Not Established
2	TLOF and/or FATO area elevation:	Not Established
3	TLOF and FATO area dimensions to the nearest metre or foot, surface type, bearing strength and marking;	Not Established
4	True bearings of FATO;	Not Established
5	Declared distances available	Not Established
6	Approach and FATO lighting;	Not Established
7	Remarks	No Separate Landing Area for Helicopter. Helicopter to Land on RWY 16/ 34

VEDG AD 2.17 AIR TRAFFIC SERVICE AIRSPACE

1	Airspace designation, geographical coordinates and lateral limits	CTR: 1) ATZ: Circular area centered on 233728N 0871433E within a 5NM radius. Upper Limit : 3000 FT AMSL Class D airspace 2) CTR: Circular area centred on 233728N 0871433E within a 20NM radius. Upper Limit : FL 65 Class D Airspace Controlling Auhority: • Panagarh ATC, during operational hours of Panagarh ATC. • Durgapur TWR, outside operational hours of Panagarh ATC.
2	Vertical limits	
3	Airspace classification	D
4	Call sign and language(s) of the air traffic services unit providing service;	Durgapur Tower, English
5	Transition altitude	4000 FT
6	Hours of applicability	HO
7	Remarks	ATC Frequencies: i. Panagarh TWR: 124.000 MHz ii. Panagarh APP: 118.800 MHz iii. Durgapur TWR: 119.450 MHz 118.550 MHz

VEDG AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service Designation	Call sign	Channel(s)	SATVOICE Number(s), if available
1	**2**	**3**	**4**
TWR	Durgapur Tower	118.550 MHZ	
TWR	Durgapur Tower	119.450 MHZ	

Logon address, as appropriate	Hours of operation	Remarks
5	**6**	**7**
	HO	Main Frequency
		SDBY Frequency

VEDG AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aids, magnetic variation and type of supported operation for ILS/ MLS, basic GNSS, SBAS and GBAS, and for VOR/ILS/MLS station used for technical lineup of the aid	Identification	Frequency(ies), Channel number(s), Service provider, and reference path identifier(s) (RPI), as appropriate	Hours of operation, as appropriate;
1	**2**	**3**	**4**
LOC 16	IDPR	110.900 MHz	HO
GP 16	IDPR	330.800 MHz	HO

Type of aids, magnetic variation and type of supported operation for ILS/ MLS, basic GNSS, SBAS and GBAS, and for VOR/ILS/MLS station used for technical lineup of the aid	Identification	Frequency(ies), Channel number(s), Service provider, and reference path identifier(s) (RPI), as appropriate	Hours of operation, as appropriate;
DME ILS 16	IDPR	CH46X	HO
DVOR/DME	DGP	114.800 MHz CH95X	HO

Geographical coordinates of the position of the transmitting antenna	Elevation of transmitting antenna of DME/ elevation of GBAS reference point	Service volume radius from the GBAS reference point	Remarks
5	6	7	8
233629.8N 0871456.9E			ILS CAT-I
233746.4N 0871428.3E			Full GP Azimuth coverage is available from 6NM to threshold. GP azimuth coverage is not available below the altitude as given below: 2020FT AMSL AT 7NM 2080FT AMSL AT 8NM 2140FT AMSL AT 9NM 2200FT AMSL AT 10NM
233746.4N 0871428.3E	313 FT		Co-Located with GP
233817.7N 0871402.0E	340 FT		VerticalDatum:EGM08 DME Co-located with DVOR

VEDG AD 2.20 LOCAL AERODROME REGULATIONS

Detailed Description of Local Traffic Regulations	---
Runway Backtrack Instructions	Aircraft after landing shall make 180 degree turn on turn pad (rigid surface, located at the end of runway) and backtrack in coordination with ATC.
Standard Routes for Taxiing Aircraft	All aircraft landing on RWY 16 shall make 180 degree turn on turn pad, backtrack, vacate via TWY A located on left side of RWY. All aircraft landing on RWY 34 shall make 180 degree turn on turn pad, backtrack, vacate via TWY A, located on right side of RWY. All aircraft after startup from EOP 1&2 (push back facing south) shall take left turn and enter TWY A. All aircraft after startup from EOP 3 &4 (push back facing north) shall take right turn and enter TWY A.
Parking Regulations	Power In and Push Back stands. Aircraft shall face PTB at aircraft stands.
Apron Push Back Instructions	Aircraft parked on stand no 1 & 2 will be pushed back till designated EOP in Apron facing South. Aircraft parked on stand no 3 & 4 will be pushed back till designated EOP in Apron facing North. Aircraft self-power start up allowed at EOP.
Power Out Instructions from EOP	Aircraft engine power to be maintained at minimum at the turning from Apron to Taxiway A during Power Out.
Instruction for Training Flight	NIL
Remarks	NIL

VEDG AD 2.21 NOISE ABATEMENT PROCEDURES

VEDG AD 2.22 FLIGHT PROCEDURES

VEDG AD 2.23 ADDITIONAL INFORMATION

1. BIRD CONCENTRATION AREA:

Bird Concentration Area	NIL
Significant Movement of Bird between Resting and Feeding Area	NIL

2. SIGNIFICANT OBJECTS IN APP OF RWY 16/TKOF Area RWY 34

S. No	Type of Object	Coordinates	Elevation	Marking/LGT	Remarks
1	RCC Water Tank	233900.75N 0871344.66E	436.24 FT	Marked/ Lighted	RWY 16 THR Displaced by 250 M
2	Water Tank on Building	233856.38 N 0871344.82 E	429.68 FT	Not Marked	

VEDG AD 2.24 CHARTS RELATED TO AN AERODROME

1. Aerodrome Chart (29 October 2026)
2. Aircraft Parking/Docking Chart (29 October 2026)
3. Aerodrome Ground Movement Chart
4. Aerodrome Obstacle Chart – Type A (Obstacle Limitations) RWY 16 (29 October 2026)
5.Aerodrome Obstacle Chart – Type A (Obstacle Limitations) RWY 34 (29 October 2026)
6.Aerodrome Obstacle Chart – Type B(29 October 2026)
5. ILS Procedure RWY 16
6. VOR Procedure RWY 34

VEDG AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

Procedure	Procedure Minima	VSS Penetration
1	2	3