AD 2. AERODROMES

VEGY AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VEGY - GAYA AIRPORT, GAYA

VEGY AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	Aerodrome reference point coordinates and its site	244453N 0845633E Mag Brg 061.20 DEG 328M from physical extermity of RWY10	
2	Direction and distance of aerodrome reference point from the centre of the city or town which the aerodrome serves	11 KM south of Gaya railway station	
3	Aerodrome elevation and reference temperature	383 FT / 41.0 DEG C	
4	Magnetic variation, date of information and annual change	0.33 DEG W (2010) /0.0166 DEG E	
5	Name of aerodrome operator, address, telephone, telefax, e-mail address, AFS address, website (if available)	Airport Director Airports Authority of India, Gaya Airport, Gaya - 823004	
		Telephone:	(91) 6312210129 (91) 6312210083
		Fax:	(91) 631 2228884
		AFS:	VEGYYHYX
		Email:	apd_vegy@aai.aero
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	Aerodrome elevation in EGM 08	

VEGY AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	MON-FRI 0400-1230 UTC (0930-1800 IST) SAT, SUN+HOLIDAY: NIL
2	Custom and immigration	As ATS
3	Health and sanitation	MI room AVBL in terminal building
4	AIS briefing office	As ATS
5	ATS reporting office (ARO)	As ATS
6	MET Briefing office	As ATS
7	Air Traffic Service	Consult current NOTAM for ATS hour
8	Fuelling	AVBL. Within watch hrs.
9	Handling	Coordinate with AIASL/ INDOTHAI
10	Security	ASG (CISF)
11	De-icing	NIL
12	Remarks	1. Outside ATS hours service available On/or with 24 HR PN to APD/ATS
		2. ATS approved hourly runway traffic handling capacity Maximum number of arrival and departure - 03 Maximum number of arrival only - 03 Maximum number of departure only - 03

VEGY AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	Limited / Manual
2	Fuel and Oil types	JET A1
3	Fuelling facilities and capacity	IOL: 02 Bowser, total 27 KL, rate 780 ltrs/min. Static Tank storage capacity-210 KL. RIL: 03 Bowser, total 33 KL, rate 700 ltrs/min. Static Tank storage capacity-210 KL.
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	NIL
6	Repair facilities for visiting aircraft	NIL
7	Remarks	NIL

VEGY AD 2.5 PASSENGER FACILITIES

1	Hotel(s) at or in the vicinity of aerodrome	In Gaya city and Bodhgaya.
2	Restaurant(s) at or in the vicinity of aerodrome	In Gaya city and Bodhgaya.
3	Transportation possibilities	Taxi and Train available from Gaya city
4	Medical Facilities	MI Room AVBL.
5	Bank and post office at or in the vicinity of aerodrome	Banks: SBI ATM facility AVBL and Banks AVBL outside Airport. Post office: In the AD AVBL during AD Hrs.
6	Tourist office	Available at Airport
7	Remarks	NIL

VEGY AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	Aerodrome category for fire fighting	Within ATS HR: CAT-7
2	Rescue equipment	Available as per Category.
3	Capability for removal of disabled aircraft	1. The critical aircraft for the airport is A321. 2. Primary responsibility for removal of disabled aircraft rests with the concerned airline. 3. The airlines may contact 'Aerodrome Coordinator for Disabled Aircraft Removal Operations' for coordinating with the agencies having Disabled Aircraft Recovery Kit. 4. Contact Details of Aerodrome Coordinator for Disabled Aircraft Removal Operations: Airport Director, Gaya Airport. 0631-2210129 9431224694 apd_vegy@aai.aero
4	Remarks	NIL

VEGY AD 2.7 SEASONAL AVAILABILITY CLEARING

1	Type(s) of clearing equipment	NIL
2	Clearance priorities	NIL
3	Remarks	NIL

VEGY AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Designation, surface and strength of aprons	Refer Aircraft Parking Docking Chart
2	Designation, width, surface and strength of taxiways	Refer Aircraft Parking Docking Chart
3	Location and elevation of altimeter checkpoints	Location: PB1 PB2 PB3 PB4 PB5 Elevation: 372 372 372 370 368
4	Location of VOR checkpoints	At runway holding positions on TWY A and TWY C
5	Position of INS checkpoints	NIL
6	Remarks	**1. Coordinates of RWY Holding Position** **TWY COORDINATES ELEVATION(FT)** TWY A 244447.76N 0845636.04E 371 TWY B 244442.04N 0845634.52E 367 TWY C 244446.93N 0845639.78E 373 **2. Coordinates of RWY & Taxi Intersection** TWY A 244444.92N 0845635.29E 369 and B 3. Elevations in EGM 08.

VEGY AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand identification signs, taxiway guidelines and visual docking/parking guidance system at aircraft stands	TWY guideline, Taxi Holding Position and Aircraft Stand markings are provided on the apron.
2	Runway and taxiway markings and lights	RWY Markings: Designation, EDGE, THR, TDZ (Type-A) Centerline, Aiming point. RWY Lighting: THR, EDGE, END. TWY Markings: Centerline. EDGE, RWY Holding Position, Shoulder. TWY Lighting: Edge
3	Stop bars (if any)	NIL
4	Remarks	Apron Flood Lights: 3 Nos Wind cone lights are AVBL

VEGY AD 2.10 AERODROME OBSTACLES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
28/TKOF 10/APCH	NAVAID	244449.0N 0845616.7E	369 FT	NO	Localizer Antenna
28/TKOF 10/APCH	TREE	244500.1N 0845554.6E	414 FT	NO	Group Of Trees
28/TKOF 10/APCH	TREE	244454.3N 0845607.8E	391 FT	NO	Group Of Trees
28/TKOF 10/APCH	TREE	244457.5N 0845557.5E	411 FT	NO	Group Of Trees
28/TKOF 10/APCH	TREE	244459.0N 0845558.5E	420 FT	NO	Group Of Trees
28/TKOF 10/APCH	TREE	244448.7N 0845614.1E	385 FT	NO	Group Of Trees

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
28/TKOF 10/APCH	TREE	244448.3N 0845616.7E	377 FT	NO	Group Of Trees
28/TKOF 10/APCH	TREE	244446.4N 0845613.8E	387 FT	NO	Group Of Trees
28/TKOF 10/APCH	TREE	244444.4N 0845612.2E	407 FT	NO	Group Of Trees
28/TKOF 10/APCH	TREE	244446.4N 0845601.4E	418 FT	NO	Group Of Trees
28/TKOF 10/APCH	TREE	244450.4N 0845601.7E	399 FT	NO	Group Of Trees
28/TKOF 10/APCH	TREE	244453.4N 0845558.9E	415 FT	NO	Group Of Trees
28/TKOF 10/APCH	TREE	244455.3N 0845557.9E	410 FT	NO	Group Of Trees
28/TKOF 10/APCH	TREE	244446.2N 0845558.4E	427 FT	NO	Group Of Trees
28/TKOF 10/APCH	TREE	244454.1N 0845559.7E	403 FT	NO	Group Of Trees
28/TKOF 10/APCH	TREE	244445.2N 0845613.4E	418 FT	NO	Group Of Trees
28/TKOF 10/APCH	TREE	244445.3N 0845614.1E	411 FT	NO	Group Of Trees
28/TKOF 10/APCH	OTHER	244444.0N 0845616.5E	373 FT	NO	Mobile Road Traffic (Road Elev. 108.8 M + Traffic Ht 5.0M)
28/TKOF 10/APCH	ANTENNA	244451.4N 0845617.1E	380 FT	NO	Antenna On Localizer Hut
28/APCH 10/TKOF	BUILDING	244423.8N 0845757.0E	417 FT	NO	Building
28/APCH 10/TKOF	BUILDING	244423.8N 0845755.1E	417 FT	NO	Water Tank on Building (Buidling Top= 126.2m)
28/APCH 10/TKOF	BUILDING	244420.9N 0845755.4E	423 FT	NO	Building-DAV School
28/APCH 10/TKOF	BUILDING	244419.1N 0845806.8E	435 FT	NO	Building
28/APCH 10/TKOF	BUILDING	244417.7N 0845807.0E	433 FT	NO	Water Tank on Building
28/APCH 10/TKOF	TREE	244422.7N 0845758.5E	428 FT	NO	Group of Trees
28/APCH 10/TKOF	TREE	244425.9N 0845756.7E	415 FT	NO	Group of Trees
28/APCH 10/TKOF	TREE	244427.0N 0845759.8E	438 FT	NO	Group of Trees
28/APCH 10/TKOF	TREE	244428.2N 0845759.8E	437 FT	NO	Group of Trees
28/APCH 10/TKOF	TREE	244432.1N 0845754.0E	454 FT	NO	Group of Trees
28/APCH 10/TKOF	TREE	244431.7N 0845758.5E	445 FT	NO	Group of Trees
28/APCH 10/TKOF	TREE	244427.0N 0845749.8E	401 FT	NO	Group of Trees

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
28/APCH 10/TKOF	TREE	244423.1N 0845754.3E	420 FT	NO	Group of Trees
28/APCH 10/TKOF	TREE	244420.1N 0845758.2E	441 FT	NO	Group of Trees
28/APCH 10/TKOF	TREE	244432.8N 0845753.4E	448 FT	NO	Group of Trees
28/APCH 10/TKOF	TREE	244423.2N 0845755.5E	416 FT	NO	Group of Trees
28/APCH 10/TKOF	POLE	244423.7N 0845754.1E	406 FT	NO	Electric Pole
28/APCH 10/TKOF	POLE	244421.6N 0845753.7E	419 FT	NO	Electric Pole
28/APCH 10/TKOF	OTHER	244404.2N 0845852.1E	519 FT	NO	Pylon Mast
28/APCH 10/TKOF	POLE	244431.7N 0845754.9E	403 FT	NO	Electric Pole
28/APCH 10/TKOF	POLE	244427.7N 0845756.5E	407 FT	NO	Electric Pole
28/APCH 10/TKOF	POLE	244422.1N 0845754.3E	418 FT	NO	Light Pole
28/APCH 10/TKOF	POLE	244421.0N 0845754.8E	417 FT	NO	Electric Pole
28/APCH 10/TKOF	OTHER	244430.5N 0845751.0E	396 FT	NO	Airport B. Wall with F/T (BW Top=118.8 M.)
28/APCH 10/TKOF	OTHER	244431.8N 0845750.7E	397 FT	NO	Airport B. Wall with F/T (BW Top=119.4 M.)
28/APCH 10/TKOF	OTHER	244424.0N 0845746.3E	402 FT	NO	Mobile Road Traffic (Road Elev.117.4 M. + Traffic Ht. 5.0 M.)
28/APCH 10/TKOF	OTHER	244427.1N 0845749.5E	402 FT	NO	Mobile Road Traffic (Road Elev.117.4 M. + Traffic Ht. 5.0 M.)
28/APCH 10/TKOF	OTHER	244427.8N 0845752.3E	404 FT	NO	Mobile Road Traffic (Road Elev.118.2 M. + Traffic Ht. 5.0 M.)
28/APCH 10/TKOF	OTHER	244433.7N 0845750.7E	406 FT	NO	Mobile Road Traffic (Road Elev.118.6 M. + Traffic Ht. 5.0 M.)
28/APCH 10/TKOF	OTHER	244433.8N 0845749.2E	401 FT	NO	Mobile Road Traffic (Road Elev.117.1 M. + Traffic Ht. 5.0 M.)

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
28/APCH 10/TKOF	OTHER	244428.1N 0845751.1E	401 FT	NO	Mobile Road Traffic (Road Elev.117.2 M. + Traffic Ht. 5.0 M.)
28/APCH	NATURAL HIGHPOINT	244312.3N 0850143.2E	906 FT	NO	Hill Top
28/APCH 10/TKOF	NATURAL HIGHPOINT	244312.3N 0850143.2E	906 FT	NO	Hill Top
28/APCH 10/TKOF	OTHER	244429.6N 0845752.3E	399 FT	NO	Sign Board
28/APCH 10/TKOF	OTHER	244428.5N 0845749.4E	400 FT	NO	Approach Light
28/APCH 10/TKOF	OTHER	244428.7N 0845748.4E	398 FT	NO	Approach Light
28/APCH 10/TKOF	OTHER	244428.9N 0845747.3E	396 FT	NO	Approach Light
28/APCH 10/TKOF	OTHER	244429.2N 0845746.3E	393 FT	NO	Approach Light
28/APCH 10/TKOF	OTHER	244429.4N 0845745.3E	391 FT	NO	Approach Light
28/APCH 10/TKOF	OTHER	244429.6N 0845744.2E	389 FT	NO	Approach Light
28/APCH 10/TKOF	OTHER	244432.7N 0845751.4E	396 FT	NO	Sign Board
In circling area and at AD	NATURAL HIGHPOINT	244613.3N 0845936.4E	846 FT	NO	Temple On Hill
In circling area and at AD	NATURAL HIGHPOINT	244634.8N 0845937.8E	773 FT	NO	Mast On Hill
In circling area and at AD	OTHER	244221.5N 0845647.8E	619 FT	NO	Pylon Mast
In circling area and at AD	NATURAL HIGHPOINT	244630.8N 0845909.1E	807 FT	NO	Hill Top
In circling area and at AD	NATURAL HIGHPOINT	244553.0N 0845849.2E	595 FT	NO	Tree On Hill (Hill Top=177.9m)
In circling area and at AD	OTHER	244457.4N 0845752.6E	532 FT	NO	Cellphone Mast
In circling area and at AD	OTHER	244536.9N 0845758.9E	562 FT	NO	Cellphone Mast
In circling area and at AD	OTHER	244535.2N 0845916.2E	539 FT	NO	Cellphone Mast
In circling area and at AD	OTHER	244434.2N 0845920.4E	557 FT	NO	Pylon Mast
In circling area and at AD	OTHER	244307.4N 0845801.8E	570 FT	NO	Cellphone Mast
In circling area and at AD	NATURAL HIGHPOINT	244542.9N 0845804.2E	600 FT	NO	Hill Top
In circling area and at AD	NATURAL HIGHPOINT	244556.3N 0845906.7E	603 FT	NO	Hill Top
In circling area and at AD	NATURAL HIGHPOINT	244352.1N 0844826.2E	1171 FT	NO	Tree On Hill (Hill Top=349.5m)
In circling area and at AD	NATURAL HIGHPOINT	244444.8N 0850342.5E	1048 FT	NO	Hill Top

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
In circling area and at AD	NATURAL HIGHPOINT	244432.9N 0850303.9E	980 FT	NO	Hill Top
In circling area and at AD	NATURAL HIGHPOINT	245043.3N 0845801.4E	879 FT	NO	Hill Top
In circling area and at AD	NATURAL HIGHPOINT	244421.5N 0850259.1E	1050 FT	NO	Hill Top
In circling area and at AD	NAVAID	244429.3N 0845727.5E	434 FT	NO	GP Main Antenna
In circling area and at AD	NAVAID	244429.4N 0845727.3E	400 FT	NO	GP Main Antenna
In circling area and at AD	NAVAID	244428.5N 0845731.1E	399 FT	NO	GP Monitor Antenna
In circling area and at AD	BUILDING	244429.4N 0845727.3E	394 FT	LGTD	Lighted GP Hut
In circling area and at AD	OTHER	244439.6N 0845639.8E	394 FT	NO	WDI
In circling area and at AD	POLE	244430.5N 0845721.7E	386 FT	NO	Light Pole
In circling area and at AD	OTHER	244452.4N 0845621.6E	373 FT	NO	Mobile Road Traffic (Road Elev.108.8 M. + Traffic Ht. 5.0 M.)
In circling area and at AD	OTHER	244446.8N 0845632.6E	370 FT	NO	Sign Board
In circling area and at AD	OTHER	244444.5N 0845631.9E	368 FT	NO	Sign Board
In circling area and at AD	OTHER	244445.5N 0845638.2E	375 FT	NO	Sign Board
In circling area and at AD	NAVAID	244430.1N 0845724.6E	408 FT	NO	Met-CWIS
In circling area and at AD	OTHER	244447.7N 0845628.2E	367 FT	NO	Sign Board
In circling area and at AD	OTHER	244447.1N 0845631.0E	369 FT	NO	Sign Board
In circling area and at AD	OTHER	244453.2N 0845621.4E	367 FT	NO	Cooling Pit
In circling area and at AD	BUILDING	244418.5N 0845758.1E	432 FT	NO	Building
In circling area and at AD	BUILDING	244419.4N 0845751.8E	440 FT	NO	Building -Dal Mill
In circling area and at AD	BUILDING	244434.4N 0845752.0E	411 FT	NO	Building -Suzuki
In circling area and at AD	BUILDING	244444.4N 0845703.6E	415 FT	NO	Fire Station Building
In circling area and at AD	OTHER	244444.2N 0845705.1E	414 FT	NO	O.H.W.T
In circling area and at AD	OTHER	244443.1N 0845716.1E	408 FT	NO	Watch Tower
In circling area and at AD	TREE	244450.0N 0845648.2E	431 FT	NO	Group Of Trees
In circling area and at AD	TREE	244451.1N 0845648.6E	451 FT	NO	Group Of Trees

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
In circling area and at AD	TREE	244449.7N 0845651.2E	447 FT	NO	Group Of Trees
In circling area and at AD	TREE	244448.0N 0845654.6E	424 FT	NO	Group Of Trees
In circling area and at AD	TREE	244450.2N 0845645.0E	422 FT	NO	Group Of Trees
In circling area and at AD	TREE	244453.2N 0845632.4E	422 FT	NO	Group Of Trees
In circling area and at AD	TREE	244420.1N 0845755.5E	452 FT	NO	Group Of Trees
In circling area and at AD	TREE	244449.9N 0845643.1E	444 FT	NO	Group Of Trees
In circling area and at AD	TREE	244454.2N 0845630.2E	428 FT	NO	Group Of Trees
In circling area and at AD	TREE	244433.7N 0845751.3E	427 FT	NO	Group Of Trees
In circling area and at AD	TREE	244438.5N 0845639.1E	388 FT	NO	Tree
In circling area and at AD	TREE	244441.3N 0845734.1E	451 FT	NO	Group Of Trees
In circling area and at AD	TREE	244442.2N 0845723.7E	437 FT	NO	Group Of Trees
In circling area and at AD	TREE	244421.3N 0845749.0E	426 FT	NO	Group Of Trees
In circling area and at AD	TREE	244447.1N 0845709.7E	461 FT	NO	Group Of Trees
In circling area and at AD	TREE	244441.3N 0845621.2E	397 FT	NO	Group Of Trees
In circling area and at AD	TREE	244444.2N 0845559.1E	428 FT	NO	Group Of Trees
In circling area and at AD	TREE	244454.5N 0845627.6E	429 FT	NO	Group Of Trees
In circling area and at AD	TREE	244452.7N 0845628.5E	413 FT	NO	Group Of Trees
In circling area and at AD	TREE	244503.1N 0845554.8E	427 FT	NO	Group Of Trees
In circling area and at AD	TREE	244454.6N 0845623.7E	400 FT	NO	Group Of Trees
In circling area and at AD	TREE	244447.9N 0845659.0E	433 FT	NO	Group Of Trees
In circling area and at AD	TREE	244446.7N 0845702.2E	423 FT	NO	Group Of Trees
In circling area and at AD	TREE	244444.4N 0845710.1E	437 FT	NO	Group Of Trees
In circling area and at AD	TREE	244443.1N 0845715.6E	437 FT	NO	Group Of Trees
In circling area and at AD	TREE	244434.2N 0845756.9E	438 FT	NO	Group Of Trees
In circling area and at AD	TREE	244420.5N 0845751.3E	431 FT	NO	Group Of Trees
In circling area and at AD	TREE	244420.9N 0845752.6E	432 FT	NO	Group Of Trees

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
In circling area and at AD	TREE	244442.5N 0845615.5E	391 FT	NO	Group Of Trees
In circling area and at AD	TREE	244445.3N 0845551.5E	425 FT	NO	Group Of Trees
In circling area and at AD	TREE	244447.4N 0845657.1E	435 FT	NO	Group Of Trees
In circling area and at AD	TREE	244445.5N 0845704.4E	419 FT	NO	Group Of Trees
In circling area and at AD	TREE	244418.3N 0845755.8E	459 FT	NO	Group Of Trees
In circling area and at AD	TREE	244420.5N 0845751.3E	431 FT	NO	Group Of Trees
In circling area and at AD	TREE	244455.0N 0845626.3E	421 FT	NO	Group Of Trees
In circling area and at AD	POLE	244423.6N 0845746.3E	397 FT	NO	Light Pole
In circling area and at AD	OTHER	244455.1N 0845636.2E	452 FT	NO	Flood Light Mast
In circling area and at AD	OTHER	244454.6N 0845638.3E	452 FT	NO	Flood Light Mast
In circling area and at AD	POLE	244452.2N 0845629.7E	389 FT	NO	Light Pole
In circling area and at AD	POLE	244434.2N 0845751.1E	419 FT	NO	Light Pole
In circling area and at AD	POLE	244443.1N 0845712.0E	402 FT	NO	Electric Pole
In circling area and at AD	POLE	244444.1N 0845707.9E	404 FT	NO	Electric Pole
In circling area and at AD	POLE	244446.4N 0845700.0E	405 FT	NO	Electric Pole
In circling area and at AD	POLE	244445.2N 0845704.0E	404 FT	NO	Electric Pole
In circling area and at AD	POLE	244442.3N 0845718.4E	406 FT	NO	Electric Pole
In circling area and at AD	POLE	244442.8N 0845714.2E	404 FT	NO	Electric Pole
In circling area and at AD	POLE	244420.5N 0845754.7E	418 FT	NO	Light Pole
In circling area and at AD	POLE	244443.3N 0845710.8E	403 FT	NO	Electric Pole
In circling area and at AD	POLE	244430.1N 0845720.2E	385 FT	NO	Light Pole
In circling area and at AD	OTHER	244429.4N 0845721.1E	383 FT	NO	Airport Boundary Wall With Fencing On Top
In circling area and at AD	ANTENNA	244449.2N 0845645.1E	409 FT	NO	Antenna On Medical Centre Building (Building Top = 119.1m)
In circling area and at AD	OTHER	244448.5N 0845643.2E	433 FT	NO	L/A On Old ATC (Beacon Top = 125.3m And ATC Top = 124.5m)

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM-08)	Marking/LGT	Remarks
In circling area and at AD	BUILDING	244419.7N 0845752.8E	434 FT	NO	Shed-Mill
In circling area and at AD	ANTENNA	244428.9N 0845725.6E	393 FT	NO	WSI Antenna
In circling area and at AD	ANTENNA	244444.5N 0845703.4E	422 FT	NO	Lighted On Fire Station (Antenna Top=126.9m)
In circling area and at AD	TREE	244446.0N 0845701.8E	424 FT	NO	Group Of Trees

VEGY AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Name of the associated meteorological office	Gaya AD
2	Hours of service and, where applicable, the designation of the responsible meteorological office outside these hours	Designation of the officer available after ATC Watch hour – MET 'A', TMO (Terminal Meteorological Officer).
3	Office responsible for preparation of TAFs and periods of validity and interval of issuance of the forecasts	Meteorological office, Gaya
4	Availability of the trend forecast for the aerodrome and interval of issuance	Available as per requirement. (Half an Hours within ATC Watch hour), One Hour after ATC watch hour.
5	Information on how briefing and/or consultation is provided	AS ATS
6	Types of flight documentation supplied and language(s) used in flight documentation	Tabular Form English
7	Charts and other information displayed or available for briefing or consultation	NIL
8	Supplementary equipment available for providing information on meteorological conditions, e.g. weather radar and receiver for satellite images;	NIL
9	The air traffic services unit(s) provided with meteorological information	Gaya ATC and ACS
10	Additional information, e.g. concerning any limitation of service.	Half hourly METAR during ATS HR

VEGY AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations	TRUE Bearings	Dimensions of RWY (M)	Strength of pavement (PCN) and associated data) and surface of runway and associated stopways	Geographical coordinates for threshold and runway end
1	2	3	4	5
10	103.66 DEG	2287 x 45 M	62/F/C/W/T Asphalt	THR: 244447.74N 0845622.56E RWY END: 244430.20N 0845741.64E
28	283.66 DEG	2287 x 45 M	62/F/C/W/T Asphalt	THR: 244430.79N 0845738.99E RWY END: 244447.74N 0845622.56E

THR elevation and highest elevation of TDZ of precision APP RWY	Slope of runway and associated stopway	Dimensions of stopway (M)	Dimensions of clearway (M)	Dimensions of strips (M)
6	7	8	9	10
THR: 359.0FT TDZ: 375.0FT	0.31%			2407 x 280 M
THR: 382.0FT TDZ: 382.0FT	-0.31%			2407 x 280 M

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	12	13	14
120M x 90M			Elevations in EGM 08
90M x 90M			i. PCN 28 Turn Pad 68/F/C/W/T ii. Elevations in EGM 08

VEGY AD 2.13 DECLARED DISTANCES

RWY Designator	Take-off run available TORA (M)	Take-off distance available TODA (M)	Accelerate distance available ASDA (M)	Landing distance available LDA (M)	Remarks (including runway entry or start point where alternative reduced declared distances have been declared)
1	2	3	4	5	6
10	2287	2287	2287	2287	1:50 (Slope)
28	2287	2287	2287	2210	1:40 (Slope)

VEGY AD 2.14 APPROACH AND RUNWAY LIGHTING

Runway Designator	Type, length and intensity of approach lighting system	Runway threshold lights, colour and wing bars	Type of visual slope indicator system	Length of runway touchdown zone lights
1	2	3	4	5
10	SALS 420 M LIH	Green	PAPI LEFT/3.00 DEG	
28	SALS 300 M ABRIDGED LIH	Green	PAPI LEFT/3.00 DEG	

Length, spacing, colour and intensity of runway centre line lights	Length, spacing, colour and intensity of runway edge lights	Colour of runway end lights and wing bars	Length and colour of stopway lights	Remarks
6	7	8	9	10
	2287 M 60 M White LIH	Red		NIL
	2287 M 60 M White LIH	Red		NIL

VEGY AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	Location, characteristics and hours of operation of aerodrome beacon/identification beacon (if any)	ABN	At ATC Tower Building. FLG W&G.EV 2Sec. As ATS HR.
		IBN	NIL
2	Location and lighting (if any) of anemometer/ landing direction indicator;	LDI	137 DEG/225 M FM ARP Lighted
		Anemometer	On TWR building, Lighted
3	Taxiway edge and taxiway centre line lights;	Edge	Lighted
		Centre Line	NIL
4	Secondary power supply including switch-over time;	Secondary Power Supply to all lighting at AD. Switch over time10-12 sec.	
5	Remarks	Apron Edge lights, Isolation Bay edge lights and Link Taxi lights: AVBL	

VEGY AD 2.16 HELICOPTER LANDING AREA

1	Geographical coordinates of the geometric centre of touchdown and lift-off (TLOF) or of each threshold of final approach and take-off (FATO) area	Not established
2	TLOF and/or FATO area elevation:	Not established
3	TLOF and FATO area dimensions to the nearest metre or foot, surface type, bearing strength and marking;	Not established
4	True bearings of FATO;	Not established
5	Declared distances available	Not established
6	Approach and FATO lighting;	Not established
7	Remarks	Not established

VEGY AD 2.17 AIR TRAFFIC SERVICE AIRSPACE

1	Airspace designation, geographical coordinates and lateral limits	CTR: Circular area centered on 244453N 0845633E within a 10NM radius.
2	Vertical limits	FL 65
3	Airspace classification	D
4	Call sign and language(s) of the air traffic services unit providing service;	Gaya TWR, English
5	Transition altitude	4000 FT
6	Hours of applicability	HO
7	Remarks	1.Gaya Approach Control Unit is combined with Gaya Aerodrome Control Tower.

VEGY AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service Designation	Call sign	Channel(s)	SATVOICE Number(s), if available
1	2	3	4
APP	Gaya Tower	118.250 MHZ	
APP	Gaya Tower	118.450 MHZ	
TWR	Gaya TWR	118.250 MHZ	
TWR	Gaya TWR	118.450 MHZ	
ATIS	Gaya Information	127.050 MHZ	
ALRS	Emergency Frequency	121.500 MHZ	

Logon address, as appropriate	Hours of operation	Remarks
5	6	7
	AS ATS	1. Backup Freq 2.Functions of Approach Control Service provided by Aerodrome Control Tower.
	AS ATS	1. Main Freq 2.Functions of Approach Control Service provided by Aerodrome Control Tower.
	AS ATS	BACKUP FREQ.
	As ATS	SMC, AND TWR COMBINED
	AS ATS	NIL
	AS ATS	Only for monitoring

VEGY AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aids, magnetic variation and type of supported operation for ILS/ MLS, basic GNSS, SBAS and GBAS, and for VOR/ILS/MLS station used for technical lineup of the aid	Identification	Frequency(ies), Channel number(s), Service provider, and reference path identifier(s) (RPI), as appropriate	Hours of operation, as appropriate;
1	2	3	4
LOC 28 CAT I	IGYA	109.300 MHz	AS ATS
GP 28		332.000 MHz	AS ATS
DME ILS 28	IGYA	CH30X	AS ATS
DVOR/DME	GGC	115.000 MHz CH97X	H24

Geographical coordinates of the position of the transmitting antenna	Elevation of transmitting antenna of DME/ elevation of GBAS reference point	Service volume radius from the GBAS reference point	Remarks
5	6	7	8
244450.2N 0845611.5E			
244429.7N 0845725.4E			Glide angle 3 DEG.
244429.7N 0845725.3E	394 FT		Elevation in EGM 08
244431.3N 0845635.2E	396 FT		DME Collocated with DVOR. Vertical datum: EGM08

VEGY AD 2.20 LOCAL AERODROME REGULATIONS

1. No Aircraft shall take lock turn/ pivotal turn on the Runway to avoid pavement damage.

2. Pushback and Startup Procedures

(Stand No. 1 to 5 are POWER IN/PUSH BACK Stands)

Stand No.	RWY	Push Back procedure	Remarks
1	28/10	Pushback and Startup shall be given facing East only abeam stand no. 3. • Taxi out via Taxiway C. • Arrival Aircraft can Taxi via Taxiway C for stand no. 1, 2.	
2	28/10	Pushback and Startup shall be given facing East only abeam stand no. 3/4. • Taxi out via Taxiway C. • Arrival Aircraft can Taxi via Taxiway C for stand no. 1, 2 & 3.	
3	28/10	Pushback may be given facing West or East depending upon the traffic flow on taxiway 'A' and 'C'. a) Facing East: • Pushback and Startup facing East abeam Parking Stand no. 4. • Taxi out via taxiway A/ taxiway C. • For arrival Aircraft will Taxi via Taxiway C for stand no. 1, 2 & 3. b) Facing West: • Pushback and Startup facing west abeam bay no. 2. • Taxi out via taxiway A. • Arrival can vacate via taxiway A to park at Bay No. 3, 4 & 5.	
4	28/10	a) Facing East: • Pushback and Startup facing East. • Taxi out via taxiway A/ taxiway C. For arrival, Aircraft will Taxi via Taxiway A or Taxiway or Taxiway C for stand no. 1, 2, 3, 4 and 5.	Pushback may be given facing West also depending upon the traffic flow.
5	28/10	a) Facing East: • Pushback and Startup facing East only. • Taxi out via taxiway A/ taxiway C. • For arrival, Aircraft will Taxi via Taxiway A or Taxiway C for stand no. 1, 2, 3, 4 and 5.	Pushback may be given facing West also depending upon the traffic flow.

VEGY AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

VEGY AD 2.22 FLIGHT PROCEDURES

NIL

VEGY AD 2.23 ADDITIONAL INFORMATION

1. Night landing facility AVBL
2. Mandatory and informative Signage in operational area are available.
3. Aviation obstruction lights on DVOR building, LLZ building, GP building, Fire station are available
4. Solar powered Aviation obstruction lights on the 5 hills around Gaya airport
   - i. Brahamjoni hill
   - ii. Ramshila hill
   - iii. Pretshilla hill
   - iv. Ladpur hill
   - v. Dungeshwari hill

5.**Following intersection Take Off Run Available :**

RWY	FROM TWY INT	TORA(M)
RWY 10	TWY C	1812
RWY 10	TWY A	1920

VEGY AD 2.24 CHARTS RELATED TO AN AERODROME

1. Aerodrome Chart(12 June 2025)
2. Aircraft Parking/ Docking Chart(12 June 2025)
3. Aerodrome Obstacle Chart Type A (Operating Limitations) RWY 10(12 June 2025)
4. Aerodrome Obstacle Chart Type A (Operating Limitations) RWY 28(12 June 2025)
5. Aerodrome Obstacle Chart Type B (12 June 2025)
6. Instrument Approach Chart-ILS OR LOC Z RWY 28(6 AUG 2026)
7. VOR Procedure RWY 10(9 JULY 2026)
8. VOR Procedure RWY 28(9 JULY 2026)
9. RNP Y Procedure RWY 28
10. Coding Table - RNP Y Procedure RWY 28

VEGY AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

Procedure	Procedure Minima	VSS Penetration
1	2	3
VOR RWY 10	**OCA(H)=800(441)FT**	**OBST:GROUP OF TREES LCA: 244446.386N 0845601.380E ELEV: 417.65FT OBST:GROUP OF TREES LCA: 244446.145N 0845558.435E ELEV 426.84FT OBST:GROUP OF TREES LCA: 244445.179N 0845613.437E ELEV: 417.65FT OBST: GROUP OF TREES LCA: 244445.275N 0845614.097E ELEV: 411.09FT**
VOR RWY 28	**OCA(H)=820(437)FT**	**OBST: GROUP OF TREES LCA: 244432.088N 0845754.031E ELEV: 454.40FT OBST: GROUP OF TREES LCA: 244432.797N 0845753.422E ELEV: 447.51FT OBST: GROUP OF TREES LCA: 244431.655N 0845758.457E ELEV: 445.54FT OBST: GROUP OF TREES LCA: 244434.181N 0845756.910E ELEV: 438.32FT OBST: GROUP OF TREES LCA: 244420.113N 0845758.189E ELEV: 441.27FT**