AD 2. AERODROMES

VIHR AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VIHR - HISAR AIRPORT, HISAR

VIHR AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	Aerodrome reference point coordinates and its site	291125N 0754345E MAG BRG 130.74 DEG / 1113M from Physical Extremity of RWY 12	
2	Direction and distance of aerodrome reference point from the center of the city or town which the aerodrome serves	44.43 DEG, 4.08 km from Hisar Railway Station	
3	Aerodrome elevation and reference temperature	700 FT / 41.1 DEG C	
4	Magnetic variation, date of information and annual change	1.00 DEG E (2010) /0.0333 DEG E	
5	Name of aerodrome operator, address, telephone, telefax, e-mail address, AFS address, website (if available)	Airport Director Airports Authority of India Hisar Airport, NH-09 Kumharia Road, Khara Kheri Hisar (Haryana) PIN - 125001,	
		Telephone:	+91 8221000771 +91-1662-269104
		Fax:	
		AFS:	
		Email:	apdhisar@aai.aero
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	Geoid Model: EGM 08	

VIHR AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	MON – FRI: 0400 TO 1230 UTC (0930-1800 IST) SAT, SUN, HOL: NIL
2	Custom and immigration	NIL
3	Health and sanitation	As ATS
4	AIS briefing office	AS ATS
5	ATS reporting office (ARO)	AS ATS
6	MET Briefing office	AS ATS
7	Air Traffic Service	Refer NOTAM
8	Fuelling	As ATS
9	Handling	As ATS
10	Security	H24
11	De-icing	NIL
12	Remarks	NIL

VIHR AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	NIL
2	Fuel and Oil types	Aviation Turbine Fuel (ATF) and Oil types – Jet A-1

3	Fuelling facilities and capacity	2Nos of self-Bunded tank (Containerized Unit)) having capacity of 30KL each.
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	NIL
6	Repair facilities for visiting aircraft	NIL
7	Remarks	NIL

VIHR AD 2.5 PASSENGER FACILITIES

1	Hotel(s) at or in the vicinity of aerodrome	Available in the City
2	Restaurant(s) at or in the vicinity of aerodrome	Available in the City
3	Transportation possibilities	Taxi Available
4	Medical Facilities	First Aid at Airport. Hospitals in city
5	Bank and post office at or in the vicinity of aerodrome	Banks: Near Airport and in the city Post office: Near Airport and in the city
6	Tourist office	Available in the City
7	Remarks	NIL

VIHR AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	Aerodrome category for fire fighting	Within ATS HR: CAT-6
2	Rescue equipment	Available
3	Capability for removal of disabled aircraft	1. The Critical aircraft for the airport is A320. 2. Primary responsibility for removal of disabled aircraft rests with concerned airline. 3. The airlines may contact 'Aerodrome coordinator for Disabled Aircraft Removal operations' for cocoordinating with the agencies having Disabled Aircraft Recovery Kit. 4. Contact Details of Aerodrome Coordinator for Disabled Aircraft Removal operation: Airport Director Hisar Airport, Contact No.- +91-8221000771 Email: apdhisar@aai.aero
4	Remarks	NIL

VIHR AD 2.7 SEASONAL AVAILABILITY CLEARING

1	Type(s) of clearing equipment	NIL
2	Clearance priorities	NIL
3	Remarks	NIL

VIHR AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Designation, surface and strength of aprons	Refer Aircraft Parking/ Docking Chart
2	Designation, width, surface and strength of taxiways	Refer Aircraft Parking/Docking Chart
3	Location and elevation of altimeter checkpoints	Location: At aircraft stands. Elevation: Refer Aircraft Parking/Docking Chart
4	Location of VOR checkpoints	NIL
5	Position of INS checkpoints	NIL

6	Remarks	1. Coordinates of Runway Holding Position: i. TWY A: 291057.96N 0754448.58E/ ELEV: 697FT ii. TWY B: 291114.33N 0754416.62E/ ELEV: 698FT iii. TWY C: 291130.71N 07454344.65E/ ELEV: 699FT iv. TWY D: 291146.71N 0754313.42E/ ELEV: 698 FT v. TWY G: 291103.13N 0754452.02E/ ELEV: 696 FT 2. Coordinates of RWY & Taxi Intersection: i. TWY A: 291100.55N 0754450.30E/ ELEV: 697FT ii. TWY G: 291100.55N 0754450.30E/ ELEV: 697FT iii. TWY B: 291116.92N 0754418.33E/ ELEV: 698FT iv. TWY C: 291133.30N 0754346.37E/ ELEV: 698FT v. TWY D: 291149.30N 0754418.33E/ ELEV: 697 FT 3. Geoid Model: EGM08

VIHR AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand identification signs, taxiway guidelines and visual docking/parking guidance system at aircraft stands	Aircraft Stand Identification Signs and Apron Surface Taxiway Guidelines available
2	Runway and taxiway markings and lights	RWY: Markings:Runway Designation, THR, Aiming Point, Runway Centre Line, TDZ, RWY Side Strip Ligjhts: RWY Edge Light, Centre Line Lights. For RWY 30: Touch down Zone Light, Wing Bar Lights, Runway End Lights and Threshold Lights. For RWY 12: Runway End Lights and Threshold Lights Available. TWY: Marking:Taxiway Side Strip, Centreline, Runway Holding Position, Intermediate Holding Position Ligjhts: Edge Light, Guard Lights
3	Stop bars (if any)	TWY A, TWY B, TWY C, TWY D
4	Remarks	NIL

VIHR AD 2.10 AERODROME OBSTACLES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
30/TKOF 12/APCH	OTHER	291149.0N 0754310.3E	713 FT	NO	Mobile Road Traffic (Road Elev: 212.20 m + 5m Mobile Traffic
30/TKOF 12/APCH	OTHER	291148.8N 0754311.1E	702 FT	NO	Sign Board

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
30/APCH 12/TKOF	OTHER	291101.3N 0754500.6E	713 FT	NO	Mobile Road Traffic (Road Elev: 212.45 m + 5m Mobile Traffic)
In circling area and at AD	OTHER	291149.2N 0754321.0E	718 FT	LGTD	Windsock, Obstruction Light Top: 218.89 m Windsock Top: 218.60 m
In circling area and at AD	SIGN	291147.0N 0754317.2E	701 FT	NO	Sign Board
In circling area and at AD	OTHER	291100.7N 0754444.4E	717 FT	LGTD	Windsock, Obstruction Light Top: 218.48 m Windsock Top: 218.20 m
In circling area and at AD	SIGN	291100.9N 0754447.1E	699 FT	NO	Sign Board
In circling area and at AD	SIGN	291058.4N 0754450.0E	698 FT	NO	Sign Board
In circling area and at AD	SIGN	291102.8N 0754448.3E	699 FT	NO	Sign Board
In circling area and at AD	SIGN	291101.9N 0754452.3E	697 FT	NO	Sign Board
In circling area and at AD	ANTENNA	291103.0N 0754438.7E	728 FT	NO	MET Antenna, Lightning Arrester: 222.04 m Obstruction Light Top: 221.422 m Antenna Top: 220.57 m
In circling area and at AD	OTHER	291109.5N 0754441.8E	748 FT	LGTD	Lightening Arrester on GP Main Antenna (Lighted Top: 227.9 m)
In circling area and at AD	OTHER	291108.0N 0754444.7E	714 FT	LGTD	Lightening Arrester on GP Monitor Antenna (Lighted Top: 217.3 m)
In circling area and at AD	NAVAID	291109.6N 0754441.8E	720 FT	NIL	GP DME Antenna Top
In circling area and at AD	OTHER	291133.7N 0754343.1E	701 FT	NIL	Sign Board
In circling area and at AD	OTHER	291114.3N 0754420.6E	700 FT	NIL	Sign Board
In circling area and at AD	OTHER	291117.3N 0754415.1E	700 FT	NIL	Sign Board
In circling area and at AD	ANTENNA	291146.0N 0754335.7E	757 FT	NIL	Communication Antenna
In circling area and at AD	OTHER	290930.7N 0754318.3E	1052 FT	LGTD	Cell phone Mast (BSNL) Lightning Arrester Top: 320.56 m Cell phone Mast Top: 316.28 m.

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	OTHER	290925.0N 0754430.5E	868 FT	NIL	Cell phone Mast (Airtel) Top
In circling area and at AD	OTHER	290923.2N 0754438.2E	848 FT	NIL	Cell phone Mast (Jio) Top
In circling area and at AD	OTHER	291126.0N 0754126.1E	864 FT	NIL	Cell phone Mast (Airtel)
In circling area and at AD	POLE	291005.2N 0754319.2E	908 FT	LGTD	Flagpole, Lightning Arrester Top: 276.84 m Pole Top: 274.04 m
In circling area and at AD	POLE	290945.2N 0754312.1E	865 FT	NIL	Gurudwara Shri Singh Sahib, Flagpole Top
In circling area and at AD	OTHER	290908.3N 0754312.2E	1031 FT	NIL	Microwave Tower, Lightning Arrester Top: 314.4 m Tower Top: 313.16 m
In circling area and at AD	OTHER	290911.1N 0754242.7E	983 FT	NIL	Jindal Memorial Tower, Design Top: 299.63 m Tower Top: 292.84 m

VIHR AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Name of the associated meteorological office	Hisar MET
2	Hours of service and, where applicable, the designation of the responsible meteorological office outside these hours	AVBL during ATC Watch hours.
3	Office responsible for preparation of TAFs and periods of validity and interval of issuance of the forecasts	New Delhi as Requested.
4	Availability of the trend forecast for the aerodrome and interval of issuance	On request
5	Information on how briefing and/or consultation is provided	On request within ATS Operational Hours
6	Types of flight documentation supplied and language(s) used in flight documentation	Tabular form English
7	Charts and other information displayed or available for briefing or consultation	Visibility Landmark Chart AVBL
8	Supplementary equipment available for providing information on meteorological conditions, e.g. weather radar and receiver for satellite images;	NIL
9	The air traffic services unit(s) provided with meteorological information	ATC Hisar
10	Additional information, e.g. concerning any limitation of service.	NIL

VIHR AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations	TRUE Bearings	Dimensions of RWY (M)	Strength of pavement (PCN) and associated data) and surface of runway and associated stopways	Geographical coordinates for threshold and runway end
1	2	3	4	5
12	120.28 DEG	3000 x 45 M	92/F/C/W/T Asphalt	THR: 291149.48N 0754314.78E RWY END: 291100.36N 0754450.65E
30	300.28 DEG	3000 x 45 M	92/F/C/W/T Asphalt	THR: 291100.36N 0754450.65E RWY END: 291149.48N 0754314.78E

THR elevation and highest elevation of TDZ of precision APP RWY	Slope of runway and associated stopway	Dimensions of stopway (M)	Dimensions of clearway (M)	Dimensions of strips (M)
6	7	8	9	10
THR: 698.0FT TDZ: 700.0FT		NIL	NIL	3120 x 150 M
THR: 697.0FT TDZ: 698.0FT		NIL	NIL	3120 x 150 M

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	12	13	14
240M x 120M	NIL	AVBL	Vertical Datum: EGM 08
240M x 120M	NIL	AVBL	Vertical Datum: EGM 08

VIHR AD 2.13 DECLARED DISTANCES

RWY Designator	Take-off run available TORA (M)	Take-off distance available TODA (M)	Accelerate distance available ASDA (M)	Landing distance available LDA (M)	Remarks (including runway entry or start point where alternative reduced declared distances have been declared)
1	2	3	4	5	6
12	3000	3000	3000	3000	NIL
30	3000	3000	3000	3000	NIL

VIHR AD 2.14 APPROACH AND RUNWAY LIGHTING

Runway Designator	Type, length and intensity of approach lighting system	Runway threshold lights, colour and wing bars	Type of visual slope indicator system	Length of runway touchdown zone lights
1	2	3	4	5
12	SALS 420 M LIH	Green	PAPI LEFT/3.00 DEG	
30	CAT II 900 M LIH	Green AVBL	PAPI LEFT/3.00 DEG	

Length, spacing, colour and intensity of runway centre line lights	Length, spacing, colour and intensity of runway edge lights	Colour of runway end lights and wing bars	Length and colour of stopway lights	Remarks
6	7	8	9	10
3000 M 30 M LIH White	3000 M 60 M White LIH	Red	NIL	NIL
3000 M 30 M LIH White	3000 M 60 M White LIH	Red	NIL	NIL

VIHR AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	Location, characteristics and hours of operation of aerodrome beacon/identification beacon (if any)	ABN	Located at ATS Tower with Flashing White & Green, 24 RPM
		IBN	NIL
2	Location and lighting (if any) of anemometer/ landing direction indicator;	LDI	Available
		Anemometer	Available
3	Taxiway edge and taxiway centre line lights;	Edge	Not Available
		Centre Line	NIL
4	Secondary power supply including switch-over time;	1) 03-Nos of 400 KVA DG set AVBL and 2) 01-No. 125 KVA DG set AVBL with AMF Panel and switch over time is within 15-sec only	
5	Remarks	NIL	

VIHR AD 2.16 HELICOPTER LANDING AREA

1	Geographical coordinates of the geometric centre of touchdown and lift-off (TLOF) or of each threshold of final approach and take-off (FATO) area	Not established
2	TLOF and/or FATO area elevation:	Not established
3	TLOF and FATO area dimensions to the nearest metre or foot, surface type, bearing strength and marking;	Not established
4	True bearings of FATO;	Not established
5	Declared distances available	Not established
6	Approach and FATO lighting;	Not established
7	Remarks	Not established

VIHR AD 2.17 AIR TRAFFIC SERVICE AIRSPACE

1	Airspace designation, geographical coordinates and lateral limits	CTR: Area Bounded by lines joining points 285115.26N 0752649.49E; 291819.83N 0751801.85E; 293107.49N 0752604.78E then along the clockwise arc of a circle of 25NM radius centred on 291125.16N 0754345.28E to the point of origin
2	Vertical limits	FL 85
3	Airspace classification	D
4	Call sign and language(s) of the air traffic services unit providing service;	Hisar Tower, English
5	Transition altitude	5000 FT
6	Hours of applicability	HO
7	Remarks	1.Beyond Operational Hours airspace classification is Class G 2.Hisar Approach Control Unit is combined with Hisar Aerodrome Control Tower.

VIHR AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service Designation	Call sign	Channel(s)	SATVOICE Number(s), if available
1	2	3	4
APP	HISAR TOWER	118.300 MHZ	
APP	HISAR TOWER	122.100 MHZ	
TWR	Hisar Tower	118.300 MHZ	
TWR	Hisar Tower	122.100 MHZ	

Logon address, as appropriate	Hours of operation	Remarks
5	6	7
	HO	1. Main Frequency 2. Functions of Approach Control Service provided by Aerodrome Control Tower.
	HO	1. Backup Frequency 2. Functions of Approach Control Service provided by Aerodrome Control Tower.

Logon address, as appropriate	Hours of operation	Remarks
	HO	1. Main Frequency
	HO	i. Backup Frequency

VIHR AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aids, magnetic variation and type of supported operation for ILS/ MLS, basic GNSS, SBAS and GBAS, and for VOR/ILS/MLS station used for technical lineup of the aid	Identification	Frequency(ies), Channel number(s), Service provider, and reference path identifier(s) (RPI), as appropriate	Hours of operation, as appropriate;
1	2	3	4
LOC 30 CAT I	IHIS	108.750 MHz	HO
GP 30		330.350 MHz	HO
DME ILS 30	IHIS	CH24Y	HO
DVOR/DME	HIS	115.400 MHz CH101X	AS ATS

Geographical coordinates of the position of the transmitting antenna	Elevation of transmitting antenna of DME/ elevation of GBAS reference point	Service volume radius from the GBAS reference point	Remarks
5	6	7	8
291154.7N 0754304.5E			
291109.5N 0754441.7E			GLIDE ANGLE 3.0 DEG
291109.6N 0754441.8E	720 FT		EGM 08
291153.0N 0754325.6E	722 FT		1. Vertical datum: EGM08 2. DME colocated with DVOR

VIHR AD 2.20 LOCAL AERODROME REGULATIONS

NIL

VIHR AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

VIHR AD 2.22 FLIGHT PROCEDURES

NIL

VIHR AD 2.23 ADDITIONAL INFORMATION

NIL

VIHR AD 2.24 CHARTS RELATED TO AN AERODROME

1 Aerodrome Chart (27 NOV 2025)
2 Aircraft Parking / Docking Chart – New Apron (27 NOV 2025)
3 Aircraft Parking / Docking Chart – Old Apron (27 NOV 2025)
4 Aircraft Parking / Docking Chart – Isolated Aircraft Parking Position (27 NOV 2025)
5 Aerodrome Obstacle Cart Type- A (Obstacle Limitations) RWY 12 (27 NOV 2025)
6 Aerodrome Obstacle Cart Type- A (Obstacle Limitations) RWY 30 (27 NOV 2025)
7 Aerodrome Obstacle Chart Type B (27 NOV 2025)
8 VOR Procedure RWY 12(9 JULY 2026)
9 VOR Procedure RWY 30(9 JULY 2026)

VIHR AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

Procedure	Procedure Minima	VSS Penetration
1	**2**	**3**