AD 2. AERODROMES

VEHO AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VEHO - DONYI POLO AIRPORT, ITANAGAR

VEHO AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	Aerodrome reference point coordinates and its site	265811N 0933836E MAG. BRG. 268.87 DEG/748 M from physical beginning of RWY 26.	
2	Direction and distance of aerodrome reference point from the centre of the city or town which the aerodrome serves	14 km South of Itanagar.	
3	Aerodrome elevation and reference temperature	351 FT / 39.0 DEG C	
4	Magnetic variation, date of information and annual change	0.50 DEG W (2010) /0.0167 DEG E	
5	Name of aerodrome operator, address, telephone, telefax, e-mail address, AFS address, website (if available)	Airports Authority of India, Hollongi, Itanagar, PIN-791123 ARUNACHAL PRADESH,	
		Telephone:	(91) 360-2911533
		Fax:	
		AFS:	
		Email:	apdholongi@aai.aero
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	Vertical Reference System: EGM08	

VEHO AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	0930 to 1800 IST (0400-1230 UTC) Daily except Saturday, Sunday and Holidays
2	Custom and immigration	NIL
3	Health and sanitation	During AD Hrs.
4	AIS briefing office	As per ATS
5	ATS reporting office (ARO)	As per ATS
6	MET Briefing office	As per ATS
7	Air Traffic Service	Refer NOTAMs
8	Fuelling	As per ATS
9	Handling	As per ATS
10	Security	H24
11	De-icing	NIL
12	Remarks	NIL

VEHO AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	NIL
2	Fuel and Oil types	ATF
3	Fuelling facilities and capacity	Fuel Station (IOCL), capacity 02 nos. of tank 35 KL each
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	NIL

6	Repair facilities for visiting aircraft	NIL
7	Remarks	Nil

VEHO AD 2.5 PASSENGER FACILITIES

1	Hotel(s) at or in the vicinity of aerodrome	Available at Itanagar City located 25 KM by road from AD
2	Restaurant(s) at or in the vicinity of aerodrome	Available in the vicinity
3	Transportation possibilities	Available on call
4	Medical Facilities	AVBL
5	Bank and post office at or in the vicinity of aerodrome	Banks: Available in the vicinity Post office: Available in the vicinity
6	Tourist office	NIL
7	Remarks	Nil

VEHO AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	Aerodrome category for fire fighting	Within ATS HR: CAT-6
2	Rescue equipment	Available as per AD category
3	Capability for removal of disabled aircraft	1. The critical aircraft for the airport is A320. 2. Primary responsibility for removal of disabled aircraft rests with the concerned airline. 3. The airlines may contact 'Aerodrome Coordinator for Disabled Aircraft Removal Operations' for coordinating with the agencies having Disabled Aircraft Recovery Kit. 4. Contact Details of Aerodrome Coordinator for Disabled Aircraft Removal Operations: Aerodrome coordinator: Airport Director. Email: apdholongi@aai.aero Contact No: +91-360-2911533
4	Remarks	Nil

VEHO AD 2.7 SEASONAL AVAILABILITY CLEARING

1	Type(s) of clearing equipment	Nil
2	Clearance priorities	Nil
3	Remarks	Nil

VEHO AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Designation, surface and strength of aprons	Refer Aircraft Parking/Docking Chart
2	Designation, width, surface and strength of taxiways	Refer Aircraft Parking/Docking Chart
3	Location and elevation of altimeter checkpoints	Location: Apron Elevation: 348.097 FT
4	Location of VOR checkpoints	On TWY A and TWY B
5	Position of INS checkpoints	NIL
6	Remarks	Nil

VEHO AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand identification signs, taxiway guidelines and visual docking/parking guidance system at aircraft stands	Aircraft ID marking provided on ground, Taxiing guidance provided on R/T. Standard marking at Apron, Mandatory Information and Location signs provided. Guidelines at Apron by marshalling.
2	Runway and taxiway markings and lights	RWY: Markings: RWY Designator, Centreline, Edge, Threshold, TDZ, Aiming Point, Turnpad Lights: Edge lights, Threshold, End Light TWY: Marking: Holding point, Edge and Centreline, VOR checkpoint. Lights: Edge lights
3	Stop bars (if any)	NIL
4	Remarks	Nil

VEHO AD 2.10 AERODROME OBSTACLES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM08)	Marking/LGT	Remarks
26/TKOF 08/APCH	OTHER	265748.2N 0933740.8E	357 FT	NIL	Mobile Road Traffic (Road Elev = 103.7M+5M)
26/TKOF 08/APCH	TREE	265748.3N 0933740.1E	381 FT	NIL	Group of Trees
26/TKOF 08/APCH	TREE	265748.4N 0933736.0E	406 FT	NIL	Group of Trees
26/TKOF 08/APCH	TREE	265745.0N 0933730.8E	399 FT	NIL	Group of Trees
26/TKOF 08/APCH	TREE	265741.7N 0933715.3E	429 FT	NIL	Group of Trees
26/TKOF 08/APCH	OTHER	265732.9N 0933522.3E	515 FT	NIL	Mast
26/TKOF 08/APCH	TREE	265738.5N 0933520.6E	485 FT	NIL	Group of Tree on Hill
26/TKOF 08/APCH	TREE	265741.7N 0933511.9E	787 FT	NIL	Group of Tree on Hill
26/TKOF 08/APCH	NATURAL HIGHPOINT	265741.5N 0933512.0E	706 FT	NIL	Hill Top
26/TKOF 08/APCH	NATURAL HIGHPOINT	265738.2N 0933512.2E	599 FT	NIL	Hill Top
26/TKOF 08/APCH	TREE	265738.3N 0933512.2E	649 FT	NIL	Group of Tree on Hill
26/TKOF 08/APCH	TREE	265732.3N 0933504.0E	636 FT	NIL	Group of Tree on Hill
26/TKOF 08/APCH	TREE	265728.8N 0933451.3E	700 FT	NIL	Group of Tree on Hill

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM08)	Marking/LGT	Remarks
26/APCH 08/TKOF	OTHER	265811.1N 0933934.9E	411 FT	NIL	Pylon Mast
In circling area and at AD	TREE	265800.3N 0933752.9E	364 FT	NIL	Tree
In circling area and at AD	TREE	265749.4N 0933759.5E	404 FT	NIL	Group of Trees
In circling area and at AD	TREE	265748.3N 0933752.3E	398 FT	NIL	Group of Trees
In circling area and at AD	TREE	265747.9N 0933740.7E	398 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265745.2N 0933736.3E	413 FT	NIL	Group of Trees
In circling area and at AD	TREE	265745.7N 0933519.0E	626 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265749.9N 0933523.4E	719 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265752.2N 0933520.4E	754 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265814.3N 0933530.8E	702 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265757.7N 0933530.5E	635 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265748.2N 0933530.1E	563 FT	NIL	Group of Tree on Hill
In circling area and at AD	POLE	265754.8N 0933548.8E	527 FT	NIL	HT Pole Sub Stn (2 Nos.)
In circling area and at AD	TREE	265828.1N 0933635.5E	740 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265837.8N 0933640.7E	819 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265846.0N 0933658.8E	932 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265828.0N 0933745.3E	520 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265830.3N 0933748.1E	559 FT	NIL	Group of Tree on Hill
In circling area and at AD	NATURAL HIGHPOINT	265833.7N 0933747.7E	544 FT	NIL	Ground Level
In circling area and at AD	TREE	265834.9N 0933746.3E	624 FT	NIL	Group of Tree on Hill
In circling area and at AD	NATURAL HIGHPOINT	265841.0N 0933748.9E	662 FT	NIL	Ground Level
In circling area and at AD	TREE	265841.0N 0933748.8E	706 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265848.5N 0933746.4E	848 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265834.3N 0933753.3E	563 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265749.7N 0933508.7E	899 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265745.9N 0933513.3E	781 FT	NIL	Group of Tree on Hill

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM08)	Marking/LGT	Remarks
In circling area and at AD	TREE	265753.5N 0933514.3E	821 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265844.0N 0933841.8E	629 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265838.4N 0933848.1E	576 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265845.1N 0933904.0E	613 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265841.8N 0933858.2E	514 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265848.7N 0933854.4E	641 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265850.2N 0933908.7E	610 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265854.4N 0933912.4E	550 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265847.6N 0933923.7E	665 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265837.0N 0933919.5E	601 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265839.5N 0933922.7E	604 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265846.8N 0933931.4E	751 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265852.6N 0933936.5E	775 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265855.4N 0933940.7E	769 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265840.4N 0933931.5E	728 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265838.2N 0933936.5E	636 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265854.8N 0934001.3E	739 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265908.8N 0934004.0E	812 FT	NIL	Group of Tree on Hill
In circling area and at AD	NATURAL HIGHPOINT	265839.1N 0933848.0E	532 FT	NIL	Ground Level
In circling area and at AD	NATURAL HIGHPOINT	265844.9N 0933929.7E	669 FT	NIL	Ground Level
In circling area and at AD	TREE	265913.5N 0934006.4E	835 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265915.5N 0934011.5E	907 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265916.7N 0934046.6E	651 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265924.5N 0934051.9E	819 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265927.3N 0934058.4E	738 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265921.0N 0934058.3E	642 FT	NIL	Group of Tree on Hill

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM08)	Marking/LGT	Remarks
In circling area and at AD	TREE	265833.6N 0933917.0E	534 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265839.6N 0933752.9E	676 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265836.1N 0933759.2E	595 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265840.5N 0933802.1E	674 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265832.8N 0933819.4E	548 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265831.7N 0933815.6E	527 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265838.2N 0933813.0E	561 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265843.9N 0933817.0E	661 FT	NIL	Group of Tree on Hill
In circling area and at AD	NATURAL HIGHPOINT	265839.6N 0933753.1E	648 FT	NIL	Ground Level
In circling area and at AD	NATURAL HIGHPOINT	265836.0N 0933821.5E	520 FT	NIL	Ground Level
In circling area and at AD	NATURAL HIGHPOINT	265833.4N 0933831.7E	503 FT	NIL	Ground Level
In circling area and at AD	NATURAL HIGHPOINT	265836.7N 0933827.2E	564 FT	NIL	Ground Level
In circling area and at AD	NATURAL HIGHPOINT	265840.3N 0933836.2E	588 FT	NIL	Ground Level
In circling area and at AD	NATURAL HIGHPOINT	265846.5N 0933838.0E	633 FT	NIL	Ground Level
In circling area and at AD	TREE	265856.3N 0933824.1E	902 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265835.8N 0933821.8E	562 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265836.5N 0933827.5E	604 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265840.4N 0933836.2E	631 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265846.5N 0933838.2E	691 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265926.5N 0933731.5E	935 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265941.5N 0933741.3E	1363 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265944.0N 0933745.2E	1366 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265934.5N 0933756.4E	1216 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265926.4N 0933813.0E	1304 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265919.9N 0933823.5E	1312 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265942.8N 0933850.5E	1308 FT	NIL	Group of Tree on Hill

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM08)	Marking/LGT	Remarks
In circling area and at AD	TREE	265945.4N 0933854.7E	1330 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265947.4N 0933844.5E	1273 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	270004.5N 0933819.5E	1626 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	270008.0N 0933619.7E	1745 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	270032.0N 0933933.3E	1468 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	270116.3N 0934012.8E	1791 FT	NIL	Group of Tree on Hill
In circling area and at AD	NATURAL HIGHPOINT	265957.1N 0933523.8E	1394 FT	NIL	Contour Elevation
In circling area and at AD	NATURAL HIGHPOINT	270053.4N 0933839.8E	1476 FT	NIL	Contour Elevation
In circling area and at AD	TREE	265909.2N 0932912.4E	2226 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	265953.6N 0933145.6E	3249 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	270010.2N 0933218.8E	2617 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	270036.2N 0933223.1E	2088 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	270051.5N 0933251.3E	2244 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	270103.4N 0933445.6E	2303 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	270100.7N 0933513.1E	2185 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	270136.6N 0934051.2E	2062 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	270147.2N 0934039.6E	2000 FT	NIL	Group of Tree on Hill
In circling area and at AD	TOWER	270529.3N 0933749.0E	1720 FT	NIL	Doordarshan TV Tower
In circling area and at AD	OTHER	270536.3N 0933758.1E	1789 FT	NIL	Mast
In circling area and at AD	OTHER	270541.8N 0933803.9E	1764 FT	NIL	Mast
In circling area and at AD	TOWER	270547.0N 0933802.1E	1733 FT	NIL	TV Tower
In circling area and at AD	TREE	270229.7N 0934300.0E	1952 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	270212.3N 0934312.0E	1482 FT	NIL	Group of Tree on Hill
In circling area and at AD	TREE	270245.6N 0934349.2E	1410 FT	NIL	Group of Tree on Hill
In circling area and at AD	NATURAL HIGHPOINT	265920.6N 0933257.8E	1558 FT	NIL	Contour Elevation
In circling area and at AD	NATURAL HIGHPOINT	270257.2N 0934253.8E	2051 FT	NIL	Contour Elevation

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM08)	Marking/LGT	Remarks
In circling area and at AD	NATURAL HIGHPOINT	270359.8N 0934230.7E	1558 FT	NIL	Contour Elevation

VEHO AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Name of the associated meteorological office	Aviation Meteorological Station, Hollongi
2	Hours of service and, where applicable, the designation of the responsible meteorological office outside these hours	As ATS, AMS Hollongi
3	Office responsible for preparation of TAFs and periods of validity and interval of issuance of the forecasts	AMO Guwahati 9 Hrs 3 Hrs
4	Availability of the trend forecast for the aerodrome and interval of issuance	Trend Available Half hourly
5	Information on how briefing and/or consultation is provided	DPT
6	Types of flight documentation supplied and language(s) used in flight documentation	Tabular Form (English)
7	Charts and other information displayed or available for briefing or consultation	Available
8	Supplementary equipment available for providing information on meteorological conditions, e.g. weather radar and receiver for satellite images;	Not Available
9	The air traffic services unit(s) provided with meteorological information	Hollongi Tower
10	Additional information, e.g. concerning any limitation of service.	Nil

VEHO AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations	TRUE Bearings	Dimensions of RWY (M)	Strength of pavement (PCN) and associated data) and surface of runway and associated stopways	Geographical coordinates for threshold and runway end
1	2	3	4	5
08	75.70 DEG	2300 x 45 M	63/R/B/W/T Concrete	THR: 265753.39N 0933742.43E RWY END: 265811.85N 0933903.24E
26	255.70 DEG	2300 x 45 M	63/R/B/W/T Concrete	THR: 265811.85N 0933903.24E RWY END: 265753.39N 0933742.43E

THR elevation and highest elevation of TDZ of precision APP RWY	Slope of runway and associated stopway	Dimensions of stopway (M)	Dimensions of clearway (M)	Dimensions of strips (M)
6	7	8	9	10
THR: 351.1FT TDZ:	0.04%	NIL	NIL	2420 x 280 M
THR: 347.8FT TDZ: 348.4FT	0.04%	NIL	NIL	2420 x 280 M

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	12	13	14
90M x 240M		NIL	1.Vertical Reference System: EGM08 2.Transverse Slope: 1.25%
90M x 240M		NIL	1. Vertical Reference System: EGM08 2. Transverse Slope: 1.25%

VEHO AD 2.13 DECLARED DISTANCES

RWY Designator	Take-off run available TORA (M)	Take-off distance available TODA (M)	Accelerate distance available ASDA (M)	Landing distance available LDA (M)	Remarks (including runway entry or start point where alternative reduced declared distances have been declared)
1	2	3	4	5	6
08	2300	2300	2300	NIL	RWY 08 for Takeoff only
26	NIL	NIL	NIL	2300	RWY 26 for Landing only

VEHO AD 2.14 APPROACH AND RUNWAY LIGHTING

Runway Designator	Type, length and intensity of approach lighting system	Runway threshold lights, colour and wing bars	Type of visual slope indicator system	Length of runway touchdown zone lights
1	2	3	4	5
08	NIL	NIL	NIL	NIL
26	CAT I 900 M LIH	Green	PAPI LEFT/3.00 DEG MEHT (17.02M)	

Length, spacing, colour and intensity of runway centre line lights	Length, spacing, colour and intensity of runway edge lights	Colour of runway end lights and wing bars	Length and colour of stopway lights	Remarks
6	7	8	9	10
NIL	2300 M 60 M Variable White LIH	Red	NIL	NIL
	2300 M 60 M Variable White LIH	Red		Last 600M of RWY edge lights - Amber

VEHO AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	Location, characteristics and hours of operation of aerodrome beacon/identification beacon (if any)	ABN	NIL
		IBN	NIL

2	Location and lighting (if any) of anemometer/ landing direction indicator;	LDI	187 m from runway centerline, 147 m from TWY A Centerline)
		Anemometer	NIL
3	Taxiway edge and taxiway centre line lights;	Edge	Available
		Centre Line	Not Available
4	Secondary power supply including switch-over time;	Less than 15 Second	
5	Remarks	Nil	

VEHO AD 2.16 HELICOPTER LANDING AREA

1	Geographical coordinates of the geometric centre of touchdown and lift-off (TLOF) or of each threshold of final approach and take-off (FATO) area	Not established
2	TLOF and/or FATO area elevation:	---
3	TLOF and FATO area dimensions to the nearest metre or foot, surface type, bearing strength and marking;	---
4	True bearings of FATO;	---
5	Declared distances available	---
6	Approach and FATO lighting;	---
7	Remarks	---

VEHO AD 2.17 AIR TRAFFIC SERVICE AIRSPACE

1	Airspace designation, geographical coordinates and lateral limits	ATZ: Circular area centered on 265756N 0933721E within a 10NM radius.
2	Vertical limits	6500 FT AMSL
3	Airspace classification	D
4	Call sign and language(s) of the air traffic services unit providing service;	Hollongi Tower, English
5	Transition altitude	12000 FT
6	Hours of applicability	HO
7	Remarks	1. Approach Control services: i. Jorhat ATC, during operational hours of Jorhat. (Jorhat TWR: 121.300 MHz) ii. Hollongi TWR outside operational hours of Jorhat 2. Hollongi Approach Control Unit is combined with Hollongi Aerodrome Control Tower.

VEHO AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service Designation	Call sign	Channel(s)	SATVOICE Number(s), if available
1	2	3	4
APP	Hollongi Tower	118.850 MHZ	
APP	Hollongi Tower	122.150 MHZ	
TWR	Hollongi Tower	118.850 MHZ	
TWR	Hollongi Tower	122.150 MHZ	
ALRS	Emergency Frequency	121.500 MHZ	

Logon address, as appropriate	Hours of operation	Remarks
5	6	7
	HO	1. Main frequency 2. Functions of Approach Control Service provided by Aerodrome Control Tower.
	HO	1. Backup frequency. 2.Functions of Approach Control Service provided by Aerodrome Control Tower.
	AS ATS	1. Main Frequency
	AS ATS	1. Backup Frequency
	AS ATS	NIL

VEHO AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aids, magnetic variation and type of supported operation for ILS/ MLS, basic GNSS, SBAS and GBAS, and for VOR/ILS/MLS station used for technical lineup of the aid	Identification	Frequency(ies), Channel number(s), Service provider, and reference path identifier(s) (RPI), as appropriate	Hours of operation, as appropriate;
1	2	3	4
LOC 26 CAT I	IHNG	111.100 MHz	As ATS
GP 26		331.700 MHz	As ATS
DME ILS 26	IHNG	CH48X	AS ATS
DVOR/DME	HOL	114.900 MHz CH96X	As ATS

Geographical coordinates of the position of the transmitting antenna	Elevation of transmitting antenna of DME/ elevation of GBAS reference point	Service volume radius from the GBAS reference point	Remarks
5	6	7	8
265750.9N 0933731.6E			
265805.2N 0933851.8E			Glide Angle 3 Deg
265805.1N 0933851.9E	364 FT		Vertical Reference System: EGM08
265756.5N 0933721.4E	382 FT		1. Vertical datum: EGM08 2. DME Colocated with DVOR.

VEHO AD 2.20 LOCAL AERODROME REGULATIONS

1. Stand Allotment Procedures
   i. Airlines operator shall coordinate with ATC for parking bays for the concerned aircraft.
   ii. The allotment of parking bays shall be done by the Duty Officer Control Tower.
   iii. Aircraft will be allotted stand no. 01 to 03 as mentioned in PDC.
   iv. As far as practicable, last-minute changes of allotted parking bay shall be avoided.
2. Taxiing Procedures (From/To Runway)
   i. TWY A and TWY B shall be used for entry to and exit from Apron.
   ii. After landing, aircraft will backtrack RWY 26 and vacate runway via TWY A or TWY B and follow Taxi guidelines to allotted parking bay.
3. Pushback Procedures:
   i. From bay no. 3, aircraft shall pushback following yellow guidelines facing west and do start-up after completion of pushback.
   ii. From bay no. 1, aircraft shall pushback following yellow guidelines facing east and do start-up after completion of pushback.
   iii. From bay no. 2, aircraft shall pushback following yellow guidelines facing east or west as instructed by ATC and do start-up after completion of pushback.
   iv. Following cautions shall be exercised during pushback:
      a) Simultaneous pushback shall not be permitted.
      b) Start-up shall be given only after completion of pushback with all necessary ground precautions.
      c) Start-up while pushing back shall not be allowed. Pushback supervisor (airline staff) shall supervise during pushback for all necessary ground precautions and safe separations from ground equipment, vehicles, personnel or any other object on apron
4. No Aircraft shall take lock turn/ pivotal turn on the Runway to avoid pavement damage.

VEHO AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

VEHO AD 2.22 FLIGHT PROCEDURES

NIL

VEHO AD 2.23 ADDITIONAL INFORMATION

NIL

VEHO AD 2.24 CHARTS RELATED TO AN AERODROME

1. Aerodrome Chart
2. Aircraft Parking Docking Chart
3. Aerodrome Obstacle Chart – (Operating Limitations) Type A RWY 08/26
4. Aerodrome Obstacle Chart – Type B
5. ILS Procedure RWY 26

6. RNP Y Procedure RWY 26

7. Coding Table - RNP Y Procedure RWY 26

VEHO AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

Procedure	Procedure Minima	VSS Penetration
1	2	3