AD 2. AERODROMES

VAJL AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VAJL - JALGAON AIRPORT, JALGAON

VAJL AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	Aerodrome reference point coordinates and its site	205741N 0753729E Magnetic bearing 111.93 DEG 567M from physical extremity of RWY 09.	
2	Direction and distance of aerodrome reference point from the centre of the city or town which the aerodrome serves	9.5 KM SE of Jalgaon Railway Station	
3	Aerodrome elevation and reference temperature	842 FT / 48.0 DEG C	
4	Magnetic variation, date of information and annual change	0.58 DEG W (2010) /0.033 DEG E	
5	Name of aerodrome operator, address, telephone, telefax, e-mail address, AFS address, website (if available)	Airport Director Airports Authority of India, Jalgaon Airport, Jalgaon - 425003	
		Telephone:	(91) 257 2274114
		Fax:	(91) 2572274114
		AFS:	
		Email:	apdjalgaon@aai.aero
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	(i) ARP Elevation: 829 FT (ii) Vertical Datum: EGM 08	

VAJL AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	MON-FRI 0400-1230 UTC (0930-1800 IST) Except SAT, SUN and Closed Holidays
2	Custom and immigration	NIL
3	Health and sanitation	NIL
4	AIS briefing office	NILAs ATS
5	ATS reporting office (ARO)	As ATS
6	MET Briefing office	As ATSNIL
7	Air Traffic Service	As ATS
8	Fuelling	As ATS
9	Handling	As ATS
10	Security	Maharashtra State Police
11	De-icing	NIL
12	Remarks	The ATS approved hourly runway traffic handling capacity is as follows: Maximum number of arrival and departure -03 (the Minimum spacing between two successive arrivals shall be more than five minutes) Maximum number of arrivals only-02 Maximum number of departures only -02 2. Outside ATS Hours, FTO M/s Skynex Aviation and M/s Flyola are operational. Freq. 131.675 MHz

VAJL AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	Limited-Manual
2	Fuel and Oil types	JET A1
3	Fuelling facilities and capacity	Two refuller (15 KL & 16 KL capacity) total capacity 31 KL
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	NIL
6	Repair facilities for visiting aircraft	NIL
7	Remarks	NIL

VAJL AD 2.5 PASSENGER FACILITIES

1	Hotel(s) at or in the vicinity of aerodrome	AVBL in the city
2	Restaurant(s) at or in the vicinity of aerodrome	AVBL in the city
3	Transportation possibilities	City Bus, Auto & Private Taxi
4	Medical Facilities	AVBL in the city
5	Bank and post office at or in the vicinity of aerodrome	Banks: AVBL in the city Post office: AVBL in the city
6	Tourist office	AVBL in the city
7	Remarks	NIL

VAJL AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	Aerodrome category for fire fighting	Within ATS HR: CAT-5 Within ATS HR
2	Rescue equipment	Available as per category
3	Capability for removal of disabled aircraft	1. The critical aircraft for the airport is ATR 72. 2. Primary responsibility for removal of disabled aircraft rests with the concerned airline. 3. The airlines may contact 'Aerodrome Coordinator for Disabled Aircraft Removal Operations' for coordinating with the agencies having Disabled Aircraft Recovery Kit. 4. Contact Details of Aerodrome Coordinator for Disabled Aircraft Removal Operations: AD Coordinator: Airport Director Contact details: Office: 0257-2274510, Mobile: 9607736444 email: apdjalgaon@aai.aero
4	Remarks	NIL

VAJL AD 2.7 SEASONAL AVAILABILITY CLEARING

1	Type(s) of clearing equipment	NIL
2	Clearance priorities	NIL
3	Remarks	NIL

VAJL AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Designation, surface and strength of aprons	Refer Aircraft Parking/Docking Chart
2	Designation, width, surface and strength of taxiways	Refer Aircraft Parking/Docking Chart
3	Location and elevation of altimeter checkpoints	Location: Apron Elevation: 842 FT

4	Location of VOR checkpoints	On Taxi A (205743.77N 0753711.45E); 842 FT
5	Position of INS checkpoints	NIL
6	Remarks	1. Coordinates of Runway Holding Position / Elevation TWY A: 205744.41055N 0753711.48952E / 842 FT TWY B: 205750.57160N 0753710.84503E / 840 FT 2. Coordinates of RWY-TWY Intersection Point / Elevation TWY A: 205747.36540N 0753711.70060E / 841 FT TWY B: 205747.43240N 0753710.62560E / 842 FT 3. Vertical Datum: EGM08 4. Isolation Bay Not AVBL, Alternate Position- Turn Pad RWY 27

VAJL AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand identification signs, taxiway guidelines and visual docking/parking guidance system at aircraft stands	Aircraft Stand Markings Suitable for ATR -72 Aircraft provided.
2	Runway and taxiway markings and lights	RWY Markings: Designation, THR, Centerline, Side strips, Aiming Point, Runway Turn Pad Marking on beginning of RWY 27 RWY Lighting:Threshold, Edge, End, Turning Pad RWY27 TWY Markings: Edge, centerline, holding position TWY Lighting: Edge
3	Stop bars (if any)	Not Provided
4	Remarks	NIL

VAJL AD 2.10 AERODROME OBSTACLES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
27/TKOF 09/APCH	OTHER	205747.6N 0753707.3E	844 FT	NO	GROUND LEVEL
27/TKOF 09/APCH	TREE	205748.7N 0753651.0E	878 FT	NO	TREE
27/TKOF 09/APCH	OTHER	205744.5N 0753704.8E	854 FT	NO	GROUND LEVEL
27/TKOF 09/APCH	TREE	205751.5N 0753652.7E	878 FT	NO	GROUP OF TREES
27/TKOF 09/APCH	OTHER	205751.5N 0753705.0E	855 FT	NO	GROUND LEVEL
27/TKOF 09/APCH	TREE	205751.1N 0753653.9E	877 FT	NO	GROUP OF TREES
27/TKOF 09/APCH	SIGN	205744.8N 0753704.9E	858 FT	NO	SIGN BOARD
27/TKOF 09/APCH	SIGN	205750.7N 0753705.0E	860 FT	NO	SIGN BOARD
27/TKOF 09/APCH	TREE	205749.7N 0753658.0E	873 FT	NO	TREE
27/TKOF 09/APCH	SIGN	205744.7N 0753704.5E	860 FT	NO	SIGN BOARD
27/TKOF 09/APCH	FENCE	205747.3N 0753704.2E	863 FT	NO	FENCING TOP

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
27/TKOF 09/APCH	FENCE	205747.8N 0753704.4E	864 FT	NO	FENCING TOP
27/TKOF 09/APCH	FENCE	205752.8N 0753704.8E	864 FT	NO	AIRPORT BOUNDARY WALL WITH FENCING TOP
27/TKOF 09/APCH	TREE	205750.2N 0753659.2E	874 FT	NO	GROUP OF TREES
27/TKOF 09/APCH	FENCE	205745.7N 0753703.7E	865 FT	NO	AIRPORT BOUNDARY WALL WITH FENCING TOP
27/TKOF 09/APCH	GATE	205746.9N 0753704.0E	865 FT	NO	GATE
27/TKOF 09/APCH	TREE	205747.0N 0753649.8E	892 FT	NO	GROUP OF TREES
27/TKOF 09/APCH	FENCE	205746.5N 0753703.9E	866 FT	NO	AIRPORT BOUNDARY WALL WITH FENCING TOP
27/TKOF 09/APCH	OTHER	205744.9N 0753704.9E	864 FT	NO	MOBILE ROAD TRAFFIC (ROAD ELEV. 258.2 M + TRAFFIC HT. 5 M)
27/TKOF 09/APCH	OTHER	205747.8N 0753705.0E	864 FT	NO	MOBILE ROAD TRAFFIC (ROAD ELEV. 258.2 M + TRAFFIC HT. 5 M)
27/TKOF 09/APCH	FENCE	205750.1N 0753704.2E	866 FT	NO	AIRPORT BOUNDARY WALL WITH FENCING TOP
27/TKOF 09/APCH	TREE	205748.6N 0753703.3E	869 FT	NO	TREE (TRIMED)
27/TKOF 09/APCH	TREE	205747.3N 0753658.3E	878 FT	NO	GROUP OF TREES
27/TKOF 09/APCH	TREE	205753.1N 0753702.4E	871 FT	NO	TREE
27/TKOF 09/APCH	FENCE	205743.1N 0753704.9E	865 FT	NO	AIRPORT BOUNDARY WALL WITH FENCING TOP
27/TKOF 09/APCH	OTHER	205750.5N 0753705.1E	866 FT	NO	MOBILE ROAD TRAFFIC (ROAD ELEV. 259.0 M + TRAFFIC HT. 5 M)
27/TKOF 09/APCH	FENCE	205749.0N 0753704.0E	870 FT	NO	AIRPORT BOUNDARY WALL WITH FENCING TOP
27/TKOF 09/APCH	FENCE	205748.5N 0753704.6E	868 FT	NO	FENCING TOP
27/TKOF 09/APCH	TREE	205750.8N 0753701.9E	876 FT	NO	TREE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
27/TKOF 09/APCH	TREE	205742.8N 0753704.2E	871 FT	NO	GROUP OF TREES
27/TKOF 09/APCH	TREE	205743.9N 0753655.1E	892 FT	NO	GROUP OF TREES
27/TKOF 09/APCH	TREE	205742.9N 0753703.2E	874 FT	NO	GROUP OF TREES
27/TKOF 09/APCH	TREE	205743.9N 0753702.5E	880 FT	NO	GROUP OF TREES
27/TKOF 09/APCH	TREE	205743.6N 0753701.6E	886 FT	NO	GROUP OF TREES
27/TKOF 09/APCH	TREE	205742.2N 0753656.2E	902 FT	NO	GROUP OF TREES
27/TKOF 09/APCH	TREE	205743.3N 0753656.7E	901 FT	NO	GROUP OF TREES
27/APCH 09/TKOF	FENCE	205746.1N 0753832.5E	837 FT	NO	FENCING TOP
27/APCH 09/TKOF	BUILDING	205750.0N 0753837.9E	848 FT	NO	SHED TOP (GAUSHALA)
27/APCH 09/TKOF	FENCE	205749.9N 0753835.5E	844 FT	NO	AIRPORT BOUNDARY WALL WITH FENCING TOP
27/APCH 09/TKOF	TREE	205742.5N 0753842.7E	860 FT	NO	TREE
27/APCH 09/TKOF	FENCE	205736.1N 0753831.3E	840 FT	NO	AIRPORT BOUNDARY WALL WITH FENCING TOP
27/APCH 09/TKOF	OTHER	205741.0N 0753813.9E	807 FT	NO	MOBILE ROAD TRAFFIC (ROAD ELEV. 241.0 M + TRAFFIC HT. 5 M)
27/APCH 09/TKOF	OTHER	205743.5N 0753814.5E	809 FT	NO	MOBILE ROAD TRAFFIC (ROAD ELEV. 241.6 M + TRAFFIC HT. 5 M)
27/APCH 09/TKOF	OTHER	205747.2N 0753841.9E	863 FT	NO	MOBILE ROAD TRAFFIC (ROAD ELEV. 258.0 M + TRAFFIC HT. 5 M)
27/APCH 09/TKOF	TREE	205748.3N 0753842.6E	865 FT	NO	TREE
27/APCH 09/TKOF	FENCE	205734.6N 0753840.8E	863 FT	NO	AIRPORT BOUNDARY WALL WITH FENCING TOP
27/APCH 09/TKOF	TREE	205742.0N 0753830.8E	844 FT	NO	TREE
27/APCH 09/TKOF	TREE	205738.7N 0753814.3E	814 FT	NO	TREE
27/APCH 09/TKOF	TREE	205742.9N 0753839.1E	861 FT	NO	TREE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
27/APCH 09/TKOF	FENCE	205734.6N 0753839.5E	865 FT	NO	AIRPORT BOUNDARY WALL WITH FENCING TOP
27/APCH 09/TKOF	OTHER	205741.8N 0753840.4E	867 FT	NO	MOBILE ROAD TRAFFIC (ROAD ELEV. 259.3 M + TRAFFIC HT. 5 M)
27/APCH 09/TKOF	TREE	205743.7N 0753836.5E	860 FT	NO	TREE
27/APCH 09/TKOF	TREE	205747.5N 0753833.8E	855 FT	NO	GROUP OF TREES
27/APCH 09/TKOF	TREE	205748.3N 0753842.0E	871 FT	NO	TREE
27/APCH 09/TKOF	TREE	205736.2N 0753828.0E	854 FT	NO	TREE
27/APCH 09/TKOF	OTHER	205733.2N 0753839.5E	879 FT	NO	MOBILE ROAD TRAFFIC (ROAD ELEV. 262.8 M + TRAFFIC HT. 5 M)
27/APCH 09/TKOF	OTHER	205735.3N 0753839.7E	879 FT	NO	MOBILE ROAD TRAFFIC (ROAD ELEV. 261.7 M + TRAFFIC HT. 5 M)
27/APCH 09/TKOF	TREE	205749.5N 0753830.9E	862 FT	NO	TREE
In circling area and at AD	OTHER	205739.4N 0753810.8E	806 FT	NO	MOBILE ROAD TRAFFIC (ROAD ELEV. 240.6 M + TRAFFIC HT. 5 M)
In circling area and at AD	OTHER	205740.9N 0753753.2E	843 FT	NO	MET INSTRUMENT
In circling area and at AD	SIGN	205748.9N 0753733.7E	829 FT	NO	SIGN BOARD
In circling area and at AD	TREE	205741.0N 0753701.8E	876 FT	NO	GROUP OF TREES
In circling area and at AD	POLE	205742.0N 0753708.1E	859 FT	NO	LIGHT POLE
In circling area and at AD	POLE	205740.6N 0753705.4E	882 FT	NO	LIGHT POLE
In circling area and at AD	POLE	205740.6N 0753706.1E	881 FT	NO	LIGHT POLE
In circling area and at AD	TREE	205739.4N 0753707.7E	899 FT	NO	GROUP OF TREES
In circling area and at AD	POLE	205740.7N 0753707.2E	881 FT	NO	LIGHT POLE
In circling area and at AD	POLE	205740.5N 0753709.9E	882 FT	NO	LIGHT POLE
In circling area and at AD	POLE	205740.9N 0753704.0E	881 FT	NO	LIGHT POLE
In circling area and at AD	POLE	205742.7N 0753708.1E	854 FT	NO	LIGHT POLE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
In circling area and at AD	BUILDING	205742.5N 0753705.5E	861 FT	NO	SECURITY HUT
In circling area and at AD	OTHER	205740.7N 0753722.9E	862 FT	NO	WDI
In circling area and at AD	POLE	205741.1N 0753705.2E	881 FT	NO	LIGHT POLE
In circling area and at AD	FENCE	205742.7N 0753704.8E	860 FT	NO	AIRPORT BOUNDARY WALL WITH FENCING TOP
In circling area and at AD	BUILDING	205741.2N 0753708.3E	878 FT	NO	TERMINAL BUILDING
In circling area and at AD	TREE	205742.3N 0753705.5E	869 FT	NO	TREE
In circling area and at AD	OTHER	205740.7N 0753708.8E	892 FT	NO	LC ROD ON TERMINAL BUILDING (TERMINAL BUILDING TOP=267.6M)
In circling area and at AD	OTHER	205740.8N 0753708.9E	895 FT	NO	ANTENNA ON TERMINAL BUILDING (TERMINAL BUILDING TOP=267.6M)
In circling area and at AD	POLE	205742.4N 0753704.9E	879 FT	NO	LIGHT POLE
In circling area and at AD	POLE	205738.4N 0753757.2E	829 FT	NO	LIGHT POLE
In circling area and at AD	TREE	205736.9N 0753817.3E	825 FT	NO	TREE
In circling area and at AD	OTHER	205750.1N 0753805.2E	825 FT	NO	LIGHTNING ARRESTER
In circling area and at AD	POLE	205738.4N 0753802.4E	823 FT	NO	LIGHT POLE
In circling area and at AD	TREE	205736.5N 0753821.6E	834 FT	NO	TREE
In circling area and at AD	TREE	205750.8N 0753832.9E	870 FT	NO	GROUP OF TREES
In circling area and at AD	POLE	205739.4N 0753729.2E	861 FT	NO	LIGHT POLE
In circling area and at AD	POLE	205739.4N 0753734.4E	854 FT	NO	LIGHT POLE
In circling area and at AD	POLE	205739.3N 0753732.3E	858 FT	NO	LIGHT POLE
In circling area and at AD	POLE	205739.4N 0753731.3E	860 FT	NO	LIGHT POLE
In circling area and at AD	TREE	205738.7N 0753732.2E	870 FT	NO	TREE
In circling area and at AD	OTHER	205837.4N 0753557.4E	991 FT	NO	CELL PHONE MAST
In circling area and at AD	OTHER	205535.5N 0753736.8E	995 FT	NO	HILL TOP

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM 08)	Marking/LGT	Remarks
In circling area and at AD	TANK	205705.9N 0753632.6E	997 FT	NO	OVER HEAD WATER TANK
In circling area and at AD	TOWER	210017.4N 0753628.6E	1259 FT	NO	TV-TOWER

VAJL AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Name of the associated meteorological office	Aeronautical Meteorological Office, Mumbai
2	Hours of service and, where applicable, the designation of the responsible meteorological office outside these hours	As per Watch Hour NOTAM & to meet operational requirements.
3	Office responsible for preparation of TAFs and periods of validity and interval of issuance of the forecasts	Meteorological Watch Office, Mumbai (AMO Mumbai); TAF issued every 3 hour UTC to meet operational requirements as per Watch Hour NOTAM and available on OLBS
4	Availability of the trend forecast for the aerodrome and interval of issuance	Not Available
5	Information on how briefing and/or consultation is provided	Briefing documents like METAR, Aerodrome Warnings, local forecast, TAF etc. available on Online Briefing System. METAR, Aerodrome Warnings provided to local ATS Unit..
6	Types of flight documentation supplied and language(s) used in flight documentation	METAR, TAF reports uploaded on OLBS
7	Charts and other information displayed or available for briefing or consultation	Available on IMD Website
8	Supplementary equipment available for providing information on meteorological conditions, e.g. weather radar and receiver for satellite images;	No Weather Radar covering Jalgaon Aerodrome, Satellite Images Available on IMD websites
9	The air traffic services unit(s) provided with meteorological information	JALGAON TWR, Jalgaon Airport
10	Additional information, e.g. concerning any limitation of service.	email: amsjalgaon.imd@gmail.com

VAJL AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations	TRUE Bearings	Dimensions of RWY (M)	Strength of pavement (PCN) and associated data) and surface of runway and associated stopways	Geographical coordinates for threshold and runway end
1	2	3	4	5
09	93.80 DEG	1700 x 45 M	47/F/A/W/T Asphalt	THR: 205746.33N 0753728.24E RWY END: 205743.79N 0753809.01E
27	273.80 DEG	1700 x 45 M	47/F/A/W/T Asphalt	THR: 205744.11N 0753803.83E RWY END: 205747.45N 0753710.27E

THR elevation and highest elevation of TDZ of precision APP RWY	Slope of runway and associated stopway	Dimensions of stopway (M)	Dimensions of clearway (M)	Dimensions of strips (M)
6	7	8	9	10
THR: 828.0FT TDZ: 828.0FT	-0.80%	NIL	NIL	1820 x 280 M
THR: 801.0FT TDZ: 817.0FT	0.80%	NIL	NIL	1820 x 280 M

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	12	13	14
90M x 90M			Vertical Datum: EGM 08
90M x 90M			Vertical Datum: EGM 08

VAJL AD 2.13 DECLARED DISTANCES

RWY Designator	Take-off run available TORA (M)	Take-off distance available TODA (M)	Accelerate distance available ASDA (M)	Landing distance available LDA (M)	Remarks (including runway entry or start point where alternative reduced declared distances have been declared)
1	2	3	4	5	6
09	1700	1700	1700	1180	
27	1700	1700	1700	1550	

VAJL AD 2.14 APPROACH AND RUNWAY LIGHTING

Runway Designator	Type, length and intensity of approach lighting system	Runway threshold lights, colour and wing bars	Type of visual slope indicator system	Length of runway touchdown zone lights
1	2	3	4	5
09			PAPI LEFT/3.00 DEG MEHT (12.66M)	
27	SALS	Green	PAPI LEFT/3.00 DEG	

Length, spacing, colour and intensity of runway centre line lights	Length, spacing, colour and intensity of runway edge lights	Colour of runway end lights and wing bars	Length and colour of stopway lights	Remarks
6	7	8	9	10
	1700 M 60 M White LIH	Red		--
	1700 M 60 M White LIH	Red		--

VAJL AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	Location, characteristics and hours of operation of aerodrome beacon/identification beacon (if any)	ABN	On ATC/Fire Station building, FLG W&G EV 2 Sec
		IBN	Not AVBL
2	Location and lighting (if any) of anemometer/ landing direction indicator;	LDI	---
		Anemometer	---
3	Taxiway edge and taxiway centre line lights;	Edge	Available
		Centre Line	N.A.
4	Secondary power supply including switch-over time;	Secondary power supply to all lighting at AD. Switch-over time: Less than 15 sec.	
5	Remarks	WDI at a distance of 1180 m from THR RWY27 longitudinally and 184.56 m laterally from RWY centreline on left side of RWY27.	

VAJL AD 2.16 HELICOPTER LANDING AREA

1	Geographical coordinates of the geometric centre of touchdown and lift-off (TLOF) or of each threshold of final approach and take-off (FATO) area	---
2	TLOF and/or FATO area elevation:	---
3	TLOF and FATO area dimensions to the nearest metre or foot, surface type, bearing strength and marking;	---
4	True bearings of FATO;	---
5	Declared distances available	---
6	Approach and FATO lighting;	---
7	Remarks	---

VAJL AD 2.17 AIR TRAFFIC SERVICE AIRSPACE

1	Airspace designation, geographical coordinates and lateral limits	CTR: Area bounded by lines joining points 210403N 0755811E; 210403N 0755356E; 210003N 0755356E; 210003N 0755906E then along the clockwise arc of a circle of 20NM radius centred on 205751N 0753801E to 203848N 0754326E; 204003N 0753856E; 203808N 0753646E then along the clockwise arc of a circle of 20NM radius centred on 205751N 0753801E to point of origin.
2	Vertical limits	FL 65
3	Airspace classification	D
4	Call sign and language(s) of the air traffic services unit providing service;	Jalgaon Tower, English
5	Transition altitude	5000 FT
6	Hours of applicability	HO
7	Remarks	Jalgaon Approach Control Unit is combined with Jalgaon Aerodrome Control Tower.

VAJL AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service Designation	Call sign	Channel(s)	SATVOICE Number(s), if available
1	2	3	4
APP	Jalgaon Tower	118.625 MHZ	
APP	Jalgaon Tower	124.300 MHZ	
TWR	Jalgaon Tower	118.625 MHZ	
TWR	Jalgaon Tower	124.300 MHZ	

Logon address, as appropriate	Hours of operation	Remarks
5	6	7
	HO	1.Standby FREQ 2.Functions of Approach Control Service provided by Aerodrome Control Tower.
	HO	1. Main FREQ 2. Functions of Approach Control Service provided by Aerodrome Control Tower.
	As ATS	Standby Frequency
	As ATS	NIL

VAJL AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aids, magnetic variation and type of supported operation for ILS/ MLS, basic GNSS, SBAS and GBAS, and for VOR/ILS/MLS station used for technical lineup of the aid	Identification	Frequency(ies), Channel number(s), Service provider, and reference path identifier(s) (RPI), as appropriate	Hours of operation, as appropriate;
1	2	3	4
DVOR/DME	JLG	117.500 MHz CH122X	0930-1600

Geographical coordinates of the position of the transmitting antenna	Elevation of transmitting antenna of DME/ elevation of GBAS reference point	Service volume radius from the GBAS reference point	Remarks
5	6	7	8
205750.6N 0753805.3E	824 FT		1. DME Collocated with DVOR 2. Vertical Datum: EGM 08

VAJL AD 2.20 LOCAL AERODROME REGULATIONS

• No Aircraft shall take lock turn/ pivotal turn on the Runway to avoid pavement damage.

VAJL AD 2.21 NOISE ABATEMENT PROCEDURES

VAJL AD 2.22 FLIGHT PROCEDURES

VAJL AD 2.23 ADDITIONAL INFORMATION

VAJL AD 2.24 CHARTS RELATED TO AN AERODROME

1 Aerodrome Chart (03 October 2024)
2 Aircraft Parking/Docking Chart (03 October 2024)
3 Aerodrome Obstacle Chart – Type A (Obstacle Limitations) RWY 09 (08 August 2024)
4 Aerodrome Obstacle Chart – Type A (Obstacle Limitations) RWY 27 (08 August 2024)
5 Aerodrome Obstacle Chart – Type B (08 August 2024)
6 Instrument Approach Chart - VOR Procedure RWY 09 (CAT A/B) (13 June 2024)
7 Instrument Approach Chart - VOR Procedure RWY 27 (CAT A/B/C) (13 June 2024)
8 Instrument Approach Chart - RNP Z Procedure RWY 09 (CAT A/B) (LPV Only) (08 August 2024)
9 Tabular Description - RNP Z Procedure RWY 09 (08 August 2024)
10 FAS Data Block Table - RNP Z Procedure RWY 09 (08 August 2024)
11 Instrument Approach Chart - RNP Procedure RWY 27 (CAT A/B) (08 August 2024)
12 Tabular Description - RNP Procedure RWY 27 (CAT A/B) (08 August 2024)
13 FAS Data Block Table - RNP Procedure RWY 27 (08 August 2024)

VAJL AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

Procedure	Procedure Minima	VSS Penetration
1	**2**	**3**