AD 2. AERODROMES

VEJS AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VEJS - JAMSHEDPUR AIRPORT, JAMSHEDPUR

VEJS AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	Aerodrome reference point coordinates and its site	224852N 0861008E MAG. BRG. 19.07 DEG / 276 M from physical extremity of RWY 08.	
2	Direction and distance of aerodrome reference point from the centre of the city or town which the aerodrome serves	328 DEG / 6.00 Km from the Railway Station	
3	Aerodrome elevation and reference temperature	481 FT / 37.6 DEG C	
4	Magnetic variation, date of information and annual change	0.50 DEG W (2010) /0.016 DEG E	
5	Name of aerodrome operator, address, telephone, telefax, e-mail address, AFS address, website (if available)	Chief Aviation Services Tata Steel Ltd. Jamshedpur Airport, Address: P.O. - Sonari, Dist. Singhbhum East, Jharkhand-831011.,	
		Telephone:	(91) 657 2301127 (91) 7033094747
		Fax:	(91) 657 2307740
		AFS:	VEJSYTYX
		Email:	ravi.radhakrishnan@tatasteel.com aviation@tatasteel.com
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	Vertical Reference System: EGM08	

VEJS AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	MON – FRI – 0330-1130 UTC SAT – 0330 – 0630 UTC SUNDAYS & HOLIDAYS – NIL.
2	Custom and immigration	NIL
3	Health and sanitation	NIL
4	AIS briefing office	As per ATS
5	ATS reporting office (ARO)	As per ATS
6	MET Briefing office	As per ATS
7	Air Traffic Service	As per ATS (NOTAM)
8	Fuelling	As per ATS
9	Handling	As per ATS
10	Security	H24
11	De-icing	NIL
12	Remarks	NIL

VEJS AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	NIL

2	Fuel and Oil types	JET A1 AVGAS 100 LL
3	Fuelling facilities and capacity	ATF (JET A1), AVGAS 100 LL (supplied only in bulk)
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	NIL
6	Repair facilities for visiting aircraft	NIL
7	Remarks	NIL

VEJS AD 2.5 PASSENGER FACILITIES

1	Hotel(s) at or in the vicinity of aerodrome	In the City
2	Restaurant(s) at or in the vicinity of aerodrome	In the City
3	Transportation possibilities	In the City
4	Medical Facilities	First Aid at AD & Hospital in the city.
5	Bank and post office at or in the vicinity of aerodrome	Banks: In the City Post office: In the City
6	Tourist office	In the City
7	Remarks	NIL

VEJS AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	Aerodrome category for fire fighting	Within ATS HR: CAT-4
2	Rescue equipment	As per Cat IV
3	Capability for removal of disabled aircraft	1. The critical aircraft for Jamshedpur airport is King Air. 2. Primary responsibility for removal of disabled aircraft rests with the concerned airline. 3. The airlines may contact 'Aerodrome Coordinator for Disabled Aircraft Removal Operations' for coordinating with the agencies having Disabled Aircraft Recovery Kit. 4. Contact Details of Aerodrome Coordinator for Disabled Aircraft Removal Operations: Aerodrome Coordinator: Mr. Ravi Radhakrishnan Chief Aviation Services, Tata Steel Ltd. Jamshedpur Airport. Contact No. 7033094747.
4	Remarks	NIL

VEJS AD 2.7 SEASONAL AVAILABILITY CLEARING

1	Type(s) of clearing equipment	NIL
2	Clearance priorities	NIL
3	Remarks	NIL

VEJS AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Designation, surface and strength of aprons	Refer Aircraft Parking Docking Chart
2	Designation, width, surface and strength of taxiways	Refer Aircraft Parking Docking Chart
3	Location and elevation of altimeter checkpoints	NIL

4	Location of VOR checkpoints	AT TAXIWAY-A & TAXIWAY-B
5	Position of INS checkpoints	NIL
6	Remarks	1.COORDINATES OF RWY HOLDING POSITION AND ELEVATION (FT) •RWY HOLDING POINT – A 224852.62N 0861020.82E 468 •RWY HOLDING POINT - B 224848.94N0861014.74E 478 •RWY HOLDING POINT – C 224848.31N0861010.84E 482 2.COORDINATES OF RWY AND TAXI INTERSECTION AND ELEVATION (FT) •TWY - A 224851.18N0861020.65E 469 •TWY - B 224850.30N0861014.61E 478 •TWY - C 224849.73N0861010.58E 481 3. ALL ELEVATIONS IN EGM08.

VEJS AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand identification signs, taxiway guidelines and visual docking/parking guidance system at aircraft stands	Taxiing guidance provided on R/T. Other Taxi Guidelines (Markings/Signs) available on the TWYs & apron.
2	Runway and taxiway markings and lights	RWY: Markings: Designation, Threshold, Centre line, Edge, End, Displacement, Aiming Points. Taxi Guidance markings for TWY A, B & C. Lights: Wing Bar, Edge, End TWY: Marking: Centre line, Holding Position Lights: TWY “A” (Only Edge lights)
3	Stop bars (if any)	NIL
4	Remarks	NIL

VEJS AD 2.10 AERODROME OBSTACLES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM08)	Marking/LGT	Remarks
26/TKOF 08/APCH	OTHER	224845.5N 0860940.9E	484 FT	NO	MOBILE ROAD TRAFFIC (ROAD ELEV. + TRAFFIC HEIGHT 142.5 + 5M)
26/TKOF 08/APCH	POLE	224842.5N 0860940.5E	491 FT	NO	ELECTRIC POLE
26/TKOF 08/APCH	BUILDING	224843.1N 0860940.4E	487 FT	NO	BUILDING TOP

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM08)	Marking/LGT	Remarks
26/TKOF 08/APCH	POLE	224842.4N 0860939.5E	502 FT	NO	ELECTRIC POLE
26/TKOF 08/APCH	BUILDING	224843.1N 0860939.4E	500 FT	NO	BUILDING TOP
26/TKOF 08/APCH	BUILDING	224842.1N 0860939.2E	522 FT	NO	BUILDING TOP
26/TKOF 08/APCH	POLE	224843.9N 0860939.1E	490 FT	NO	ELECTRIC POLE
26/TKOF 08/APCH	POLE	224845.8N 0860938.9E	489 FT	NO	ELECTRIC POLE
26/TKOF 08/APCH	BUILDING	224842.4N 0860938.8E	522 FT	NO	BUILDING TOP
26/TKOF 08/APCH	POLE	224845.1N 0860938.7E	490 FT	NO	ELECTRIC POLE
26/TKOF 08/APCH	BUILDING	224844.5N 0860938.7E	486 FT	NO	BUILDING TOP
26/TKOF 08/APCH	BUILDING	224842.9N 0860938.3E	509 FT	NO	BUILDING TOP
26/TKOF 08/APCH	POLE	224848.2N 0860937.9E	491 FT	NO	LIGHT POLE
26/TKOF 08/APCH	TREE	224848.1N 0860937.9E	510 FT	NO	GROUP OF TREE
26/TKOF 08/APCH	POLE	224847.6N 0860937.8E	491 FT	NO	LIGHT POLE
26/TKOF 08/APCH	BUILDING	224841.5N 0860937.7E	529 FT	NO	BUILDING TOP (U/C)
26/TKOF 08/APCH	POLE	224846.8N 0860937.6E	490 FT	NO	ELECTRIC POLE
26/TKOF 08/APCH	BUILDING	224845.0N 0860937.5E	495 FT	NO	BUILDING TOP
26/TKOF 08/APCH	BUILDING	224844.1N 0860937.1E	496 FT	NO	BUILDING TOP
26/TKOF 08/APCH	BUILDING	224842.4N 0860936.7E	512 FT	NO	GROUP OF BUILDING
26/TKOF 08/APCH	BUILDING	224847.6N 0860936.0E	497 FT	NO	BUILDING TOP
26/TKOF 08/APCH	OTHER	224846.6N 0860935.8E	501 FT	NO	SINTEX WATER TANK TOP ON BUILDING (BUILDING TOP = 151.9 M.)
26/TKOF 08/APCH	BUILDING	224848.4N 0860935.7E	502 FT	NO	BUILDING TOP
26/TKOF 08/APCH	BUILDING	224842.2N 0860935.6E	515 FT	NO	BUILDING TOP
26/TKOF 08/APCH	BUILDING	224847.0N 0860934.6E	508 FT	NO	BUILDING TOP
26/TKOF 08/APCH	BUILDING	224846.0N 0860934.4E	506 FT	NO	BUILDING TOP
26/TKOF 08/APCH	BUILDING	224846.3N 0860933.0E	505 FT	NO	BUILDING TOP

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM08)	Marking/LGT	Remarks
26/TKOF 08/APCH	OTHER	224840.1N 0860932.6E	534 FT	NO	CELL PHONE MAST ON BUILDING TOP (BUILDING TOP =159.7 M.)
26/TKOF 08/APCH	OTHER	224841.2N 0860931.1E	527 FT	NO	SINTEX WATER TANK TOP ON BUILDING (BUILDING TOP = 159.5 M.)
26/TKOF 08/APCH	OTHER	224838.8N 0860927.3E	542 FT	NO	FLOOD LIGHT MAST
26/TKOF 08/APCH	POLE	224844.4N 0860943.8E	480 FT	NO	LIGHT POLE
26/TKOF 08/APCH	POLE	224844.6N 0860945.3E	478 FT	NO	LIGHT POLE
26/TKOF 08/APCH	OTHER	224848.5N 0860941.8E	477 FT	NO	MOBILE ROAD TRAFFIC (ROAD ELEV. + TRAFFIC HEIGHT 140.4 + 5M)
26/TKOF 08/APCH	OTHER	224845.7N 0860942.4E	481 FT	NO	MOBILE ROAD TRAFFIC (ROAD ELEV. + TRAFFIC HEIGHT 141.6 + 5M)
26/TKOF 08/APCH	FENCE	224844.6N 0860943.3E	474 FT	NO	AIRPORT BOUNDARY WALL FENCING ON TOP
26/APCH 08/TKOF	TREE	224852.8N 0861031.7E	485 FT	NO	TREE
26/APCH 08/TKOF	TREE	224854.2N 0861027.6E	475 FT	NO	TREE
26/APCH 08/TKOF	TREE	224851.8N 0861037.6E	505 FT	NO	GROUP OF TREE
26/APCH 08/TKOF	TREE	224852.4N 0861039.2E	514 FT	NO	GROUP OF TREE
26/APCH 08/TKOF	TREE	224851.5N 0861042.0E	523 FT	NO	GROUP OF TREE
26/APCH 08/TKOF	TREE	224857.7N 0861044.3E	530 FT	NO	GROUP OF TREE
26/APCH 08/TKOF	TREE	224857.5N 0861046.9E	533 FT	NO	GROUP OF TREE
26/APCH 08/TKOF	OTHER	224854.7N 0861027.4E	474 FT	NO	MOBILE ROAD TRAFFIC (ROAD ELEV.+TRAFFIC HEIGHT 139.6+5M)
26/APCH 08/TKOF	FENCE	224854.6N 0861027.0E	470 FT	NO	AIRPORT BOUNDARY WALL FENCING ON TOP
In circling area and at AD	TREE	224844.7N 0860950.5E	515 FT	NO	GROUP OF TREE
In circling area and at AD	POLE	224844.8N 0860946.8E	476 FT	NO	LIGHT POLE

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM08)	Marking/LGT	Remarks
In circling area and at AD	POLE	224845.0N 0860947.9E	473 FT	NO	LIGHT POLE
In circling area and at AD	POLE	224845.1N 0860948.9E	475 FT	NO	LIGHT POLE
In circling area and at AD	POLE	224845.2N 0860949.9E	473 FT	NO	LIGHT POLE
In circling area and at AD	POLE	224845.2N 0860951.0E	473 FT	NO	LIGHT POLE
In circling area and at AD	POLE	224845.0N 0860952.6E	475 FT	NO	LIGHT POLE
In circling area and at AD	FENCE	224845.5N 0860950.4E	470 FT	NO	AIRPORT BOUNDARY WALL FENCE (BOUNDARY WALL TOP = 142.3 M.)
In circling area and at AD	OTHER	224840.0N 0860953.7E	567 FT	NO	CELLPHONE MAST
In circling area and at AD	TREE	224841.1N 0860947.1E	523 FT	NO	GROUP OF TREE
In circling area and at AD	OTHER	224841.9N 0860942.4E	492 FT	NO	KAMAN
In circling area and at AD	BUILDING	224842.1N 0860941.0E	486 FT	NO	BUILDING TOP
In circling area and at AD	BUILDING	224841.5N 0860940.1E	525 FT	NO	BUILDING TOP
In circling area and at AD	BUILDING	224842.0N 0860940.0E	509 FT	NO	BUILDING TOP
In circling area and at AD	BUILDING	224841.3N 0860939.5E	531 FT	NO	BUILDING TOP
In circling area and at AD	BUILDING	224839.2N 0860935.6E	551 FT	NO	BUILDING TOP
In circling area and at AD	BUILDING	224839.3N 0860934.9E	550 FT	NO	BUILDING TOP
In circling area and at AD	BUILDING	224838.5N 0860930.5E	544 FT	NO	BUILDING TOP
In circling area and at AD	BUILDING	224839.2N 0860930.3E	536 FT	NO	BUILDING TOP
In circling area and at AD	OTHER	224837.0N 0860925.3E	561 FT	NO	CELLPHONE MAST
In circling area and at AD	TREE	224840.4N 0860943.6E	544 FT	NO	GROUP OF TREE
In circling area and at AD	POLE	224844.5N 0860954.6E	491 FT	NO	LIGHT POLE
In circling area and at AD	POLE	224844.1N 0860956.6E	495 FT	NO	LIGHT POLE
In circling area and at AD	SIGN	224852.7N 0861020.1E	471 FT	NO	SIGN BOARD
In circling area and at AD	SIGN	224852.6N 0861021.5E	470 FT	NO	SIGN BOARD
In circling area and at AD	SIGN	224852.2N 0861022.0E	469 FT	NO	SIGN BOARD
In circling area and at AD	SIGN	224851.8N 0861019.2E	473 FT	NO	SIGN BOARD

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM08)	Marking/LGT	Remarks
In circling area and at AD	BUILDING	224854.5N 0861024.1E	477 FT	NO	BUILDING(AVIATION GAS SERVICE)
In circling area and at AD	TREE	224846.1N 0861017.1E	528 FT	NO	GROUP OF TREE
In circling area and at AD	TREE	224844.6N 0861017.4E	557 FT	NO	GROUP OF TREE
In circling area and at AD	TREE	224848.9N 0861031.9E	510 FT	NO	GROUP OF TREE
In circling area and at AD	TREE	224855.8N 0861022.7E	526 FT	NO	GROUP OF TREE
In circling area and at AD	TREE	224856.5N 0861021.5E	533 FT	NO	GROUP OF TREE
In circling area and at AD	TREE	224857.0N 0861025.7E	530 FT	NO	GROUP OF TREE
In circling area and at AD	OTHER	224855.9N 0861026.7E	496 FT	NO	HOARDING
In circling area and at AD	TREE	224854.4N 0861024.3E	497 FT	NO	GROUP OF TREE
In circling area and at AD	POLE	224855.3N 0861027.9E	482 FT	NO	ELECTRIC POLE
In circling area and at AD	TREE	224856.4N 0861028.6E	502 FT	NO	TREE
In circling area and at AD	BUILDING	224855.8N 0861029.7E	492 FT	NO	BUILDING TOP
In circling area and at AD	TREE	224856.4N 0861033.2E	497 FT	NO	GROUP OF TREE
In circling area and at AD	POLE	224854.3N 0861023.8E	483 FT	NO	LIGHT POLE
In circling area and at AD	OTHER	224848.1N 0861026.1E	499 FT	NO	L/C ROD NEAR DVOR
In circling area and at AD	BUILDING	224833.5N 0861023.6E	636 FT	NO	BUILDING TOP
In circling area and at AD	BUILDING	224810.6N 0861050.6E	629 FT	NO	MASJID TOP
In circling area and at AD	ANTENNA	224816.3N 0861055.6E	638 FT	NO	COMMUNICATION ANTENNA
In circling area and at AD	OTHER	224810.6N 0861110.1E	632 FT	NO	CELL PHONE MAST
In circling area and at AD	SIGN	224848.8N 0861009.7E	484 FT	NO	SIGN BOARD
In circling area and at AD	OTHER	224851.0N 0861010.8E	483 FT	NO	ELECTRIC BOX
In circling area and at AD	SIGN	224848.5N 0861011.3E	484 FT	NO	SIGN BOARD
In circling area and at AD	SIGN	224849.1N 0861012.0E	483 FT	NO	SIGN BOARD
In circling area and at AD	SIGN	224849.3N 0861013.3E	482 FT	NO	SIGN BOARD
In circling area and at AD	SIGN	224848.9N 0861014.2E	481 FT	NO	SIGN BOARD
In circling area and at AD	SIGN	224849.0N 0861015.2E	481 FT	NO	SIGN BOARD

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM08)	Marking/LGT	Remarks
In circling area and at AD	SIGN	224849.7N 0861016.1E	478 FT	NO	SIGN BOARD
In circling area and at AD	TREE	224854.4N 0861004.9E	547 FT	NO	GROUP OF TREE
In circling area and at AD	TREE	224854.8N 0861008.1E	544 FT	NO	GROUP OF TREE
In circling area and at AD	TREE	224855.2N 0861008.6E	554 FT	NO	GROUP OF TREE
In circling area and at AD	OTHER	224854.0N 0861008.6E	541 FT	NO	L/C ROD
In circling area and at AD	ANTENNA	224854.0N 0861008.6E	526 FT	NO	ANTENNA ON FIRE STATION
In circling area and at AD	ANTENNA	224853.9N 0861008.6E	526 FT	NO	ANTENNA ON FIRE STATION (FIRE STATION TOP = 151.0 M.)
In circling area and at AD	OTHER	224854.1N 0861008.7E	530 FT	NO	L/C ROD ON FIRE STATION
In circling area and at AD	ANTENNA	224853.7N 0861008.9E	524 FT	NO	VHF ANTENNA
In circling area and at AD	ANTENNA	224853.7N 0861009.0E	524 FT	NO	VHF ANTENNA
In circling area and at AD	OTHER	224853.8N 0861009.3E	528 FT	NO	ARRESTER ON ATC
In circling area and at AD	OTHER	224854.0N 0861009.5E	531 FT	NO	LC ROD
In circling area and at AD	ANTENNA	224854.0N 0861009.6E	529 FT	NO	ANTENNA
In circling area and at AD	OTHER	224854.0N 0861009.7E	538 FT	NO	LIGHT ON ROD
In circling area and at AD	OTHER	224853.8N 0861009.7E	531 FT	NO	L/C ON ATC
In circling area and at AD	ANTENNA	224854.2N 0861010.5E	540 FT	NO	VHFR ANTENNA
In circling area and at AD	OTHER	224852.5N 0861010.7E	493 FT	NO	L/C ROD
In circling area and at AD	TREE	224844.9N 0861011.1E	549 FT	NO	GROUP OF TREE
In circling area and at AD	OTHER	224852.6N 0861011.8E	487 FT	NO	RVR CAMERA
In circling area and at AD	OTHER	224852.7N 0861011.9E	492 FT	NO	L/C ROD
In circling area and at AD	TREE	224845.5N 0861013.2E	532 FT	NO	GROUP OF TREE
In circling area and at AD	OTHER	224852.8N 0861013.3E	500 FT	NO	WDI (LGT)
In circling area and at AD	TREE	224845.1N 0861014.2E	554 FT	NO	GROUP OF TREE
In circling area and at AD	OTHER	224853.0N 0861006.8E	515 FT	NO	L/C ROD ON MET ANTENNA (MET ANTENNA TOP = 156.1 M.)
In circling area and at AD	BUILDING	224752.7N 0860800.4E	630 FT	NO	BUILDING TOP (U/C)

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM08)	Marking/LGT	Remarks
In circling area and at AD	OTHER	224739.7N 0860828.0E	632 FT	NO	CELL PHONE MAST
In circling area and at AD	TREE	224702.8N 0861039.8E	633 FT	NO	GROUP OF TREE ON HILL TOP
In circling area and at AD	TREE	224702.0N 0861043.1E	635 FT	NO	GROUP OF TREE ON HILL TOP
In circling area and at AD	BUILDING	224705.4N 0861044.6E	630 FT	NO	BUILDING
In circling area and at AD	OTHER	224800.3N 0861044.3E	662 FT	NO	MAST ON BUILDING
In circling area and at AD	OTHER	224800.1N 0861100.4E	635 FT	NO	CELL PHONE MAST
In circling area and at AD	OTHER	224744.5N 0861104.4E	669 FT	NO	CELL PHONE MAST
In circling area and at AD	OTHER	224757.1N 0861112.7E	642 FT	NO	CELL PHONE MAST
In circling area and at AD	STACK	224750.7N 0861135.9E	757 FT	NO	CHIMNEY
In circling area and at AD	STACK	224754.2N 0861140.5E	779 FT	NO	CHIMNEY
In circling area and at AD	STACK	224758.7N 0861142.3E	704 FT	NO	AIR SEPARATION PLANT
In circling area and at AD	STACK	224800.6N 0861142.6E	720 FT	NO	AIR SEPARATION PLANT
In circling area and at AD	STACK	224729.2N 0861148.7E	1009 FT	NO	CHIMNEY
In circling area and at AD	STACK	224752.8N 0861150.5E	750 FT	NO	CHIMNEY(TATA STEEL)
In circling area and at AD	STACK	224757.4N 0861154.2E	741 FT	NO	AIR SEPARATION PLANT
In circling area and at AD	STACK	224749.0N 0861154.6E	653 FT	NO	CHIMNEY(TATA STEEL)
In circling area and at AD	STACK	224757.4N 0861157.9E	820 FT	NO	CHIMNEY ON SHED (TATA STEEL)
In circling area and at AD	OTHER	224806.0N 0861200.4E	640 FT	NO	CELL PHONE MAST
In circling area and at AD	STACK	224756.4N 0861201.1E	772 FT	NO	CHIMNEY(TATA STEEL)
In circling area and at AD	TREE	224655.4N 0861055.0E	690 FT	NO	GROUP OF TREE ON HILL
In circling area and at AD	STACK	224657.2N 0861111.8E	678 FT	NO	CHIMNEY
In circling area and at AD	STACK	224700.0N 0861116.1E	696 FT	NO	CHIMNEY
In circling area and at AD	STACK	224720.7N 0861147.7E	1010 FT	NO	CHIMNEY
In circling area and at AD	STACK	224717.5N 0861151.5E	1013 FT	NO	CHIMNEY
In circling area and at AD	STACK	224725.2N 0861154.8E	1009 FT	NO	CHIMNEY
In circling area and at AD	STACK	224731.7N 0861158.6E	1105 FT	NO	CHIMNEY

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM08)	Marking/LGT	Remarks
In circling area and at AD	STACK	224739.3N 0861230.7E	1017 FT	NO	CHIMNEY
In circling area and at AD	STACK	225009.9N 0860338.5E	1500 FT	NO	CHIMNEY
In circling area and at AD	OTHER	225348.0N 0861051.1E	2554 FT	NO	HILL TOP
In circling area and at AD	OTHER	224209.0N 0861136.0E	1422 FT	NO	HILL TOP
In circling area and at AD	OTHER	225327.0N 0861308.8E	3013 FT	NO	HILL TOP
In circling area and at AD	STACK	224519.3N 0861453.6E	1086 FT	NO	CHIMNEY
In circling area and at AD	TREE	225023.5N 0861514.8E	1276 FT	NO	GROUP OF TREE ON HILL
In circling area and at AD	TREE	225005.8N 0861604.5E	1382 FT	NO	GROUP OF TREE ON HILL
In circling area and at AD	OTHER	225308.8N 0861654.0E	1291 FT	NO	HILL TOP
In circling area and at AD	OTHER	225303.0N 0861708.9E	1248 FT	NO	HILL TOP
In circling area and at AD	TREE	224918.0N 0861838.4E	1421 FT	NO	GROUP OF TREE ON HILL

VEJS AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Name of the associated meteorological office	Jamshedpur Met
2	Hours of service and, where applicable, the designation of the responsible meteorological office outside these hours	As per NOTAM / ATS Hours
3	Office responsible for preparation of TAFs and periods of validity and interval of issuance of the forecasts	Patna (03-12, 06-15, 09-18, 12-21) Kolkata (00-09) 9 HR
4	Availability of the trend forecast for the aerodrome and interval of issuance	NIL
5	Information on how briefing and/or consultation is provided	NIL
6	Types of flight documentation supplied and language(s) used in flight documentation	Tabular Form English
7	Charts and other information displayed or available for briefing or consultation	NIL
8	Supplementary equipment available for providing information on meteorological conditions, e.g. weather radar and receiver for satellite images;	DIWE
9	The air traffic services unit(s) provided with meteorological information	Jamshedpur ATC & ACS
10	Additional information, e.g. concerning any limitation of service.	NIL

VEJS AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations	TRUE Bearings	Dimensions of RWY (M)	Strength of pavement (PCN) and associated data) and surface of runway and associated stopways	Geographical coordinates for threshold and runway end
1	2	3	4	5
08	81.19 DEG	1030 x 30 M	33/F/B/Y/T Asphalt	THR: 224848.20N 0860959.91E RWY END: 224851.69N 0861024.17E
26	261.19 DEG	1030 x 30 M	33/F/B/Y/T Asphalt	THR: 224851.44N 0861022.44E RWY END: 224846.57N 0860948.47E

THR elevation and highest elevation of TDZ of precision APP RWY	Slope of runway and associated stopway	Dimensions of stopway (M)	Dimensions of clearway (M)	Dimensions of strips (M)
6	7	8	9	10
THR: 474.0FT TDZ: 479.0FT	0.53%	NIL	NIL	1150 x 140 M
THR: 466.0FT TDZ: 473.0FT	0.53%	NIL	NIL	1150 x 140 M

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	12	13	14
90M x 60M		NIL	1. Displaced Threshold of RWY 08 is designated as Isolation Aircraft Parking Place. 2. For first 193 M length of strip RWY 08, a width of 38 M to 70 M available towards south and full 70 M available towards North. Beyond 193 M full Width of 70M + 70M available. 3. RESA not maintained as per specifications. 4. Vertical Datum: EGM 08
90M x 60M			1. Vertical Datum: EGM 08

VEJS AD 2.13 DECLARED DISTANCES

RWY Designator	Take-off run available TORA (M)	Take-off distance available TODA (M)	Accelerate distance available ASDA (M)	Landing distance available LDA (M)	Remarks (including runway entry or start point where alternative reduced declared distances have been declared)
1	2	3	4	5	6
08	1030	1030	1030	700	Threshold displaced by 330M.
26	1030	1030	1030	980	Threshold displaced by 50M.

VEJS AD 2.14 APPROACH AND RUNWAY LIGHTING

Runway Designator	Type, length and intensity of approach lighting system	Runway threshold lights, colour and wing bars	Type of visual slope indicator system	Length of runway touchdown zone lights
1	2	3	4	5
08	NIL	Green Wing Bar AVBL	PAPI LEFT/3.00 DEG MEHT (6.00M)	NIL
26	NIL	Green Wing Bar AVBL	PAPI LEFT/3.00 DEG MEHT (7.70M)	

Length, spacing, colour and intensity of runway centre line lights	Length, spacing, colour and intensity of runway edge lights	Colour of runway end lights and wing bars	Length and colour of stopway lights	Remarks
6	7	8	9	10
NIL	1030 M 57 M Variable White LIH	Red	NIL	1. PAPI located at 70M from DISP THR. 2. Colour of Wing Bars: Green
	1030 M 57 M Variable White LIH	Red		1. PAPI located at 92M from DISP THR 2. Colour of Wing Bars: Green

VEJS AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	Location, characteristics and hours of operation of aerodrome beacon/identification beacon (if any)	ABN	Two (MAIN & STBY) ABN at Tower flashing W & G EV 2 SEC As per ATS Hrs
		IBN	NIL
2	Location and lighting (if any) of anemometer/ landing direction indicator;	LDI	Available & Lighted
		Anemometer	Available but not Lighted
3	Taxiway edge and taxiway centre line lights;	Edge	Available at TWY A
		Centre Line	NIL
4	Secondary power supply including switch-over time;	Secondary Power supply to all lightings. Switch over time 15 sec.	
5	Remarks	NIL	

VEJS AD 2.16 HELICOPTER LANDING AREA

1	Geographical coordinates of the geometric centre of touchdown and lift-off (TLOF) or of each threshold of final approach and take-off (FATO) area	Not established
2	TLOF and/or FATO area elevation:	NIL
3	TLOF and FATO area dimensions to the nearest metre or foot, surface type, bearing strength and marking;	NIL
4	True bearings of FATO;	NIL
5	Declared distances available	NIL
6	Approach and FATO lighting;	NIL
7	Remarks	Only aircraft stands 1, 3, 5, 6 and 7 are earmarked for parking of Skid Landing Gear Helicopters.

VEJS AD 2.17 AIR TRAFFIC SERVICE AIRSPACE

1	Airspace designation, geographical coordinates and lateral limits	CTR: Area bounded by lines joining points 231000N 0855700E; 230000N 0860000E; 230000N 0862500E; 223900N 0862500E; 223845N 0863500E then along the clockwise arc of a circle of 25NM radius centred on 224847N 0861026E to 222900N 0862700E; 223000N 0860900E; 222600N 0855800E then along the clockwise arc of a circle of 25NM radius centred on 224847N 0861026E to point of origin.
2	Vertical limits	FL 70
3	Airspace classification	D
4	Call sign and language(s) of the air traffic services unit providing service;	Jamshedpur Tower, English
5	Transition altitude	5000 FT
6	Hours of applicability	HO
7	Remarks	Jamshedpur Approach Control Unit is combined with Jamshedpur Aerodrome Control Tower

VEJS AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service Designation	Call sign	Channel(s)	SATVOICE Number(s), if available
1	**2**	**3**	**4**
APP	Jamshedpur Tower	119.225 MHZ	
APP	Jamshedpur Tower	122.100 MHZ	
TWR	Jamshedpur Tower	119.225 MHZ	
TWR	Jamshedpur Tower	122.100 MHZ	

Logon address, as appropriate	Hours of operation	Remarks
5	**6**	**7**
	HO	1.Main FREQ 2.Functions of Approach Control Service provided by Aerodrome Control Tower.

Logon address, as appropriate	Hours of operation	Remarks
	HO	1.Backup FREQ 2.Functions of Approach Control Service provided by Aerodrome Control Tower.
	HO	NIL
	HO	1. Backup Frequency

VEJS AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aids, magnetic variation and type of supported operation for ILS/ MLS, basic GNSS, SBAS and GBAS, and for VOR/ILS/MLS station used for technical lineup of the aid	Identification	Frequency(ies), Channel number(s), Service provider, and reference path identifier(s) (RPI), as appropriate	Hours of operation, as appropriate;
1	2	3	4
DVOR/DME	JJS	115.400 MHz CH101X	H24
NDB	TS	410 kHz	H24

Geographical coordinates of the position of the transmitting antenna	Elevation of transmitting antenna of DME/ elevation of GBAS reference point	Service volume radius from the GBAS reference point	Remarks
5	6	7	8
224847.5N 0861026.2E	492 FT		Vertical Reference System: EGM08
224843.5N 0861007.8E			

VEJS AD 2.20 LOCAL AERODROME REGULATIONS

NIL

VEJS AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

VEJS AD 2.22 FLIGHT PROCEDURES

NIL

VEJS AD 2.23 ADDITIONAL INFORMATION

A chimney is located on radial R284 , 5.8 Nm from JJS at a height of 275M AGL. Elevation 460M AMSL. Pilots to exercise caution while executing instrument approach procedure for RWY08.

VEJS AD 2.24 CHARTS RELATED TO AN AERODROME

1. Aerodrome Chart(14 MAY 2026)
2. Aircraft Parking Docking Chart(14 MAY 2026)
3. Aerodrome Obstacle Chart – (Operating Limitations) Type A RWY 08
4. Aerodrome Obstacle Chart – (Operating Limitations) Type A RWY 26
5. VOR Procedure RWY 08 (6 AUG 2026)
6 VOR Procedure RWY 26 (6 AUG 2026)
7. Instrument Approach Chart - NDB Procedure RWY 08 (CAT A/B) (6 AUG 2026)

VEJS AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

Procedure	Procedure Minima	VSS Penetration
1	**2**	**3**