AD 2. AERODROMES

VEJH AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VEJH - VEER SURENDRA SAI AIRPORT, JHARSUGUDA

VEJH AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	Aerodrome reference point coordinates and its site	215453N 0840255E 049.1 DEG/1068M from physical beginning of RWY 06.	
2	Direction and distance of aerodrome reference point from the centre of the city or town which the aerodrome serves	North; approx. 10 KM from Jharsuguda Jn. Railway station	
3	Aerodrome elevation and reference temperature	757 FT / 37.2 DEG C	
4	Magnetic variation, date of information and annual change	0.50 DEG W (2010) /0.017 DEG E	
5	Name of aerodrome operator, address, telephone, telefax, e-mail address, AFS address, website (if available)	Airport Director Airport Authority of India, V.S.S Airport Jharsuguda,	
		Telephone:	916645267011
		Fax:	(91) 6645267012
		AFS:	
		Email:	
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	Nil	

VEJH AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	MON–FRI: 0400 – 1230 UTC (0930-1800 IST) SAT, SUN+HOL: NIL
2	Custom and immigration	NIL
3	Health and sanitation	MI room Available in Terminal Building.
4	AIS briefing office	As ATS
5	ATS reporting office (ARO)	As ATS
6	MET Briefing office	As ATS
7	Air Traffic Service	To be notified
8	Fuelling	As ATS
9	Handling	As ATS
10	Security	As ATS
11	De-icing	NIL
12	Remarks	NIL

VEJH AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	NIL
2	Fuel and Oil types	JET A1
3	Fuelling facilities and capacity	IOCL Bowser: 16 KL 2 Nos, 11 KL 1 No. Storage Tank: 35 KL 2 Nos Total Capacity: 113 KL

4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	NIL
6	Repair facilities for visiting aircraft	NIL
7	Remarks	NIL

VEJH AD 2.5 PASSENGER FACILITIES

1	Hotel(s) at or in the vicinity of aerodrome	Budget and premium hotels available in the city
2	Restaurant(s) at or in the vicinity of aerodrome	Snack Bar in T/B and Restaurants in city
3	Transportation possibilities	Auto, Taxi
4	Medical Facilities	First Aid at Aerodrome, Medical facility in the city
5	Bank and post office at or in the vicinity of aerodrome	Banks: In city Post office: In city
6	Tourist office	In City.
7	Remarks	NIL

VEJH AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	Aerodrome category for fire fighting	Within ATS HR: CAT-7
2	Rescue equipment	Available as per category
3	Capability for removal of disabled aircraft	1. The critical aircraft for the airport is - A320. 2. Primary responsibility for removal of disabled aircraft rests with the concerned airline. 3. The airlines may contact 'Aerodrome Coordinator for Disabled Aircraft Removal Operations' for coordinating with the agencies having Disabled Aircraft Recovery Kit. 4. Contact Details of Aerodrome Coordinator for Disabled Aircraft Removal Operations: AIRPORT DIRECTOR Contact No.- 06645-267011(O) Email: apd_vejh@aai.aero]
4	Remarks	NIL

VEJH AD 2.7 SEASONAL AVAILABILITY CLEARING

1	Type(s) of clearing equipment	NIL
2	Clearance priorities	NIL
3	Remarks	NIL

VEJH AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Designation, surface and strength of aprons	Refer Aircraft Parking/Docking Chart
2	Designation, width, surface and strength of taxiways	Refer Aircraft Parking/Docking Chart
3	Location and elevation of altimeter checkpoints	Location: On Apron. Aircraft Stand 1 and 2. Elevation: Stand 1: 745 FT; Stand 2: 746 FT
4	Location of VOR checkpoints	AVBL at TWY A.
5	Position of INS checkpoints	NIL
6	Remarks	Taxi Holding A: 215449.48293N0840300.11400E /229.2M Taxi Holding (Isolation Bay): 215442.80301N 0840300.17219E/ 228.6M Taxi Holding C: 215446.49436N 0840253.82698E/228.3M RWY/ TWY C Intersection Point Coordinates: 215443.83033N 0840255.29767E

VEJH AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand identification signs, taxiway guidelines and visual docking/parking guidance system at aircraft stands	Taxing guidance provided on RTF. Guideline at Apron. Nose in guidance at ACFT stand. Visual docking / parking guidance system of aircraft stands not available.
2	Runway and taxiway markings and lights	RWY Markings: THR, TDZ, Aiming point, Centreline, RWY edge. RWY Lights: Edge Lights, RWY End light, THR lights. RWY turn pad edge lights. TWY Markings: Edge, Center line, holding Position. TWY Lights: Edge Light.
3	Stop bars (if any)	Nil
4	Remarks	NIL

VEJH AD 2.10 AERODROME OBSTACLES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
24/TKOF 06/APCH	TREE	215429.2N 0840209.8E	780 FT	NO	Group Of Tree
24/TKOF 06/APCH	OTHER	215422.2N 0840149.7E	820 FT	NO	Flood Light Mast
24/APCH 06/TKOF	OTHER	215507.5N 0840346.5E	770 FT	NO	Mobile Road Traffic (Road Elev. 229.7 M.+ 5 M.)
24/APCH 06/TKOF	POLE	215514.6N 0840351.3E	778 FT	NO	Light Pole
24/APCH 06/TKOF	POLE	215509.5N 0840354.1E	779 FT	NO	Light Pole
24/APCH 06/TKOF	POLE	215507.7N 0840355.1E	782 FT	NO	Light Pole
24/APCH 06/TKOF	OTHER	215506.2N 0840356.1E	782 FT	NO	Mobile Road Traffic (Road Elev. 233.5 M.+ 5 M.)
24/APCH 06/TKOF	POLE	215507.7N 0840400.8E	799 FT	NO	Electric Pole
24/APCH 06/TKOF	POLE	215509.0N 0840401.7E	797 FT	NO	Electric Pole
24/APCH 06/TKOF	TREE	215512.4N 0840409.5E	808 FT	NO	Group Of Tree
24/APCH 06/TKOF	OTHER	215543.2N 0840541.2E	971 FT	NO	Pylon Mast
24/APCH 06/TKOF	OTHER	215555.6N 0840541.2E	965 FT	NO	Pylon Mast
24/APCH 06/TKOF	OTHER	215608.5N 0840541.4E	922 FT	NO	Pylon Mast
24/APCH 06/TKOF	OTHER	215429.5N 0840225.5E	752 FT	NO	Approach Light
24/APCH 06/TKOF	OTHER	215616.3N 0840533.2E	912 FT	NO	Pylon Mast
In circling area and at AD	TREE	215502.7N 0840346.6E	776 FT	NO	Tree
In circling area and at AD	TREE	215503.0N 0840349.9E	782 FT	NO	Group Of Tree

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	TREE	215522.8N 0840358.7E	812 FT	NO	Group Of Tree
In circling area and at AD	OTHER	215505.3N 0840437.2E	913 FT	NO	Cell Phone Mast
In circling area and at AD	OTHER	215624.5N 0840524.7E	934 FT	NO	Pylon Mast
In circling area and at AD	OTHER	215508.9N 0840540.6E	964 FT	NO	Pylon Mast
In circling area and at AD	OTHER	215521.2N 0840540.8E	947 FT	NO	Pylon Mast
In circling area and at AD	OTHER	215532.2N 0840540.9E	949 FT	NO	Pylon Mast
In circling area and at AD	OTHER	215506.1N 0840543.9E	967 FT	NO	Pylon Mast
In circling area and at AD	OTHER	215453.1N 0840544.4E	950 FT	NO	Pylon Mast
In circling area and at AD	OTHER	215449.3N 0840545.5E	948 FT	NO	Pylon Mast
In circling area and at AD	OTHER	215638.3N 0840521.2E	935 FT	NO	Pylon Mast
In circling area and at AD	OTHER	215527.1N 0840600.6E	932 FT	NO	Pylon Mast
In circling area and at AD	OTHER	215438.3N 0840235.9E	757 FT	NO	WDI
In circling area and at AD	SIGN	215443.2N 0840301.1E	753 FT	NO	Sign Board
In circling area and at AD	SIGN	215450.0N 0840301.1E	755 FT	NO	Sign Board
In circling area and at AD	OTHER	215504.2N 0840328.3E	760 FT	NO	GP Hut
In circling area and at AD	ANTENNA	215504.4N 0840328.6E	767 FT	NO	GP DME Antenna
In circling area and at AD	ANTENNA	215504.3N 0840328.7E	802 FT	NO	GP Main Antenna = 243.8 M. (L/A Rod On GP=244.5 M.)
In circling area and at AD	ANTENNA	215456.7N 0840330.8E	786 FT	NO	Met Antenna
In circling area and at AD	ANTENNA	215505.6N 0840331.2E	769 FT	NO	GP Monitor Antenna Top = 233.6 M. (L/A Rod on GP Monitor =234.4 M.)
In circling area and at AD	TREE	215431.8N 0840216.8E	777 FT	NO	Group Of Tree
In circling area and at AD	POLE	215455.8N 0840334.1E	786 FT	NO	Light Pole
In circling area and at AD	OTHER	215449.3N 0840545.5E	948 FT	NO	Pylon Mast
In circling area and at AD	OTHER	215356.6N 0840538.7E	975 FT	NO	Cell Phone Mast
In circling area and at AD	OTHER	215437.0N 0840103.2E	910 FT	NO	Pylon Mast
In circling area and at AD	STACK	214707.9N 0840323.6E	1587 FT	NO	Chimney

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	STACK	214712.6N 0840314.5E	1595 FT	NO	Chimney
In circling area and at AD	STACK	214847.3N 0840226.0E	1588 FT	NO	Chimney
In circling area and at AD	STACK	214851.0N 0840221.2E	1585 FT	NO	Chimney
In circling area and at AD	STACK	214425.7N 0840342.2E	1593 FT	NO	Chimney
In circling area and at AD	STACK	214418.4N 0840342.0E	1591 FT	NO	Chimney
In circling area and at AD	STACK	215741.3N 0835330.4E	1622 FT	NO	Chimney

VEJH AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Name of the associated meteorological office	AMS Jharsuguda
2	Hours of service and, where applicable, the designation of the responsible meteorological office outside these hours	As ATS, Current weather observation will be recorded during off hours of Airport operation.
3	Office responsible for preparation of TAFs and periods of validity and interval of issuance of the forecasts	Issued by AMO Bhubaneswar for Jharsuguda 09 HRS validity. Every 3 hrs. As per hrs. of service.
4	Availability of the trend forecast for the aerodrome and interval of issuance	TREND Forecast not appended to each METAR at every half an hour issued from AMS Jharsuguda.
5	Information on how briefing and/or consultation is provided	Provided in Tabular form from Bhubaneswar.
6	Types of flight documentation supplied and language(s) used in flight documentation	English
7	Charts and other information displayed or available for briefing or consultation	1.WAFC products: Data for upper wind and temperature for levels: 850,700,500,300,250,200,150 Hpa. SIG weather charts for FL100-250 & for FL250-630. 2. National charts for consultation only, surface charts, upper air charts for levels 100,150,200,250,300,400,500,600,700,850 Hpa. Prognostic upper air charts at constant pressure DWR products/ satellite imagery, all at AMO Bhubaneswar. CWIS will be installed at AMS Jharsuguda
8	Supplementary equipment available for providing information on meteorological conditions, e.g. weather radar and receiver for satellite images;	IMD website- https://mausam.imd.gov.in, Email, FAX, MFI, HPCS, all at AMO, VEBS. DIGITAL CURRENT WX INSTR SYSTEM (DCWIS)INSTL FOR RWY 24 Digital current WX INSTR system (DCWIS) INSTL for RWY 24.
9	The air traffic services unit(s) provided with meteorological information	Jharsuguda ATS
10	Additional information, e.g. concerning any limitation of service.	TS Warning, Aerodrome Warning. From AMS Jharsuguda.

VEJH AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations	TRUE Bearings	Dimensions of RWY (M)	Strength of pavement (PCN) and associated data) and surface of runway and associated stopways	Geographical coordinates for threshold and runway end
1	2	3	4	5
06	62.77 DEG	2391 x 45 M	65/R/B/W/T Concrete	THR: 215430.41N 0840227.34E RWY END: 215505.96N 0840341.39E
24	242.77 DEG	2391 x 45 M	65/R/B/W/T Concrete	THR: 215505.96N 0840341.39E RWY END: 215430.41N 0840227.34E

THR elevation and highest elevation of TDZ of precision APP RWY	Slope of runway and associated stopway	Dimensions of stopway (M)	Dimensions of clearway (M)	Dimensions of strips (M)
6	7	8	9	10
THR: 752.0FT TDZ: 755.0FT	0.40%	NIL	NIL	2511 x 300 M
THR: 756.0FT TDZ: 756.0FT	0.20%	NIL	NIL	2511 x 300 M

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	12	13	14
240M x 90M	Nil		Slope of runway and associated stopway: Longitudinal 0-264M=0.4% (up) 264-744M=0.4% (down) 744-1584m =0.3%(up) 1584-2118m=0.2% (down) 2118-2391m=0.2% (up) Transverse = 1%
120M x 90M	Nil		1. Slope of runway and associated stopway: Longitudinal 0-273M=0.2% (down) 273-807M =0.2%(up) 807-1647M=0.3%(down) 1647-2127M=0.4%(up) 2127-2391M=0.4% (down) Transverse = 1% 2. STEEP DROP OF 9.2 METRE IN TERRAIN DUE TO LAND UNDULATION AT THE END OF RESA RUNWAY24.

VEJH AD 2.13 DECLARED DISTANCES

RWY Designator	Take-off run available TORA (M)	Take-off distance available TODA (M)	Accelerate distance available ASDA (M)	Landing distance available LDA (M)	Remarks (including runway entry or start point where alternative reduced declared distances have been declared)
1	2	3	4	5	6
06	2391	2391	2391	2391	Nil
24	2391	2391	2391	2391	Nil

VEJH AD 2.14 APPROACH AND RUNWAY LIGHTING

Runway Designator	Type, length and intensity of approach lighting system	Runway threshold lights, colour and wing bars	Type of visual slope indicator system	Length of runway touchdown zone lights
1	2	3	4	5
06	SALS 240 M LIH	Green	PAPI LEFT/3.00 DEG	
24	SALS 360 M LIH	Green	PAPI LEFT/3.00 DEG	

Length, spacing, colour and intensity of runway centre line lights	Length, spacing, colour and intensity of runway edge lights	Colour of runway end lights and wing bars	Length and colour of stopway lights	Remarks
6	7	8	9	10
	2391 M 60 M White LIH	Red		NIL
	2391 M 60 M White LIH	Red		NIL

VEJH AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	Location, characteristics and hours of operation of aerodrome beacon/identification beacon (if any)	ABN	At ATC Tower; FLASHES W&G; 20-30 RPM; As ATS HR
		IBN	NIL
2	Location and lighting (if any) of anemometer/ landing direction indicator;	LDI	1. Abeam TWY A; Illuminated. 2.Near Beginning of RWY 06; Illuminated
		Anemometer	At Met Office
3	Taxiway edge and taxiway centre line lights;	Edge	Available
		Centre Line	Nil
4	Secondary power supply including switch-over time;	Available for all lightings; Switch over time: 15 Sec	
5	Remarks	NIL	

VEJH AD 2.16 HELICOPTER LANDING AREA

1	Geographical coordinates of the geometric centre of touchdown and lift-off (TLOF) or of each threshold of final approach and take-off (FATO) area	Not Established
2	TLOF and/or FATO area elevation:	Not Established
3	TLOF and FATO area dimensions to the nearest metre or foot, surface type, bearing strength and marking;	Not Established
4	True bearings of FATO;	Not Established
5	Declared distances available	Not Established
6	Approach and FATO lighting;	Not Established
7	Remarks	Not Established

VEJH AD 2.17 AIR TRAFFIC SERVICE AIRSPACE

1	Airspace designation, geographical coordinates and lateral limits	CTR: Circular area centered on 215453N 0840255E within a 20NM radius.
2	Vertical limits	FL 105
3	Airspace classification	D
4	Call sign and language(s) of the air traffic services unit providing service;	Jharsuguda Tower, English
5	Transition altitude	7000 FT
6	Hours of applicability	HO
7	Remarks	Jhasuguda Approach Control Unit is combined with Jharsuguda Aerodrome Control Tower

VEJH AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service Designation	Call sign	Channel(s)	SATVOICE Number(s), if available
1	**2**	**3**	**4**
APP	Jharsuguda Tower	118.350 MHZ	
APP	Jharsuguda Tower	124.350 MHZ	
TWR	Jharsuguda Tower	118.350 MHZ	
TWR	Jharsuguda Tower	124.350 MHZ	
ATIS	Jharsuguda INFO	128.425 MHZ	

Logon address, as appropriate	Hours of operation	Remarks
5	**6**	**7**
	AS ATS	1.Backup FREQ 2.Functions of Approach Control Service provided by Aerodrome Control Tower.
	AS ATS	1.Main FREQ 2.Functions of Approach Control Service provided by Aerodrome Control Tower.
	AS ATS	STANDBY
	As ATS	Nil
	AS ATS	NIL

VEJH AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aids, magnetic variation and type of supported operation for ILS/ MLS, basic GNSS, SBAS and GBAS, and for VOR/ILS/MLS station used for technical lineup of the aid	Identification	Frequency(ies), Channel number(s), Service provider, and reference path identifier(s) (RPI), as appropriate	Hours of operation, as appropriate;
1	2	3	4
LOC 24 CAT I	IJHR	108.500 MHz	AS ATS
GP 24		329.900 MHz	AS ATS
DME ILS 24	IJHR	CH22X	AS ATS
DVOR/DME	JRS	112.600 MHz CH73X	H24
NDB	JH	314 kHz	H24

Geographical coordinates of the position of the transmitting antenna	Elevation of transmitting antenna of DME/ elevation of GBAS reference point	Service volume radius from the GBAS reference point	Remarks
5	6	7	8
215426.5N 0840219.3E			
215504.3N 0840328.7E			1. GLIDEPATH ANGLE: 3 DEG
215504.4N 0840328.5E	768 FT		1. COLOCATED WITH GP. 2. ELEVATION IN EGM 08.
215457.3N 0840342.4E	795 FT		Vertical datum: EGM08
215518.5N 0840204.6E			

VEJH AD 2.20 LOCAL AERODROME REGULATIONS

• No Aircraft shall take lock turn/ pivotal turn on the Runway to avoid pavement damage.

VEJH AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

VEJH AD 2.22 FLIGHT PROCEDURES

NIL

VEJH AD 2.23 ADDITIONAL INFORMATION

NIL

VEJH AD 2.24 CHARTS RELATED TO AN AERODROME

1 Aerodrome Chart (01 October 2026)
2 Aircraft Parking/Docking chart (01 October 2026)
3 Aerodrome Obstacle Chart Type A (Operating Limitations) RWY 06 (23 January 2025)
4 Aerodrome Obstacle Chart Type A (Operating Limitations) RWY 24 (23 January 2025)
5 Aerodrome Obstacle Chart – Type B (23 January 2025)
6 ILS or LOC Procedure RWY 24 (6 AUG 2026)
7 VOR Procedure RWY 24 (CAT A/B/C)(9 JULY 2026)
8 VOR Procedure RWY 06 (CAT A/B/C)(9 JULY 2026)
9 NDB Procedure RWY 24 (CAT A/B/C)

VEJH AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

Procedure	Procedure Minima	VSS Penetration
1	2	3