AD 2. AERODROMES

VEJT AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VEJT - JORHAT AIRPORT, JORHAT [INDIAN AIR FORCE]

NOTE: Aeronautical Data and Aeronautical Information published as here under is provided by Indian Air Force

VEJT AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	Aerodrome reference point coordinates and its site	264349N 0941033E South of RWY abeam link 'B'	
2	Direction and distance of aerodrome reference point from the center of the city or town which the aerodrome serves	4.5 Km East of Jorhat city.	
3	Aerodrome elevation and reference temperature	299 FT / 30.2 DEG C	
4	Magnetic variation, date of information and annual change	0.50 DEG W/ NIL	
5	Name of aerodrome operator, address, telephone, telefax, e-mail address, AFS address, website (if available)	Senior Air Traffic Control Officer Air Force Station, Jorhat Assam -785005,	
		Telephone:	(91) 376-2333013
		Fax:	(91) 376 2333013
		AFS:	
		Email:	ats.1968@gov.in
6	Types of traffic permitted (IFR/VFR)	IFR/VFR	
7	Remarks	NIL	

VEJT AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	HJ
2	Custom and immigration	NOT AVBL
3	Health and sanitation	H24,MI Room
4	AIS briefing office	HJ
5	ATS reporting office (ARO)	HJ
6	MET Briefing office	HJ
7	Air Traffic Service	HJ
8	Fuelling	HJ
9	Handling	HJ, with prior coordination with AAI Jorhat
10	Security	H24, CISF
11	De-icing	NIL
12	Remarks	NIL

VEJT AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	NIL
2	Fuel and Oil types	JET A1 Oil type not available
3	Fuelling facilities and capacity	Bulk Supply/1200 K Ltr (Tankage) (IOCL)
4	De-icing facilities	NIL

5	Hangar space for visiting aircraft	
6	Repair facilities for visiting aircraft	
7	Remarks	NIL

VEJT AD 2.5 PASSENGER FACILITIES

1	Hotel(s) at or in the vicinity of aerodrome	Available at a distance of 4.5 km.
2	Restaurant(s) at or in the vicinity of aerodrome	Available
3	Transportation possibilities	Taxis are available.
4	Medical Facilities	Hospital available at 03 km
5	Bank and post office at or in the vicinity of aerodrome	Banks: No bank available at Civil enclave Post office: Not Available at Civil enclave
6	Tourist office	Not Available at Civil enclave/ Available at City
7	Remarks	NIL

VEJT AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	Aerodrome category for fire fighting	Within ATS HR: CAT-7
2	Rescue equipment	Available as per category
3	Capability for removal of disabled aircraft	Not Available
4	Remarks	NIL

VEJT AD 2.7 SEASONAL AVAILABILITY CLEARING

1	Type(s) of clearing equipment	All Season
2	Clearance priorities	All Season
3	Remarks	All Season

VEJT AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Designation, surface and strength of aprons	Designator: Civil Apron- New Surface Surface: Concrete Strength: PCN 24/R/B/W/T Designator: Civil Apron-Old surface Surface: Concrete Strength: PCN 24/R/C/X/T
2	Designation, width, surface and strength of taxiways	Designator: TWY E Width: 23 M Surface: Concrete Strength: PCN 45/R/C/X/T Designator: TWY E1 Width: 23 M Surface: Concrete Strength: PCN 45/R/C/X/T Designator: TWY E2 Width: 23 M Surface: Concrete Strength: PCN 45/R/C/X/T
3	Location and elevation of altimeter checkpoints	NIL
4	Location of VOR checkpoints	Available at ‘E’
5	Position of INS checkpoints	

6	Remarks	NIL

VEJT AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand identification signs, taxiway guidelines and visual docking/parking guidance system at aircraft stands	Taxi guidance provided on R/T
2	Runway and taxiway markings and lights	RWY: Markings: Designation, Threshold, Aiming point, Side Strip, touchdown zone, Centreline, Edge. Lights: Edge , Threshold/ Wing bar, End , Centreline , Touchdown zone , RWY turn pad , Stop way , RWY threshold identification lights TWY: Markings: Centre line, Taxi holding Position at all taxi ways Lights: Taxiway Edge Light
3	Stop bars (if any)	E Link
4	Remarks	NIL

VEJT AD 2.10 AERODROME OBSTACLES

Note: Resolution of obstacles coordinates is up to Second only

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
22/APCH 04/TKOF	OTHER	264439.0N 0941254.0E	564 FT	LGTD	MWT
22/TKOF 04/APCH	OTHER	264306.0N 0940828.0E	400 FT	LGTD	MAST
In circling area and at AD	OTHER	264624.0N 0941056.0E	404 FT	NIL	MWT
In circling area and at AD	OTHER	264742.0N 0941118.0E	499 FT	NIL	MWT
In circling area and at AD	OTHER	264533.0N 0941059.0E	467 FT	NIL	MWT
In circling area and at AD	OTHER	264507.0N 0941059.0E	454 FT	NIL	MWT
In circling area and at AD	OTHER	264555.0N 0941133.0E	483 FT	NIL	MWT
In circling area and at AD	OTHER	264509.0N 0941127.0E	463 FT	NIL	MWT
In circling area and at AD	OTHER	264520.0N 0941142.0E	418 FT	NIL	MWT
In circling area and at AD	OTHER	264524.0N 0941202.0E	467 FT	NIL	MWT

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	OTHER	264419.0N 0941100.0E	319 FT	NIL	FLL PT
In circling area and at AD	OTHER	264538.0N 0941222.0E	437 FT	NIL	MWT
In circling area and at AD	BUILDING	264431.0N 0941119.0E	319 FT	LGTD	HUT
In circling area and at AD	TREE	264430.0N 0941109.0E	374 FT	NIL	BAMBOO
In circling area and at AD	OTHER	264537.0N 0941236.0E	473 FT	NIL	MWT
In circling area and at AD	OTHER	264512.0N 0941214.0E	479 FT	NIL	MWT
In circling area and at AD	BUILDING	264420.0N 0941108.0E	315 FT	LGTD	HUT
In circling area and at AD	OTHER	264457.0N 0941158.0E	473 FT	NIL	MWT
In circling area and at AD	OTHER	264459.0N 0941209.0E	450 FT	NIL	MWT
In circling area and at AD	OTHER	264519.0N 0941243.0E	452 FT	NIL	MWT
In circling area and at AD	OTHER	264516.0N 0941246.0E	431 FT	NIL	MWT
In circling area and at AD	OTHER	264607.0N 0941427.0E	496 FT	NIL	MWT
In circling area and at AD	OTHER	264405.0N 0941104.0E	370 FT	NIL	MAST 1
In circling area and at AD	OTHER	264404.0N 0941103.0E	372 FT	NIL	MAST 2
In circling area and at AD	OTHER	264403.0N 0941101.0E	372 FT	NIL	MAST 3
In circling area and at AD	OTHER	264453.0N 0941253.0E	502 FT	NIL	MWT
In circling area and at AD	OTHER	264529.0N 0941439.0E	627 FT	NIL	MWT
In circling area and at AD	OTHER	264422.0N 0941153.0E	431 FT	NIL	MWT
In circling area and at AD	TREE	264422.0N 0941059.0E	350 FT	NIL	TREE 1
In circling area and at AD	OTHER	264439.0N 0941254.0E	568 FT	NIL	MWT
In circling area and at AD	TOWER	264440.0N 0941520.0E	634 FT	NIL	AIR Jorhat Tower
In circling area and at AD	OTHER	264401.0N 0941142.0E	478 FT	NIL	MWT-II
In circling area and at AD	OTHER	264352.0N 0941052.0E	357 FT	NIL	MAST 4
In circling area and at AD	OTHER	264336.0N 0941336.0E	447 FT	NIL	MWT
In circling area and at AD	OTHER	264225.0N 0941359.0E	431 FT	NIL	MWT
In circling area and at AD	OTHER	264346.0N 0941040.0E	350 FT	NIL	POST
In circling area and at AD	OTHER	264319.0N 0941103.0E	433 FT	NIL	MWT

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation	Marking/LGT	Remarks
In circling area and at AD	OTHER	264243.0N 0941108.0E	433 FT	NIL	MWT
In circling area and at AD	OTHER	264635.0N 0941530.0E	496 FT	NIL	MWT
In circling area and at AD	OTHER	264226.0N 0941022.0E	463 FT	NIL	MWT
In circling area and at AD	OTHER	264133.0N 0941002.0E	463 FT	NIL	MWT
In circling area and at AD	TREE	264320.0N 0941007.0E	384 FT	NIL	TREE
In circling area and at AD	BUILDING	264319.0N 0941001.0E	314 FT	LGTD	HUT
In circling area and at AD	TOWER	264320.0N 0940947.0E	331 FT	NIL	TOWER
In circling area and at AD	ANTENNA	264306.0N 0940828.0E	420 FT	NIL	ANTENNA
In circling area and at AD	OTHER	264259.0N 0940643.0E	466 FT	NIL	MWT
In circling area and at AD	OTHER	264332.0N 0940802.0E	414 FT	NIL	MWT
In circling area and at AD	OTHER	264333.0N 0940529.0E	499 FT	NIL	MWT
In circling area and at AD	OTHER	264428.0N 0940932.0E	474 FT	NIL	MWT 2
In circling area and at AD	OTHER	264442.0N 0940947.0E	463 FT	NIL	MWT 1
In circling area and at AD	OTHER	264446.0N 0941008.0E	430 FT	NIL	MWT
In circling area and at AD	OTHER	264358.0N 0941032.0E	356 FT	NIL	MAST 5
In circling area and at AD	OTHER	264705.0N 0941002.0E	447 FT	NIL	MWT
In circling area and at AD	OTHER	264458.0N 0941031.0E	453 FT	NIL	MWT-I

VEJT AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Name of the associated meteorological office	Air Force Station Jorhat
2	Hours of service and, where applicable, the designation of the responsible meteorological office outside these hours	24 Hrs Observation & 18 Hrs Forecast
3	Office responsible for preparation of TAFs and periods of validity and interval of issuance of the forecasts	MET office, Air Force Station Jorhat 12 HRS
4	Availability of the trend forecast for the aerodrome and interval of issuance	Trend 30 Min HJ and 01 Hr Outside HJ
5	Information on how briefing and/or consultation is provided	Available
6	Types of flight documentation supplied and language(s) used in flight documentation	Tabular Form English
7	Charts and other information displayed or available for briefing or consultation	Surface Chart, Upper Air chart, satellite imagery, NWP Output

8	Supplementary equipment available for providing information on meteorological conditions, e.g. weather radar and receiver for satellite images;	AWS, RVR, AFNET and LAN
9	The air traffic services unit(s) provided with meteorological information	ATC Jorhat
10	Additional information, e.g. concerning any limitation of service.	Forecasting during ATS watch hours.

VEJT AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations	TRUE Bearings	Dimensions of RWY (M)	Strength of pavement (PCN) and associated data) and surface of runway and associated stopways	Geographical coordinates for threshold and runway end
1	2	3	4	5
04	44.00 DEG	2862 x 46 M	44/F/C/X/T	THR: 264317.00N 0940955.00E RWY END: 264423.00N 0941107.00E
22	224.00 DEG	2862 x 46 M	44/F/C/X/T	THR: 264423.00N 0941107.00E RWY END: 264317.00N 0940955.00E

THR elevation and highest elevation of TDZ of precision APP RWY	Slope of runway and associated stopway	Dimensions of stopway (M)	Dimensions of clearway (M)	Dimensions of strips (M)
6	7	8	9	10
THR: 297.0FT TDZ: 299.0FT				3200 x 160 M
THR: 295.0FT TDZ: 299.0FT		338 x 46 M	338 x 160	3200 x 160 M

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	12	13	14
			1.Strength (PCN): First 101M: 48/R/C/X/T Second 274M: Not yet determined Third 2213M: 44/F/C/X/T Last 274M: Under slab replacement 2.Pre Threshold Area 338M: 48/R/C/X/T 3. Resolution of THR and RWY END Coordinates is up to Second 4. Elevation of THR and TDZ is up to nearest feet

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	12	13	14
			1. Strength (PCN): First 274M: Under slab replacement Second 2213M: 44/F/C/X/T Third 274M: Not yet determined Last 101M: 48/R/C/X/T 2. RWY End Safety Area 338M: 48/R/C/X/T 3. Resolution of THR and RWY END Coordinates is up to Second 4. Elevation of THR and TDZ is up to nearest feet

VEJT AD 2.13 DECLARED DISTANCES

RWY Designator	Take-off run available TORA (M)	Take-off distance available TODA (M)	Accelerate distance available ASDA (M)	Landing distance available LDA (M)	Remarks (including runway entry or start point where alternative reduced declared distances have been declared)
1	2	3	4	5	6
04	2862	2862	2862	2862	Refer latest NOTAM for change due slab work on RWY
22	2862	3200	3200	2862	Refer latest NOTAM for change due slab work on RWY

VEJT AD 2.14 APPROACH AND RUNWAY LIGHTING

Runway Designator	Type, length and intensity of approach lighting system	Runway threshold lights, colour and wing bars	Type of visual slope indicator system	Length of runway touchdown zone lights
1	2	3	4	5
04	CAT II 840 M LIH	Red GREEN	PAPI RIGHT/3.00 DEG	900 M
22	SALS	Red GREEN	PAPI RIGHT/3.00 DEG	

Length, spacing, colour and intensity of runway centre line lights	Length, spacing, colour and intensity of runway edge lights	Colour of runway end lights and wing bars	Length and colour of stopway lights	Remarks
6	7	8	9	10
2862 M 15 M LIH	2862 M 60 M LIH	Red		Refer latest NOTAM for change due slab work on RWY
2862 M 15 M LIH	2862 M 60 M LIH	Red	Red 338 M	Refer latest NOTAM for change due slab work on RWY

VEJT AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	Location, characteristics and hours of operation of aerodrome beacon/identification beacon (if any)	ABN	On top of ATC tower 20 FPM/ APR
		IBN	Not Available
2	Location and lighting (if any) of anemometer/ landing direction indicator;	LDI	South of RWY, in front of ATC/ lighted.
		Anemometer	Not Available
3	Taxiway edge and taxiway centre line lights;	Edge	Single aspect blue light, Spacing - 30M
		Centre Line	
4	Secondary power supply including switch-over time;	Switchover time within 12 Seconds.	
5	Remarks	NIL	

VEJT AD 2.16 HELICOPTER LANDING AREA

1	Geographical coordinates of the geometric centre of touchdown and lift-off (TLOF) or of each threshold of final approach and take-off (FATO) area	Not established
2	TLOF and/or FATO area elevation:	Not established
3	TLOF and FATO area dimensions to the nearest metre or foot, surface type, bearing strength and marking;	Not established
4	True bearings of FATO;	Not established
5	Declared distances available	Not established
6	Approach and FATO lighting;	Not established
7	Remarks	Not established

VEJT AD 2.17 AIR TRAFFIC SERVICE AIRSPACE

1	Airspace designation, geographical coordinates and lateral limits	MCTR: Area bounded by lines joining points 265502N 0932448E; 271802N 0935747E; 272902N 0941947E; 264702N 0945947E; 261602N 0943747E; 260902N 0940947E; 262202N 0932448E to point of origin.
2	Vertical limits	FL 120
3	Airspace classification	D
4	Call sign and language(s) of the air traffic services unit providing service;	Jorhat Tower, English
5	Transition altitude	8000 FT
6	Hours of applicability	HJ
7	Remarks	1. Excluding area of 5NM circle around Lilabari airport from GND to 3000FT. 2. Controlling Unit: IAF Jorhat

VEJT AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service Designation	Call sign	Channel(s)	SATVOICE Number(s), if available
1	2	3	4
APP	Jorhat Approach	121.300 MHZ	
TWR	Jorhat Tower	127.300 MHZ	
ATIS	JORHAT INFORMATION	116.700 MHZ	
RADAR	JORHAT RADAR	130.400 MHZ	

Logon address, as appropriate	Hours of operation	Remarks
5	6	7
	As per ATS watch hours	NIL
	As per ATS watch hours	NIL
	As per ATS watch hours	NIL
	As per IAF requirement	MSSR/ RSR

VEJT AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aids, magnetic variation and type of supported operation for ILS/ MLS, basic GNSS, SBAS and GBAS, and for VOR/ILS/MLS station used for technical lineup of the aid	Identification	Frequency(ies), Channel number(s), Service provider, and reference path identifier(s) (RPI), as appropriate	Hours of operation, as appropriate;
1	2	3	4
LOC 04 CAT II	IJHT	108.700 MHz	As ATS
GP 04	GP04	330.500 MHz	AS ATS
DME ILS 04	IJHT	CH24X	As ATS
VOR/DME	JJT	116.700 MHz CH114X	AS ATS

Geographical coordinates of the position of the transmitting antenna	Elevation of transmitting antenna of DME/ elevation of GBAS reference point	Service volume radius from the GBAS reference point	Remarks
5	6	7	8
264430.0N 0941116.0E			
264321.0N 0941006.0E			
264321.0N 0941006.0E	206 FT		Collocated with GP04
264324.8N 0940952.2E	196 FT		1. Controlling Authority: Indian Air Force 2. Coverage: 150 NM

VEJT AD 2.20 LOCAL AERODROME REGULATIONS

NIL

VEJT AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

VEJT AD 2.22 FLIGHT PROCEDURES

NIL

VEJT AD 2.23 ADDITIONAL INFORMATION

NIL

VEJT AD 2.24 CHARTS RELATED TO AN AERODROME

1 Instrument Approach Chart - CAT I ILS RWY 04(14 MAY 2026)
2 Instrument Approach Chart - VOR (Z) RWY 04(14 MAY 2026)
3 Instrument Approach Chart - VOR (Y) RWY 04(14 MAY 2026)
4 Instrument Approach Chart - VOR (Z) RWY 22(14 MAY 2026)
5 Instrument Approach Chart - VOR (Y) RWY 22(14 MAY 2026)

VEJT AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

Procedure	Procedure Minima	VSS Penetration
1	2	3