AD 2. AERODROMES

VAJJ AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VAJJ - JUHU AIRPORT, MUMBAI

VAJJ AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	Aerodrome reference point coordinates and its site	190551N 0725002E MAG. BRG. 185.18DEG /88 M from intersection of RWY 08/26 and 16/34	
2	Direction and distance of aerodrome reference point from the centre of the city or town which the aerodrome serves	500 M West from Vile Parle Railway Station	
3	Aerodrome elevation and reference temperature	17 FT / 33.0 DEG C	
4	Magnetic variation, date of information and annual change	0.75 DEG W (2010) /0.0333 DEG E	
5	Name of aerodrome operator, address, telephone, telefax, e-mail address, AFS address, website (if available)	Airport Director, AAI, Juhu Airport,, Opp Nanavati Hospital, Vile Parle (W), Mumbai - 400056	
		Telephone:	(91) 22 26616738 (91) 7045659508
		Fax:	(91) 22 26616738
		AFS:	---
		Email:	apd_juhu@aai.aero
6	Types of traffic permitted (IFR/VFR)	VFR	
7	Remarks	Elevation in EGM08.	

VAJJ AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	0400 to 1230 UTC (0930 To 1800 IST) on all working days except Saturday, Sunday and Holidays
2	Custom and immigration	Not available
3	Health and sanitation	N. A.
4	AIS briefing office	As ATS
5	ATS reporting office (ARO)	As ATS
6	MET Briefing office	As ATS
7	Air Traffic Service	Refer NOTAM
8	Fuelling	As ATS
9	Handling	N. A.
10	Security	H24
11	De-icing	Not available
12	Remarks	(i) Outside Watch Hrs, ATS are available on request (Sunrise to Sunset) with 04 Hrs prior notice (ii) The ATS approved hourly RWY traffic handling capacity is as follows: Maximum number of arrivals and departures -12 (The minimum spacing between two successive arrivals shall be more than five minutes) Maximum number of arrivals only -06 Maximum number of departures only -10

VAJJ AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	Not available
2	Fuel and Oil types	Kerosene based ATF (Aviation Turbine fuel), M/s. HPCL.
3	Fuelling facilities and capacity	Tank capacity (16 + 6) KL (22,000 litre). Tank capacity (200 KL x 3 = 600 KL in 3 tanks). (IOCL filled the fuel in ONGC overhead tanks each have capacity of 200 KL).
4	De-icing facilities	Not available
5	Hangar space for visiting aircraft	Nil
6	Repair facilities for visiting aircraft	MRO available.
7	Remarks	Nil

VAJJ AD 2.5 PASSENGER FACILITIES

1	Hotel(s) at or in the vicinity of aerodrome	Nearby Airport
2	Restaurant(s) at or in the vicinity of aerodrome	Nearby Airport
3	Transportation possibilities	Nearby Airport
4	Medical Facilities	Nearby Airport
5	Bank and post office at or in the vicinity of aerodrome	Banks: Nearby Airport Post office: Nearby Airport
6	Tourist office	Not available
7	Remarks	Nil

VAJJ AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	Aerodrome category for fire fighting	Within ATS HR: CAT-4
2	Rescue equipment	Agni Vijay-CFT: One Ambulance: One
3	Capability for removal of disabled aircraft	1. The critical Aircraft for the Airport is B-200. 2. Primary responsibility for removal of disabled aircraft removal rests with the concerned airline. 3. The airlines may contact 'Aerodrome Coordinator for Disabled Aircraft Removal Operations' for coordinating with the agencies having Disabled Aircraft Recovery Kit. 4. Contact Details of Aerodrome Coordinator for Disabled Aircraft Removal Operations: Airport Director: 022-26616738, M: 7045659508/9741768881 E mail : apd_juhu@aai.aero
4	Remarks	Nil

VAJJ AD 2.7 SEASONAL AVAILABILITY CLEARING

1	Type(s) of clearing equipment	Not available
2	Clearance priorities	Not available
3	Remarks	Nil

VAJJ AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Designation, surface and strength of aprons	Refer Aircraft Parking/Docking Chart
2	Designation, width, surface and strength of taxiways	Refer Aircraft Parking/Docking Chart

3	Location and elevation of altimeter checkpoints	Location: On Taxiway "N" Elevation: 4 M
4	Location of VOR checkpoints	Not available
5	Position of INS checkpoints	Not available
6	Remarks	1. Coordinates of RWY Holding Position: TWY Coordinates Elevation (FT) TWY B 190550.40N 0724953.90E 10 TWY D 190545.52N 0725007.90E 10 TWY P 190556.85N 0725008.03E 10 2. Coordinates of RWY and Taxi Intersection: TWY Coordinates Elevation (FT) TWY B 190552.82N 0724955.44E 11 TWY D 190545.89N 0725006.01E 10 TWY P 190554.67N 0725006.35E 11 3. Apron Size: i. 240 M x 81.5 M, ii. 115 M x 25 M, iii. 30 M x 22.8 M, iv. 40 M x 30 M, v. 50 M x 27 M 4. Elevations in EGM08

VAJJ AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand identification signs, taxiway guidelines and visual docking/parking guidance system at aircraft stands	Not Applicable
2	Runway and taxiway markings and lights	RWY Markings: Edge, Centre Line, THR, Designation RWY Lights: Not Available TWY Marking: Edge, Centre, Holding position TWY Lights: Not Available
3	Stop bars (if any)	Nil
4	Remarks	Ground Lighting System not Available

VAJJ AD 2.10 AERODROME OBSTACLES

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM08)	Marking/LGT	Remarks
26/TKOF 08/APCH	OTHER	190549.4N 0724936.8E	29 FT	NO	Hoarding
26/TKOF 08/APCH	FENCE	190549.8N 0724937.5E	27 FT	NO	Airport Boundary Wall With Fencing On Top
26/TKOF 08/APCH	FENCE	190551.1N 0724937.2E	28 FT	NO	Airport Boundary Wall With Fencing On Top
26/TKOF 08/APCH	POLE	190548.4N 0724936.8E	31 FT	NO	Light Pole

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM08)	Marking/LGT	Remarks
26/TKOF 08/APCH	POLE	190549.9N 0724935.5E	35 FT	NO	Light Pole
26/TKOF 08/APCH	POLE	190550.3N 0724936.5E	33 FT	NO	Light Pole
26/TKOF 08/APCH	POLE	190550.9N 0724935.3E	37 FT	NO	Light Pole
26/TKOF 08/APCH	POLE	190549.1N 0724936.7E	34 FT	NO	Pole
26/TKOF 08/APCH	POLE	190548.7N 0724936.9E	33 FT	NO	Light Pole
26/TKOF 08/APCH	POLE	190549.6N 0724936.7E	34 FT	NO	Light Pole
26/TKOF 08/APCH	FENCE	190547.4N 0724938.8E	31 FT	NO	Airport Boundary Wall With Fencing On Top
26/TKOF 08/APCH	POLE	190551.0N 0724936.4E	35 FT	NO	Light Pole
26/TKOF 08/APCH	OTHER	190549.7N 0724937.2E	35 FT	NO	Mobile Road Traffic (Road Elev 5.7 M + Mobile Traffic 5.0 M)
26/TKOF 08/APCH	POLE	190547.9N 0724936.0E	41 FT	NO	Light Pole
26/TKOF 08/APCH	POLE	190550.9N 0724936.0E	39 FT	NO	Pole
26/TKOF 08/APCH	OTHER	190552.2N 0724940.4E	34 FT	NO	Mobile Road Traffic (Road Elev 5.5 M + Mobile Traffic 5.0 M)
26/TKOF 08/APCH	OTHER	190549.8N 0724937.7E	34 FT	NO	Mobile Road Traffic (Road Elev 5.5 M + Mobile Traffic 5.0 M)
26/TKOF 08/APCH	OTHER	190547.4N 0724940.0E	34 FT	NO	Mobile Road Traffic (Road Elev 5.5 M + Mobile Traffic 5.0 M)
26/TKOF 08/APCH	POLE	190548.3N 0724936.9E	40 FT	NO	Pole
26/TKOF 08/APCH	POLE	190548.2N 0724937.0E	41 FT	NO	CCTV Pole
26/TKOF 08/APCH	TREE	190550.7N 0724936.4E	44 FT	NO	Tree
26/TKOF 08/APCH	TREE	190549.6N 0724936.6E	49 FT	NO	Tree
26/TKOF 08/APCH	TREE	190549.0N 0724936.7E	50 FT	NO	Tree
26/APCH 08/TKOF	BUILDING	190600.6N 0725052.4E	133 FT	NO	Railing On Building (Building Top 39.6m)
26/APCH 08/TKOF	BUILDING	190606.2N 0725050.0E	128 FT	NO	Railing On Building (Building Top 38.1m)
26/APCH 08/TKOF	BUILDING	190600.9N 0725045.0E	105 FT	NO	Antenna On Building (Building Top 31.0m)

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM08)	Marking/LGT	Remarks
26/APCH 08/TKOF	BUILDING	190602.5N 0725045.9E	110 FT	NO	Building U/C
26/APCH 08/TKOF	BUILDING	190602.9N 0725053.7E	140 FT	NO	Dish On Building (Building Top 41.9m)
26/APCH 08/TKOF	BUILDING	190559.4N 0725053.8E	138 FT	NO	Building
26/APCH 08/TKOF	BUILDING	190604.3N 0725052.0E	135 FT	NO	Railing On Building (Building Top 39.9m)
26/APCH 08/TKOF	BUILDING	190559.0N 0725049.3E	121 FT	NO	Building
26/APCH 08/TKOF	BUILDING	190603.8N 0725046.2E	114 FT	NO	Building
26/APCH 08/TKOF	BUILDING	190601.9N 0725047.8E	118 FT	NO	Building
26/APCH 08/TKOF	BUILDING	190603.2N 0725055.6E	149 FT	NO	Building
26/APCH 08/TKOF	BUILDING	190604.1N 0725041.8E	97 FT	NO	Railing On Building (Building Top 28.6m)
26/APCH 08/TKOF	BUILDING	190558.5N 0725051.1E	129 FT	NO	Railing On Building (Building Top 38.3m)
26/APCH 08/TKOF	BUILDING	190600.2N 0725050.6E	129 FT	NO	Building
26/APCH 08/TKOF	BUILDING	190601.7N 0725048.9E	126 FT	NO	Railing On Building (Building Top 37.4m)
26/APCH 08/TKOF	BUILDING	190601.6N 0725045.8E	116 FT	NO	Mast On Building (Building Top 24.6m)
26/APCH 08/TKOF	BUILDING	190602.6N 0725043.6E	109 FT	NO	Mast On Building (Building Top 25.8m)
26/APCH 08/TKOF	FENCE	190557.1N 0725020.9E	20 FT	NO	Fencing
26/APCH 08/TKOF	BUILDING	190559.7N 0725043.8E	109 FT	NO	Building
26/APCH 08/TKOF	BUILDING	190559.8N 0725053.0E	144 FT	NO	Mast On Building (Building Top 37.4m)
26/APCH 08/TKOF	BUILDING	190604.9N 0725046.0E	122 FT	NO	Building
26/APCH 08/TKOF	POLE	190556.9N 0725020.9E	21 FT	NO	Light Pole
26/APCH 08/TKOF	FENCE	190556.7N 0725021.5E	26 FT	NO	Airport Boundary Wall With Fencing On Top
26/APCH 08/TKOF	FENCE	190556.3N 0725021.8E	26 FT	NO	Airport Boundary Wall With Fencing On Top
26/APCH 08/TKOF	STACK	190601.5N 0725044.2E	114 FT	NO	Chimney On Building (Building Top 30.7m)

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM08)	Marking/LGT	Remarks
26/APCH 08/TKOF	FENCE	190556.1N 0725021.8E	26 FT	NO	Airport Boundary Wall With Fencing On Top
26/APCH 08/TKOF	BUILDING	190604.5N 0725046.5E	126 FT	NO	Building
26/APCH 08/TKOF	OTHER	190556.0N 0725022.2E	32 FT	NO	Mobile Road Traffic (Road Elev 4.8 M + Mobile Traffic 5.0 M)
26/APCH 08/TKOF	BUILDING	190558.0N 0725031.9E	74 FT	NO	Sintex Tank On Building. (Building Top 21.9)
26/APCH 08/TKOF	OTHER	190557.2N 0725021.1E	33 FT	NO	Mobile Road Traffic (Road Elev 5.0 M + Mobile Traffic 5.0 M)
26/APCH 08/TKOF	OTHER	190556.1N 0725021.1E	32 FT	NO	Mobile Road Traffic (Road Elev 4.9 M + Mobile Traffic 5.0 M)
26/APCH 08/TKOF	BUILDING	190600.5N 0725040.7E	114 FT	NO	Mast On Building (Building Top 24.8m)
26/APCH 08/TKOF	BUILDING	190558.3N 0725028.7E	68 FT	NO	Building
26/APCH 08/TKOF	BUILDING	190557.8N 0725030.3E	74 FT	NO	St. Xavier School Bldg. Vent Pipe (Bldg. Top- 20.8 M)
26/APCH 08/TKOF	POLE	190556.5N 0725021.9E	41 FT	NO	Light Pole
26/APCH 08/TKOF	POLE	190558.1N 0725021.8E	43 FT	NO	Light Pole
26/APCH 08/TKOF	BUILDING	190556.3N 0725026.8E	61 FT	NO	Building
26/APCH 08/TKOF	BUILDING	190557.8N 0725027.1E	63 FT	NO	Railing On Building (Building Top 18.1m)
26/APCH 08/TKOF	BUILDING	190558.9N 0725023.0E	49 FT	NO	Building (Building Ellora Tourist)
26/APCH 08/TKOF	BUILDING	190557.3N 0725022.8E	50 FT	NO	Building
26/APCH 08/TKOF	BUILDING	190559.6N 0725029.1E	76 FT	NO	Sintex Tank On Building (Building Top 21.1m)
26/APCH 08/TKOF	TREE	190558.3N 0725021.7E	47 FT	NO	Group Of Tree
26/APCH 08/TKOF	BUILDING	190558.4N 0725026.7E	66 FT	NO	Building
26/APCH 08/TKOF	BUILDING	190557.0N 0725025.1E	60 FT	NO	Railing On Building (Building Top 17.8m)
26/APCH 08/TKOF	BUILDING	190558.4N 0725023.0E	53 FT	NO	Building
26/APCH 08/TKOF	BUILDING	190556.5N 0725022.7E	52 FT	NO	Building

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM08)	Marking/LGT	Remarks
26/APCH 08/TKOF	BUILDING	190558.8N 0725023.5E	59 FT	NO	Railing On Building (Building Top 17.2m)
26/APCH 08/TKOF	BUILDING	190558.5N 0725023.9E	62 FT	NO	Railing On Building (Building Top 17.6m)
26/APCH 08/TKOF	BUILDING	190559.0N 0725023.8E	64 FT	NO	Sintex Tank On Building (Building Top 18.3m)
26/APCH 08/TKOF	TREE	190556.6N 0725027.5E	77 FT	NO	Group Of Tree
26/APCH 08/TKOF	BUILDING	190557.9N 0725024.1E	65 FT	NO	Building
26/APCH 08/TKOF	TREE	190559.8N 0725027.4E	81 FT	NO	Group Of Tree
26/APCH 08/TKOF	TREE	190559.5N 0725034.7E	110 FT	NO	Group Of Tree
26/APCH 08/TKOF	BUILDING	190559.0N 0725024.3E	71 FT	NO	Rod On Building (Building Top 17.8m)
26/APCH 08/TKOF	TREE	190557.9N 0725027.3E	81 FT	NO	Group Of Tree
26/APCH 08/TKOF	TREE	190557.2N 0725021.8E	61 FT	NO	Group Of Tree
26/APCH 08/TKOF	BUILDING	190556.6N 0725023.2E	69 FT	NO	Antenna On Building (Building Top 20.3m)
26/APCH 08/TKOF	BUILDING	190556.1N 0725022.8E	69 FT	NO	Antenna On Building (Building Top 18.7m)
26/APCH 08/TKOF	TREE	190557.4N 0725022.8E	75 FT	NO	Group Of Tree
26/APCH 08/TKOF	TREE	190558.8N 0725028.9E	109 FT	NO	Group Of Tree
26/APCH 08/TKOF	TREE	190559.2N 0725023.3E	92 FT	NO	Group Of Tree
26/APCH 08/TKOF	TREE	190557.9N 0725023.3E	91 FT	NO	Group Of Tree
26/APCH 08/TKOF	TREE	190557.5N 0725023.6E	92 FT	NO	Group Of Tree
26/APCH 08/TKOF	TREE	190557.2N 0725025.0E	100 FT	NO	Group Of Tree
26/APCH 08/TKOF	TREE	190558.3N 0725023.4E	94 FT	NO	Group Of Tree
26/APCH 08/TKOF	TREE	190556.9N 0725022.6E	91 FT	NO	Palm Tree
34/TKOF 16/APCH	OTHER	190605.0N 0724956.1E	31 FT	NO	Mobile Road Traffic (Road Elev 4.4 M + Mobile Traffic 5.0 M)
34/TKOF 16/APCH	BUILDING	190605.2N 0724959.1E	33 FT	NO	Huts In Nehru Nagar
34/TKOF 16/APCH	BUILDING	190605.5N 0724958.0E	35 FT	NO	Huts In Nehru Nagar

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM08)	Marking/LGT	Remarks
34/TKOF 16/APCH	BUILDING	190605.2N 0724958.5E	36 FT	NO	Huts In Nehru Nagar
34/TKOF 16/APCH	BUILDING	190605.7N 0724957.6E	40 FT	NO	Huts In Nehru Nagar
34/TKOF 16/APCH	BUILDING	190606.1N 0724956.4E	41 FT	NO	Huts In Nehru Nagar
34/TKOF 16/APCH	BUILDING	190605.8N 0724955.9E	41 FT	NO	Huts In Nehru Nagar
34/TKOF 16/APCH	BUILDING	190606.2N 0724957.3E	41 FT	NO	Huts In Nehru Nagar
34/TKOF 16/APCH	BUILDING	190605.6N 0724958.6E	43 FT	NO	Huts In Nehru Nagar
34/TKOF 16/APCH	BUILDING	190606.6N 0724955.7E	44 FT	NO	Huts In Nehru Nagar
34/TKOF 16/APCH	BUILDING	190606.6N 0724956.9E	44 FT	NO	Huts In Nehru Nagar
34/TKOF 16/APCH	BUILDING	190607.1N 0724955.9E	47 FT	NO	Huts In Nehru Nagar
34/TKOF 16/APCH	BUILDING	190608.0N 0724957.9E	50 FT	NO	Huts In Nehru Nagar
34/TKOF 16/APCH	BUILDING	190607.3N 0724957.4E	55 FT	NO	Huts In Nehru Nagar
34/TKOF 16/APCH	BUILDING	190611.5N 0724957.0E	68 FT	NO	Building
34/TKOF 16/APCH	BUILDING	190621.6N 0724952.5E	126 FT	NO	Railing On Building (Building Top-37.3)
34/TKOF 16/APCH	BUILDING	190623.0N 0724950.5E	134 FT	NO	Building
34/TKOF 16/APCH	BUILDING	190622.2N 0724952.3E	135 FT	NO	Building
34/TKOF 16/APCH	BUILDING	190621.3N 0724949.7E	135 FT	NO	Rod On Building (Building Top 40.4m)
34/TKOF 16/APCH	BUILDING	190623.4N 0724947.0E	153 FT	NO	Rod On Building (Building Top 44.1m)
34/TKOF 16/APCH	BUILDING	190626.5N 0724946.9E	154 FT	NO	Dish Antenna On Building (Building Top 46.6m)
34/TKOF 16/APCH	BUILDING	190640.5N 0724946.5E	165 FT	NO	Generator On Building (Building Top 48.0m)
34/TKOF 16/APCH	BUILDING	190634.0N 0724944.1E	175 FT	NO	Building U/C
34/TKOF 16/APCH	BUILDING	190624.5N 0724950.7E	177 FT	NO	Tree Plant On Building (Building Top 52.7m)
34/TKOF 16/APCH	BUILDING	190641.9N 0724945.0E	185 FT	NO	Building
34/APCH 16/TKOF	BUILDING	190502.6N 0725026.8E	167 FT	NO	Rod On Building (Building Top 50.1)
34/APCH 16/TKOF	BUILDING	190519.4N 0725015.0E	107 FT	NO	Mast On Building (Building Top 23.5m)

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM08)	Marking/LGT	Remarks
34/APCH 16/TKOF	FENCE	190536.3N 0725011.5E	23 FT	NO	Wire Fencing
34/APCH 16/TKOF	POLE	190536.4N 0725011.3E	23 FT	NO	Light Pole
34/APCH 16/TKOF	BUILDING	190459.7N 0725023.9E	170 FT	LGTD	Lighted Rod On Building (Building Top 49.4)
34/APCH 16/TKOF	TREE	190531.1N 0725014.3E	54 FT	NO	Group Of Tree
34/APCH 16/TKOF	BUILDING	190520.0N 0725014.4E	106 FT	NO	Mast On Building (Building Top 23.5m)
34/APCH 16/TKOF	POLE	190536.3N 0725010.8E	23 FT	NO	Light Pole
34/APCH 16/TKOF	BUILDING	190458.2N 0725023.1E	171 FT	LGTD	Lighted Rod On Building (Building Top 50.0)
34/APCH 16/TKOF	POLE	190536.3N 0725010.2E	23 FT	NO	Light Pole
34/APCH 16/TKOF	BUILDING	190458.9N 0725023.2E	172 FT	NO	Building
34/APCH 16/TKOF	POLE	190536.2N 0725009.7E	23 FT	NO	Light Pole
34/APCH 16/TKOF	TREE	190529.3N 0725013.4E	62 FT	NO	Group Of Tree
34/APCH 16/TKOF	POLE	190536.2N 0725009.2E	23 FT	NO	Light Pole
34/APCH 16/TKOF	BUILDING	190524.4N 0725014.0E	88 FT	LGTD	Lighted Rod On Building (Building Top 25.6)
34/APCH 16/TKOF	OTHER	190536.5N 0725009.4E	28 FT	NO	Mobile Road Traffic (Road Elev 3.4 M + Mobile Traffic 5.0 M)
34/APCH 16/TKOF	BUILDING	190525.2N 0725013.9E	86 FT	NO	Masjid Dome
34/APCH 16/TKOF	BUILDING	190524.1N 0725015.1E	94 FT	NO	Antenna On Building (Building Top 27.6)
34/APCH 16/TKOF	OTHER	190536.4N 0725009.2E	28 FT	NO	Mobile Road Traffic (Road Elev 3.4 M + Mobile Traffic 5.0 M)
34/APCH 16/TKOF	BUILDING	190525.1N 0725014.5E	89 FT	NO	Rod On Masjid (Building Top 26.0)
34/APCH 16/TKOF	OTHER	190536.3N 0725009.0E	28 FT	NO	Mobile Road Traffic (Road Elev 3.4 M + Mobile Traffic 5.0 M)
34/APCH 16/TKOF	TREE	190535.8N 0725010.3E	48 FT	NO	Group Of Tree
In circling area and at AD	FENCE	190556.3N 0725020.9E	20 FT	NO	Fencing
In circling area and at AD	POLE	190556.5N 0725020.9E	21 FT	NO	Light Pole

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM08)	Marking/LGT	Remarks
In circling area and at AD	POLE	190556.0N 0725020.9E	21 FT	NO	Light Pole
In circling area and at AD	TREE	190554.3N 0724941.2E	69 FT	NO	Tree
In circling area and at AD	POLE	190547.8N 0724937.2E	35 FT	NO	Light Pole
In circling area and at AD	TREE	190544.7N 0724938.3E	101 FT	NO	Group Of Tree
In circling area and at AD	TREE	190546.5N 0724945.3E	83 FT	NO	Group Of Tree
In circling area and at AD	TREE	190546.5N 0724944.5E	85 FT	NO	Group Of Tree
In circling area and at AD	BUILDING	190552.2N 0724937.6E	51 FT	NO	Tin Shed
In circling area and at AD	TREE	190547.7N 0724936.7E	45 FT	NO	Tree
In circling area and at AD	TREE	190546.3N 0724942.5E	93 FT	NO	Group Of Tree
In circling area and at AD	OTHER	190552.3N 0724937.8E	67 FT	NO	Hoarding
In circling area and at AD	TREE	190545.5N 0724937.5E	106 FT	NO	Group Of Tree
In circling area and at AD	TREE	190552.6N 0724939.8E	72 FT	NO	Group Of Tree
In circling area and at AD	TREE	190553.2N 0724939.6E	85 FT	NO	Group Of Tree
In circling area and at AD	TREE	190547.0N 0724936.9E	93 FT	NO	Group Of Tree
In circling area and at AD	TREE	190547.9N 0724942.2E	88 FT	NO	Group Of Tree
In circling area and at AD	TREE	190552.3N 0725022.8E	89 FT	NO	Group Of Tree
In circling area and at AD	POLE	190559.2N 0725016.2E	42 FT	NO	Light Pole
In circling area and at AD	POLE	190559.3N 0725018.2E	38 FT	NO	Light Pole
In circling area and at AD	TREE	190557.6N 0725044.6E	105 FT	NO	Group Of Tree
In circling area and at AD	POLE	190555.5N 0725020.9E	21 FT	NO	Light Pole
In circling area and at AD	TREE	190600.0N 0725018.0E	54 FT	NO	Group Of Tree
In circling area and at AD	BUILDING	190606.6N 0725037.0E	156 FT	NO	Building
In circling area and at AD	BUILDING	190606.1N 0725041.8E	139 FT	NO	Mast On Building (Building Top 35.6m)
In circling area and at AD	BUILDING	190601.7N 0725030.2E	70 FT	NO	Building (Saumia Sadan)
In circling area and at AD	BUILDING	190556.4N 0725036.4E	89 FT	NO	Missionaries Of Charities
In circling area and at AD	TREE	190558.7N 0725016.5E	39 FT	NO	Group Of Tree

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM08)	Marking/LGT	Remarks
In circling area and at AD	TREE	190602.1N 0725020.8E	94 FT	NO	Group Of Tree
In circling area and at AD	POLE	190559.5N 0725020.5E	43 FT	NO	Light Pole
In circling area and at AD	GATE	190558.9N 0725021.1E	30 FT	NO	Pawan Hans Security Gate
In circling area and at AD	BUILDING	190555.1N 0725026.6E	66 FT	NO	Sintex Tank On Building (Building Top 18.7m)
In circling area and at AD	BUILDING	190555.8N 0725026.9E	57 FT	NO	Building
In circling area and at AD	POLE	190555.2N 0725021.8E	42 FT	NO	Light Pole
In circling area and at AD	BUILDING	190556.1N 0725029.8E	66 FT	NO	Building
In circling area and at AD	POLE	190559.9N 0725020.7E	55 FT	NO	Light Pole
In circling area and at AD	BUILDING	190603.0N 0725025.4E	111 FT	NO	Building
In circling area and at AD	TREE	190601.6N 0725023.3E	88 FT	NO	Coconut Tree
In circling area and at AD	BUILDING	190558.4N 0725019.6E	31 FT	NO	Security Hut
In circling area and at AD	BUILDING	190602.2N 0725029.6E	92 FT	NO	Building
In circling area and at AD	BUILDING	190556.3N 0725027.9E	57 FT	NO	Building
In circling area and at AD	BUILDING	190604.8N 0725034.2E	138 FT	NO	Building
In circling area and at AD	TREE	190559.4N 0725019.5E	52 FT	NO	Group Of Tree
In circling area and at AD	TREE	190558.9N 0725018.9E	45 FT	NO	Group Of Tree
In circling area and at AD	BUILDING	190607.2N 0725048.9E	166 FT	NO	Railing On Building (Building Top 49.8m)
In circling area and at AD	TREE	190558.9N 0725019.9E	44 FT	NO	Group Of Tree
In circling area and at AD	TREE	190601.0N 0725026.3E	77 FT	NO	Tree
In circling area and at AD	POLE	190555.8N 0725021.8E	41 FT	NO	Light Pole
In circling area and at AD	BUILDING	190555.8N 0725024.2E	57 FT	NO	Railing On Building (Building Top 16.4m)
In circling area and at AD	BUILDING	190600.7N 0725026.9E	77 FT	NO	Sintex Tank On Building (Building Top 22.5m)
In circling area and at AD	TREE	190600.7N 0725022.8E	86 FT	NO	Coconut Tree
In circling area and at AD	TREE	190600.2N 0725021.6E	77 FT	NO	Group Of Tree
In circling area and at AD	BUILDING	190555.5N 0725022.8E	60 FT	NO	Building

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM08)	Marking/LGT	Remarks
In circling area and at AD	TREE	190555.1N 0725022.7E	68 FT	NO	Group Of Tree
In circling area and at AD	BUILDING	190601.2N 0725025.7E	96 FT	NO	Gurudev Hotel
In circling area and at AD	BUILDING	190556.7N 0725034.5E	103 FT	NO	Church
In circling area and at AD	TREE	190555.5N 0725027.7E	93 FT	NO	Group Of Tree
In circling area and at AD	BUILDING	190555.9N 0725023.4E	66 FT	NO	Building
In circling area and at AD	TREE	190556.3N 0725030.1E	97 FT	NO	Group Of Tree
In circling area and at AD	TREE	190600.3N 0725022.5E	98 FT	NO	Coconut Tree
In circling area and at AD	TREE	190558.7N 0725021.1E	70 FT	NO	Group Of Tree
In circling area and at AD	BUILDING	190605.1N 0724959.3E	34 FT	NO	Huts In Nehru Nagar
In circling area and at AD	BUILDING	190606.0N 0724959.1E	47 FT	NO	Huts In Nehru Nagar
In circling area and at AD	BUILDING	190605.5N 0724959.0E	50 FT	NO	Huts In Nehru Nagar
In circling area and at AD	BUILDING	190614.1N 0724959.4E	154 FT	NO	Dish On Building (Building Top 46.4m)
In circling area and at AD	BUILDING	190622.4N 0724955.2E	157 FT	NO	Building
In circling area and at AD	BUILDING	190626.0N 0724953.4E	158 FT	NO	Rod On Building (Building Top 47.5m)
In circling area and at AD	BUILDING	190612.7N 0725001.2E	177 FT	LGTD	Light On Building (Building Top 53.6m)
In circling area and at AD	FENCE	190536.0N 0725008.7E	23 FT	NO	Wire Fencing
In circling area and at AD	POLE	190536.1N 0725008.7E	23 FT	NO	Light Pole
In circling area and at AD	BUILDING	190524.2N 0725018.8E	96 FT	NO	Mast On Building (Building Top 24.4)
In circling area and at AD	TREE	190530.7N 0725009.4E	69 FT	NO	Group Of Tree
In circling area and at AD	TREE	190537.6N 0725013.0E	60 FT	NO	Group Of Tree
In circling area and at AD	BUILDING	190526.3N 0725011.0E	99 FT	NO	Antenna On Building (Building Top 27.4)
In circling area and at AD	TREE	190536.0N 0725008.7E	36 FT	NO	Group Of Tree
In circling area and at AD	TREE	190533.8N 0725009.1E	56 FT	NO	Group Of Tree
In circling area and at AD	BUILDING	190538.5N 0725001.6E	206 FT	NO	Rod On ARSR Radar (Building Top 59.6)

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM08)	Marking/LGT	Remarks
In circling area and at AD	ANTENNA	190547.3N 0725011.8E	127 FT	NO	VHF Mast
In circling area and at AD	BUILDING	190602.7N 0724932.7E	168 FT	NO	Building U/C
In circling area and at AD	BUILDING	190553.7N 0725052.3E	166 FT	NO	Railing On Building (Building Top 49.9m)
In circling area and at AD	BUILDING	190555.2N 0725101.5E	166 FT	NO	Building
In circling area and at AD	BUILDING	190545.9N 0725041.7E	167 FT	NO	Railing On Building (Building Top 50.1m)
In circling area and at AD	BUILDING	190551.8N 0725041.8E	167 FT	NO	Building
In circling area and at AD	BUILDING	190611.7N 0725013.7E	167 FT	NO	Antenna On Building (Building Top 50.0m)
In circling area and at AD	BUILDING	190550.8N 0725045.6E	168 FT	NO	Building
In circling area and at AD	BUILDING	190547.3N 0725056.6E	171 FT	NO	Railing On Building (Building Top 50.7m)
In circling area and at AD	BUILDING	190610.7N 0725011.5E	177 FT	NO	Rod On Building (Building Top 50.6m)
In circling area and at AD	BUILDING	190546.3N 0725051.3E	185 FT	NO	Antenna On Building (Vireshwar Height) (Bldg.Top-54.0m)
In circling area and at AD	BUILDING	190611.4N 0725035.1E	186 FT	NO	Rod On Building (Building Top 52.2m)
In circling area and at AD	BUILDING	190612.0N 0725019.8E	190 FT	NO	Rod On Building (Building Top 57.0m)
In circling area and at AD	BUILDING	190611.2N 0725034.0E	190 FT	NO	Railing On Building (Building Top 57.0m)
In circling area and at AD	BUILDING	190629.5N 0724956.7E	166 FT	NO	Sintex Tank On Building(Building Top 48.3m)
In circling area and at AD	BUILDING	190626.4N 0724933.9E	170 FT	NO	Rod On Building (Building Top 48.0m)
In circling area and at AD	BUILDING	190654.2N 0724928.4E	171 FT	NO	Dish On Building (Building Top 51.4m)
In circling area and at AD	BUILDING	190612.0N 0725007.9E	176 FT	NO	Railing On Building (Building Top 52.7m)
In circling area and at AD	BUILDING	190611.5N 0725006.4E	177 FT	NO	Building
In circling area and at AD	BUILDING	190616.6N 0725000.8E	178 FT	NO	Building U/C
In circling area and at AD	BUILDING	190646.2N 0724950.1E	178 FT	NO	Building (Om Niwas)

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM08)	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190611.1N 0725008.6E	181 FT	NO	Building U/C
In circling area and at AD	BUILDING	190609.1N 0725006.8E	181 FT	NO	Railing On Building (Building Top 54.0m)
In circling area and at AD	BUILDING	190635.0N 0724951.5E	184 FT	NO	Building
In circling area and at AD	BUILDING	190644.3N 0724953.0E	184 FT	NO	Railing On Building (Building Top 55.1m)
In circling area and at AD	BUILDING	190617.5N 0725000.7E	185 FT	NO	Building
In circling area and at AD	BUILDING	190622.8N 0725011.5E	185 FT	NO	Building
In circling area and at AD	BUILDING	190646.3N 0724951.5E	186 FT	NO	Dish On Building (Building Top 56.1m)
In circling area and at AD	BUILDING	190649.2N 0724952.9E	187 FT	NO	Building U/C
In circling area and at AD	BUILDING	190648.0N 0724951.8E	187 FT	NO	Rod On Building (Building Top 56.1m)
In circling area and at AD	BUILDING	190635.7N 0724951.8E	188 FT	NO	Railing On Building (Building Top 56.7m)
In circling area and at AD	BUILDING	190633.4N 0724954.3E	188 FT	NO	Building U/C
In circling area and at AD	BUILDING	190633.3N 0724959.5E	189 FT	NO	Railing On Building (Building Top 56.3m)
In circling area and at AD	BUILDING	190624.9N 0724957.0E	189 FT	NO	Railing On Building (Building Top 56.7m)
In circling area and at AD	BUILDING	190649.6N 0724950.1E	190 FT	NO	Dish On Building (Building Top 56.1m)
In circling area and at AD	BUILDING	190654.6N 0724950.1E	190 FT	NO	Antenna On Building (Building Top 56.6m)
In circling area and at AD	BUILDING	190640.1N 0725000.4E	190 FT	NO	Railing On Building (Building Top 57.1m)
In circling area and at AD	BUILDING	190645.3N 0724954.6E	190 FT	NO	Railing On Building (Building Top 56.9m)
In circling area and at AD	BUILDING	190656.0N 0724950.1E	190 FT	LGTD	Lighted Rod On Building (Building Top 56.5m)
In circling area and at AD	BUILDING	190652.0N 0725017.9E	197 FT	LGTD	Lighted Rod On Building (Building Top 59.3m)
In circling area and at AD	BUILDING	190635.4N 0724954.6E	202 FT	NO	Rod On Building (Building Top 56.4m)
In circling area and at AD	BUILDING	190441.5N 0725037.3E	166 FT	NO	Building

In Approach/Take-off/Circling Area and at AD					
1	**2**	**3**	**4**	**5**	**6**
RWY/Area affected	Obstacle type	Coordinates	Elevation (EGM08)	Marking/LGT	Remarks
In circling area and at AD	BUILDING	190446.0N 0725032.7E	169 FT	LGTD	Lighted Rod On Building (Building Top 49.6)
In circling area and at AD	BUILDING	190446.7N 0725038.6E	169 FT	NO	Tank On Building (Building Top 50.2)
In circling area and at AD	BUILDING	190443.1N 0725023.3E	171 FT	NO	Building U/C
In circling area and at AD	BUILDING	190441.4N 0725025.1E	171 FT	NO	Building
In circling area and at AD	BUILDING	190454.3N 0725038.5E	171 FT	NO	Railing On Building (Building Top 51.2)
In circling area and at AD	BUILDING	190445.7N 0725019.6E	180 FT	NO	Railing On Building (Building Top 53.7)
In circling area and at AD	BUILDING	190441.7N 0725015.0E	181 FT	NO	Railing On Building (Building Top 54.5)
In circling area and at AD	BUILDING	190445.9N 0725012.6E	183 FT	NO	Building
In circling area and at AD	BUILDING	190448.3N 0725010.0E	186 FT	NO	Rod On Building (Building Top 54.8)
In circling area and at AD	BUILDING	190445.1N 0725013.5E	187 FT	NO	Building
In circling area and at AD	BUILDING	190454.5N 0725013.2E	197 FT	NO	Building U/C
In circling area and at AD	BUILDING	190436.2N 0725024.2E	198 FT	NO	Rod On Building (Building Top 55.2)
In circling area and at AD	BUILDING	190438.4N 0725014.4E	207 FT	NO	Building U/C
In circling area and at AD	BUILDING	190433.6N 0725020.9E	187 FT	NO	Building

VAJJ AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Name of the associated meteorological office	A.M.S. Juhu - C/o M.W.O. Mumbai
2	Hours of service and, where applicable, the designation of the responsible meteorological office outside these hours	0530 HRS IST to 1930 HRS IST (Sunrise to Sunset Operations) c/o Meteorological Office. New ATS Complex, Sutar Pakhadi Road, Near Andheri-Sahar Cargo, Andheri East, Mumbai-400099
3	Office responsible for preparation of TAFs and periods of validity and interval of issuance of the forecasts	Meteorological Office, Mumbai TAFS for VAJJ are not issued since operations at Juhu are not for civil flights. It is only for ONGC oil operations and non-scheduled Helicopter or small aircraft operations only.
4	Availability of the trend forecast for the aerodrome and interval of issuance	Trend forecast appended to each METAR and issued at every half an hour HH+00 and HH+30 UTC during Sun Rise to Sun Set.
5	Information on how briefing and/or consultation is provided	Met briefing provided manually during sunrise to sunset. As well as through On Line Briefing System (OLBS) to registered users.
6	Types of flight documentation supplied and language(s) used in flight documentation	Local Forecasts of validity 0000 UTC to 0600 UTC and 0600 UTC to 1400 UTC for VAJJ and 100 NM around provided to eachnon scheduled flights and also Tabular form (Met T3) if requested. English
7	Charts and other information displayed or available for briefing or consultation	Satellite picture / Local forecast / Latest VAJJ METARs are available for display.
8	Supplementary equipment available for providing information on meteorological conditions, e.g. weather radar and receiver for satellite images;	Tele-Fax, On Line Briefing System (OLBS) available. All the Met briefing products like METARs/SPECIs/TAFORs/SIGMETs/ Warnings/Area Forecasts/Satellite pictures/Radar pictures/Upper Air charts along with SIG Wx charts below FL630 issued from WAFC centre, are uploaded in OLBS at scheduled timings. These products can be accessed on url Address http://olbs.amssdelhi.gov.in by the registered users who are provided with user id and password on request. This OLBS facility is in addition to existing standard practice of manual Met briefing as well as centralized OLBS available on IMD website http://amsschennai.gov.in
9	The air traffic services unit(s) provided with meteorological information	Juhu ATC
10	Additional information, e.g. concerning any limitation of service.	(i)Tel Fax - 022-26613941 Email - mojuhu9@gmail.com and aviationmomumbai@gmail.com (ii) DCWI available for ready observations and display (iii) Standby portable kit with Mercury / Aneroid barometer available. (iv) Doppler Weather Radar available at Colaba used to track and know Convective clouds CB / TCU and thir heights / distance.

VAJJ AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations	TRUE Bearings	Dimensions of RWY (M)	Strength of pavement (PCN) and associated data) and surface of runway and associated stopways	Geographical coordinates for threshold and runway end
1	2	3	4	5
08	79.83 DEG	1132 x 30 M	17/F/D/Y/T Asphalt	THR: 190550.87N 0724944.02E RWY END: 190556.79N 0725018.77E
26	259.83 DEG	1132 x 30 M	17/F/D/Y/T Asphalt	THR: 190553.99N 0725002.38E RWY END: 190550.29N 0724940.65E
16	157.29 DEG	725 x 20 M	8/F/D/Y/T Asphalt	THR: 190600.11N 0724959.75E RWY END: 190538.36N 0725009.33E
34	337.29 DEG	725 x 20 M	8/F/D/Y/T Asphalt	THR: 190538.36N 0725009.33E RWY END: 190600.11N 0724959.75E

THR elevation and highest elevation of TDZ of precision APP RWY	Slope of runway and associated stopway	Dimensions of stopway (M)	Dimensions of clearway (M)	Dimensions of strips (M)
6	7	8	9	10
THR: 15.0FT TDZ: 15.0FT		NIL	NIL	1252 x 80 M
THR: 11.0FT TDZ: 12.0FT		NIL	NIL	1252 x 80 M
THR: 10.0FT TDZ: 10.0FT		NIL	NIL	785 x 60 M
THR: 10.0FT TDZ: 11.0FT		NIL	NIL	785 x 60 M

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	12	13	14
NOT AVBL			i. Turn Pad and Blast Pad Beginning of RWY not AVBL ii. Elevations in EGM08
NOT AVBL			i. Turn Pad and Blast Pad Beginning of RWY not AVBL ii. Elevations in EGM08

Dimensions of runway end safety areas	Location and description of arresting system (if any)	Existence of an obstacle-free zone	Remarks.
11	12	13	14
NOT AVBL			i. Turn Pad and Blast Pad Beginning of RWY not AVBL ii. Elevations in EGM08
NOT AVBL			i. Turn Pad and Blast Pad Beginning of RWY not AVBL ii. Elevations in EGM08

VAJJ AD 2.13 DECLARED DISTANCES

RWY Designator	Take-off run available TORA (M)	Take-off distance available TODA (M)	Accelerate distance available ASDA (M)	Landing distance available LDA (M)	Remarks (including runway entry or start point where alternative reduced declared distances have been declared)
1	2	3	4	5	6
08	1132	1132	1132	1032	THR Displaced by 100M
26	1132	1132	1132	645	THR Displaced by 487M
16	725	725	725	725	
34	725	725	725	725	

VAJJ AD 2.14 APPROACH AND RUNWAY LIGHTING

Runway Designator	Type, length and intensity of approach lighting system	Runway threshold lights, colour and wing bars	Type of visual slope indicator system	Length of runway touchdown zone lights
1	2	3	4	5
08			NIL	
26			NIL	
16			NIL	
34			NIL	

Length, spacing, colour and intensity of runway centre line lights	Length, spacing, colour and intensity of runway edge lights	Colour of runway end lights and wing bars	Length and colour of stopway lights	Remarks
6	7	8	9	10
				NIL
				NIL
				NIL
				NIL

VAJJ AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	Location, characteristics and hours of operation of aerodrome beacon/identification beacon (if any)	ABN	Not Available
		IBN	Not Available
2	Location and lighting (if any) of anemometer/ landing direction indicator;	LDI	Not Available
		Anemometer	Not Available
3	Taxiway edge and taxiway centre line lights;	Edge	Not Available
		Centre Line	Not Available
4	Secondary power supply including switch-over time;	Ten seconds for ATC tower VHF Power supply	
5	Remarks	Signal Area: AVBL (Not Lighted)	

VAJJ AD 2.16 HELICOPTER LANDING AREA

1	Geographical coordinates of the geometric centre of touchdown and lift-off (TLOF) or of each threshold of final approach and take-off (FATO) area	Not established
2	TLOF and/or FATO area elevation:	---
3	TLOF and FATO area dimensions to the nearest metre or foot, surface type, bearing strength and marking;	---
4	True bearings of FATO;	---
5	Declared distances available	---
6	Approach and FATO lighting;	---
7	Remarks	---

VAJJ AD 2.17 AIR TRAFFIC SERVICE AIRSPACE

1	Airspace designation, geographical coordinates and lateral limits	Not established
2	Vertical limits	Not established
3	Airspace classification	G
4	Call sign and language(s) of the air traffic services unit providing service;	Juhu Tower, English
5	Transition altitude	6000 FT
6	Hours of applicability	As ATS

7	Remarks	**1.** Except for airspace in the APCH and TKOF path of VABB RWY 09/27 and 14/32 and airspace under jurisdiction of Shikra ATC, airspace between radial 200 to 340 clockwise up to 25NM from BBB and airspace between radial 341 to 199 clockwise up to 12 NM from BBB up to 1200 FT AMSL for operation of VFR and special VFR flights shall be under jurisdiction of Juhu ATC. **2.** All Helicopters operating within 25 NM from BBB shall address FPL to VAJJZTZX in addition to VABFZQZX. **3.** Except departures from Mumbai all helicopters departing as VFR within 25 NM from BBB shall obtain positive clearance from Juhu ATC prior to departure. **4.** Except when instructed otherwise, all helicopters operating under VFR and special VFR within 30 NM from BBB between radial 200 to 340 clockwise and within 15NM from BBB between radial 341 TO 199 clockwise shall contact JUHU ATC on VHF 124.350 MHZ/ 118.750 MHZ. 5. Juhu Approach Control Unit is combined with Juhu Aerodrome Control Tower.

VAJJ AD 2.18 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service Designation	Call sign	Channel(s)	SATVOICE Number(s), if available
1	2	3	4
APP	Juhu Tower	118.750 MHZ	
APP	Juhu Tower	124.350 MHZ	
TWR	Juhu Tower	118.750 MHZ	
TWR	Juhu Tower	124.350 MHZ	
ATIS	JUHU INFORMATION	128.200 MHZ	

Logon address, as appropriate	Hours of operation	Remarks
5	6	7
	HO	1.Backup FREQ 2.Functions of Approach Control Service provided by Aerodrome Control Tower.
	HO	1.Main FREQ 2.Functions of Approach Control Service provided by Aerodrome Control Tower.
	As ATS	ALT FREQ
	As ATS	NIL
	As ATS	NIL

VAJJ AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aids, magnetic variation and type of supported operation for ILS/ MLS, basic GNSS, SBAS and GBAS, and for VOR/ILS/MLS station used for technical lineup of the aid	Identification	Frequency(ies), Channel number(s), Service provider, and reference path identifier(s) (RPI), as appropriate	Hours of operation, as appropriate;
1	2	3	4

Geographical coordinates of the position of the transmitting antenna	Elevation of transmitting antenna of DME/ elevation of GBAS reference point	Service volume radius from the GBAS reference point	Remarks
5	6	7	8

VAJJ AD 2.20 LOCAL AERODROME REGULATIONS

1. Local Flying Areas:

AREA 'A' :

Operating Altitude: Up to 2000 ft. AMSL

Boundaries : Agashi Bay - in the North

Bassein Creek - in the South

Coastline - in the West

Railway line - in the East

AREA 'B' :

Operating Altitude: Up to 700 ft. AMSL

Boundaries : From Juhu Aerodrome extending to

Bassein Creek - in the North

Coastline - in the West

Railway line - in the East

i. Local flying not permitted when Juhu visibility is less than 3 Km.

ii. Local flying areas A & B are available only when RWY 27 in use at Mumbai.

iii. Local flying in Area 'A' permitted at or below 1500 FT AMSL when RWY 09/14/32 in use at VABB.

2. Helicopter pilots to exercise caution while air taxi from RWY 26 to dispersal area in front of Tata / Raymond Hangar as no taxiway available.

3. No Aircraft shall take lock turn/ pivotal turn on the Runway to avoid pavement damage.

VAJJ AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

VAJJ AD 2.22 FLIGHT PROCEDURES

i. All helicopters operating within 15 NM from Mumbai shall remain in contact with Juhu except when overflying, landing or departing from Mumbai.

ii. All helicopters outbound may squawk 2100 beyond 15 NM from Mumbai and all helicopters inbound may squawk 2000 up to 15 NM. All helicopters shall switch off transponders when operation within 15 NM of Mumbai.

iii. All departures towards Helipads/aerodromes to south east of Mumbai (e.g. Pune) shall be cleared to route via Karnala (185254N 0730705E) & all inbound helicopters shall be cleared to route via Panvel (185940N 0730650E).

iv. All arrivals inbound to join K routes should be descended to altitude of the K route it is joining by 15 NM. For e.g. a helicopter inbound from Pune to DAKC should be descended to **700 FT** whereas that to Mahalaxmi should be descended to **500 FT**.

Similarly, a departure from Mahalaxmi to Pune should be cleared to maintain **700 FT** till 15 NM whereas departure from DAKC to Pune should be cleared to maintain **500 FT.**

v. All departures towards helipads/aerodromes to north east of Mumbai (e.g. Shirdi, Nasik, Aurangabad etc.) shall be cleared to route via Powai Lake and Thane (1911N 07300E) at 500 FT and all inbound helicopters shall be cleared to route via Thane and Vihar Lake at 700 FT.

vi. All inbound helicopters to land on RWY 34 at Juhu, whenever RWY in use at Mumbai is 14/32

VAJJ AD 2.23 ADDITIONAL INFORMATION

i. Operators intending to operate prior to 0730 IST in the Morning to file flight plan on the previous day with JUHU ATC for departure and intimate in writing for arrival to JUHU.

ii. Parking allotted on first come first served basis. Apron space in ONGC, UHPL, GLOBAL VECTRA, BFC aprons also will be utilized by ATC, depending upon vacancy and demand.

iii. Pilots to exercise caution due to tall trees on the final approach of RWY 26.

iv. For non JUHU based operations, 48 hours' prior notice due to limited parking space availability.

v. RWY 08/26 available for helicopters and fixed wing aircraft. RWY 16/34 available only for helicopter operations.

vi. Pilots to exercise caution due nuisance/menace from birds and dogs.

VAJJ AD 2.24 CHARTS RELATED TO AN AERODROME

1. Aerodrome Chart
2. Aircraft Parking Docking Chart
3. Aerodrome Obstacle Chart – (Operating Limitations) Type A RWY 08
4. Aerodrome Obstacle Chart – (Operating Limitations) Type A RWY 26
5. Aerodrome Obstacle Chart – (Operating Limitations) Type A RWY 16

6. Aerodrome Obstacle Chart – (Operating Limitations) Type A RWY 34

VAJJ AD 2.25 VISUAL SEGMENT SURFACE (VSS) PENETRATION

Procedure	Procedure Minima	VSS Penetration
1	**2**	**3**